


<b>NRC FORM 241</b> <small>(7-1999)</small>		<b>U.S. NUCLEAR REGULATORY COMMISSION</b>		APPROVED BY LABEL NO. 2160-0018 Estimated burden per response to comply with this mandatory collection request: 15 minutes. This notification is required so that NRC may schedule inspection of the activities to ensure that they are conducted in accordance with requirements for protection of the public health and safety. Send comments regarding burden estimate to the Records Management Branch (1-6 ES), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0004, or by internet e-mail to first@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NRCB-10202 (3150-0013), Office of Management and Budget, Washington, DC 20503. If a message used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.		EXPIRES: 07/21/2002	
<b>REPORT OF PROPOSED ACTIVITIES IN NON-AGREEMENT STATES, AREAS OF EXCLUSIVE FEDERAL JURISDICTION, OR OFFSHORE WATERS</b> (Please read the instructions before completing this form)							
1. NAME OF LICENSEE (Person or firm proposing to conduct the activities described below) <b>GREAT LAKES CONSTRUCTION MANAGEMENT</b>			2. TYPE OF REPORT <input checked="" type="checkbox"/> INITIAL <input type="checkbox"/> REVISION <input type="checkbox"/> CLARIFICATION				
3. ADDRESS OF LICENSEE (Mailing address or other location where licensee may be located) <b>13725 PINEY HOLLOW                  LEROY, OH 44077</b>			4. LICENSEE CONTACT AND TITLE <b>RICHARD TORKAR - PRESIDENT</b>				
			5. TELEPHONE NUMBER (Include Area Code) <b>216-276-4313</b>		6. FACSIMILE NUMBER (Include Area Code) <b>440-254-3016</b>		
7. ACTIVITIES TO BE CONDUCTED UNDER THE GENERAL LICENSE GIVEN IN 10 CFR 160.20 <input type="checkbox"/> WELL LOGGING <input type="checkbox"/> LEAK TESTING AND/OR CALIBRATIONS <input type="checkbox"/> TELE THERAPY/IRRADIATOR SERVICE <input checked="" type="checkbox"/> PORTABLE GAUGES <input type="checkbox"/> OTHER (Specify) → _____ <input type="checkbox"/> RADIOGRAPHY → _____ REGISTERED AS USER OF PACKAGING (CERTIFICATES OF COMPLIANCE NUMBER)							
8. CLIENT NAME ADDRESS, CITY/COUNTY, STATE, ZIP CODE <b>PARADIGM DESIGN/BUILD LLC                  8348 BOSTON-COLDEN RD                  COLDEN, NY 14033</b>			9. ACTUAL PHYSICAL ADDRESS OF WORK LOCATION (Street and Number or other location. Give as complete an address or directions as possible.) <b>2600 ASBURY RD                  ERIE, PA</b>				
			10. CLIENT TELEPHONE NUMBER (Include Area Code) <b>716-941-5766</b>		11. WORK LOCATION TELEPHONE NUMBER (Include Area Code) <b>216-276-4313</b>		
12. DATES SCHEDULED FROM <b>7/15/02</b> TO <b>10/11/02</b> <b>July 1 2002</b> <b>DEC 31, 2002</b>		13. NUMBER OF WORK DAYS <b>65</b> <b>+200</b>	14. ADD	15. DELETE	16. LOCATION REFERENCE NUMBER <b>000864</b>		
LIST ADDITIONAL WORK SITES ON SEPARATE SHEET(S) TO INCLUDE ALL INFORMATION CONTAINED IN ITEMS 8-16 ABOVE.							
17. LIST RADIOACTIVE MATERIAL, WHICH WILL BE POSSESSED, USED, INSTALLED, SERVICED, OR TESTED (Include description of type and quantity of radioactive material, sealed sources, or devices to be used.) <b>CESIUM 137                  AMERICIUM 241</b>							
18. AGREEMENT STATE SPECIFIC LICENSE WHICH AUTHORIZES THE UNDERSIGNED TO CONDUCT ACTIVITIES WHICH ARE THE SAME, EXCEPT FOR LOCATION OF USE, AS SPECIFIED IN ITEM 8 ABOVE. (Four copies of the specific license must accompany the Initial NRC Form 241.)			LICENSE NUMBER <b>31210440002</b>	STATE <b>OH</b>	EXPIRATION DATE <b>6/1/07</b>		
<b>18. CERTIFICATION (MUST BE COMPLETED BY APPLICANT)</b>							
I, THE UNDERSIGNED, HEREBY CERTIFY THAT:							
a. All information in this report is true and complete.							
b. I have read and understand the provision of the general license 10 CFR 160.20 reprinted on the instructions of this form; and I understand that I am required to comply with these provisions as to all byproduct, source, or special nuclear material which I possess and use in non-Agreement States or offshore waters under the general license for which this report is filed with the U.S. Nuclear Regulatory Commission.							
c. I understand that activities, including storage, conducted in non-Agreement States under general license 10 CFR 160.20 are limited to a total of 180 days in calendar year. With the exception of work conducted in off-shore waters, which is authorized for an unlimited period of time in the calendar year.							
d. I understand that I may be inspected by NRC at the above listed work site locations and at the Licensee's home office address for activities performed in non-Agreement States or offshore waters.							
e. I understand that conduct of any activities not described above, including conduct of activities on dates or locations different from those described above or without NRC authorization, may subject me to enforcement action, including civil or criminal penalties.							
CERTIFYING OFFICER - RSO or Management Representative (Name and Title) <b>RICHARD TORKAR</b>			SIGNATURE 		DATE <b>6/25/02</b>		
WARNING: False statements in this certificate may be subject to civil and/or criminal penalties. NRC regulations require that submissions to the NRC be complete and accurate in all material respects. 18 U.S.C. Section 1001 makes it a criminal offense to make a willfully false statement or representation to any department or agency of the United States as to any matter within its jurisdiction.							
FOR NRC USE ONLY	REVIEWING OFFICIAL (Typed Printed Name and Title) <b>Doris E. Gonzalez/NMPA</b>		SIGNATURE 		DATE <b>07/11/02</b>		
					TOTAL USAGE - DAYS TO DATE		

**OHIO DEPARTMENT OF HEALTH  
LICENSE FOR RADIOACTIVE MATERIAL**

Pursuant to Chapter 3748 of the Ohio Revised Code, and in reliance on statements and representations made by the licensee, a license is hereby issued authorizing the licensee named herein to receive, acquire, possess, and transfer radioactive material as designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the applications of Chapter 3748 of the Ohio Revised Code and all rules promulgated thereunder. This license shall be deemed to contain the conditions specified in Chapters 3701:1-38, 3701:1-40, 3701:1-50 and Rule 3701-39-02.1 of the Ohio Administrative Code and is subject to all applicable rules, regulations and orders of the Ohio Department of Health now or hereinafter in effect and to any conditions specified below.

LICENSEE	LICENSE NUMBER
1. Great Lakes Construction Management & Testing Inc.	3. 31210440002
	EXPIRATION DATE
2. 13725 Piney Hollow Lane Leroy, OH 44077	4. June 1, 2007
	BUREAU DOCKET NUMBER
	5. SD12-04-02

- |   |   |   |
|---|---|---|
| <p>6. RADIOACTIVE MATERIAL</p> <p>A. CESIUM-137</p> <p>B. AMERICIUM-241</p> | <p>7. CHEMICAL AND/OR PHYSICAL FORM</p> <p>A. Sealed sources registered either with the NRC under 10 CFR 32.210 or with an Agreement State and incorporated in a compatible portable gauging device as specified in Item 9 of this license</p> <p>B. Sealed sources registered either with the NRC under 10 CFR 32.210 or with an Agreement State and incorporated in a compatible portable gauging device as specified in Item 9 of this license</p> | <p>8. MAXIMUM QUANTITY THAT LICENSEE MAY POSSESS AT ANY ONE TIME UNDER THIS LICENSE</p> <p>A. No single source to exceed the maximum activity specified in the certificate of registration issued by the NRC or an Agreement State</p> <p>B. No single source to exceed the maximum activity specified in the certificate of registration issued by the NRC or an Agreement State</p> |
|---|---|---|

9. Authorized Use
- A. & B. To be used, for measuring physical properties of materials, in portable gauging devices that have been registered either with NRC under 10 CFR 32.210, as delineated in OAC 3701-39-02.1 or with an Agreement State and have been distributed in accordance with an NRC or Agreement State specific license authorizing distribution to persons specifically authorized by NRC or Agreement State license to receive possess and use the devices.

**CONDITIONS**

10. Licensed material may only be used at the licensee's facilities located at:
- A. 35350 Curtis Boulevard, Suite 110, Eastlake, Ohio 44095; and
- B. Temporary job sites in the State of Ohio.
11. The Radiation Safety Officer for this license is:
- Richard W. Torkar

OHIO DEPARTMENT OF HEALTH  <b>LICENSE FOR RADIOACTIVE MATERIALS</b>  SUPPLEMENTARY SHEET	Page <u>2</u> of <u>3</u>
	License Number: 31210440002
	Bureau Docket Number: SD12-04-02
	Amendment No. INITIAL

12. Licensed material shall be used by, or under the supervision of and in the physical presence of, individuals who have satisfactorily completed the device manufacturer's training program for gauge users and have been designated by the licensee's Radiation Safety Officer. The licensee shall maintain records of the individuals who have been designated as authorized users.
13. A. Sealed Sources shall be tested for leakage and/or contamination at intervals not to exceed 6 months or at such other intervals as specified by the certificate of registration referred to in 10 CFR 32.210, as delineated in OAC 3701-39-02.1.
- B. Notwithstanding Paragraph A of this Condition, sealed sources designed to emit alpha particles shall be tested for leakage and/or contamination at intervals not to exceed three (3) months.
- C. In the absence of a certificate from a transferor indicating that a leak test has been made within the required leak test interval, a sealed source shall not be put into service until tested.
- D. Sealed sources need not be leak tested if:
- (i) they contain only a radioactive gas; or
  - (ii) the half-life of the isotope is less than 30 days or less; or
  - (iii) they contain 3.7 MBq (100  $\mu$ Ci) or less of beta or gamma emitting material or 0.37 MBq (10  $\mu$ Ci) or less of alpha emitting material; or
  - (iv) they are in storage and are not being used. However, when they are removed from storage for use or transfer to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- E. The leak test shall be capable of detecting the presence of 185 Bq (0.005 $\mu$ Ci) of radioactive material on the test sample. If the test reveals the presence of 185 Bq (0.005 $\mu$ Ci) or more of removable contamination, a report shall be filed with the Ohio Department of Health, and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Ohio Department of Health Regulations. The report shall be filed within 5 days of the date the leak test result is known with the Ohio Department of Health, 246 N. High St., Bureau of Radiation Protection / 7<sup>th</sup> Floor 35 Bldg., P.O. Box 118, Columbus, Ohio 43216-0118. The report shall specify the source involved, the test results, and the corrective action taken.
- F. The licensee is authorized to collect leak test samples for analysis by Humboldt Scientific, Inc. Alternatively, persons specifically licensed by the Director, USNRC or an Agreement State to perform such services may perform tests for leakage and/or contamination. Records of leak test results shall be kept in SI units or standard units and shall be maintained for 3 years.
14. Sealed sources containing licensed material shall not be opened or sources removed from source holders by the licensee.
15. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by the Director, to account for all sources and/or devices received and possessed under the license.
16. When performing tests at temporary job sites, the authorized user shall not leave the moisture/density gauge unattended. Upon completion of tests the device shall be locked in the licensee's vehicle or a secure building to prevent unauthorized use, loss, or theft.
17. Each portable gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport, storage, or when not under the direct surveillance of an authorized user.
18. The licensee is authorized to transport licensed material only in accordance with the provisions of OAC 3701:1-50.
19. Any cleaning, maintenance, or repair of the gauge that requires detaching the source or source rod from the gauge shall be performed by the manufacturer or other persons specifically licensed by the Director, the NRC, or an Agreement State to perform such services.

OHIO DEPARTMENT OF HEALTH  <b>LICENSE FOR RADIOACTIVE MATERIALS</b>  SUPPLEMENTARY SHEET	Page <u>3</u> of <u>3</u>
	License Number: 31210440002
	Bureau Docket Number SD12-04-02
	Amendment No. INITIAL

20. In addition to the possession limits in item 8, the licensee shall further restrict the possession of sealed source licensed materials to quantities below the minimum limit specified in OAC 3701:1-40-17(C), for establishing decommissioning financial assurance.
21. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The Ohio Department of Health's statutes, rules, and orders shall govern unless statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated April 14, 2002
  - B. Correspondence dated April 29, 2002

For the Ohio Department of Health

DATE:

5/20/02

BY:

Robert S. [Signature]  
 Director, Ohio Department of Health