November 24, 1995

Mr. J. V. Parrish (Mail Drop 1023) Vice President Nuclear Operations 3000 George Washington Way Washington Public Power Supply System P.O. Box 968 Richland, Washington 99352-0968

SUBJECT: ISSUANCE OF AMENDMENT FOR THE WASHINGTON PUBLIC POWER SUPPLY SYSTEM NUCLEAR PROJECT NO. 2 (TAC NO. M92540)

Dear Mr. Parrish:

The Commission has issued the enclosed Amendment No. 143 to Facility Operating License No. NPF-21 for WPPSS Nuclear Project No. 2. The amendment consists of changes to the Technical Specifications (TS) in response to your application dated June 6, 1995.

The amendment modifies the Index of the WNP-2 Technical Specifications by deleting reference to the Bases pages.

A copy of the related Safety Evaluation is also enclosed. The Notice of Issuance will be included in the Commission's next biweekly <u>Federal Register</u> notice.

Sincerely,

Original Signed By James W. Clifford, Senior Project Manager Project Directorate IV-2 Division of Reactor Projects III/IV Office of Nuclear Reactor Regulation

DISTRIBUTION:

Docket File

Docket No. 50-397

Enclosures: 1. Amendment No. 143 to NPF-2 2. Safety Evaluation

cc w/encls: See next page

CGrimes, OllE22 ACRS (4), TWFN PUBLIC Region IV KPerkins, WCFO EPeyton GHill (2), T5C3 OGC, 015B18 OPA, 02G5 OC/LFDCB, T9E10 PDIV-2/RF EAdensam JBianchi, WCFO (2) WBateman LHurley, RIV DRS DChamberlain, RIV KThomas

JClifford

9512040086 951124 PDR ADOCK 05000397 P PDR

DOCUMENT NAME: WNP92540.AMD

| OFC | LA/PDIV-2 | OGC | PM/PDIV-2 | BC/OTSB/ | PM/PDIV-2 |
|------|------------|------------|-------------|----------|-----------|
| NAME | EPeyton | Cmarco | KThomas:pk | CGrimes | JClifford |
| DATE | T \$\$ /95 | VD / 7 V95 | 7/39/95 | .8/ /95 | \$1 /95 |
| | | OFFICIAL | RECORD COPY | N/A CGI | p1/16/95 |

280029



Ĺ

UNITED STATES NUCLEAR REGULATORY COMMISSION

WASHINGTON, D.C. 20555-0001

November 24, 1995

Mr. J. V. Parrish (Mail Drop 1023) Vice President Nuclear Operations 3000 George Washington Way Washington Public Power Supply System P.O. Box 968 Richland, Washington 99352-0968

SUBJECT: ISSUANCE OF AMENDMENT FOR THE WASHINGTON PUBLIC POWER SUPPLY SYSTEM NUCLEAR PROJECT NO. 2 (TAC NO. M92540)

Dear Mr. Parrish:

The Commission has issued the enclosed Amendment No. 143 to Facility Operating License No. NPF-21 for WPPSS Nuclear Project No. 2. The amendment consists of changes to the Technical Specifications (TS) in response to your application dated June 6, 1995.

The amendment modifies the Index of the WNP-2 Technical Specifications by deleting reference to the Bases pages.

A copy of the related Safety Evaluation is also enclosed. The Notice of Issuance will be included in the Commission's next biweekly <u>Federal Register</u> notice.

Sincerely,

James W. Clifford, Senior Project Manager Project Directorate IV-2 Division of Reactor Projects III/IV Office of Nuclear Reactor Regulation

Docket No. 50-397

Enclosures: 1. Amendment No. 143 to NPF-21 2. Safety Evaluation

cc w/encls: See next page

Mr. J. V. Parrish

cc w/encl: Mr. J. H. Swailes WNP-2 Plant General Manager Washington Public Power Supply System P. O. Box 968 Richland, Washington 99352-0968 Chief Counsel (Mail Drop 396) Washington Public Power Supply System P.O. Box 968 Richland, Washington 99352-0968 Mr. Frederick S. Adair, Chairman Energy Facility Site Evaluation Council P. 0. Box 43172 Olympia, Washington 98504-3172 Mr. D. A. Swank (Mail Drop PE20) WNP-2 Licensing Manager Washington Public Power Supply System P.O. Box 968 Richland, Washington 99352-0968 Mr. Paul R. Bemis (Mail Drop PE20) Director, Regulatory and Industry Affairs Washington Public Power Supply System P.O. Box 968 Richland, Washington 99352 Regional Administrator, Region IV U.S. Nuclear Regulatory Commission Harris Tower & Pavilion 611 Ryan Plaza Drive, Suite 400 Arlington, Texas 76011-8064 Chairman Benton County Board of Commissioners P.O. Box 69 Prosser, Washington 99350-0190 Mr. R. C. Barr, Senior Resident Inspector U.S. Nuclear Regulatory Commission P.O. Box 69 Richland, Washington 99352-0968 M. H. Philips, Jr., Esq. Winston & Strawn 1400 L Street, N.W. Washington, DC 20005-3502



UNITED STATES NUCLEAR REGULATORY COMMISSION

WASHINGTON, D.C. 20555-0001

WASHINGTON PUBLIC POWER SUPPLY SYSTEM

DOCKET NO. 50-397

NUCLEAR PROJECT NO. 2

AMENDMENT TO FACILITY OPERATING LICENSE

Amendment No. 143 License No. NPF-21

- 1. The Nuclear Regulatory Commission (the Commission) has found that:
 - A. The application for amendment by the Washington Public Power Supply System (licensee) dated June 6, 1995, complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act) and the Commission's regulations set forth in 10 CFR Chapter I;
 - B. The facility will operate in conformity with the application, the provisions of the Act, and the rules and regulations of the Commission;
 - C. There is reasonable assurance (i) that the activities authorized by this amendment can be conducted without endangering the health and safety of the public, and (ii) that such activities will be conducted in compliance with the Commission's regulations;
 - D. The issuance of this amendment will not be inimical to the common defense and security or to the health and safety of the public; and
 - E. The issuance of this amendment is in accordance with 10 CFR Part 51 of the Commission's regulations and all applicable requirements have been satisfied.
- 2. Accordingly, the license is amended by changes to the Technical Specifications as indicated in the attachment to this license amendment and paragraph 2.C.(2) of Facility Operating License No. NPF-21 is hereby amended to read as follows:

9512040095 951124 PDR ADOCK 05000397 P PDR PDR

(2) <u>Technical Specifications and Environmental Protection Plan</u>

The Technical Specifications contained in Appendix A, as revised through Amendment No. 143 and the Environmental Protection Plan contained in Appendix B, are hereby incorporated in the license. The licensee shall operate the facility in accordance with the Technical Specifications and the Environmental Protection Plan.

3. This amendment is effective as of its date of issuance.

FOR THE NUCLEAR REGULATORY COMMISSION

James W. Clifford, Senior Project Manager Project Directorate IV-2 Division of Reactor Projects III/IV Office of Nuclear Reactor Regulation

Attachment: Changes to the Technical Specifications

ž.

Date of Issuance: November 24, 1995

ATTACHMENT TO LICENSE AMENDMENT

. .

AMENDMENT NO. 143 TO FACILITY OPERATING LICENSE NO. NPF-21

DOCKET NO. 50-397

Replace the following pages of the Appendix A Technical Specifications with the enclosed pages. The revised pages are identified by amendment number and contain vertical lines indicating the areas of change. The corresponding overleaf pages are also provided to maintain document completeness.

| <u>REMOVE</u> | INSERT |
|---------------|--------|
| iv | iv |
| xii | |
| xiii | |
| xiv | |
| xv | |
| xvi | |
| xvii | xii |
| xviii | xiii |
| xix | xiv |
| XX | XV |
| xx(a) | xvi |
| xxi | xvii |
| xxii | xviii |
| xxiii | xix |
| xxiv | XX |

| INDE) | (|
|--|---|
| and the second s | |

SAFETY LIMITS AND LIMITING SAFETY SYSTEM SETTINGS

| <u>Sect</u> | ION | | <u>PAGE</u> |
|-------------|-----------|------------------------------------|-------------|
| <u>2.1</u> | SAFETY LI | <u>MITS</u> | • |
| | THERMAL | POWER, Low Pressure or Low Flow | 2-1 |
| | THERMAL | POWER, High Pressure and High Flow | 2-1 |
| | Reactor | Coolant System Pressure | 2-1 |
| | Reactor | Vessel Water Level | 2-2 |
| | | | |

2.2 LIMITING SAFETY SYSTEM SETTINGS

| Reactor Protection Syst | n Instrumentation | Setpoints | 2-3 |
|-------------------------|-------------------|-----------|-----|
|-------------------------|-------------------|-----------|-----|

LIMITING CONDITIONS FOR OPERATION AND SURVEILLANCE REQUIREMENTS

SECTION

۴.

PAGE

3/4.10 SPECIAL TEST EXCEPTIONS

| 3/4.10.1 | PRIMARY CONTAINMENT INTEGRITY | 3/4 | 10-1 |
|-----------------|--------------------------------------|-----|------|
| 3/4.10.2 | ROD SEQUENCE CONTROL SYSTEM | 3/4 | 10-2 |
| 3/4.10.3 | SHUTDOWN MARGIN DEMONSTRATIONS | 3/4 | 10-3 |
| 3/4.10.4 | RECIRCULATION LOOPS | 3/4 | 10-4 |
| 3/4.10.5 | OXYGEN CONCENTRATION | 3/4 | 10-5 |
| 3/4.10.6 | TRAINING STARTUPS | 3/4 | 10-6 |
| <u>3/4.11</u> F | RADIOACTIVE EFFLUENTS | | |
| 3/4.11.1 | LIQUID EFFLUENTS | | |
| | Liquid Holdup Tanks | 3/4 | 11-1 |
| 3/4 11.2 | GASEOUS EFFLUENTS | | |
| | Explosive Gas Mixture | 3/4 | 11-2 |
| | Main Condenser | 3/4 | 11-3 |
| 3/4.12 R | ADIOLOGICAL ENVIRONMENTAL MONITORING | | |
| | | | |

Entire section relocated to DDCM.

٠

xi

| <u>DESI</u> | <u>GN FEATURES</u> | |
|-------------|--|------|
| <u>Sect</u> | ION | PAGE |
| <u>5.1</u> | SITE | |
| | Exclusion Area | 5-1 |
| | Low Population Zone | 5-1 |
| | Unrestricted Areas and Site Boundary for Radioactive Gaseous and Liquid Effluents | 5-1 |
| <u>5.2</u> | CONTAINMENT | |
| | Configuration | 5-1 |
| | Design Temperature and Pressure | 5-1 |
| | Secondary Containment | 5-1 |
| <u>5.3</u> | REACTOR CORE | |
| | Fuel Assemblies | 5-5 |
| | Control Rod Assemblies | 5-5 |
| <u>5.4</u> | REACTOR COOLANT SYSTEM | |
| | Design Pressure and Temperature | 5-5 |
| | Volume | 5-5 |
| <u>5.5</u> | METEOROLOGICAL TOWER LOCATION | 5-6 |
| <u>5.6</u> | FUEL STORAGE | |
| | Criticality | 5-6 |
| | Drainage | 5-6 |
| | Capacity | 5-6 |
| <u>5.7</u> | COMPONENT CYCLIC OR TRANSIENT LIMIT | 5-6 |

I

-

| I | N | D | E | X |
|---|---|---|---|---|
| | | _ | | |

ADMINISTRATIVE CONTROLS

- -

| <u>SECTION</u> | | <u>PAGE</u> |
|----------------|---|--|
| 6.1 RESP(| ONSIBILITY | 6-1 |
| 6.2 ORGA | <u>NIZATION</u> | 6-1 |
| 6.2.1 | OFFSITE AND ONSITE ORGANIZATIONS | 6-1 |
| 6.2.2 | UNIT STAFF | 6-1 |
| 6.2.3 | NUCLEAR SAFETY ASSURANCE GROUP | 6-7 |
| | FUNCTION | 6-7 6-7 6-7 |
| 6 7 A | | 6-7 |
| 0.2.4 | | 6-7 |
| 6 A TDATE | <u>- 31411 - QUALITICATIONS</u> | 6-8 |
| 6 5 DEVI | 11100 | 6-8 |
| | DIANT ODEDATIONS COMMITTEE (DOC) | c 0 |
| 0.3.1 | PLANT OPERATIONS COMMITTEE (POC) | 0-0 |
| | FUNCTION COMPOSITION ALTERNATES MEETING FREQUENCY QUORUM RESPONSIBILITIES RECORDS | 6-8 6-8 6-8 6-8 6-8 6-9 6-10 |
| 6.5.2 | CORPORATE NUCLEAR SAFETY REVIEW BOARD (CNSRB) | 6-10 |
| · | FUNCTION | 6-10 |
| | COMPOSITION | 6-10 |
| | ALTERNATES | 6-10 |
| | CONSULTANTS | 6-11 |

1

- 107 - WE'L BREE WITH 101 - 10 - 10

| A | D | М | I | N | I | S | T | R | A | T | Ī | N | /E | C |)(| 0 | h | I. | Г | R | 10 | ۱L | | ŝ |
|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|----|---|---|----|---|---|----|----|---|---|
| | | | _ | | _ | _ | - | | | | _ | - | _ | - | | _ | • | - | • | • | | _ | _ | - |

| SECTION | PAGE | | | | | |
|---|------|--|--|--|--|--|
| CORPORATE NUCLEAR SAFETY REVIEW BOARD (Continued) | | | | | | |
| MEETING FREQUENCY | 6-11 | | | | | |
| QUORUM | 6-11 | | | | | |
| REVIEW | 6-11 | | | | | |
| AUDITS | 6-12 | | | | | |
| RECORDS | 6-13 | | | | | |
| 6.6 REPORTABLE OCCURRENCE ACTION | 6-13 | | | | | |
| 6.7 SAFETY LIMIT VIOLATION | 6-14 | | | | | |
| 6.8 PROCEDURES AND PROGRAMS | 6-14 | | | | | |
| 6.9 REPORTING REQUIREMENTS | 6-16 | | | | | |
| 6.9.1 ROUTINE REPORTS AND REPORTABLE OCCURRENCES | 6-16 | | | | | |
| STARTUP REPORT | 6-16 | | | | | |
| ANNUAL REPORTS | 6-16 | | | | | |
| MONTHLY OPERATING REPORTS | 6-17 | | | | | |
| REPORTABLE OCCURRENCES | 6-17 | | | | | |
| PROMPT NOTIFICATION WITH WRITTEN FOLLOWUP | 6-17 | | | | | |
| THIRTY DAY WRITTEN REPORTS | 6-18 | | | | | |
| ANNUAL RADIOLOGICAL ENVIRONMENTAL OPERATING | | | | | | |
| REPORT | 6-18 | | | | | |
| RADIOACTIVE EFFLUENT RELEASE REPORT | 6-19 | | | | | |
| 6.9.2 SPECIAL REPORTS | 6-20 | | | | | |
| 6.9.3 CORE OPERATING LIMITS REPORT | 6-20 | | | | | |
| 6.10 RECORD RETENTION | 6-22 | | | | | |
| 6.11 RADIATION PROTECTION PROGRAM | 6-24 | | | | | |
| 6.12 HIGH RADIATION AREA | 6-24 | | | | | |
| 6.13 PROCESS CONTROL PROGRAM | 6-25 | | | | | |
| 6.14 OFFSITE DOSE CALCULATION MANUAL | 6-25 | | | | | |

1

÷

| LIST OF | FIGURES | | |
|---------------|---|---|--------------------------|
| <u>FIGURE</u> | | | PAGE |
| 3.1.5-1 | SODIUM PENTABORATE SOLUTION SATURA | TION TEMPERATURE | 3/4 1-21 |
| 3.1.5-2 | SODIUM PENTABORATE TANK, VOLUME VE REQUIREMENTS | ERSUS CONCENTRATION | 3/4 1-22 |
| 3.2.1-1 | MAXIMUM AVERAGE PLANAR LINEAR HEAT RATE (MAPLHGR) VERSUS AVERAGE PLAN INITIAL CORE FUEL TYPE 8CR183 | GENERATION NAR EXPOSURE, | Deleted |
| 3.2.1-2 | MAXIMUM AVERAGE PLANAR LINEAR HEAT RATE (MAPLHGR) VERSUS AVERAGE PLAN INITIAL CORE FUEL TYPE 8CR233 | GENERATION NAR EXPOSURE, | Deleted |
| 3.2.1-3 | MAXIMUM AVERAGE PLANAR LINEAR HEAT RATE (MAPLHGR) VERSUS AVERAGE BUND ANF 8x8 RELOAD FUEL | GENERATION DLE EXPOSURE | Deleted |
| 3.2.1-4 | MAXIMUM AVERAGE PLANAR LINEAR HEAT (MAPLHGR) VERSUS AVERAGE PLANAR EX CORE FUEL TYPE 8CR183 | GENERATION RATE | Deleted |
| 3.2.1-5 | MAXIMUM AVERAGE PLANAR LINEAR HEAT (MAPLHGR) VERSUS AVERAGE PLANAR EX CORE FUEL TYPE 8CR233 | GENERATION RATE | Deleted |
| 3.2.1-6 | MAXIMUM AVERAGE PLANAR LINEAR HEAT (MAPLHGR) VERSUS AVERAE BUNDLE EXF 9x9-IX AND 9x9-9X FUEL | GENERATION RATE POSURE ANF | Deleted |
| 3.2.1-7 | MAXIMUM AVERAGE PLANAR LINEAR HEAT (MAPLHGR) VERSUS BUNDLE AVERAGE EX FUEL ASSEMBLIES | GENERATION RATE (POSURE SVEA-96 LEAD | Deleted |
| 3.2.1-8 | MAXIMUM AVERAGE PLANAR LINEAR HEAT (MAPLHGR) VERSUS BUNDLE AVERAGE EX LEAD FUEL ASSEMBLIES | GENERATION RATE | Deleted |
| 3.2.3-1 | REDUCED FLOW MCPR OPERATING LIMIT. | | Deleted |
| 3.2.4-1 | LINEAR HEAT GENERATION RATE (LHGR) AVERAGE PLANAR EXPOSURE ANF 8×8 RE | LIMIT VERSUS | Deleted |
| 3.2.4-2 | LINEAR HEAT GENERATION RATE (LHGR) AVERAGE PLANAR EXPOSURE ANF 9x9-I | LIMIT VERSUS | Deleted |
| 3.2.4-3 | LINEAR HEAT GENERATION RATE (LHGR) AVERAGE PLANAR EXPOSURE ANF 9x9-9> | LIMIT VERSUS | Deleted |
| 3.2.4-4 | LINEAR HEAT GENERATION RATE (LHGR) AVERAGE PLANAR EXPOSURE SVEA-96 LE ASSEMBLIES | LIMIT VERSUS AD FUEL | Deleted |
| WASHINGT | ON NUCLEAR - UNIT 2 XV | Amendmen | t No. 94 ,143 |

.

l

LIST OF FIGURES (Continued)

| FIGURE | | PAGE |
|---------------|---|----------|
| 3.2.4-5 | LINEAR HEAT GENERATION RATE (LHGR) LIMIT VERSUS AVERAGE PLANAR EXPOSURE GE11 LEAD FUEL ASSEMBLIES | Deleted |
| | | Deretta |
| 3.2.6-1 | OPERATING REGION LIMITS OF SPEC. 3.2.6 | 3/4 2-6 |
| 3.2.7-1 | OPERATING REGION LIMITS OF SPEC. 3.2.7 | 3/4 2-8 |
| 3.2.8-1 | OPERATING REGION LIMITS OF SPEC. 3.2.8 | 3/4 2-10 |
| 3.4.1.1-1 | OPERATING REGION LIMITS OF SPEC. 3.4.1.1 | 3/4 4-3a |
| 3.4.6.1A | MINIMUM REACTOR VESSEL METAL TEMPERATURE VERSUS REACTOR VESSEL PRESSURE | 3/4 4-20 |
| 3.4.6.1B | MINIMUM REACTOR VESSEL METAL TEMPERATURE VERSUS REACTOR VESSEL PRESSURE | 3/4 4-21 |
| 3.4.6.10 | PRESSURE/TEMPERATURE LIMITS FOR 8 EFPY TESTING AND NONNUCLEAR HEATING CURVES | 3/4 4-22 |
| 4.7-1 | SAMPLE PLAN 2) FOR SNUBBER FUNCTIONAL TEST | 3/4 7-15 |
| 3.9.7-1 | HEIGHT ABOVE SFP WATER LEVEL VS. MAXIMUM LOAD TO BE CARRIED OVER SFP | 3/4 9-10 |
| 5.1-1 | EXCLUSION AREA BOUNDARY | 5-2 |
| 5.1-2 | LOW POPULATION ZONE | 5-3 |
| 5.1- 3 | UNRESTRICTED AREAS AND SITE BOUNDARY FOR RADIOACTIVE GASEOUS AND LIQUID EFFLUENTS | 5-4 |

xvi

ł

<u>INDEX</u>

| L | I | S | T | 0 | FΊ | Ā | B | L | ES | |
|---|---|---|---|---|----|----------|---|---|----|--|
| | _ | _ | | | | <u> </u> | | | | |

| TABLE | | PAGE |
|-----------|--|----------|
| 1.1 | SURVEILLANCE FREQUENCY NOTATION | 1-9 |
| 1.2 | OPERATIONAL CONDITIONS | 1-10 |
| 2.2.1-1 | REACTOR PROTECTION SYSTEM INSTRUMENTATION SETPOINTS | 2-4 |
| 3.2.3-1 | MCPR OPERATING LIMITS FOR RATED CORE FLOW | Deleted |
| 3.3.1-1 | REACTOR PROTECTION SYSTEM INSTRUMENTATION | 3/4 3-2 |
| 3.3.1-2 | REACTOR PROTECTION SYSTEM RESPONSE TIMES | 3/4 3-6 |
| 4.3.1.1-1 | REACTOR PROTECTION SYSTEM INSTRUMENTATION SURVEILLANCE REQUIREMENTS | 3/4 3-7 |
| 3.3.2-1 | ISOLATION ACTUATION INSTRUMENTATION | 3/4 3-12 |
| 3.3.2-2 | ISOLATION ACTUATION INSTRUMENTATION SETPOINTS | 3/4 3-16 |
| 3.3.2-3 | ISOLATION SYSTEM INSTRUMENTATION RESPONSE TIME | 3/4 3-19 |
| 4.3.2.1-1 | ISOLATION SYSTEM INSTRUMENTATION SURVEILLANCE REQUIREMENTS | 3/4 3-22 |
| 3.3.3-1 | EMERGENCY CORE COOLING SYSTEM ACTUATION INSTRUMENTATION | 3/4 3-26 |
| 3.3.3-2 | EMERGENCY CORE COOLING SYSTEM ACTUATION INSTRUMENTATION SETPOINTS | 3/4 3-30 |
| 3.3.3-3 | EMERGENCY CORE COOLING SYSTEM RESPONSE TIMES | 3/4 3-33 |
| 4.3.3.1-1 | EMERGENCY CORE COOLING SYSTEM ACTUATION INSTRUMENTATION SURVEILLANCE REQUIREMENTS | 3/4 3-34 |
| 3.3.4.1-1 | ATWS RECIRCULATION PUMP TRIP SYSTEM INSTRUMENTATION | 3/4 3-38 |
| 3.3.4.1-2 | ATWS RECIRCULATION PUMP TRIP SYSTEM INSTRUMENTATION SETPOINTS | 3/4 3-39 |
| 4.3.4.1-1 | ATWS RECIRCULATION PUMP TRIP ACTUATION INSTRUMENTATION SURVEILLANCE REQUIREMENTS | 3/4 3-40 |

1

LIST OF TABLES (Continued)

| TABLE | | PAGE |
|-------------|--|----------|
| 3.3.4.2-1 | END-OF-CYCLE RECIRCULATION PUMP TRIP SYSTEM INSTRUMENTATION | 3/4 3-43 |
| 3.3.4.2-2 | END-OF-CYCLE RECIRCULATION PUMP TRIP SETPOINTS | 3/4 3-44 |
| 3.3.4.2-3 | END-OF-CYCLE RECIRCULATION PUMP TRIP SYSTEM RESPONSE TIMES | 3/4 3-45 |
| 4.3.4.2.1-1 | END-OF-CYCLE RECIRCULATION PUMP TRIP SYSTEM SURVEILLANCE REQUIREMENTS | 3/4 3-46 |
| 3.3.5-1 | REACTOR CORE ISOLATION COOLING SYSTEM ACTUATION INSTRUMENTATION | 3/4 3-48 |
| 3.3.5-2 | REACTOR CORE ISOLATION COOLING SYSTEM ACTUATION INSTRUMENTATION SETPOINTS | 3/4 3-50 |
| 4.3.5.1-1 | REACTOR CORE ISOLATION COOLING SYSTEM ACTUATION INSTRUMENTATION SURVEILLANCE REQUIREMENTS | 3/4 3-51 |
| 3.3.6-1 | CONTROL ROD BLOCK INSTRUMENTATION | 3/4 3-53 |
| 3.3.6-2 | CONTROL ROD BLOCK INSTRUMENTATION SETPOINTS | 3/4 3-55 |
| 4.3.6-1 | CONTROL ROD BLOCK INSTRUMENTATION SURVEILLANCE REQUIREMENTS | 3/4 3-56 |
| 3.3.7.1-1 | RADIATION MONITORING INSTRUMENTATION | 3/4 3-59 |
| 4.3.7.1-1 | RADIATION MONITORING INSTRUMENTATION SURVEILLANCE REQUIREMENTS | 3/4 3-60 |
| 3.3.7.3-1 | METEOROLOGICAL MONITORING INSTRUMENTATION | 3/4 3-65 |
| 4.3.7.3-1 | METEOROLOGICAL MONITORING INSTRUMENTATION SURVEILLANCE REQUIREMENTS | 3/4 3-66 |
| 3.3.7.4-1 | REMOTE SHUTDOWN MONITORING INSTRUMENTATION | 3/4 3-68 |
| 4.3.7.4-1 | REMOTE SHUTDOWN MONITORING INSTRUMENTATION SURVEILLANCE REQUIREMENTS | 3/4 3-69 |

xviii

LIST OF TABLES (Continued)

: ·

| TABLE | | <u>PAGE</u> |
|------------|---|-------------|
| 3.3.7.5-1 | ACCIDENT MONITORING INSTRUMENTATION | 3/4 3-71 |
| 4.3.7.5-1 | ACCIDENT MONITORING INSTRUMENTATION SURVEILLANCE REQUIREMENTS | 3/4 3-74 |
| 3.3.7.12-1 | EXPLOSIVE GAS MONITORING INSTRUMENTATION | 3/4 3-80 |
| 4.3.7.12-1 | EXPLOSIVE GAS MONITORING INSTRUMENTATION SURVEILLANCE REQUIREMENTS | 3/4 3-81 |
| 3.3.9-1 | FEEDWATER SYSTEM/MAIN TURBINE TRIP SYSTEM ACTUATION INSTRUMENTATION | 3/4 3-85 |
| 3.3.9-2 | FEEDWATER SYSTEM/MAIN TURBINE TRIP SYSTEM ACTUATION INSTRUMENTATION SETPOINTS | 3/4 3-86 |
| 4.3.9.1-1 | FEEDWATER SYSTEM/MAIN TURBINE TRIP SYSTEM ACTUATION INSTRUMENTATION SURVEILLANCE REQUIREMENTS | 3/4 3-87 |
| 3.4.3.2-1 | REACTOR COOLANT SYSTEM PRESSURE ISOLATION VALVES | 3/4 4-11 |
| 3.4.3.2-2 | REACTOR COOLANT SYSTEM INTERFACE VALVES LEAKAGE PRESSURE MONITORS | 3/4 4-11 |
| 3.4.4-1 | REACTOR COOLANT SYSTEM CHEMISTRY LIMITS | 3/4 4-14 |
| 4.4.5-1 | PRIMARY COOLANT SPECIFIC ACTIVITY SAMPLE AND ANALYSIS PROGRAM | 3/4 4-17 |

xix

.

ł

| L |] | [S | T | 0F | TA | BL | .ES | - (1 | Cc | n | ti | in | u | ed | I) | |
|---|---|----|---|----|----|----|-----|------|----|---|----|----|---|----|----|--|
| | | | | | | _ | | | | _ | | | | _ | _ | |

| TABLE | | <u>PAGE</u> |
|-------------|---|-------------|
| 4.4.6.1.3-1 | DELETED | 3/4 4-22 |
| 3.6.3-1 | PRIMARY CONTAINMENT ISOLATION VALVES | 3/4 6-21 |
| 3.6.5.2-1 | SECONDARY CONTAINMENT VENTILATION SYSTEM | |
| | AUTOMATIC ISOLATION VALVES | 3/4 6-39 |
| 3.7.8-1 | AREA TEMPERATURE MONITORING | 3/4 7-31 |
| 4.8.1.1.2-1 | DIESEL GENERATOR TEST SCHEDULE | 3/4 8-9 |
| 4.8.2.1-1 | BATTERY SURVEILLANCE REQUIREMENTS | 3/4 8-14 |
| 3.8.4.2-1 | PRIMARY CONTAINMENT PENETRATION CONDUCTOR OVERCURRENT PROTECTIVE DEVICES | 3/4 8-23 |
| 3.8.4.3-1 | MOTOR-OPERATED VALVES THERMAL OVERLOAD PROTECTION | 3/4 8-26 |
| 5.7.1-1 | COMPONENT CYCLIC OR TRANSIENT LIMITS | 5-7 |
| 6.2.2-1 | MINIMUM SHIFT CREW COMPOSITION - SINGLE UNIT FACILITY | 6-6 |

ХХ



Í.

UNITED STATES NUCLEAR REGULATORY COMMISSION

WASHINGTON, D.C. 20555-0001

SAFETY EVALUATION BY THE OFFICE OF NUCLEAR REACTOR REGULATION RELATED TO AMENDMENT NO. 143 TO FACILITY OPERATING LICENSE NO. NPF-21

WASHINGTON PUBLIC POWER SUPPLY SYSTEM

NUCLEAR PROJECT NO. 2

DOCKET NO. 50-397

1.0 INTRODUCTION

By letter dated June 6, 1995, the Washington Public Power Supply System (WPPSS or the licensee) requested changes to the Technical Specifications (Appendix A to Facility Operating License No. NPF-21) for the WPPSS Nuclear Project No. 2. The proposed changes would revise the Index of the WNP-2 Technical Specifications by deleting reference to the Bases pages.

2.0 EVALUATION

The amendment modifies the Index of the WNP-2 Technical Specifications by deleting reference to the Bases pages. This amendment does not modify existing technical specifications requirements or safety limits. This change is administrative in nature and is consistent with the requirements of 10 CFR 50.36(a), which states that the Bases shall not become part of the technical specifications. The Bases information will be consolidated into a controlled plant document. Future changes to the Bases information will be evaluated per 10 CFR 50.59. Based on the above, the changes made in this amendment are acceptable.

3.0 STATE CONSULTATION

In accordance with the Commission's regulations, the Washington State official was notified of the proposed issuance of the amendment. The State official had no comments.

4.0 ENVIRONMENTAL CONSIDERATION

Pursuant to 10 CFR 51.21, 51.32, and 51.35, an environmental assessment and finding of no significant impact was published in the <u>Federal Register</u> on October 13, 1995 (60 FR 53439).

In this finding, the Commission determined that issuance of this amendment would not have a significant effect on the quality of the human environment.

5.0 <u>CONCLUSION</u>

1

1 p 1

The Commission has concluded, based on the considerations discussed above, that (1) there is reasonable assurance that the health and safety of the public will not be endangered by operation in the proposed manner, (2) such activities will be conducted in compliance with the Commission's regulations, and (3) the issuance of the amendment will not be inimical to the common defense and security or to the health and safety of the public.

Principal Contributor: K. Thomas

Date: November 24, 1995