

September 17, 2002

Mr. Bryce L. Shriver
Senior Vice President
and Chief Nuclear Officer
PPL Susquehanna, LLC
769 Salem Boulevard
Berwick, PA 18603-0467

SUBJECT: SUSQUEHANNA STEAM ELECTRIC STATION, UNITS 1 AND 2, REPLY TO
RESPONSE TO ORDER FOR INTERIM SAFEGUARDS AND SECURITY
COMPENSATORY MEASURES (TAC NOS. MB4187 AND MB4188)

Dear Mr. Shriver:

On February 25, 2002, the U.S. Nuclear Regulatory Commission (NRC) issued Orders modifying the operating licenses for the Susquehanna Steam Electric Station, Units 1 and 2, to require compliance with the specified interim safeguards and security compensatory measures.

You responded to the Orders by letter dated March 15, 2002, as supplemented May 24, 2002, and requested an extension of time until June 20, 2002, for your submission of the required response for interim compensatory measures (ICM) B.2.a(1 and 2), B.2.b and B.4.e. The NRC staff's letter of June 18, 2002, addressed your earlier response to the Orders and granted you an extension until June 20, 2002, to respond to ICMs B.2.a(1 and 2), B.2.b and B.4.e.

The NRC staff has reviewed your response to ICMs B.2.a(1 and 2), B.2.b and B.4.e, submitted by your letter of June 17, 2002, and finds that you have satisfied the current reporting requirements of the Orders.

By letter dated August 30, 2002, you indicated that you have achieved full compliance with all of the ICMs in the Orders. The NRC will determine the effectiveness of your implementation of the ICMs through on-site inspections.

B. Shriver

- 2 -

Please contact Eric M. Thomas at (301) 415-3780 if you have any other questions regarding these issues.

Sincerely,

/RA/

John A. Zwolinski, Director
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket Nos. 50-387 and 50-388

cc: See next page

B. Shriver

- 2 -

Please contact Eric M. Thomas at (301) 415-3780 if you have any other questions regarding these issues.

Sincerely,

/RA/

John A. Zwolinski, Director
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket Nos. 50-387 and 50-388

cc: See next page

DISTRIBUTION:

PUBLIC	OGC	SCollins/JJohnson
ACRS/ACNW	BSheron	SECY
WBorchardt	G. Hill (4)	LMarsh
PDI-1 R/F	BBoger	RMartin
VDricks	RAAlbert	JShea
RSullivan	GTracy	VOrdaz
RCrenjak	JBelanger	HMiller, RI
RPalla	MShanbaky, RI	RLaufer
EThomas	MO'Brien	AMadison
SRichards		

ADAMS Accession No.: ML022460256

OFFICE	PDII-1PM	PDI-1/PM	PDI-2/LA	NSIR
NAME	RMartin	EThomas	MO'Brien	AMadison
DATE	9/11/02	9/10/02	9/10/02	9/12/02
OFFICE	PDI-1/SC	PDI-1/D	DDLPM/D	
NAME	RLaufer	SRichards	JZwolinski	
DATE	9/16/02	9-16-02	9/16/02	

OFFICIAL RECORD COPY

Susquehanna Steam Electric Station,
Units 1 &2

Bryan A. Snapp, Esq
Assoc. General Counsel
PPL Services Corporation
2 North Ninth Street GENTW3
Allentown, PA 18101-1179

Rocco R. Sgarro
Supervisor-Nuclear Licensing
PPL Susquehanna, LLC
2 North Ninth Street GENA61
Allentown, PA 18101-1179

Senior Resident Inspector
U.S. Nuclear Regulatory Commission
P.O. Box 35, NUCSA4
Berwick, PA 18603-0035

Rich Janati, Chief
Division of Nuclear Safety
Bureau of Radiation Protection
Department of Environmental Protection
Rachel Carson State Office Building
P.O. Box 8469
Harrisburg, PA 17105-8469

PPL Susquehanna, LLC
Nuclear Records
Attn: G. DallaPalu
2 North Ninth Street GENA62
Allentown, PA 18101-1179

Richard W. Osborne
Allegheny Electric Cooperative, Inc.
212 Locust Street
P.O. Box 1266
Harrisburg, PA 17108-1266

Regional Administrator, Region 1
U.S. Nuclear Regulatory Commission
475 Allendale Road
King of Prussia, PA 19406

Richard L. Anderson
Vice President-Nuclear Site Operations
Susquehanna Steam Electric Station
PPL Susquehanna, LLC
Box 467, NUCSA4
Berwick, PA 18603-0035

Herbert D. Woodeshick
Special Office of the President
PPL Susquehanna, LLC
Rural Route 1, Box 1797
Berwick, PA 18603-0035

George T. Jones
Vice President-Nuclear
Engineering & Support
PPL Susquehanna, LLC
2 North Ninth Street, GENA61
Allentown, PA 18101-1179

Dr. Judith Johnsrud
National Energy Committee
Sierra Club
443 Orlando Avenue
State College, PA 16803

Board of Supervisors
Salem Township
P.O. Box 405
Berwick, PA 18603-0035

Allen M. Male
Manager - Quality Assurance
PPL Susquehanna, LLC
Two North Ninth Street, GENA92
Allentown, PA 18101-1179

Terry L. Harpster
Manager - Nuclear Regulatory Affairs
PPL Susquehanna, LLC
Two North Ninth Street, GENA61
Allentown, PA 18101-1179

General Manager - SSES
Susquehanna Steam Electric Station
PPL Susquehanna, LLC
Box 467, NUCSB3
Berwick, PA 18603-0035

Ronald L. Ceravolo
General Manager - Plant Support
Susquehanna Steam Electric Station
PPL Susquehanna Steam Electric Station
Box 467, NUCSA4
Berwick, PA 18603-0035