

Specialty Chemicals
Honeywell
Route 45 north
P.O. Box 430
Metropolis, IL 62960

618-524-2111
618-524-6239 Fax

September 6, 2002

Certified Mail:
7230-2425


Region III
U.S. Nuclear Regulatory Commission
Office of Inspection and Enforcement
801 Warrenville Road
Lisle, Illinois 60532-4351

Gentlemen:

Subject: SUB-526
Docket No. 40-3392

We have enclosed two (2) copies of our "Facility Effluent Report" representing the period of January 1, 2002 through June 30, 2002.

Sincerely,



William Lessig
Plant Manager

JWL/sm

Enclosure: Facility Effluent Report (2)

cc: Director, Nuclear Material Safety & Safeguards
Nuclear Regulatory Commission
Washington, D.C. 20555
Enclosure: 6 copies

R. Boucher - (MEY-4)
M. L. Shepherd
W. M. Davis
H. C. Roberts
File

ALARA Committee - (RA/BH/GH/BK/DG/JP/NR/DM/MR)

Mr. Steven C. Collins
IL Dept. of Nuclear Safety
1035 Outer Park Drive
Springfield, IL 62704

Mr. John Lusher
Licensing Section 2, Licensing Branch
Division of Fuel Cycle Safety
& Safeguards, NMSS
US Nuclear Regulatory Commission
Washington, D.C. 20555-0001

SEP 11 2002

FACILITY EFFLUENT REPORT

TYPE OF FACILITY:

UF₆ Conversion

LICENSE:

Source Materials No. SUB-526
Docket No. 40-3392

FACILITY ADDRESS:

Honeywell - Metropolis Works
P. O. Box 430
Metropolis, IL 62960

REPORTING PERIOD:

January 1, 2002 - June 30, 2002

GASEOUS EFFLUENTS:

1. The average release rate for the reporting period = 5.9E⁵ ACFM.
2. The principle radionuclides released are particulate, oxides and fluorides as follows:

January 1 - June 30, 2002

Uranium (Nat.)	=	8.22E ² curies (measured)
Ra ²²⁶	=	6.16E ⁶ curies (Note 1)
Th ²³⁰	=	1.34 E ⁻⁴ curies (Note 1)

LIQUID EFFLUENTS:

1. The average release rate for the reporting period = 2410 GPM.
2. The principle radionuclides released are as follows:

Uranium (Nat.)	=	0.14 curies (measured)
Ra ²²⁶	=	2.07 E ⁻³ curies (measured)
Th ²³⁰	=	6.14 E ⁻³ curies (measured)

NOTES 1:

Calculated from measured Th²³⁰ and Ra²²⁶ content of the various types of ore concentrates processed during the reporting period. As the ratio from exit points of these nuclides to uranium is assumed to be the same as in the concentrates, this calculation results in conservative (high) reported quantities.

FACILITY EFFLUENT REPORT

TYPE OF FACILITY:

UF₆ Conversion

LICENSE:

Source Materials No. SUB-526
Docket No. 40-3392

FACILITY ADDRESS:

Honeywell - Metropolis Works
P. O. Box 430
Metropolis, IL 62960

REPORTING PERIOD:

January 1, 2002 - June 30, 2002

GASEOUS EFFLUENTS:

1. The average release rate for the reporting period = $5.9E^5$ ACFM.
2. The principle radionuclides released are particulate, oxides and fluorides as follows:

January 1 - June 30, 2002

Uranium (Nat.)	=	$8.22E^2$ curies (measured)
Ra ²²⁶	=	$6.16E^6$ curies (Note 1)
Th ²³⁰	=	$1.34 E^4$ curies (Note 1)

LIQUID EFFLUENTS:

1. The average release rate for the reporting period = 2410 GPM.
2. The principle radionuclides released are as follows:

Uranium (Nat.)	=	0.14 curies (measured)
Ra ²²⁶	=	$2.07 E^3$ curies (measured)
Th ²³⁰	=	$6.14 E^3$ curies (measured)

NOTES 1:

Calculated from measured Th²³⁰ and Ra²²⁶ content of the various types of ore concentrates processed during the reporting period. As the ratio from exit points of these nuclides to uranium is assumed to be the same as in the concentrates, this calculation results in conservative (high) reported quantities.