

UNITED STATES NUCLEAR REGULATORY COMMISSION REGION II SAM NUNN ATLANTA FEDERAL CENTER 61 FORSYTH STREET SW SUITE 23T85 ATLANTA, GEORGIA 30303-8931

September 9, 2002

Mr. M. S. Tuckman Executive Vice-President Nuclear Generation Duke Energy Corporation PO Box 1006 Charlotte, NC 28201-1006

SUBJECT: MCGUIRE AND CATAWBA NUCLEAR STATIONS - NRC INSPECTION REPORT 50-369/02-06, 50-370/02-06, 50-413/02-06 AND 50-414/02-06

Dear Mr. Tuckman:

On July 26, 2002, the NRC completed an inspection regarding your application for license renewal for the McGuire and Catawba Nuclear Stations. The enclosed inspection report presents the results of that inspection. The results of this inspection were discussed with members of your staff on July 26, 2002, in a public exit meeting at the Duke Energy Corporation offices.

The purpose of this inspection was to examine activities that support your application for renewed license for the McGuire and Catawba facilities. The inspection consisted of a selected examination of procedures and representative records, and interviews with personnel regarding your proposed aging management programs to support license extension. In addition, for a sample of plant systems, inspectors performed a visual examination of accessible portions of the systems to observe any effects of equipment aging.

The inspection concluded that the existing aging management programs are being conducted as described in your License Renewal Application and your plans for new aging management programs appear acceptable to manage plant aging.

In accordance with 10 CFR 2.790 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). ADAMS is accessible from the NRC Web site at http://www.nrc.gov/reading-rm/adams.html (the Public Electronic Reading Room).

Distribution w/encl: P.T. Kuo, NRR C. Patel, NRR R. Martin, NRR R. Franovich, NRR RIDSNRRDIPMLIPB PUBLIC

OFFICE	RII:DRS	Region III	RII:DRS	RIIDRS	NRR	RII:DRS	RII:DRP
SIGNATURE	Cy for	Oxfor	Sfor	CXpr	CX for	CY	an
NAME	BCrowley	MFarber	RMoore	KVanDoorn	HWang /	CJulian	RHaag
DATE	8/29/2002	8/30/2002	8/3//2002	8/3//2002	8/3()2002	8/3 (/2002	a / e /2002
E-MAIL COPY?	YES NO	(YES) NO	(YES) NO	YES NO	(YES) NO	(YES) NO	YES NO
PUBLIC DOCUMENT	YES NO	<u> </u>					

OFFICIAL RECORD COPY

DOCUMENT NAME: S:\DRS\Technical Assistant\McGuire Catawba IR2002-06 AMP.wpd

Should you have any questions concerning this report, please contact Caudle Julian at (404) 562 - 4603.

Sincerely,

\Loren R. Plisco For \

.

Victor M. McCree, Deputy Director Division of Reactor Projects

Docket Nos. 50-369, 50-370 and 50-413, 50-414 License Nos. NPF-9, NPF-17 and NPF-35, NPF-52

Enclosure: NRC Inspection Report w/attachments

cc w/encl: - See page 3

cc: w/encl: Mr. Gary Gilbert Regulatory Compliance Manager Duke Energy Corporation 4800 Concord Road York, South Carolina 29745

Ms. Lisa F. Vaughn Duke Energy Corporation 422 South Church Street Charlotte, North Carolina 28201-1006

Anne Cottingham, Esquire Winston and Strawn 1400 L Street, NW Washington, DC 20005

North Carolina Municipal Power Agency Number 1 1427 Meadowwood Boulevard P. O. Box 29513 Raleigh, North Carolina 27626

County Manager of York County York County Courthouse York, South Carolina 29745

Piedmont Municipal Power Agency 121 Village Drive Greer, South Carolina 29651

Ms. Karen E. Long Assistant Attorney General North Carolina Department of Justice P. O. Box 629 Raleigh, North Carolina 27602

Ms. Elaine Wathen, Lead REP Planner Division of Emergency Management 116 West Jones Street Raleigh, North Carolina 27603-1335

Mr. Robert L. Gill, Jr. Duke Energy Corporation Mail Stop EC-12R P. O. Box 1006 Charlotte, North Carolina 28201-1006 Mr. Alan Nelson Nuclear Energy Institute 1776 I Street, N.W., Suite 400 Washington, DC 20006-3708

North Carolina Electric Membership Corporation P. O. Box 27306 Raleigh, North Carolina 27611

Catawba Senior Resident Inspector U.S. Nuclear Regulatory Commission 4830 Concord Road York, South Carolina 29745

Manager - Nuclear Regulatory Licensing Duke Energy Corporation 526 South Church Street Charlotte, North Carolina 28201-1006

Mr. L. A. Keller Duke Energy Corporation 526 South Church Street Charlotte, North Carolina 28201-1006

Saluda River Electric P. O. Box 929 Laurens, South Carolina 29360

Mr. Peter R. Harden, IV VP-Customer Relations and Sales Westinghouse Electric Company 6000 Fairview Road 12th Floor Charlotte, North Carolina 28210

Mr. T. Richard Puryear Owners Group (NCEMC) Duke Energy Corporation 4800 Concord Road York, South Carolina 29745

cc w/encl cont'd: Mr. Richard M. Fry, Director North Carolina Dept of Env, Health, and Natural Resources 3825 Barrett Drive Raleigh, North Carolina 27609-7721

County Manager of Mecklenburg County 720 East Fourth Street Charlotte, North Carolina 28202

Mr. Jeffrey Thomas Regulatory Compliance Manager Duke Energy Corporation McGuire Nuclear Site 12700 Hagers Ferry Road Huntersville, North Carolina 28078

McGuire Senior Resident Inspector U.S. Nuclear Regulatory Commission 12700 Hagers Ferry Road Huntersville, North Carolina 28078

Dr. John M. Barry Mecklenburg County Department of Environmental Protection 700 N. Tryon Street Charlotte, North Carolina 28202

Mr. Gregory D. Robison Duke Energy Corporation Mail Stop EC-12R 526 S. Church Street Charlotte, NC 28201-1006

Ms. Mary Olson Nuclear Information & Resource Service Southeast Office P.O.Box 7586 Asheville, North Carolina 28802

Mr. Paul Gunter Nuclear Information & Resource Service 1424 16th Street NW, Suite 404 Washington, DC 20036

Mr. Lou Zeller Blue Ridge Environmental Defense League P. O. Box 88 Glendale Springs, North Carolina 28629 Mr. Don Moniak Blue Ridge Environmental Defense League Aiken Office P.O. Box 3487 Aiken, South Carolina 29802-3487

Mr. Henry J. Porter, Assistant Director Division of Waste Management Bureau of Land & Waste Management S. C. Dept. of Health and Environ. Control 2600 Bull Street Columbia, South Carolina 29201-1708