September 13, 2002

MEMORANDUM TO: Michael T. Lesar, Chief

Rules and Directives Branch

Division of Administrative Services, ADM

FROM: Cornelius Holden, Acting Chief

Rulemaking and Guidance Branch Division of Industrial and /RA/ Medical Nuclear Safety, NMSS

SUBJECT: FEDERAL REGISTER NOTICE FOR CORRECTIONS ON PART

35 FINAL RULE

This is to request you publish the attached FR notice for corrections on Part 35. These corrections are administrative in nature, thus, should be effective upon publication.

Attachment: FR notice

CONTACT: Anthony Tse, NMSS/IMNS

(301) 415-6233

MEMORANDUM TO: Michael T. Lesar, Chief

Rules and Directives Branch

Division of Administrative Services, ADM

FROM: Cornelius Holden, Acting Chief

Rulemaking and Guidance Branch

Division of Industrial and

Medical Nuclear Safety, NMSS

SUBJECT: FEDERAL REGISTER NOTICE FOR CORRECTIONS ON PART

35 FINAL RULE

This is to request that you publish the attached FR notice to make corrections for Part 35 final rule (67 FR 20250; April 24, 2002). These corrections are administrative in nature, thus, should be effective upon publication.

Attachment: FR notice

CONTACT: Anthony Tse, NMSS/IMNS

(301) 415-6233

Distribution: NMSS Ticket No. 200200156/E199700065

RGordon R/F with Attachment:

Donald Cool, Susan Frant, Allen Howe

Document Name: (g:\tse\part35.correction.memo.wpd)

OFFICE:	IMNS	MSIB:IMNS	RGB:IMNS	ogc
NAME:	ATse	TEssig	CHolden CA for	Streby
DATE:	9/ 5/02	9/ 9/02	9/ 16/02	9/13/02

OFFICIAL RECORD COPY

NUCLEAR REGULATORY COMMISSION

10 CFR Parts 20, 32, and 35

RIN 3150-AF74

Medical Use of Byproduct Material; Correction

AGENCY: Nuclear Regulatory Commission.

ACTION: Final rule: correction.

SUMMARY: This document corrects a final rule appearing in the <u>Federal Register</u> on April 24, 2002 (67 FR 20250). This action in necessary to correct typographic and editorial errors.

EFFECTIVE DATE: October 24, 2002.

FOR FURTHER INFORMATION CONTACT: Anthony Tse, Office of Nuclear Material Safety and Safeguards, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, telephone (301) 415-6233; e-mail ant@nrc.gov.

SUPPLEMENTARY INFORMATION:

- 1. On page 20253, third column, second paragraph, tenth line, the word "Specialities" should read "Specialties."
- 2. On page 20260, first column, second complete paragraph, tenth line, the word "Specialities" should read "Specialties."

- On page 20342, second column, 14th line, "2120 L Street NW. (Lower Level),
 Washington, DC" should read "One White Flint North, 11555 Rockville Pike, Room O-1F21,
 Rockville, MD 20852."
- 4. On page 20350, first column, 25th line, insert the word "contains" after the word "INFORMATION."
 - 5. In §20.1002, 19th line, the comma after the word "released" should be deleted.
- 6. In §20.1003, Occupational dose, 15th line, the comma after the word "released" should be deleted.
- 7. In §20.1003, Public dose, 12th line, the comma after the word "released" should be deleted.
 - 8. In §20.1301(a)(1), tenth line, the comma after the word "released" should be deleted.
- 9. In §32.72, last line, after "35.55(b)", insert the words "or, prior to October 25, 2004, 10 CFR 35.980(b)."
 - 10. In §35.6(c), fifth line, the word "license" should read "licensee."
 - 11. In §35.12(c)(1)(i), second line, the word "Licens" should read "License."
- 12. In §35.13(b)(1), fifth line, "35.910, 35.920, 35.930, 35.932, 35.934, 35.940, 35.941, 35.950, or 35.960" should read "35.910(a), 35.920(a), 35.930(a), 35.940(a), 35.950(a), or 35.960(a)".
 - 13. In §35.13(b)(2), fourth line, "35.980" should read "35.980(a)."
 - 14. In §35.13(b)(3), third line, "35.961" should read "35.961(a) or (b)."
 - 15. In §35.40(a), fourth line, the word "Megabequerels" should read "Megabecquerels."

16. In §35.51(b)(1), eighth line, the for" should be deleted.	words "an individual who meets the requirements	
Dated at Rockville, Maryland, this	day of, 2002.	
	For the Nuclear Regulatory Commission.	
	Michael T. Lesar, Chief, Rules and Directives Branch, Division of Administrative Services, Office of Administration	