

Facility: <u>ANO-2</u>		Date of Examination: <u>May 24, 2002</u>
Examination Level (circle one): RO / <u>SRO</u>		Operating Test Number: <u>1</u>
Administrative Topic/Subject Description		Describe method of evaluation: 1. ONE Administrative JPM, OR 2. TWO Administrative Questions
A.1	Conduct of Operations 2.1.3 SRO 3.4	Knowledge of Shift Turnover Practices. New Admin JPM (Verify actions for inop MSSV)
	Conduct Of Operations 2.1.13 SRO 2.9	Knowledge of facility requirements for controlling vital / controlled access. New Admin JPM (Determine requirements for issuing Containment air lock access key)
A.2	Equipment Control 2.2.14 SRO 3.0	Knowledge of the process for making configuration changes. New Admin JPM (Determine requirements to ensure Tech Spec compliance on inoperable containment penetration isolation valve)
A.3	Radiation Controls 2.3.10 SRO 3.3	Ability to perform procedures to reduce excessive levels of radiation and guard against personnel exposure. New Admin JPM (Approve administration of Potassium Iodide during exclusion area evacuation with offsite release in progress)
A.4	Emergency Plan 2.4.38 SRO 4.0	Ability to take actions called for in the facility emergency plan, including (if required) supporting or acting as emergency coordinator. New JPM (Complete required form for GE declaration, including PAR recommendations)