

MANUAL HARD COPY DISTRIBUTION

DOCUMENT TRANSMITTAL 2002-43488

---

50-387  
388

USER INFORMATION:

~~FLAIM\*LAUREL B~~ EMPL#:23244 CA#: 0363  
~~Address: NUCSA2~~  
Phone#: 254-3658

TRANSMITTAL INFORMATION:

~~TO: FLAIM\*LAUREL B~~ 09/20/2002  
LOCATION: DOCUMENT CONTROL DESK  
FROM: NUCLEAR RECORDS DOCUMENT CONTROL CENTER  
(NUCSA-2)  
THE FOLLOWING CHANGES HAVE OCCURRED TO THE HARDCOPY  
OR ELECTRONIC MANUAL ASSIGNED TO YOU:

207 - 207 - SITE SUPPORT MANAGER: EMERGENCY PLAN-  
POSITION SPECIFIC PROCEDURE

REMOVE MANUAL TABLE OF CONTENTS DATE: 08/26/2002

ADD MANUAL TABLE OF CONTENTS DATE: 09/19/2002

CATEGORY: PROCEDURES TYPE: EP  
ID: EP-PS-207  
REPLACE: REV:10  
REPLACE: REV:10

UPDATES FOR HARD COPY MANUALS WILL BE DISTRIBUTED  
WITHIN 5 DAYS IN ACCORDANCE WITH DEPARTMENT  
PROCEDURES. PLEASE MAKE ALL CHANGES AND  
ACKNOWLEDGE COMPLETE IN YOUR NIMS INBOX UPON  
RECEIPT OF HARD COPY. FOR ELECTRONIC MANUAL USERS,  
ELECTRONICALLY REVIEW THE APPROPRIATE DOCUMENTS AND  
ACKNOWLEDGE COMPLETE IN YOUR NIMS INBOX.



The BASIS for the Protective Action Recommendation is:

**Plant Status**

---

---

**Radioactive Release:**     Monitored                       Unmonitored

Status	Airborne	Liquid
< Tech Requirements Limit (Routine)	<input type="checkbox"/>	<input type="checkbox"/>
≥ Tech Requirements Limit (Event Related)	<input type="checkbox"/>	<input type="checkbox"/>

Note: TRM Limits ( $\mu\text{Ci}/\text{min}$ ): Noble Gas  $8.51\text{E}+5$ ; Iodine  $1.04\text{E}+2$ ; Particulate  $7.72\text{E}+2$   
(Airborne releases)

**Data measured in the field confirm release rate estimations:**  Yes     No

**Weather Conditions:** Wind Speed \_\_\_\_\_ Wind Direction \_\_\_\_\_

---

**Dose Projections:**  TEDE > 1 rem or thyroid CDE > 5 rem at 2 miles  
 TEDE > 1 rem or thyroid CDE > 5 rem at EPB  
 TEDE  $\leq$  1 rem and thyroid CDE  $\leq$  5 rem at EPB

---

**Other:**

---

**Approval:** \_\_\_\_\_ **Date/Time:** \_\_\_\_\_

Emergency Director or Recovery Manager approval required if change in Classification or Protective Action Recommendation.  
RPC or DASU approval if no change in the Classification or Protective Action Recommendation.

**Transmittal:**     Verbal                       Electronic                       Both

**Communicated To:**

\_\_\_\_\_  
NAME    AGENCY    DATE/TIME