



NRC FORM 241 <small>(7-1899)</small>		U.S. NUCLEAR REGULATORY COMMISSION		<small>APPROVED BY OMB: NO. 3160-0013</small> <small>ESTIMATED BURDEN PER RESPONSE TO COMPLY WITH THE MANDATORY COLLECTION REQUEST: 15 MINUTES. THIS NOTIFICATION IS REQUIRED SO THAT NRC MAY SCHEDULE INSPECTION OF THE ACTIVITIES TO ENSURE THAT THEY ARE CONDUCTED IN ACCORDANCE WITH REQUIREMENTS FOR PROTECTION OF THE PUBLIC HEALTH AND SAFETY. SEND COMMENTS REGARDING BURDEN ESTIMATE TO THE RECORDS MANAGEMENT BRANCH (7-E 80), U.S. NUCLEAR REGULATORY COMMISSION, WASHINGTON, DC 20535-0001, OR BY INTERNET E-MAIL TO b1c1@nrc.gov, AND TO THE DESK OFFICER, OFFICE OF INFORMATION AND REGULATORY AFFAIRS, MANAGEMENT BRANCH (7-E 80), U.S. NUCLEAR REGULATORY COMMISSION, WASHINGTON, DC 20535. IF A MEANS USED TO IMPOSE AN INFORMATION COLLECTION DOES NOT DISPLAY A CURRENTLY VALID OMB CONTROL NUMBER, THE NRC MAY NOT CONDUCT OR SPONSOR, AND A PERSON IS NOT REQUIRED TO RESPOND TO, THE INFORMATION COLLECTION.</small>		<small>EXPIRES: 07/31/2002</small>	
<p align="center">REPORT OF PROPOSED ACTIVITIES IN NON-AGREEMENT STATES, AREAS OF EXCLUSIVE FEDERAL JURISDICTION, OR OFFSHORE WATERS</p> <p align="center"><i>(Please read the instructions before completing this form)</i></p>							
1. NAME OF LICENSEE <small>(Person or firm proposing to conduct the activities described below)</small> BAKER TESTING SERVICES, INC				2. TYPE OF REPORT <input checked="" type="checkbox"/> INITIAL <input type="checkbox"/> REVISION <input type="checkbox"/> CLARIFICATION			
3. ADDRESS OF LICENSEE <small>(Mailing address or other location where licensee may be located)</small> 98 RESERVOIR PARK DRIVE ROCKLAND, MA 02370				4. LICENSEE CONTACT AND TITLE DONALD PALMER RSO		5. TELEPHONE NUMBER <small>(Include Area Code)</small> 781-871-4458	
				6. FACSIMILE NUMBER <small>(Include Area Code)</small> 781-871-0123			
7. ACTIVITIES TO BE CONDUCTED UNDER THE GENERAL LICENSE GIVEN IN 10 CFR 150.20							
<input type="checkbox"/> WELL LOGGING		<input type="checkbox"/> LEAK TESTING AND/OR CALIBRATIONS		<input type="checkbox"/> TELETHERAPY/IRRADIATOR SERVICE			
<input type="checkbox"/> PORTABLE GAUGES		<input type="checkbox"/> OTHER (Specify) ⇒ _____					
<input checked="" type="checkbox"/> RADIOGRAPHY ⇒		<small>REGISTERED AS USER OF PACKAGING (CERTIFICATES OF COMPLIANCE NUMBERS)</small> ALL APPROVED EQUIPMENT					
8. CLIENT NAME, ADDRESS, CITY/COUNTY, STATE, ZIP CODE AP ComPower Inc. 399 LAKE RD DAYVILLE, CT				9. ACTUAL PHYSICAL ADDRESS OF WORK LOCATION <small>(Street and Number or other location. Give as complete an address or directions as possible.)</small> SAME			
		10. CLIENT TELEPHONE NUMBER <small>(Include Area Code)</small> 860-774-5257		11. WORK LOCATION TELEPHONE NUMBER <small>(Include Area Code)</small> SAME			
12. DATES SCHEDULED FROM Will Notify TO _____		13. NUMBER OF WORK DAYS		14. ADD		15. DELETE	
						16. LOCATION REFERENCE NUMBER NUMBER TO BE ASSIGNED BY NRC 001059	
17. LIST ADDITIONAL WORK SITES ON SEPARATE SHEET(S) TO INCLUDE ALL INFORMATION CONTAINED IN ITEMS 8-16 ABOVE.							
17. LIST RADIOACTIVE MATERIAL, WHICH WILL BE POSSESSED, USED, INSTALLED, SERVICED, OR TESTED <small>(Include description of type and quantity of radioactive material, sealed sources, or devices to be used.)</small> IR192, Co60							
18. AGREEMENT STATE SPECIFIC LICENSE WHICH AUTHORIZES THE UNDERSIGNED TO CONDUCT ACTIVITIES WHICH ARE THE SAME, EXCEPT FOR LOCATION OF USE, AS SPECIFIED IN ITEM 8 ABOVE. <small>(Four copies of the specific license must accompany the initial NRC Form 241.)</small>				LICENSE NUMBER 19-0672		STATE MA	
				EXPIRATION DATE 12-31-02			
19. CERTIFICATION (MUST BE COMPLETED BY APPLICANT)							
I, THE UNDERSIGNED, HEREBY CERTIFY THAT:							
a. All information in this report is true and complete.							
b. I have read and understand the provision of the general license 10 CFR 150.20 reprinted on the instructions of this form; and I understand that I am required to comply with these provisions as to all byproduct, source, or special nuclear material which I possess and use in non-Agreement States or offshore waters under the general license for which this report is filed with the U.S. Nuclear Regulatory Commission.							
c. I understand that activities, including storage, conducted in non-Agreement States under general license 10 CFR 150.20 are limited to a total of 180 days in calendar year. With the exception of work conducted in off-shore waters, which is authorized for an unlimited period of time in the calendar year.							
d. I understand that I may be inspected by NRC at the above listed work site locations and at the Licensee home office address for activities performed in non-Agreement States or offshore waters.							
e. I understand that conduct of any activities not described above, including conduct of activities on dates or locations different from those described above or without NRC authorization, may subject me to enforcement action, including civil or criminal penalties.							
CERTIFYING OFFICER - RSO or Management Representative (Name and Title) Donald M Palmer RSO				SIGNATURE 		DATE 10-3-02	
WARNING: False statements in this certificate may be subject to civil and/or criminal penalties. NRC regulations require that submissions to the NRC be complete and accurate in all material respects. 18 U.S.C. Section 1001 makes it a criminal offense to make a willfully false statement or representation to any department or agency of the United States as to any matter within its jurisdiction.							
FOR NRC USE ONLY		REVIEWING OFFICIAL (Typed/Printed Name and Title) John M Zaitz		SIGNATURE 		DATE 10/4/02	
						TOTAL USAGE -- DAYS TO DATE	

SD 10/04/02



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20455-0001

April 8, 1996

BAKER TESTING SERVICES, INC.
ATTN: Mr. DONALD M. PALMER
Radiation Safety Officer

98 RESERVOIR PARK DRIVE
ROCKLAND, MA 02370

SUBJECT: ONE-TIME EXTENSION OF LICENSE EXPIRATION DATE
LICENSE NUMBER 20-19067-01. DOCKET NUMBER 3016008

Dear Mr. DONALD M. PALMER

On January 16, 1996, the Nuclear Regulatory Commission (NRC) amended its regulations in 10 CFR 30, 40, and 70 to extend the expiration date of certain byproduct, source, and special nuclear material licenses by five years (61 FR 1109). The above referenced license was extended by this rulemaking and will now expire on December 31, 2002. Your license will not be amended to show this extended date until the next routine licensing action. Until then, you may provide copies of this letter to vendors and other interested parties as evidence that the license has been extended as a result of the rule.

The extended license authorizes the same activities and contains the same limitations as it previously did. There will be no change in the frequency that the NRC inspects activities authorized by this license.

The amended rules state that in the case of licensees who are granted extensions and who have a currently pending renewal application for that extended license, the application will be considered withdrawn by the licensee and any renewal fees paid by the licensee for that application will be refunded. This will apply to licenses with expiration dates after July 1, 1995, for which renewal applications and the appropriate fees have been submitted and the renewal is still pending. Refunds will be mailed to licensees under separate cover.

All licensees, including those whose renewal applications were withdrawn by this rulemaking, who wish to change their radiation safety programs must request amendment of their licenses to reflect these changes. Amendment requests must include the correct amendment fee since the NRC cannot apply pending renewal refund balances toward amendment fees.

If you have any questions regarding this letter, please contact the individual below.

Frank Costello, Chief Branch 3 - (610) 337-5275

Thank you for your cooperation in this matter.

Sincerely,

A handwritten signature in black ink, appearing to read "Donald A. Cool", written over a horizontal line.

Donald A. Cool, Director
Division of Industrial and Medical Nuclear Safety
Office of Nuclear Materials Safety and Safeguards

MATERIALS LICENSE

Amendment No. 06

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee 1. Baker Testing Services, Incorporated 2. 98 Reservoir Park Drive Rockland, Massachusetts 02370		In accordance with letter dated January 22, 1996, 3. License Number 20-19067-01 is amended in its entirety to read as follows:	
		4. Expiration Date December 31, 1997	
		5. Docket or Reference No. 030-16008	
6. Byproduct, Source, and/or Special Nuclear Material A. Iridium 192 B. Cobalt 60 C. Depleted uranium	7. Chemical and/or Physical Form A. Sealed radiography source contained in a source assembly registered pursuant to 10 CFR 32.210 or an equivalent Agreement State Regulation B. Sealed radiography source contained in a source assembly registered pursuant to 10 CFR 32.210 or an equivalent Agreement State Regulation C. Metal	8. Maximum Amount that Licensee May Possess at Any One Time Under This License A. Not to exceed 100 curies per source and 1000 curies total. B. Not to exceed 100 curies per source and 250 curies total. C. 999 kilograms	
9. Authorized use A. and B. For use in a compatible radiographic exposure device registered pursuant to 10 CFR 34.210 or an equivalent Agreement State Regulation for performing industrial radiography and in a compatible source changer registered pursuant to 10 CFR 34.210 or an equivalent Agreement State Regulation for source storage and exchange. C. Shielding for radiographic equipment.			

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License number

20-19067-01

Docket or Reference number

030-16008

Amendment No. 06

CONDITIONS

10. Licensed material may be stored at the licensee's facilities located at 98 Reservoir Park Drive, Rockland, Massachusetts, and may be used at temporary job sites of the licensee anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material.
11. A. Licensed material shall be used by, or under the supervision and in the physical presence of individuals who have received the training described in application dated December 20, 1990, and have been approved in writing by the Radiation Safety Officer. The licensee shall maintain records of individuals designated as users for three years following the last use of licensed material by the individual.
B. The Radiation Safety Officer for this license is Donald M. Palmer.
12. Notwithstanding the periodic leak test required by 10 CFR 34.25(b), the requirement does not apply to radiography sources that are stored and not being used. The sources excepted from this test shall be tested for leakage before use or transfer to another person. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
13. Notwithstanding the requirements of 10 CFR 34.20(a), and pursuant to 10 CFR 34.51, radiographic equipment authorized for use in radiographic operations under this license need not comply with the torque criteria of Section 8.9.2(c) of American National Standard N432-1980.
14. Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders by the licensee.
15. The licensee may transport licensed material in accordance with the provisions of 10 CFR 71, "Packaging and Transportation of Radioactive Material."
16. The licensee is authorized to receive, possess, and use sealed sources of iridium-192 or cobalt-60 where the radioactivity exceeds the maximum amount of radioactivity specified in this license provided:
 - A. such possession does not exceed the quantity per source specified in Item 8 by more than 20% for iridium-192 or 10% for cobalt-60; and
 - B. records of the licensee show that no more than the maximum amount of radioactivity per source specified in this license was ordered from the supplier or transferor of the byproduct material; and
 - C. the levels of radiation for radiographic exposure devices and storage containers do not exceed those specified in 10 CFR 34.21.
17. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material so that at no time is a quantity of radioactive material possessed in excess of a quantity which requires decommissioning funding accordance with 10 CFR 30.35(d) or 10 CFR 40.36(b).

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License number

20-19067-01

Docket or Reference number

030-16008


Amendment No. 06

(Continued)

CONDITIONS

18. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations and procedures in the licensee's application and correspondence are more restrictive than the regulations.

- A. Application dated December 20, 1990
- B. Letter dated February 5, 1992
- C. Letter dated November 13, 1992
- D. Letter dated January 22, 1996



For the U.S. Nuclear Regulatory Commission

Date JAN 24 1996

By John R. M...
 Nuclear Materials Safety Branch
 Region I
 King of Prussia, Pennsylvania 19406