Jerry Clift

Hartsville/Trousdale County Executive Telephone: (615) 374-2461 Fax: (615) 374-3948

Debbie Jenkins Pam Hiett Adm. Assistants



210 Broadway, Room 5 Hartsville, Tennessee 37074

September 27, 2002

70-3103

Mr. Timothy Johnson Senior Mechanical Systems Engineer Office of Nuclear Material Safety and Safeguards Mail Stop T-8A33 Washington, D.C. 20555-0001

Dear Mr. Johnson:

It was a pleasure to meet with you Wednesday and learn more information regarding the safety of the uranium enrichment facility proposed to locate here in Hartsville.

I would like to take this opportunity to confirm our plans to have you address our County Commission. We will have a called meeting of our County Commission on Monday, October 21, at 7:00 p.m. in the upstairs courtroom of the County Courthouse. I expect there will be a large number of people in attendance as many of our citizens have concerns regarding the facility.

Thank you for taking the time to meet with us.

Sincerely, Suy Clife

Jerry Clift
County Executive

and the second second

Mrssol

## Jerry Clift

Hartsville/Trousdale County Executive 210 Broadway
Hartsville, Tennessee 37074







Mr. TImothy C. Johnson
Sr. Mechanical Systems Engineer
Office of Nuclear Material
Safety and Safeguards
MaillStop: 8A33
Washington, DC 20555-0001

20555+0001