


MONITORING WELL COMPLETION LOG GRN01-0585

PROJECT <u>UMTRA GROUND WATER</u>	NORTH COORD. (FT) <u>239328.59</u>	DATE DRILLED <u>08/25/1986 to 09/08/1986</u>
LOCATION <u>GREEN RIVER, UT</u>	EAST COORD. (FT) <u>2385916.67</u>	SURFACE ELEV. (FT NGVD) <u>4067.50</u>
SITE <u>GREEN RIVER</u>	HOLE DEPTH (FT) <u>50.00</u>	TOP OF CASING (FT) <u>4068.53</u>
WELL NUMBER <u>0585</u>	WELL DEPTH (FT) <u>50.00</u>	MEAS. PT. ELEV. (FT) <u>4068.53</u>













	WELL INSTALLATION	INTERVAL (FT)	
SURFACE CASING:	6.875 in. Steel	-1.5 to 13.0	DRILLING METHOD <u>AIR ROTARY -- TRI-CONE BIT</u>
BLANK CASING:	2 in. PVC Sch 40	-1.03 to 38.0	SAMPLING METHOD <u>AUGER CUTTINGS</u>
WELL SCREEN:	2 in. Slotted PVC	38.0 to 48.0	DATE DEVELOPED <u>09/09/1986</u>
SUMP/END CAP:	2 in. PVC Sch 40	48.0 to 50.0	WATER LEVEL (FT BGS) _____
SURFACE SEAL:			LOGGED BY <u>Phyfe, L.</u>
GROUT:	Cement - Bentonite	0.0 to 29.0	REMARKS _____
SEAL:	Bentonite Pellets	29.0 to 33.0	
UPPER PACK:			
LOWER PACK:	8-12 Silica Sand	33.0 to 50.0	



MONITORING WELL COMPLETION LOG GRN01-0585

PROJECT UMTRA GROUND WATER **WELL NUMBER** 0585
SITE GREEN RIVER **DATES DRILLED** 08/25/1986 to 09/08/1986

Continued from Previous Page

DEPTH (FT BGL)	ELEV. (FT NGVD)	BLOW COUNTS	SAMPLE ID.	EXTENT	WELL DIAGRAM	GRAPHIC LOG	LITHOLOGIC DESCRIPTION
4040							
30							30.5-40.0 ft. DAKOTA SANDSTONE: 30.5-34.5 ft. SANDSTONE: fine to medium grained, poorly sorted, light gray to gray.
4035							
35							34.5-40.0 ft. CONGLOMERATE; with conglomeratic sandstone, siliceous, light gray to black.
4030							40.0-50.0 ft. CEDAR MOUNTAIN FORMATION: SHALE; sandy, fissile, light brown to gray blue.
4025							
45							
4020							
50							Total Depth 50.0 ft.
4015							
55							