DETROIT EDISON - FERMI 2
AUTOMATED RECORD MANAGEMENT
DISTRIBUTION CONTROL LIST
10/07/02

To: 00935

US NRC
DOCUMENT CNTRL DESK

WASHINGTON, DC 20555

Media: 8 1/2 X 11

DTC	Doc. Serial Number	Page	Rev	Number Copies	Cnt Lvl	Issue Date	Sec	Status
TMTRM	TRM VOL I	58	11		IR	10/07/02		AFC

Please destroy or mark all revised, superseded, or cancelled documents as such. CONTROLLED stamps must be voided by lining through and initialing.

Detroit Edison EF2, C/O Info Mgmt 140 NOC, 6400 North Dixie Highway, Newport MI 48166. (734) 586-4338 OR (734) 586-4061 for questions or concerns.

Ref: e55202

A001

LICENSING DOCUMENT TRANSMITTAL
FERMI 2 TECHNICAL REQUIREMENTS MANUAL – VOL I
Revision 58 dated 10/07/02

Immediately, upon receipt of the item(s) below, please insert and/or remove the pages indicated. Destroy the removed pages. Be sure that Revision 57 dated 9/27/02 has been inserted prior to inserting these pages.

Location	Remove	Insert
In Front of TRM Manual	Title Page Rev 57 09/27/02	Title Page Rev 58 10/07/02
Immediately following Title Page	List of Effective Pages LEP-1 through LEP- 4 Rev 57 09/27/02	List of Effective Pages LEP-1 through LEP- 4 Rev 58 10/07/02
3.6 Containment Systems	Page TRM 3.6-24 Rev 47 08/01	Page TRM 3.6-24 Rev 58 10/02

END

Fermi 2

Technical Requirements Manual

Volume I

Detroit Edison

ARMS - INFORMATION			
DTC: TMTRM	File: 1754	DSN: TRM VOL I	Rev: 58
Date: 10/07/02		Recipient 935	

LIST OF EFFECTIVE PAGES

Page	Revision	Page	Revision
TRM i	Revision 31	TRM 3.3-32	Revision 31
TRM ii	Revision 31	TRM 3.3-33	Revision 31
TRM iii	Revision 31	TRM 3.3-34	Revision 31
TRM iv	Revision 34	TRM 3.3-35	Revision 31
TRM v	Revision 31	TRM 3.3-36	Revision 41
TRM vi	Revision 31	TRM 3.3-37	Revision 31
TRM 1.0-a	Revision 31	TRM 3.3-38	Revision 31
TRM 1.0-1	Revision 31	TRM 3.3-39	Revision 31
TRM 2.0-1	Revision 31	TRM 3.3-40	Revision 56
TRM 3.0-a	Revision 31	TRM 3.3-41	Revision 56
TRM 3.0-1	Revision 31	TRM 3.3-42	Revision 45
TRM 3.0-2	Revision 31	TRM 3.3-43	Revision 31
TRM 3.0-3	Revision 54	TRM 3.3-44	Revision 31
TRM 3.0-4	Revision 31	TRM 3.3-45	Revision 31
TRM 3.1-a	Revision 31	TRM 3.3-46	Revision 31
TRM 3.1-1	Revision 31	TRM 3.3-47	Revision 31
TRM 3.2-1	Revision 31	TRM 3.3-48	Revision 31
TRM 3.3-a	Revision 31	TRM 3.3-49	Revision 31
TRM 3.3-b	Revision 31	TRM 3.4-a	Revision 31
TRM 3.3-c	Revision 31	TRM 3.4-1	Revision 36
TRM 3.3-d	Revision 31	TRM 3.4-1a	Revision 34
TRM 3.3-1	Revision 34	TRM 3.4-1b	Revision 34
TRM 3.3-2	Revision 39	TRM 3.4-2	Revision 31
TRM 3.3-3	Revision 31	TRM 3.4-3	Revision 31
TRM 3.3-4	Revision 31	TRM 3.4-4	Revision 31
TRM 3.3-5	Revision 31	TRM 3.4-5	Revision 31
TRM 3.3-6	Revision 31	TRM 3.4-6	Revision 31
TRM 3.3-7	Revision 31	TRM 3.4-7	Revision 31
TRM 3.3-8	Revision 31	TRM 3.4-8	Revision 31
TRM 3.3-9	Revision 31	TRM 3.4-9	Revision 31
TRM 3.3-10	Revision 31	TRM 3.4-10	Revision 31
TRM 3.3-11	Revision 31	TRM 3.5-1	Revision 31
TRM 3.3-12	Revision 31	TRM 3.6-a	Revision 31
TRM 3.3-13	Revision 31	TRM 3.6-1	Revision 31
TRM 3.3-14	Revision 31	TRM 3.6-2	Revision 31
TRM 3.3-15	Revision 31	TRM 3.6-3	Revision 31
TRM 3.3-16	Revision 31	TRM 3.6-4	Revision 55
TRM 3.3-17	Revision 31	TRM 3.6-5	Revision 31
TRM 3.3-18	Revision 52	TRM 3.6-6	Revision 33
TRM 3.3-19	Revision 31	TRM 3.6-7	Revision 31
TRM 3.3-20	Revision 31	TRM 3.6-8	Revision 31
TRM 3.3-21	Revision 39	TRM 3.6-9	Revision 31
TRM 3.3-22	Revision 31	TRM 3.6-10	Revision 31
TRM 3.3-23	Revision 31	TRM 3.6-11	Revision 31
TRM 3.3-24	Revision 31	TRM 3.6-12	Revision 31
TRM 3.3-25	Revision 31	TRM 3.6-13	Revision 31
TRM 3.3-26	Revision 31	TRM 3.6-14	Revision 31
TRM 3.3-27	Revision 31	TRM 3.6-15	Revision 31
TRM 3.3-28	Revision 31	TRM 3.6-16	Revision 31
TRM 3.3-29	Revision 31	TRM 3.6-17	Revision 31
TRM 3.3-30	Revision 31	TRM 3.6-18	Revision 31
TRM 3.3-31	Revision 31	TRM 3.6-19	Revision 31

LIST OF EFFECTIVE PAGES

Page	Revision	Page	Revision
TRM 3.6-20	Revision 31	TRM 3.8-14	Revision 46
TRM 3.6-21	Revision 31	TRM 3.8-15	Revision 31
TRM 3.6-22	Revision 31	TRM 3.8-16	Revision 31
TRM 3.6-23	Revision 31	TRM 3.8-17	Revision 43
TRM 3.6-24	Revision 58	TRM 3.8-18	Revision 33
TRM 3.6-25	Revision 31	TRM 3.9-a	Revision 31
TRM 3.6-26	Revision 31	TRM 3.9-1	Revision 31
TRM 3.6-27	Revision 31	TRM 3.9-2	Revision 31
TRM 3.6-28	Revision 31	TRM 3.9-3	Revision 31
TRM 3.6-29	Revision 31	TRM 3.9-4	Revision 31
TRM 3.6-30	Revision 31	TRM 3.9-5	Revision 31
TRM 3.6-31	Revision 31	TRM 3.10-1	Revision 31
TRM 3.6-32	Revision 31	TRM 3.11-a	Revision 31
TRM 3.6-33	Revision 31	TRM 3.11-1	Revision 31
TRM 3.6-34	Revision 31	TRM 3.12-a	Revision 31
TRM 3.6-35	Revision 31	TRM 3.12-1	Revision 31
TRM 3.7-a	Revision 31	TRM 3.12-2	Revision 31
TRM 3.7-b	Revision 31	TRM 3.12-3	Revision 31
TRM 3.7-1	Revision 31	TRM 3.12-4	Revision 53
TRM 3.7-2	Revision 31	TRM 3.12-5	Revision 53
TRM 3.7-3	Revision 31	TRM 3.12-6	Revision 53
TRM 3.7-4	Revision 31	TRM 3.12-7	Revision 31
TRM 3.7-5	Revision 31	TRM 3.12-8	Revision 57
TRM 3.7-6	Revision 31	TRM 3.12-9	Revision 40
TRM 3.7-7	Revision 31	TRM 3.12-10	Revision 31
TRM 3.7-8	Revision 31	TRM 3.12-11	Revision 49
TRM 3.7-9	Revision 31	TRM 3.12-12	Revision 31
TRM 3.7-10	Revision 44	TRM 3.12-13	Revision 31
TRM 3.7-11	Revision 31	TRM 3.12-14	Revision 31
TRM 3.7-12	Revision 31	TRM 3.12-15	Revision 31
TRM 3.7-13	Revision 31	TRM 3.12-16	Revision 31
TRM 3.7-14	Revision 31	TRM 3.12-17	Revision 31
TRM 3.7-15	Revision 31	TRM 3.12-18	Revision 31
TRM 3.7-16	Revision 31	TRM 3.12-19	Revision 31
TRM 3.7-17	Revision 31	TRM 3.12-20	Revision 31
TRM 3.7-18	Revision 31	TRM 3.12-21	Revision 31
TRM 3.7-19	Revision 31	TRM 3.12-22	Revision 31
TRM 3.7-20	Revision 31	TRM 3.12-23	Revision 31
TRM 3.8-a	Revision 31	TRM 3.12-24	Revision 31
TRM 3.8-1	Revision 31	TRM 3.12-25	Revision 31
TRM 3.8-2	Revision 31	TRM 3.12-26	Revision 31
TRM 3.8-3	Revision 31	TRM 3.12-27	Revision 31
TRM 3.8-4	Revision 31	TRM 3.12-28	Revision 31
TRM 3.8-5	Revision 31	TRM 3.12-29	Revision 31
TRM 3.8-6	Revision 50	TRM 3.12-30	Revision 31
TRM 3.8-7	Revision 50	TRM 4.0-1	Revision 31
TRM 3.8-8	Revision 50	TRM 5.0-a	Revision 31
TRM 3.8-9	Revision 50	TRM 5.0-1	Revision 31
TRM 3.8-10	Revision 50	TRM 5.0-2	Revision 31
TRM 3.8-11	Revision 50	TRM 5.0-3	Revision 31
TRM 3.8-12	Revision 31	TRM 5.0-4	Revision 31
TRM 3.8-13	Revision 31	TRM 5.0-5	Revision 31

LIST OF EFFECTIVE PAGES

LIST OF EFFECTIVE PAGES

CORE OPERATING LIMITS REPORT
COLR 9, Revision 0

Page	Revision
Notation Page	
1	0
2	0
3	0
4	0
5	0
6	0
7	0
8	0
9	0
10	0
11	0
12	0
13	0
14	0
15	0
16	0
17	0

TABLE TR3.6.3-1 (Page 22 of 22)
Primary Containment Isolation Valves

17. Group 17 - Recirculation Pump System and Primary Containment Radiation Monitoring System

    Reactor Vessel Low Water Level - Level 2
    Drywell Pressure - High

18. Group 18 - Primary Containment Pneumatic Supply System

    Reactor Vessel Low Water Level - Level 2
    Drywell Pressure - High

(b) These valves are hydrostatically leak tested.

(c) Also closes automatically as a result of Torus Room Floor Drain Sump Level - High - High and Drywell Floor Drain Sump Level - High - High.

(d) These valves may be closed remotely from one of the following locations:
    1) control room.
    2) their respective local panels.

(e) Will automatically reposition as a result of the actuation of the LPCI Loop Selection Logic.

(f) Will automatically close when the corresponding RHR loop flow is greater than 3000 gpm.

(g) Will automatically close when the corresponding core spray loop flow is greater than approximately 775 gpm.

(h) Will automatically close when a) HPCI Turbine Steam Stop Valve E4100-F067 closes or b) HPCI Turbine Steam Supply Isolation Valve E4150-F001 closes.

(i) Will automatically close as a result of the condition listed in Note (h), above, as well as when HPCI flow is greater than 1200 gpm.

(j) Will automatically close when a) RCIC Turbine Steam Stop Valve E5150-F045 closes or b) RCIC Turbine Governor Trip and Throttle Valve E5150-F059 closes.

(k) Will automatically close as a result of the conditions listed in Note (j) above, as well as when RCIC flow is greater than 130 gpm.

(l) These valves are actuated by remote manual key-locked switches and will cut the TIP cable and seal off the TIP guide tube when actuated. These valves are squib-fired.

(m) May be closed remotely as a secondary actuation mode to reverse flow.

(n) Valves realign automatically on a reactor scram signal.

(o) Thermal relief valves.

(p) Locked closed.

(q) Not subject to Type C leakage tests.

(r) Hydrostatically tested in accordance with Technical Specification SR 3.4.5.1 in lieu of the requirements of Technical Specifications 3.6.1.1 and 3.6.1.3.

(s) These Containment Isolation Valve(s) are not Type C tested. Containment by-pass leakage is prevented since the line terminates below the minimum water level in the suppression chamber and the system is a closed system outside Primary Containment.

(t) Valve closes on low reactor water level signal (Level 1) or high drywell pressure signal.

(u) Includes valve stroke time only. License Amendment No. 143, approved by the NRC on July 12, 2001, revised the Licensing Basis to allow a 121-second delay in the timing of the release of fission products following a design-basis accident. Therefore, most Class B valves' maximum isolation time may be changed to 108 seconds using the 10 CFR 50.59 process. See letter NRC-00-0066 and Amendment No. 143 for more details.