




NRC FORM 241 (7-1999)		U.S. NUCLEAR REGULATORY COMMISSION		APPROVED BY OMB: NO. 3150-0013 Estimated burden per response to comply with this mandatory collection request: 15 minutes. This notification is required so that NRC may schedule inspection of the activities to ensure that they are conducted in accordance with requirements for protection of the public health and safety. Send comments regarding burden estimate to the Records Management Branch (7-6 E8), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by Internet e-mail to bjs1@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NEOB-10202, (3150-0013), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.		EXPIRES: 07/31/2002	
REPORT OF PROPOSED ACTIVITIES IN NON-AGREEMENT STATES, AREAS OF EXCLUSIVE FEDERAL JURISDICTION, OR OFFSHORE WATERS <i>(Please read the instructions before completing this form)</i>							
1. NAME OF LICENSEE <i>(Person or firm proposing to conduct the activities described below)</i> CIS-US, Inc.				2. TYPE OF REPORT <input type="checkbox"/> INITIAL <input type="checkbox"/> REVISION <input checked="" type="checkbox"/> CLARIFICATION			
3. ADDRESS OF LICENSEE <i>(Mailing address or other location where licensee may be located)</i> 10 DeAngelo Drive Bedford, Massachusetts 01730				4. LICENSEE CONTACT AND TITLE Paul M. Tyree, Radiation Safety Officer			
				5. TELEPHONE NUMBER <i>(Include Area Code)</i> 781.275.7120 x3020		6. FAC'S/MILE NUMBER <i>(Include Area Code)</i> 781.275.9151	
7. ACTIVITIES TO BE CONDUCTED UNDER THE GENERAL LICENSE GIVEN IN 10 CFR 150.20 <input type="checkbox"/> WELL LOGGING <input type="checkbox"/> LEAK TESTING AND/OR CALIBRATIONS <input checked="" type="checkbox"/> TELETHERAPY/IRRADIATOR SERVICE <input type="checkbox"/> PORTABLE GAUGES <input type="checkbox"/> OTHER (Specify) <input type="checkbox"/> _____ <input type="checkbox"/> RADIOGRAPHY <input type="checkbox"/> REGISTERED AS USER OF PACKAGING (CERTIFICATES OF COMPLIANCE NUMBERS) _____							
8. CLIENT NAME, ADDRESS, CITY/COUNTY, STATE, ZIP CODE Mercy Hospital 1400 Locust Street Pittsburgh, Pennsylvania 15219 Contact: Carol Misner				9. ACTUAL PHYSICAL ADDRESS OF WORK LOCATION <i>(Street and Number or other location. Give as complete an address or directions as possible.)</i> Mercy Hospital Blood Bank 1400 Locust Street Pittsburgh, Pennsylvania 15219			
				10. CLIENT TELEPHONE NUMBER <i>(Include Area Code)</i> 412.232.7850		11. WORK LOCATION TELEPHONE NUMBER <i>(Include Area Code)</i> 412.232.7850	
12. DATES SCHEDULED FROM 10/23/2002 PM TO 10/23/2002 PM		13. NUMBER OF WORK DAYS 0.5	14. ADD 0	15. DELETE 0.5	16. LOCATION REFERENCE NUMBER NUMBER TO BE ASSIGNED BY NRC 001009		
LIST ADDITIONAL WORK SITES ON SEPARATE SHEET(S) TO INCLUDE ALL INFORMATION CONTAINED IN ITEMS 9-16 ABOVE.							
17. LIST RADIOACTIVE MATERIAL, WHICH WILL BE POSSESSED, USED, INSTALLED, SERVICED, OR TESTED <i>(Include description of type and quantity of radioactive material, sealed sources, or devices to be used.)</i> Scheduled annual PM service of Model IBL 437C Irradiator Ser. No. 88-266 3 x Model CSL-15 Cs-137 sources, nte 1870 Ci ea. on Nov-88							
18. AGREEMENT STATE SPECIFIC LICENSE WHICH AUTHORIZES THE UNDERSIGNED TO CONDUCT ACTIVITIES WHICH ARE THE SAME, EXCEPT FOR LOCATION OF USE, AS SPECIFIED IN ITEM 9 ABOVE. <i>(Four copies of the specific license must accompany the initial NRC Form 241.)</i>				LICENSE NUMBER 20-9734	STATE MA	EXPIRATION DATE 30-Sep-07	
19. CERTIFICATION (MUST BE COMPLETED BY APPLICANT)							
I, THE UNDERSIGNED, HEREBY CERTIFY THAT: <ol style="list-style-type: none"> All information in this report is true and complete. I have read and understand the provision of the general license 10 CFR 150.20 reprinted on the instructions of this form; and I understand that I am required to comply with these provisions as to all byproduct, source, or special nuclear material which I possess and use in non-Agreement States or offshore waters under the general license for which this report is filed with the U.S. Nuclear Regulatory Commission. I understand that activities, including storage, conducted in non-Agreement States under general license 10 CFR 150.20 are limited to a total of 180 days in calendar year. With the exception of work conducted in off-shore waters, which is authorized for an unlimited period of time in the calendar year. I understand that I may be inspected by NRC at the above listed work site locations and at the Licensee home office address for activities performed in non-Agreement States or offshore waters. I understand that conduct of any activities not described above, including conduct of activities on dates or locations different from those described above or without NRC authorization, may subject me to enforcement action, including civil or criminal penalties. 							
CERTIFYING OFFICER - NRC or Management Representative (Name and Title) Paul M. Tyree, Corporate RSO				SIGNATURE 		DATE 17-Oct-02	
WARNING: False statements in this certificate may be subject to civil and/or criminal penalties. NRC regulations require that submissions to the NRC be complete and accurate in all material respects. 18 U.S.C. Section 1001 makes it a criminal offense to make a willfully false statement or representation to any department or agency of the United States as to any matter within its jurisdiction.							
FOR NRC USE ONLY		REVIEWING OFFICIAL (Typed/Printed Name and Title)		SIGNATURE		DATE	
						TOTAL USAGE -- DAYS TO DATE 7	

② 10/18/02

NRC FORM 241 <small>(7-1999)</small>		U.S. NUCLEAR REGULATORY COMMISSION		APPROVED BY OMB: NO. 3150-0013 <small>Estimated burden per response to comply with this mandatory collection request: 15 minutes. This notification is required so that NRC may schedule inspection of the activities to ensure that they are conducted in accordance with requirements for protection of the public health and safety. Send comments regarding burden estimate to the Records Management Branch (T-5 E6), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0031, or by internet e-mail to bjs1@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NEOB-10202, (3150-0013), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.</small>		EXPIRES: 07/31/2002	
REPORT OF PROPOSED ACTIVITIES IN NON-AGREEMENT STATES, AREAS OF EXCLUSIVE FEDERAL JURISDICTION, OR OFFSHORE WATERS <i>(Please read the instructions before completing this form)</i>							
1. NAME OF LICENSEE <i>(Person or firm proposing to conduct the activities described below)</i> CIS-US, Inc.				2. TYPE OF REPORT <input type="checkbox"/> INITIAL <input type="checkbox"/> REVISION <input checked="" type="checkbox"/> CLARIFICATION			
3. ADDRESS OF LICENSEE <i>(Mailing address or other location where licensee may be located)</i> 10 DeAngelo Drive Bedford, Massachusetts 01730				4. LICENSEE CONTACT AND TITLE Paul M. Tyree, Radiation Safety Officer			
				5. TELEPHONE NUMBER <small>(Include Area Code)</small> 781.275.7120 x3020		6. FACSIMILE NUMBER <small>(Include Area Code)</small> 781.275.9151	
7. ACTIVITIES TO BE CONDUCTED UNDER THE GENERAL LICENSE GIVEN IN 10 CFR 150.20 <input type="checkbox"/> WELL LOGGING <input type="checkbox"/> LEAK TESTING AND/OR CALIBRATIONS <input checked="" type="checkbox"/> TELETHERAPY/IRRADIATOR SERVICE <input type="checkbox"/> PORTABLE GAUGES <input type="checkbox"/> OTHER (Specify) <input type="checkbox"/> _____ <input type="checkbox"/> RADIOGRAPHY <input type="checkbox"/> REGISTERED AS USER OF PACKAGING (CERTIFICATES OF COMPLIANCE NUMBERS) _____							
8. CLIENT NAME, ADDRESS, CITY/COUNTY, STATE, ZIP CODE Temple University Hospital 3401 North Broad Street Philadelphia, Pennsylvania 19140 Contact: Lynn Truax				9. ACTUAL PHYSICAL ADDRESS OF WORK LOCATION <small>(Street and Number or other location - Give as complete an address or directions as possible)</small> Temple University Hospital Blood Bank 3401 North Broad Street Philadelphia, Pennsylvania 19140			
				10. CLIENT TELEPHONE NUMBER <small>(Include Area Code)</small> 412.707.2051		11. WORK LOCATION TELEPHONE NUMBER <small>(Include Area Code)</small> 412.707.2051	
12. DATES SCHEDULED FROM 10/23/2002 AM TO 10/23/2002 AM		13. NUMBER OF WORK DAYS 0.5	14. ADD 0	15. DELETE 0.5	16. LOCATION REFERENCE NUMBER NUMBER TO BE ASSIGNED BY NRC 001010		
LIST ADDITIONAL WORK SITES ON SEPARATE SHEET(S) TO INCLUDE ALL INFORMATION CONTAINED IN ITEMS 9-16 ABOVE.							
17. LIST RADIOACTIVE MATERIAL, WHICH WILL BE POSSESSED, USED, INSTALLED, SERVICED, OR TESTED <small>(Include description of type and quantity of radioactive material, sealed sources, or devices to be used.)</small> Scheduled annual PM service of Model IBL 437C Irradiator Ser. No. <u>90-300</u> <u>3</u> x Model CSL-15 Cs-137 sources, nte 1870 Ci ea. on <u>Aug-90</u>							
18. AGREEMENT STATE SPECIFIC LICENSE WHICH AUTHORIZES THE UNDERSIGNED TO CONDUCT ACTIVITIES WHICH ARE THE SAME, EXCEPT FOR LOCATION OF USE, AS SPECIFIED IN ITEM 9 ABOVE. <i>(Four copies of the specific license must accompany the initial NRC Form 241)</i>				LICENSE NUMBER 20-9734		STATE MA	EXPIRATION DATE 30-Sep-07
19. CERTIFICATION (MUST BE COMPLETED BY APPLICANT)							
I, THE UNDERSIGNED, HEREBY CERTIFY THAT: a. All information in this report is true and complete. b. I have read and understand the provision of the general license 10 CFR 150.20 reprinted on the instructions of this form; and I understand that I am required to comply with these provisions as to all byproduct, source, or special nuclear material which I possess and use in non-Agreement States or offshore waters under the general license for which this report is filed with the U.S. Nuclear Regulatory Commission. c. I understand that activities, including storage, conducted in non-Agreement States under general license 10 CFR 150.20 are limited to a total of 180 days in calendar year. With the exception of work conducted in off-shore waters, which is authorized for an unlimited period of time in the calendar year. d. I understand that I may be inspected by NRC at the above listed work site locations and at the Licensee home office address for activities performed in non-Agreement States or offshore waters. e. I understand that conduct of any activities not described above, including conduct of activities on dates or locations different from those described above or without NRC authorization, may subject me to enforcement action, including civil or criminal penalties.							
CERTIFYING OFFICER - RSO or Management Representative (Name and Title) Paul M. Tyree, Corporate RSO				SIGNATURE 		DATE 17-Oct-02	
WARNING: False statements in this certificate may be subject to civil and/or criminal penalties. NRC regulations require that submissions to the NRC be complete and accurate in all material respects. 18 U.S.C. Section 1001 makes it a criminal offense to make a willfully false statement or representation to any department or agency of the United States as to any matter within its jurisdiction.							
FOR NRC USE ONLY		REVIEWING OFFICIAL (Typed/Printed Name and Title) John McKeith		SIGNATURE 		DATE 10/21/02	TOTAL USAGE - DAYS TO DATE 7

② 10/18/02

CIS-US, Inc.**RECIPROCITY FAX TRANSMITTAL**DATE: 17-Oct-02FAXED TO #: 610.337.5269 THIS IS PAGE 01 OF 03

ATT: Sheryl Villar, Reciprocity Request

U.S. Nuclear Regulatory Commission, Region I


475 Allendale Road

King of Prussia, PA 19406

We transmit hereunder [2] NRC Form 241 CLARIFICATION REPORT(S)
at least 3 days prior to scheduled activities.

Clean copies of the Form 241 CLARIFICATION REPORT(S) will be FedEx'd
P-1 to your attention this date.

Thank you for assisting us in obtaining irradiator field service reciprocity in
USNRC jurisdictions. Please contact me immediately if CIS-US needs to
do anything different or further in this matter.


Paul M. Tyree
Radiation Safety Officer
X3020, ptyree@cisusinc.com