December 19, 2002

LICENSEE: Exelon Generation Company, LLC

FACILITIES: Byron Station, Units 1 and 2
Braidwood Station, Units 1 and 2

SUBJECT: SUMMARY OF MEETING HELD ON NOVEMBER 19, 2002, WITH EXELON GENERATION COMPANY, LLC TO DISCUSS ATWS AND UET SUBMITTAL

On November 19, 2002, the U.S. Nuclear Regulatory Commission (NRC) staff held a meeting with representatives of Exelon Generation Company, LLC (Exelon) to discuss the subject amendment request dated March 19, 2002, and the licensee's response to the NRR staff's request for additional information dated September 26, 2002. This meeting was requested by Exelon. The licensee, in its submittal, has proposed an approach for integrating into their configuration risk management program the anticipated transient without scram (ATWS) and unfavorable exposure time (UET) at Byron/Braidwood. This approach would allow the licensee to remove the Technical Specification requirement that restricts its fuel design to a 5 percent UET under specified base conditions. The purpose of the meeting was to provide an opportunity for the licensee to discuss this approach in detail with the NRC staff and to provide further clarification for the subject amendment.

In its presentation, the licensee provided the general background, historical perspective, and the bases for their submittal. The meeting was then opened for general discussion, during which time it became apparent that the NRC staff would need additional information to proceed further with this amendment. The staff stated that it will review the discussed information and will inform the licensee whether any additional clarification or supplemental information is necessary for completing its review.

The handouts presented by Exelon are filed in ADAMS (Accession No. ML023240487).

A list of attendees is enclosed.

/RA/

Mahesh Chawla, Project Manager, Section 2
Project Directorate III
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket Nos.: STN 50-454, STN 50-455, STN 50-456, STN 50-457

Enclosure: As stated

cc: See next page

Byron/Braidwood Stations

cc:

Ms. C. Sue Hauser, Project Manager
Westinghouse Electric Corporation
Energy Systems Business Unit
Post Office Box 355
Pittsburgh, PA 15230

Joseph Gallo
Gallo & Ross
1025 Connecticut Ave., NW, Suite 1014
Washington, DC 20036

Howard A. Learner
Environmental Law and Policy
Center of the Midwest
35 East Wacker Dr., Suite 1300
Chicago, IL 60601-2110

U.S. Nuclear Regulatory Commission
Byron Resident Inspectors Office
4448 N. German Church Road
Byron, IL 61010-9750

Regional Administrator, Region III
U.S. Nuclear Regulatory Commission
801 Warrenville Road
Lisle, IL 60532-4351

Ms. Lorraine Creek
RR 1, Box 182
Manteno, IL 60950

Chairman, Ogle County Board
Post Office Box 357
Oregon, IL 61061

Mrs. Phillip B. Johnson
1907 Stratford Lane
Rockford, IL 61107

George L. Edgar
Morgan, Lewis and Bockius
1800 M Street, NW
Washington, DC 20036-5869

Attorney General
500 S. Second Street
Springfield, IL 62701

Illinois Department of Nuclear Safety
Office of Nuclear Facility Safety
1035 Outer Park Drive
Springfield, IL 62704

Byron Station Manager
Exelon Generation Company, LLC
4450 N. German Church Road
Byron, IL 61010-9794

Site Vice President - Byron
Exelon Generation Company, LLC
4450 N. German Church Road
Byron, IL 61010-9794

U.S. Nuclear Regulatory Commission
Braidwood Resident Inspectors Office
35100 S. Rt. 53, Suite 79
Braceville, IL 60407

Illinois Emergency Management
Agency
Division of Disaster Assistance &
Preparedness
110 East Adams Street
Springfield, IL 62701-1109

Chairman
Will County Board of Supervisors
Will County Board Courthouse
Joliet, IL 60434

Braidwood Station Manager
Exelon Generation Company, LLC
35100 S. Rt. 53, Suite 84
Braceville, IL 60407-9619

Ms. Bridget Little Rorem
Appleseed Coordinator
117 N. Linden Street
Essex, IL 60935

Document Control Desk-Licensing
Exelon Generation Company, LLC
4300 Winfield Road
Warrenville, IL 60555

Exelon Generation Company, LLC
Site Vice President - Braidwood
35100 S. Rt. 53, Suite 84
Braceville, IL 60407-9619

Senior Vice President, Nuclear Services
Exelon Generation Company, LLC
4300 Winfield Road
Warrenville, IL 60555

Vice President
Mid-West Operations Support
Exelon Generation Company, LLC
4300 Winfield Road
Warrenville, IL 60555

Senior Vice President
Mid-West Regional Operating Group
Exelon Generation Company, LLC
4300 Winfield Road
Warrenville, IL 60555

Director Licensing
Mid-West Regional Operating Group
Exelon Generation Company, LLC
4300 Winfield Road
Warrenville, IL 60555

Exelon Generation Company, LLC
Regulatory Assurance Supervisor - Braidwood
35100 S. Rt. 53, Suite 84
Braceville, IL 60407-9619

Exelon Generation Company, LLC
Regulatory Assurance Supervisor - Byron
4450 N. German Church Road
Byron, IL 61010-9794

Senior Counsel, Nuclear
Mid-West Regional Operating Group
Exelon Generation Company, LLC
4300 Winfield Road
Warrenville, IL 60555

Vice President - Licensing and Regulatory Affairs
Exelon Generation Company, LLC
4300 Winfield Road
Warrenville, IL 60555

Manager Licensing - Braidwood and Byron
Exelon Generation Company, LLC
4300 Winfield Road
Warrenville, IL 60555

December 19, 2002

LICENSEE: Exelon Generation Company, LLC

FACILITIES: Byron Station, Units 1 and 2
Braidwood Station, Units 1 and 2

SUBJECT: SUMMARY OF MEETING HELD ON NOVEMBER 19, 2002, WITH EXELON GENERATION COMPANY, LLC TO DISCUSS ATWS AND UET SUBMITTAL

On November 19, 2002, the U.S. Nuclear Regulatory Commission (NRC) staff held a meeting with representatives of Exelon Generation Company, LLC (Exelon) to discuss the subject amendment request dated March 19, 2002, and the licensee's response to the NRR staff's request for additional information dated September 26, 2002. This meeting was requested by Exelon. The licensee, in its submittal, has proposed an approach for integrating into their configuration risk management program the anticipated transient without scram (ATWS) and unfavorable exposure time (UET) at Byron/Braidwood. This approach would allow the licensee to remove the Technical Specification requirement that restricts its fuel design to a 5 percent UET under specified base conditions. The purpose of the meeting was to provide an opportunity for the licensee to discuss this approach in detail with the NRC staff and to provide further clarification for the subject amendment.

In its presentation, the licensee provided the general background, historical perspective, and the bases for their submittal. The meeting was then opened for general discussion, during which time it became apparent that the NRC staff would need additional information to proceed further with this amendment. The staff stated that it will review the discussed information and will inform the licensee whether any additional clarification or supplemental information is necessary for completing its review.

The handouts presented by Exelon are filed in ADAMS (Accession No. ML023240487).

A list of attendees is enclosed.

/RA/

Mahesh Chawla, Project Manager, Section 2
Project Directorate III
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket Nos.: STN 50-454, STN 50-455, STN 50-456, STN 50-457

Enclosure: As stated

cc: See next page

DISTRIBUTION

PUBLIC	PD3-2 R/F	MChawla	OGC	ACRS	JZwolinski/LMarsh
KMcConnell	AMendiola	CRosenberg	DMcCain	VGaddy, EDO	AStone (RIII)
SMiranda	MKowal	RTaylor	RDennig	AAttard	DHarrison
HScott	FAkstulewicz				

Meeting Notice: ML023110394 Agenda: ML023240480 Meeting Handouts: ML023240484
ADAMS Accession No.: ML023300656 Package No.: ML023240487

OFFICE	PM:LPD3-2	LA:LPD3-2	SC:LPD3-2
NAME	MChawla	CRosenberg	LRaghavan for AMendiola
DATE	12/17/02	12/17/02	12/17/02

OFFICIAL RECORD COPY

ATTENDANCE LIST FOR

MEETING BETWEEN NUCLEAR REGULATORY COMMISSION (NRC)

AND

EXELON GENERATION COMPANY, LLC (EXELON)

NOVEMBER 19, 2002

Name	Organization/Title	Phone Number/Email
Mahesh Chawla	NRC/NRR/DLPM - Project Manager - Byron/Braidwood	(301) 415-8371 mlc@nrc.gov
Ken Ainger	Exelon - Byron/Braidwood Licensing Manager	(630) 657-2800 kenneth.ainger@exeloncorp.com
Joe Bauer	Exelon - Byron/Braidwood Nuclear Licensing Administrator	(630) 657-2801 joseph.bauer@exeloncorp.com
Sam Miranda	NRC/NRR/DSSA - Reactor Engineer	(301) 415-2303 sjm@nrc.gov
Mark Kowal	NRC/NRR/DSSA/SRXB - Reactor Engineer	(301) 415-1663 mxk7@nrc.gov
Robert Taylor	NRC/NRR/DLPM -	(301) 415-1437 rxt2@nrc.gov
Robert Dennig	NRC/NRR/RORP/TSS - Section Chief	(301) 415-1437 rld@nrc.gov
Annie Wong	Exelon - Senior Safety Analysis Engineer	(630) 657-2165 annie.wong@exeloncorp.com
Robert Tsai	Exelon - PWR Fuel Design Manager	(630) 657-2162 robert.tsai@exeloncorp.com
Anthony Attard	NRC/NRR/DSSA/SRXB - Senior Reactor Engineer	(301) 415-2876 aca@nrc.gov
Donald Harrison	NRC/NRR/DSSA/SPSB Senior Reliability and Risk Analyst	(301) 415-3587 dgh@nrc.gov
Harold Scott	NRC/RES - Nuclear Engineer	(301) 415-6771 hhs@nrc.gov
Francis Akstulewicz	NRC/NRR/DSSA/SRXB - Section Chief	(301) 415-1136 fma@nrc.gov

Enclosure