

December 3, 2002

Mr. Ronald A Jones
Vice President, Oconee Site
Duke Energy Corporation
7800 Rochester Highway
Seneca, SC 29672

SUBJECT: OCONEE NUCLEAR STATION, UNITS 1, 2, AND 3 - LICENSE AMENDMENT
REQUEST FOR TECHNICAL SPECIFICATION 3.7.16, "CONTROL ROOM AREA
COOLING SYSTEM (CRACS)" (TAC NOS. MB3820, MB3821, AND MB3822)

Dear Mr. Jones:

By letter dated December 6, 2002, you requested amendments for Oconee Nuclear Station, Units 1, 2, and 3. The proposed amendments would have revised Technical Specification (TS) 3.7.16, "Control Room Area Cooling System (CRACS)" and would have eliminated the required entry into TS 3.0.3 whenever two trains of CRACS are inoperable.

By letter dated November 26, 2002, you withdrew your request and asked us to clarify our interpretation of TS 3.0.3. Enclosed is a memorandum dated December 11, 1992, "Use of Shutdown Times for Corrective Maintenance (TIA 92-08)," that clarifies our position on TS 3.0.3.

Please contact me at (301) 415-1419, if you have any further questions on this matter.

Sincerely,

/RA/

Leonard N. Olshan, Project Manager, Section 1
Project Directorate II
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket Nos. 50-269, 50-270, and 50-287

Enclosure: As stated

cc w/encl: See next page

December 3, 2002

Mr. Ronald A Jones
Vice President, Oconee Site
Duke Energy Corporation
7800 Rochester Highway
Seneca, SC 29672

SUBJECT: OCONEE NUCLEAR STATION, UNITS 1, 2, AND 3 - LICENSE AMENDMENT
REQUEST FOR TECHNICAL SPECIFICATION 3.7.16, "CONTROL ROOM AREA
COOLING SYSTEM (CRACS)" (TAC NOS. MB3820, MB3821, AND MB3822)

Dear Mr. Jones:

By letter dated December 6, 2002, you requested amendments for Oconee Nuclear Station, Units 1, 2, and 3. The proposed amendments would have revised Technical Specification (TS) 3.7.16, "Control Room Area Cooling System (CRACS)" and would have eliminated the required entry into TS 3.0.3 whenever two trains of CRACS are inoperable.

By letter dated November 26, 2002, you withdrew your request and asked us to clarify our interpretation of TS 3.0.3. Enclosed is a memorandum dated December 11, 1992, "Use of Shutdown Times for Corrective Maintenance (TIA 92-08)," that clarifies our position on TS 3.0.3.

Please contact me at (301) 415-1419, if you have any further questions on this matter.

Sincerely,

/RA/

Leonard N. Olshan, Project Manager, Section 1
Project Directorate II
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket Nos. 50-269, 50-270, and 50-287

Enclosure: As stated

cc w/encl: See next page

Distribution:

PUBLIC

LOlshan

CHawes

JNakoski

RHaag, RII

RDening

CGrimes

OGC

ACRS

WBeckner

ADAMS ACCESSION NO.: ML023370491

OFFICE	PDII-1/PM	PDII-1/LA	RORP/BC	PDII-1/SC
NAME	LOlshan	CHawes	WBeckner	AHowe for JNakoski
DATE	11/27/02	11 /27/02	11/2/02	12/2/02

OFFICIAL RECORD COPY

Oconee Nuclear Station

cc:

Ms. Lisa F. Vaughn
Legal Department (PBO5E)
Duke Energy Corporation
422 South Church Street
Charlotte, North Carolina 28201-1006

Anne W. Cottingham, Esquire
Winston and Strawn
1400 L Street, NW
Washington, DC 20005

Manager, LIS
NUS Corporation
2650 McCormick Drive, 3rd Floor
Clearwater, Florida 34619-1035

Senior Resident Inspector
U. S. Nuclear Regulatory
Commission
7812B Rochester Highway
Seneca, South Carolina 29672

Mr. Henry Porter, Director
Division of Radioactive Waste Management
Bureau of Land and Waste Management
Department of Health and Environmental
Control
2600 Bull Street
Columbia, South Carolina 29201-1708

Mr. Michael A. Schoppman
Framatome ANP
1911 North Ft. Myer Drive
Suite 705
Rosslyn, VA 22209

Mr. L. E. Nicholson
Compliance Manager
Duke Energy Corporation
Oconee Nuclear Site
7800 Rochester Highway
Seneca, South Carolina 29672

Ms. Karen E. Long
Assistant Attorney General
North Carolina Department of
Justice
P. O. Box 629
Raleigh, North Carolina 27602

Mr. C. Jeffrey Thomas
Manager - Nuclear Regulatory
Licensing
Duke Energy Corporation
526 South Church Street
Charlotte, North Carolina 28201-1006

Mr. Richard M. Fry, Director
Division of Radiation Protection
North Carolina Department of
Environment, Health, and
Natural Resources
3825 Barrett Drive
Raleigh, North Carolina 27609-7721

Mr. Peter R. Harden, IV
VP-Customer Relations and Sales
Westinghouse Electric Company
6000 Fairview Road
12th Floor
Charlotte, North Carolina 28210