JCA®

JCA Associates, Inc.

CONSULTING ENGINEERS, SCIENTISTS, PLANNERS,
SURVEYORS AND LICENSED DRILLERS

1256 NORTH CHURCH STREET • MOORESTOWN, NEW JERSEY 08057 • (856) 722-6700 • FAX (856) 722-0175

New Jersey Certificate of Authorization No. GA276843

November 13, 2002

U.S. Nuclear Regulatory Commission
Attn: Document Control Desk
Washington, D.C. 20555

Re: Reply to a notice of violation

To whom it may concern

This document is a reply to your notice of violation dated November 7, 2002. In accordance with that letter we offer the following comments.

A. Violation - No leak test:
1. Miss communication on our part lead to us not having the proper documentation for leak testing of the meter. 2.The meter will now be leak tested biannually (in January, and June) of every year. 3. The meter has been leak tested this month. 4. The results of this leak test will be placed in our document binder when we receive it back, we expect the results back in 2 weeks.

B. Violation - Posting of Notices.
1. Error in preparing lead to us not posting the proper notices. 2. The proper notices have been posted in the storage area. 3. The RSO will make periodic checks on the storage area to maintain compliance. 4. All postings have been posted to date.

If you should have any questions concerning this matter please feel free to call our office.

Very truly yours,
JCA ASSOCIATES INC.

Mark Faustino
Construction Manager, RSO

MEF:mef
C:\MyFiles\Corres\Nuc.wpd
cc: Bill Vukeder, JCA
Vincent Luciani, JCA

IE07