



Entergy Operations, Inc.
Waterloo Road
P.O. Box 756
Port Gibson, MS 39150
Tel 601 437 6299

Charles A. Bottemiller
Manager
Plant Licensing

December 11, 2002

U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

Attention: Document Control Desk

Subject: Monthly Operating Report
Grand Gulf Nuclear Station
Unit 1
Docket No. 50-416
License No. NPF-29

GNRO-2002/00096

Ladies and Gentlemen:

In accordance with the requirement of Technical Specification 5.6.4, Entergy Operations, Inc. is providing the Monthly Operating Report for Grand Gulf Nuclear Station Unit 1 for November 2002.

This letter does not contain any commitments.

If you have any questions or require additional information, please contact this office.

Yours truly,

A handwritten signature in black ink, appearing to read "CAB" followed by a stylized flourish.

CAB/AMT:amt
attachments:

1. Operating Status
 2. Average Daily Power Level
 3. Unit Shutdown and Power Reductions
- (See Next Page)

cc:

December 11, 2002
GNRO-2002/00096
Page 2 of 2

cc:

Hoeg	T. L.	(GGNS Senior Resident)	(w/a)
Levanway	D. E.	(Wise Carter)	(w/a)
Reynolds	N. S.		(w/a)
Smith	L. J.	(Wise Carter)	(w/a)
Thomas	H. L.		(w/o)

U.S. Nuclear Regulatory Commission
ATTN: Mr. E. W. Merschoff (w/2)
Regional Administrator, Region IV
611 Ryan Plaza Drive, Suite 400
Arlington, TX 76011-4005

U.S. Nuclear Regulatory Commission
ATTN: Mr. David H. Jaffe NRR/DLPM (w/2)
ATTN: FOR ADDRESSEE ONLY
ATTN: U.S. Postal Delivery Address Only
Mail Stop OWFN/7D-1
Washington, D.C. 20555-0001

DOCKET NO 50-416
 DATE 12/09/2002
 COMPLETED BY S. D. Lin
 TELEPHONE (601) 437-6793

OPERATING STATUS

1. Unit Name: GGNS UNIT 1
2. Reporting Period: November 2002
3. Licensed Thermal Power (MWt): 3898 MWT
4. Nameplate Rating (Gross MWe): 1372.5 MWE
5. Design Electrical Rating (Net MWe): 1250 MWE
6. Maximum Dependable Capacity (Gross MWe): 1257 MWE
7. Maximum Dependable Capacity (Net MWe): 1207 MWE
8. If changes occur in Capacity Ratings (Items 3 through 7) Since Last Report. Give Reason: N/A
9. Power Level To Which Restricted, If Any (Net MWe): None
10. Reasons For Restrictions, If Any: N/A

	<u>This Month</u>	<u>Yr to Date</u>	<u>Cumulative*</u>
11. Hours in Reporting Period	<u>720</u>	<u>8,016</u>	<u>158,800</u>
12. Number of Hours Reactor was Critical	<u>720.0</u>	<u>7,453.4</u>	<u>135,980.4</u>
13. Reactor Reserve Shutdown Hours	<u>0</u>	<u>0</u>	<u>0</u>
14. Hours Generator On-Line	<u>720.0</u>	<u>7,396.1</u>	<u>132,297.4</u>
15. Unit Reserve Shutdown Hours	<u>0</u>	<u>0</u>	<u>0</u>
16. Gross Thermal Energy Generated (MWH)	<u>2,742,211</u>	<u>27,818,859</u>	<u>481,581,525</u>
17. Gross Electrical Energy Generated (MWH)	<u>945,812</u>	<u>9,473,975</u>	<u>157,754,935</u>
18. Net Electrical Energy Generated (MWH)	<u>909,632</u>	<u>9,103,198</u>	<u>151,382,906</u>
19. Unit Service Factor	<u>100.0</u>	<u>92.3</u>	<u>84.6</u>
20. Unit Availability Factor	<u>100.0</u>	<u>92.3</u>	<u>84.6</u>
21. Unit Capacity Factor (Using MDC Net)	<u>104.7</u>	<u>94.1</u>	<u>84.2</u>
22. Unit Capacity Factor (Using DER Net)	<u>101.1</u>	<u>90.9</u>	<u>78.4</u>
23. Unit Forced Outage Rate	<u>0.0</u>	<u>1.0</u>	<u>5.1</u>
24. Shutdowns Scheduled Over Next 6 Months (Type, Date, and Duration of Each):	<u>None</u>		

25. If Shut Down At End of Report Period. Estimated Date of Startup: N/A
26. Units in Test Status (Prior to Commercial Operation):

	<u>Forecast</u>	<u>Achieved</u>
INITIAL CRITICALITY	<u> </u>	<u>08/18/82</u>
INITIAL ELECTRICITY	<u> </u>	<u>10/20/84</u>
COMMERCIAL OPERATION	<u> </u>	<u>07/01/85</u>

* Items 11 through 18 are cumulative results since initial electricity

DOCKET NO	<u>50-416</u>
DATE	<u>12/09/2002</u>
COMPLETED BY	<u>S. D. Lin</u>
TELEPHONE	<u>(601) 437-6793</u>

MONTH: November 2002

DAY	AVERAGE DAILY POWER LEVEL (MWe-Net)	DAY	AVERAGE DAILY POWER LEVEL (MWe-Net)
1	<u>1301</u>	17	<u>1281</u>
2	<u>1296</u>	18	<u>1283</u>
3	<u>1298</u>	19	<u>1281</u>
4	<u>1300</u>	20	<u>1286</u>
5	<u>1292</u>	21	<u>1289</u>
6	<u>1299</u>	22	<u>1296</u>
7	<u>1175</u>	23	<u>1301</u>
8	<u>1296</u>	24	<u>1299</u>
9	<u>1284</u>	25	<u>1296</u>
10	<u>1275</u>	26	<u>1301</u>
11	<u>1291</u>	27	<u>1304</u>
12	<u>1299</u>	28	<u>1303</u>
13	<u>1305</u>	29	<u>1300</u>
14	<u>1297</u>	30	<u>1100</u>
15	<u>1263</u>	31	<u>N/A</u>
16	<u>710</u>		

UNIT SHUTDOWNS AND POWER REDUCTIONS

REPORT MONTH November 2002

No.	Date	Type (1)	Duration Hours	Reason (2)	Method Of Shutting Down Reactor (3)	Licensee Event Report #	System Code (4)	Component Code (5)	Cause & Corrective Action To Prevent Recurrence (C&CA)
11-001	20021115	F	0.	A	6	N/A	N/A	N/A	Core thermal power was reduced when Circulating Water Pump "B" tripped following failure of load center trip device.

- | | | | | |
|---|--|---|--|--|
| <p>1</p> <p>F: Forced
S: Scheduled</p> | <p>2</p> <p>Reason:
A-Equipment Failure (Explain)
B-Maintenance or Test
C-Refueling
D-Regulatory Restriction
E-Operator Training & Licensing Examination
F-Administrative
G-Operational Error (Explain)
H-Other (Explain)</p> | <p>3</p> <p>Method:
1-Manual
2-Manual Scram
3-Automatic Scram
4-Continued
5-Reduced load
6-Other</p> | <p>4</p> <p>Exhibit G - Instructions for Preparation of Data Entry Sheets for Licensee Event Report (LER) File (NUREG-0161)</p> | <p>5</p> <p>Exhibit 1 - Same Source</p> |
|---|--|---|--|--|