

DEC 13 2002

LR-N02-0419



U. S. Nuclear Regulatory Commission
Document Control Desk
Washington, DC 20555

Gentlemen:

**MONTHLY OPERATING REPORT
SALEM GENERATING STATION UNIT 1
DOCKET NO. 50-272**

In compliance with Section 6.9, Reporting Requirements for the Salem Unit 1 Technical Specifications, the operating statistics for **November 2002** are being forwarded.

Sincerely,

A handwritten signature in black ink, appearing to read "Lon Waldinger", written over a large, circular scribble.

Lon Waldinger
Operations Director

RAR
Attachments

C Distribution

JE24

DOCKET NO.: 50-272
 UNIT: Salem 1
 DATE: 12/9/02
 COMPLETED BY: F. Todd
 TELEPHONE: (856) 339-1316

Reporting Period November 2002

OPERATING DATA REPORT

Design Electrical Rating (MWe-Net)
 Maximum Dependable Capacity (MWe-Net)

No. of hours reactor was critical
 No. of hours generator was on line (service hours)
 Unit reserve shutdown hours
 Net Electrical Energy (MWH)

| 1130 | | |
|--------|--------------|------------|
| 1096 | | |
| Month | Year-to-date | Cumulative |
| 588 | 7216 | 141444 |
| 562 | 7111 | 136807 |
| 0 | 0 | 0 |
| 582479 | 7787250 | 139070648 |

UNIT SHUTDOWNS

| NO. | DATE | TYPE F=FORCED S=SCHEDULED | DURATION (HOURS) | REASON (1) | METHOD OF SHUTTING DOWN THE REACTOR (2) | CORRECTIVE ACTION/ COMMENT |
|-----|---------------------------|---------------------------------|---------------------|---------------|--|-------------------------------------|
| 2 | 11/1/02 - 11/6/02 | S | 138 | C | 4 | 1R15 Refueling Outage |
| 3 | 11/12/02 - 11/13/02 | F | 20 | B | 2 | Feed Pump trip due to work on CN27. |

(1) Reason

- A - Equipment Failure (Explain)
- B - Maintenance or Test
- C - Refueling
- D - Regulatory Restriction
- E - Operator Training/License Examination
- F - Administrative
- G - Operational Error (Explain)
- H - Other

(2) Method

- 1 - Manual
- 2 - Manual Trip/Scram
- 3 - Automatic Trip/Scram
- 4 - Continuation
- 5 - Other (Explain)

DOCKET NO.: 50-272
UNIT: Salem 1
DATE: 12/9/02
COMPLETED BY: R. Ritzman
TELEPHONE: (856) 339-1445

Summary Of Monthly Operating Experience

- Salem 1 entered the month in a refueling outage, which was completed on November 6.
- On November 12, Salem 1 entered a forced outage due to a plant trip caused by the loss of a feed pump. The unit was placed back on line on November 13, returning to 100% power on the November 14.
- At the end of the month, Salem 1 completed 17 days of continuous on-line operation.