

December 12, 2002

U. S. Nuclear Regulatory Commission
Washington, DC 20555-0001
ATTENTION: Document Control Desk

SUBJECT: Duke Energy Corporation
Docket No(s). 50-269, -270, -287
Oconee Nuclear Station Units 1, 2, and 3
Automatic Feedwater Isolation System (AFIS)
Operational on Unit 2

Duke installed the Automatic Feedwater Isolation System (AFIS) on Oconee Unit 2 during the Fall 2002 Outage. AFIS operability testing was completed and the system was placed in service prior to entry into the Technical Specification 3.3.13 Mode of Applicability (MODE 3 with main steam header pressure \geq 700 psig). Oconee Unit 2 entered Mode 3 on November 20, 2002. This information is provided in accordance with the NRC request in letter dated September 26, 2001 that issued the AFIS license amendment.

Inquiries on this matter should be directed to Boyd Shingleton at (864) 885-4716.

Very truly yours,



R. A. Jones, Site Vice President

A001

xc w/attachments:

L. A. Reyes
U. S. NRC
Regional Administrator, Region II
Atlanta Federal Center
61 Forsyth St., SW, Suite 23T85
Atlanta, GA 30303

L. N. Olshan
NRC Senior Project Manager (ONS)
U. S. Nuclear Regulatory Commission
Mail Stop O-14H25
Washington, DC 20555-0001

M. C. Shannon
Senior Resident Inspector (ONS)
U. S. Nuclear Regulatory Commission
Oconee Nuclear Site

V. R. Autry, Director
Division of Radioactive Waste Management
Bureau of Land & Waste Management
Department of Health & Environmental Control
2600 Bull Street
Columbia, SC 29201

Page 3 of 3

xcc: D. A. Baxter
B. H. Hamilton
W. W. Foster
M. C. Bolch
D. A. Lee
L. F. Vaughn
L. E. Nicholson
C. J. Thomas - MNS
M. T. Cash - GO
G. D. Gilbert - CNS
J. E. Burchfield
R. T. Repko
T. D. Curtis
S. L. Jarrett
R. A. Knoerr
J. H. Bryan
ELL
NSRB
Commitments
Document Management