

December 12, 2002

U. S. Nuclear Regulatory Commission  
Washington, DC 20555-0001  
ATTENTION: Document Control Desk

SUBJECT: Duke Energy Corporation  
Docket No(s). 50-269, -270, -287  
Oconee Nuclear Station Units 1, 2, and 3  
Automatic Feedwater Isolation System (AFIS)  
Operational on Unit 2

Duke installed the Automatic Feedwater Isolation System (AFIS) on Oconee Unit 2 during the Fall 2002 Outage. AFIS operability testing was completed and the system was placed in service prior to entry into the Technical Specification 3.3.13 Mode of Applicability (MODE 3 with main steam header pressure  $\geq$  700 psig). Oconee Unit 2 entered Mode 3 on November 20, 2002. This information is provided in accordance with the NRC request in letter dated September 26, 2001 that issued the AFIS license amendment.

Inquiries on this matter should be directed to Boyd Shingleton at (864) 885-4716.

Very truly yours,



R. A. Jones, Site Vice President

A001

xc w/attachments:

L. A. Reyes  
U. S. NRC  
Regional Administrator, Region II  
Atlanta Federal Center  
61 Forsyth St., SW, Suite 23T85  
Atlanta, GA 30303

L. N. Olshan  
NRC Senior Project Manager (ONS)  
U. S. Nuclear Regulatory Commission  
Mail Stop O-14H25  
Washington, DC 20555-0001

M. C. Shannon  
Senior Resident Inspector (ONS)  
U. S. Nuclear Regulatory Commission  
Oconee Nuclear Site

V. R. Autry, Director  
Division of Radioactive Waste Management  
Bureau of Land & Waste Management  
Department of Health & Environmental Control  
2600 Bull Street  
Columbia, SC 29201

Page 3 of 3

xcc: D. A. Baxter  
B. H. Hamilton  
W. W. Foster  
M. C. Bolch  
D. A. Lee  
L. F. Vaughn  
L. E. Nicholson  
C. J. Thomas - MNS  
M. T. Cash - GO  
G. D. Gilbert - CNS  
J. E. Burchfield  
R. T. Repko  
T. D. Curtis  
S. L. Jarrett  
R. A. Knoerr  
J. H. Bryan  
ELL  
NSRB  
*Commitments*  
*Document Management*