

71-5957



Department of Energy
Washington, DC 20585

NOV 20 1995

Mr. Cass R. Chappell, Section Leader
Cask Certification Section
Spent Fuel Project Office, NMSS
U.S. Nuclear Regulatory Commission
Washington, DC 20555

Dear Mr. Chappell:

Per your request dated July 7, 1995, for additional information on the consolidated Safety Analysis Report for Packaging (SARP) for the BMI-1 cask, enclosed are six sets of page changes to update the SARP to Revision J. Text changes are indicated by a vertical bar in the margin; if an entire page is new, the vertical bar is omitted.

If you need additional information, please contact Ashok Kapoor (903-6838) or Michael E. Wangler (903-5078) of my staff.

Sincerely,

Sarbes Acharya, Director
Office of Facility Safety Analysis, EH-32

Enclosures:

Six sets of Revision J page changes for BMI-1 SARP

cc: see next page

280003

Change: LA

Mr. Encl.
4 0

NT01 1/3

cc w/o encls.:

O. Pearson, EH-3

W. Wilkes

J. Ordaz, DP-13

T. O'Toole, EH-1

P. Brush, EH-1

M. Williams, EH-3

R. Christopher, EH-3

R. Black, EH-31

T. Rollow, EH-33

G. Podonsky, EH-2

R. Berube, EH-4

J. Fitzgerald, EH-5

C. Beers, DP-20

D. Knuth, DP-30

R. Scott, EM-20

J. Lytle, EM-30

W. Bixby, EM-60

D. Pearman, FM-1

R. Lange, NE-40

K. Shaw, NE-70

G. McFadden, NN-50

J. Brodman, PO-71

J. Baublitz, EM-40

S. Rousso, RW-40

PAGE CHANGES TO BE MADE TO THE BMI-1 SARP TO
CONVERT REVISION I TO REVISION J

Date of Effectivity: October 6, 1995

Page Numbers	Replace, Delete or Add
Cover page	Replace
i-xvii	Replace
xviii-xix	Delete
0.1-0.2	Replace with 0.1-0.2
0.2A	Add
0.8A-C	Add
0.14	Replace
0.15	Add
1.9	Replace
1.23, 1.24	Replace
1.24A	Add
1.48	Replace
1.49	Add
2.123	Replace
2.124	Add
2.211-242	Add
3.4A	Replace
3.4B	Add
3.68	Replace
3.70-3.120	Add
5.26	Replace
5.28-5.34	Add
6.3	Replace

PAGE CHANGES TO BE MADE TO THE BMI-1 SARP TO
CONVERT REVISION I TO REVISION J
(continued)

Date of Effectivity: October 6, 1995

<u>Page Numbers</u>	<u>Replace, Delete or Add</u>
6.39	Replace
6.40	Replace
6.40A	Add
6.41	Replace
6.42	Replace
6.53-6.96	Add
6.97-6.221	Add
6.222-6.308	Add
6.309-6.322	Add
6.323-6.431	Add