



**Nebraska Public Power District**  
*Nebraska's Energy Leader*

NLS2002145  
December 20, 2002

U. S. Nuclear Regulatory Commission  
Attention: Document Control Desk  
Washington, D.C. 20555-0001

Subject: Revised Monthly Operating Report Data for May 2002 Through October 2002,  
Docket No. 50-298

Reference: Letter from J. A. Hutton (Nebraska Public Power District) to U. S. Nuclear  
Regulatory Commission, dated June 14, 2002, Monthly Operating Status  
Report for May 2002

Nebraska Public Power District has identified errors in the May 2002 Monthly Operating Report (Reference) for Cooper Nuclear Station (CNS). These errors involved the outage duration and generator on-line hours for the month of May. This in turn effects the generator on-line year to date and cumulative hours for the months of May 2002 through October 2002. This error has been entered into the CNS Corrective Action Program.

The May 2002 Monthly Operating Report reported a forced outage, 02-01 and incorrectly reported the duration of this outage. Hours during which the reactor was operating at low power but with the generator off-line were originally included in the forced outage duration. The corrected duration is 167.1 hours. There is no other change to the reported information concerning forced outage 02-01. Additionally, the generator on-line hours were incorrect. The corrected generator on-line hours for May 2002 are 540.5.

In summary, the corrected outage duration is 167.1 hours and the corrected generator on-line hours are 540.5. The following table provides corrected generator on-line year to date and cumulative hours for the months of May 2002 through October 2002.

MONTH	YR-TO-DATE	CUMULATIVE
May	3393.4	184748.2
June	4113.4	185468.2
July	4857.4	186212.2
August	5601.4	186956.2
September	6321.4	187676.2
October	7066.4	188421.2

*JE24*


NLS2002145

Page 2 of 2

This error was identified and the database corrected prior to the submission of the November 2002 Monthly Operating Report, which contains correct information.

Should you have any comment or require additional information regarding this report, please contact Paul Fleming at (402) 825-2774.

Sincerely,



James A. Hutton  
Plant Manager

/cb

cc: NRC Regional Administrator  
NRC Senior Resident Inspector  
ANI Library  
J. M. Cline  
A. L. Dostal  
J. W. Dutton  
R. L. Gumm  
Records

W. R. Mayben  
W. D. Shanks  
C. C. Warren  
B. Lewis  
G. W. Griffith  
D. T. McNeil  
INPO Records Center

