

December 9, 2002

Mr. Michael Avnet, President
Hemisphere Forwarding, Inc.
7 Cerro Street
Inwood, NY 11096

Dear Mr. Avnet:

This letter is in reference to your application dated November 13, 2002, requesting the inactivation of your device registration certificate NR-1040-D-101-E. In order to complete our review, please provide the following additional information:

1. Please provide the total number of products distributed and an estimated total number of smoke detectors still in use.
2. Please provide details of the services that Hemisphere Forwarding will continue to provide to users of the smoke detectors or identify entities that will provide services.
3. Please confirm that Hemisphere Forwarding will no longer commercially distribute the smoke detectors.
4. Please confirm that no changes have been made to the smoke detectors since the last amendment.

We will continue our review upon receipt of this additional information. If we do not receive a response from you in 30 days, we will consider your request as having been abandoned and void the active control for your request. This action would be without prejudice to the resubmission of another request.

If you have any questions, please contact me at (301) 415-7637, or John Jankovich at 301-415-7904.

Sincerely,
/RA/

Nima Ashkeboussi, Engineering Aide
Materials Safety and Inspection Branch
Division of Industrial and
Medical Nuclear Safety
Office of Nuclear Material Safety
and Safeguards

December 9, 2002

Mr. Michael Avnet, President
Hemisphere Forwarding, Inc.
7 Cerro Street
Inwood, NY 11096

Dear Mr. Avnet:

This letter is in reference to your application dated November 13, 2002, requesting the inactivation of your device registration certificate NR-1040-D-101-E. In order to complete our review, please provide the following additional information:

1. Please provide the total number of products distributed and an estimated total number of smoke detectors still in use.
2. Please provide details of the services that Hemisphere Forwarding will continue to provide to users of the smoke detectors or identify entities that will provide services.
3. Please confirm that Hemisphere Forwarding will no longer commercially distribute the smoke detectors.
4. Please confirm that no changes have been made to the smoke detectors since the last amendment.

We will continue our review upon receipt of this additional information. If we do not receive a response from you in 30 days, we will consider your request as having been abandoned and void the active control for your request. This action would be without prejudice to the resubmission of another request.

If you have any questions, please contact me at (301) 415-7637, or John Jankovich at 301-415-7904.

Sincerely,

Nima Ashkeboussi, Engineering Aide
Materials Safety and Inspection Branch
Division of Industrial and
Medical Nuclear Safety
Office of Nuclear Material Safety
and Safeguards

Distribution: NMSS13
SSD 03-11

File Name: C:\ORPCheckout\FileNET\ML023640232.wpd

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	MSIB	MSIB	MSIB					
NAME	NAshkeboussi	JJankovich	UBhachu					
DATE	12 / /2002	12 / /2002	12 / /2002					

OFFICIAL RECORD COPY