



STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES

ANGUS S. KING, JR.
GOVERNOR

KEVIN W. CONCANNON
COMMISSIONER

December 30, 2002

Linda McLean, ASO
Region IV
U. S. Nuclear Regulatory Commission
611 Ryan Plaza Drive, Suite 400
Arlington, TX 76011-8064

JAN 09 2003

Dear Ms. McLean:

This letter is in response to the Integrated Materials Performance Evaluation Program (IMPEP) draft report submitted to me and dated November 25, 2002.

I would like to submit comments on the draft report to add to its obvious quality and clarify items from the IMPEP review of October 29 – November 1, 2002. My comments will be specific and editorial in nature and I will address the specific items first.

1. Page one, 2nd paragraph, "130 specific licenses authorizing Agreement materials" should be changed to "Agreement and non AEA materials" because some of the licensees are only authorized to use accelerator-produced materials.
2. Page two, Section 2.0, item one, if this recommendation is closed please provide an explanation of why, particularly in light of the additional comments regarding file 2 and 7 in Appendix C.
3. Page five, Section 3.2, paragraph two. The Program Manager has reviewed his own records and agrees with the second sentence of this paragraph. While documentation is certainly something we need to work on we don't wish to give the impression that we are not doing the work. Attachment 1 has a listing of inspection accompaniments.

Editorially:

1. Page 1, 3rd paragraph, the sentence "During the review, the review team..." is written twice, one of them should probably be deleted.
2. Page 4, 3rd paragraph, "The licensee is then instructed to respond within 20 working days." Please add the word "working".



PRINTED ON RECYCLED PAPER

ADDRESS REPLY TO: BUREAU OF HEALTH
KEY PLAZA, 8TH FLOOR, 11 STATE HOUSE STATION, AUGUSTA, MAINE 04333-0011

VOICE: (207) 287-8016

TTY: (207) 287-8066
(DEAF/HARD OF HEARING)

FAX: (207) 287-9058

We would like to thank you for the opportunity to be part of the IMPEP review. We found the experience to be educational and rewarding, and the reviewers to be extremely knowledgeable and professional.

Sincerely,

A handwritten signature in black ink, reading "Dora Ann Mills". The signature is written in a cursive style with a large, stylized "D" and "M".

Dora Ann Mills, M.D. M.P.H.
Director, Bureau of Health
Department of Human Services

cc: Philip Haines, Deputy Director, Bureau of Health
Jay Hyland, Program Manager, Division of Health Engineering

ATTACHMENT 1

Date	Inspectors	Licensee
5/16/02	Malloch/Hyland	MDS Nordion source change TAMC
4/18/02	Seeley/Malloch/Hyland	MMC (only documented review)
4/13/01	Seeley/Malloch	MMC
3/15/01	Malloch/Hyland	Rumford Hospital
12/01/99	Malloch/Seeley	BIW
1999	Seeley/Malloch	>50% of all inspections