

CNWRA A center of excellence in earth sciences and engineering

A Division of Southwest Research Institute™
6220 Culebra Road • San Antonio, Texas, U.S.A. 78228-5166
(210) 522-5160 • Fax (210) 522-5155

August 14, 2002
Contract No. NRC-02-97-009
Account No. 20-01402-661

U.S. Nuclear Regulatory Commission
ATTN: Mrs. Deborah A. DeMarco
Office of Nuclear Material Safety and Safeguards
Program Management, Policy Development, and Staff
Office of the Director
Mail Stop 8D-37
Washington, DC 20555

Subject: Programmatic Review of Abstract


Dear Mrs. DeMarco:

The enclosed abstract is being submitted for programmatic review. This abstract will be submitted for presentation at the 10th International High-Level Radioactive Waste Management Conference to be held March 30–April 3, 2003, in Las Vegas, Nevada. The title of the abstract is:

“Edge-Cooling Effect on the Potential Thermohydrologic Conditions at Yucca Mountain”
by C. Manepally and R. Fedors

Please advise me of the results of your programmatic review. Your cooperation in this matter is appreciated

Sincerely,


Budhi Sagar
Technical Director

/ph
Enclosures Abstract
NRC Form 390A

cc:	J Linehan (w/o encl)	J. Bradbury	C. Trottier	W. Patrick	R Green
	D Riffle	D Brooks	M Nataraja	CNWRA Directors	S Painter
	B. Meehan	K Stablein		CNWRA Element Mgrs	
	J Greeves	J Schlueter		P Maldonado	
	W. Reamer	B. Leslie		T. Nagy (SwRI Contracts)	
	J Pohle	T. McCartin		C. Manepally	
	L. Campbell	P. Justus		R Fedors	

e:\Data\manepally\abstracts,journal papers\10th IHLRWM 2003\transmittal letter wpd



Washington Office • Twinbrook Metro Plaza #210
12300 Twinbrook Parkway • Rockville, Maryland 20852-1606

**RELEASE TO PUBLISH UNCLASSIFIED NRC CONTRACTOR
SPEECHES, PAPERS, AND JOURNAL ARTICLES**
(Please type or print)

1 TITLE *(State in full as it appears on the speech, paper, or journal article)*
~~A Study of Edge-Cooling Effect on the Thermohydrologic Conditions at Yucca Mountain~~
 Edge-Cooling Effect on the Potential Thermohydrologic Conditions at Yucca Mountain *WCF 8/14/2002*

2 AUTHOR(S)
 C. Manepally and R. Fedors

3 NAME OF CONFERENCE, LOCATION, AND DATE(S)
 10th International High-Level Radioactive Waste Management Conference (IHLRWM)
 Las Vegas, NV; March 30-April 3, 2003

4 NAME OF PUBLICATION
 Conference Proceedings: 10th IHLRWM

5. NAME AND ADDRESS OF THE PUBLISHER
 American Nuclear Society
 Scientific Publication Office
 555 North Kensington Ave.
 LaGrange Park, IL 60526

TELEPHONE NUMBER OF THE PUBLISHER
 (708) 579-8253

6. CONTRACTOR NAME AND COMPLETE MAILING ADDRESS *(Include ZIP Code)*
 Center for Nuclear Waste Regulatory Analyses
 6220 Culebra Road
 San Antonio, Texas 78238

TELEPHONE NUMBER OF THE CONTRACTOR
 (210) 522-5250

YES	NO	7. CERTIFICATION (ANSWER ALL QUESTIONS)	
<input type="checkbox"/>	<input checked="" type="checkbox"/>	A. COPYRIGHTED MATERIAL	- Does this speech, paper, or journal article contain copyrighted material? If yes, attach a letter of release from the source that holds the copyright
<input type="checkbox"/>	<input checked="" type="checkbox"/>	B. PATENT CLEARANCE	- Does this speech, paper, or journal article require patent clearance? If yes, the NRC Patent Counsel must signify clearance by signing below
		NRC PATENT COUNSEL <i>(Type or Print Name)</i>	SIGNATURE
			DATE
<input checked="" type="checkbox"/>	<input type="checkbox"/>	C. REFERENCE AVAILABILITY	- Is all material referenced in this speech, paper, or journal article available to the public either through a public library, the Government Printing Office, the National Technical Information Service, or the NRC Public Document Room? If no, list below the specific availability of each referenced document.
		SPECIFIC AVAILABILITY	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	D. METRIC UNIT CONVERSION	- Does this speech, paper, or journal article contain measurement and weight values? If yes, all must be converted to the International System of Units, followed by the English units in brackets, pursuant to the NRC Policy Statement implementing the Omnibus Trade and Competitiveness Act of 1988, Executive Order 12770, July 25, 1991

8. AUTHORIZATION

The signatures of the NRC project manager and the contractor official certify that the NRC contractor speech, paper, or journal article is authorized by NRC, that it has undergone appropriate peer review for technical content and for material that might compromise commercial proprietary rights, and that it does not contain classified, sensitive unclassified, or nonpublic information (NRC MD 39, Part II(A)(1)(d))

A. CONTRACTOR AUTHORIZING OFFICIAL <i>(Type or print name)</i> BUDHI SAGAR		SIGNATURE <i>Budhi Sagar</i>	DATE 8/7/2002
B. NRC RESPONSIBLE PROJECT MANAGER <i>(Type or print name)</i>		OFFICE/DIVISION	MAIL STOP
TELEPHONE NUMBER	E-MAIL I D	Did you place the speech, paper, or journal article in the PDR? YES <input type="checkbox"/> NO <input type="checkbox"/>	
SIGNATURE			DATE

Edge-Cooling Effect on the Potential Thermohydrologic Conditions at Yucca Mountain

Authors: Chandrika Manepally and Randall W. Fedors
Center for Nuclear Waste Regulatory Analyses
Southwest Research Institute, San Antonio, TX.

The heat load magnitude and distribution produced by the decay of high-level radioactive waste are important parameters for evaluating performance of the proposed repository at Yucca Mountain, Nevada. Temperature variations across the proposed repository will affect seepage water into drifts, moisture redistribution driven by thermal gradients along drifts, and the patterns of natural water flow in the unsaturated rock layers surrounding the in-drift environment. Waste package corrosion rates are influenced by temperature and the presence of water. The return of water to the drifts is related to temperature decreases after the thermal peak. Identifying the distribution and magnitude of water contacting waste packages is not only important for estimating the corrosion potential of waste packages, but also for estimating transport rates of radionuclides into the natural system below the repository. The thermal conditions at any location will be influenced by its proximity to the edge of the potential repository because cooling will occur rapidly there, relative to the center. This phenomenon is called the edge-cooling effect and has been identified as one of the key factors that affect the thermohydrologic conditions in the drift and in the near field host rock.

The focus of this paper is to examine the spatial distribution of the edge-cooling effect at the repository scale as a function of time. Because of scale issues and the need for three-dimensional models, direct modeling at the mountain scale with sufficient thermohydrologic detail at the drift scale would require impractical levels of computational effort. To deal with this problem, sub-models at different scales, different dimensions, and representing different processes are developed and coupled together. In this study, a three-dimensional mountain scale model is coupled with a two-dimensional drift scale model. The mountain scale model is an analytical conduction-only model for mountain scale heat transfer and is used to determine the evolution of the local effective heat load and the time-varying influence of edge cooling. This model is based on line thermal sources representing drifts, separated by specified drift spacing, and residing in a semi-infinite medium. This conduction model will be able to distinguish variation of heat output *between* the drifts, but not *along* the drift due to assumption of linear thermal sources. The linear thermal load is based on the thermal data obtained from the Total-System Performance Assessment code (2). The two-dimensional drift scale coupled thermohydrologic model will be developed using the two-phase mass and energy transport (METRA) component of Multiflo v1.5 (1). In the drift-scale model, the dual-permeability approach is used to characterize the flow of heat and moisture through the rock of the potential repository. The flow of heat and moisture are modeled as flowing through two interacting continua, with each continuum being assigned its own spatially variable hydrologic properties, such as permeability and porosity. Fracture-matrix interaction is represented with an active-fracture model, in which only a portion of the fractures are actively flowing under unsaturated conditions. The drift scale model also uses the linear thermal load assumption; however, the values are adjusted based on the thermal response obtained from the mountain-scale model to account for the edge-

cooling effect, and the effect of thermal loading of neighboring drifts. Multiple two-dimensional models will be run at specific locations in the repository to examine the effects of edge-cooling, host rock characteristics, repository overburden and infiltration flux. The drift scale model will take into account the location-specific thermal and hydrologic properties, boundary conditions, and percolation flux. It will compute temperature, relative humidity, liquid saturation, liquid flow rate or flux, and liquid evaporation rate at several locations within and near the drift. This information can be used in other process level models such as coupled thermohydrologic-chemical or thermohydrologic-mechanical models, or in performance assessments codes.

Preliminary results of the mountain-scale conduction model indicate that edge-cooling effects significantly affect the repository-scale temperature distribution. There is more than 100 °C (180 °F) difference in waste package temperature between the center and the edge of the repository at 100 years after emplacement. This difference between center and edge reduces to about 20 °C (36 °F) at 10000 years. This suggests that the thermohydrologic conditions at the edge locations are quite different from the center locations and need to be analyzed in detail to account for the edge-cooling effect. Enhanced understanding of the edge-cooling effect can decrease uncertainties associated with prediction of thermohydrologic behavior of the drift and the host rock. It can also play an important role in heat management if knowledge gained is used in the strategic placement of waste packages based on their decay characteristics.

This abstract is an independent product of the CNWRA and does not necessarily reflect the views or regulatory position of the NRC.

References

1. Lichtner, P.C., M.S. Seth, and S. Painter. *MULTIFLO User's Manual MULTIFLO Version 1.5—Two-Phase Nonisothermal Coupled Thermal-Hydrologic-Chemical Flow Simulator*. San Antonio, TX: Center for Nuclear Waste Regulatory Analyses, 2000.
2. Mohanty, S., T.J. McCartin, and D.W. Esh. *Total-System Performance Assessment (TPA) Version 4.0 Code: Module Descriptions and User's Guide*, San Antonio, TX: Center for Nuclear Waste Regulatory Analyses, 2000.

cooling effect, and the effect of thermal loading of neighboring drifts. Multiple two-dimensional models will be run at specific locations in the repository to examine the effects of edge-cooling, host rock characteristics, repository overburden and infiltration flux. The drift scale model will take into account the location-specific thermal and hydrologic properties, boundary conditions, and percolation flux. It will compute temperature, relative humidity, liquid saturation, liquid flow rate or flux, and liquid evaporation rate at several locations within and near the drift. This information can be used in other process level models such as coupled thermohydrologic-chemical or thermohydrologic-mechanical models, or in performance assessments codes.

Preliminary results of the mountain-scale conduction model indicate that edge-cooling effects significantly affect the repository-scale temperature distribution. There is more than 100 °C (180 °F) difference in waste package temperature between the center and the edge of the repository at 100 years after emplacement. This difference between center and edge reduces to about 20 °C (36 °F) at 10000 years. This suggests that the thermohydrologic conditions at the edge locations are quite different from the center locations and need to be analyzed in detail to account for the edge-cooling effect. Enhanced understanding of the edge-cooling effect can decrease uncertainties associated with prediction of thermohydrologic behavior of the drift and the host rock. It can also play an important role in heat management if knowledge gained is used in the strategic placement of waste packages based on their decay characteristics.

This abstract is an independent product of the CNWRA and does not necessarily reflect the views or regulatory position of the NRC.

References

1. Lichtner, P.C., M.S. Seth, and S. Painter. *MULTIFLO User's Manual MULTIFLO Version 1.5—Two-Phase Nonisothermal Coupled Thermal-Hydrologic-Chemical Flow Simulator*. San Antonio, TX: Center for Nuclear Waste Regulatory Analyses, 2000.
2. Mohanty, S., T.J. McCartin, and D.W. Esh. *Total-System Performance Assessment (TPA) Version 4.0 Code: Module Descriptions and User's Guide*, San Antonio, TX: Center for Nuclear Waste Regulatory Analyses, 2000.