

A-3



DEPARTMENT OF THE ARMY

CHARLESTON DISTRICT, CORPS OF ENGINEERS
P. O. BOX 919
CHARLESTON, S. C. 29402

SANVK

19 August 1971

South Carolina Electric
& Gas Company
ATTN: Mr. W. E. Moore
P. O. Box 764
Columbia, S. C. 29202

Dear Mr. Moore:

I write in response to your letter dated 13 August 1971 requesting information on Department of the Army permits for your proposed Parr Hydroelectric Project 1894. The maps included with the subject letter have been reviewed and since the Broad River above Columbia, S. C. is not presently considered by the Corps to be a navigable water, Section 10 permits (required for work in navigable waters) will not be required for any of the work as depicted. However, since the proposed project will create a thermal discharge into the Broad River, a tributary of a navigable water, a permit authorizing this discharge will be required by my office. This type of permit is required by Section 13 of the River and Harbor Act of 1899. Included herewith is a package of documents pertinent to the discharge permit system. This package includes the necessary application forms together with instructions on how to complete it.

I trust that the above supplies the information requested but, if I may be of further assistance, please do not hesitate to call.

Sincerely,

John E. Easterlin
John E. Easterlin
LTC, Corps of Engineers
Acting District Engineer

Incl
as