



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, DC 20555 - 0001
January 29, 2003

Dee Callihan, President
AmeriGlo Independent Light
5579B Chamblee Dunwoody Road, Suite 214
Atlanta, GA 30338

Dear Ms. Callihan:

This letter is in response to your letter dated January 16, 2003, regarding the distribution of your company's tritium weapon sight, which you referred to as the "Classic" model.

In your letter, you requested that the U.S. Nuclear Regulatory Commission (NRC) permit Trilux Technologies, Inc., to distribute your "Classic" model under Trilux's current Sealed Source and Device registration for illuminated sight assembly devices (Certificate No. NR-1028-D-101-E). We have compared the sample of the "Classic" model that you provided to the drawings in the Certificate. The "Classic" model, although similar in design, is not in full compliance with any of the approved models in the Trilux registration certificate. Therefore, Trilux is not authorized to distribute for sale the "Classic" model under this certificate.

In your letter, you cited Case No. 03-10. This case involved Trilux's November 21, 2002, application to register new gun/bow sight designs. Due to insufficient information, we have discontinued our review of this application. Consequently, we provided Trilux with a list of issues to address, in a letter dated December 9, 2002, in order to re-submit their application. I have enclosed a copy of this letter.

Please note that Trilux can include your "Classic" model if they choose to re-submit their application. We recommend that you ask Trilux to request an amendment of their current registration certificate (NR-1028-D-101-E) to include the "Classic" model. NUREG-1556, Volumes 3 and 8, provide guidance on the application content. Once Trilux submits all the necessary information, we should be able to complete our review of the application in six months or less. Please note that we will review and, if appropriate, approve only those specific designs that are requested by the license holder, i.e., Trilux.

In your letter, you also stated the importance of your product to national security. We will consider expediting our review for national security reasons at the request of the appropriate U.S. military, federal, or law enforcement agency needing your product.

If you have any questions, please contact Jonathan Rivera at (301) 415-5810, or Dr. John P. Jankovich at (301) 415-7904.

Sincerely,

A handwritten signature in black ink, appearing to read "Marissa Bailey", written over a horizontal line.

Marissa Bailey, Section Chief
Materials Safety and Inspection Branch
Division of Industrial and
Medical Nuclear Safety
Office of Nuclear Material Safety
and Safeguards

Enclosure: As stated