



Entergy

Entergy Operations, Inc.
1448 S R 333
Russellville, AR 72802
Tel 501 858 5000

10CFR26.71(d)

OCAN020305

February 28, 2003

U. S. Nuclear Regulatory Commission
Document Control Desk
Mail Station OP1-17
Washington, DC 20555

Subject: Arkansas Nuclear One - Units 1 and 2
Docket Nos. 50-313 and 50-368
License Nos. DPR-51 and NPF-6
Fitness-for-Duty Performance Data

Dear Sir or Madam:

In accordance with 10CFR26.71(d), attached is the Arkansas Nuclear One Fitness-for-Duty program performance data for the period July – December 2002. The attachment contains no commitments.

Sincerely,

Sherrie R. Cotton
Director, Nuclear Safety Assurance

SRC/dh
Attachment

A021

cc:

Mr. Ellis W. Merschoff
Regional Administrator
U. S. Nuclear Regulatory Commission
Region IV
611 Ryan Plaza Drive, Suite 400
Arlington, TX 76011-8064

NRC Senior Resident Inspector
Arkansas Nuclear One
P.O. Box 310
London, AR 72847

Mr. William Reckley
NRR Project Manager Region IV/ANO-1
U. S. Nuclear Regulatory Commission
NRR Mail Stop O-7 D1
One White Flint North
11555 Rockville Pike
Rockville, MD 20852

Mr. Thomas W. Alexion
NRR Project Manager Region IV/ANO-2
U. S. Nuclear Regulatory Commission
NRR Mail Stop 04-D-03
One White Flint North
11555 Rockville Pike
Rockville, MD 20852

FITNESS-FOR-DUTY PROGRAM PERFORMANCE DATA PERSONNEL SUBJECT TO 10CFR26

Entergy Operations, Inc.	December 31, 2002
Company	6 Months Ending
Arkansas Nuclear One, 1448 SR 333, Russellville, AR 72802	
Location	
S. A. Kaufmann, Security Coordinator	(479) 858-7846
Contact Name	Phone (Include Area Code)
Cutoffs: Screen / Confirmation <input type="checkbox"/> Appendix A to 10CFR26	
Marijuana	50 / 15 Amphetamines 1000 / 500 <u> </u> /
Cocaine	300 / 150 Phencyclidine 25 / 25 <u> </u> /
Opiates	300 / 300 Alcohol (%BAC) 0.04% <u> </u> /

Testing Results	Licensee Employees		Long-Term Contractor Personnel		Short-Term Contractor Personnel	
	# Tested	# Positive	# Tested	# Positive	# Tested	# Positive
Average Number with Unescorted Access	1133		N / A		450	
Pre-Access	26	0/1	N / A	N / A	647	4/1
For-Cause (Post accident)	0	0	N / A	N / A	1	0
For-Cause (Behavior)	1	1/0	N / A	N / A	2	0
Random	294	0/1	N / A	N / A	111	0/1
Follow-Up	7	0	N / A	N / A	0	0
Other	0	0	N / A	N / A	1	0
Total	328	1/2	N / A	N / A	762	4/2

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES JULY - DECEMBER 2002

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal to Test	1	2	3	4	5	
Licensee Employees	0/2	0	0	0	0	1	0	N/A	N/A	N/A	N/A	N/A	
Long-Term Contractor	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Short-Term Contractor	1/2	1	0	2	0	0	0	N/A	N/A	N/A	N/A	N/A	
Total	1/4	1	0	2	0	1	0	N/A	N/A	N/A	N/A	N/A	9

Fitness-for-Duty Program Six Month Performance Report July - December 2002

PROGRAM SUMMARY:

The Arkansas Nuclear One annual random testing rate is 50 percent. During this reporting period, approximately 25.6 percent of the population was randomly tested. The rate of positive tests from random testing was 0.49 percent. The total percentage of random testing for the year was 52.7 percent.

POSITIVE RESULTS:

During this six month reporting period, 1090 samples were collected and tested. Nine of these samples were confirmed positive for marijuana, cocaine, amphetamines, or alcohol.

MANAGEMENT ACTIONS:

Five of the nine persons who tested positive were pre-access contractors who were denied access. A sixth person was a randomly tested contract employee who was also denied access.

Three of the persons who tested positive were licensee employees. One tested positive during a random test and a second tested positive during for-cause testing. Both were mandatorily referred to the company's employee assistance program. These employees have returned to work and are enrolled in a follow-up testing program. A third tested positive during pre-access testing and was denied access. Management was notified and the individual's file was annotated to reflect the positive test and management's actions.

Two additional for-cause tests were administered due to behavioral observations and another due to an accident. These samples returned negative results.

One sample was considered suspect due to low specific gravity. A second sample was collected from the individual under direct observation and classified as "Other". Both samples were sent for testing and returned negative results.

EVENTS REPORTED TO THE NRC:

During this reporting period, there were no violations of the fitness-for-duty program that were reportable.

PROGRAM EVALUATION:

No programmatic problems were identified during this reporting period. A multi-site audit was conducted during this reporting period and determined that the fitness-for-duty program was effective in implementing applicable elements of the regulations.