

10/2/90 11/11/90  
Radcl1 PG-5 M. A. Palmer

RAS 5910 50-390-CIVP, et al. - Licensee Exhibit 80-Rec'd

9/12/02

PD3-11-4-96  
NS-2-26-97

TVA Exh. 80

DE000001

Template= SECY-028

SECY-02

FEDERAL REGULATORY COMMISSION

Locket No. 50-390 Official Ex. No. NA80

In the matter of TVA

Staff	_____	IDENTIFIED	_____
Appl:	<u>✓</u>	RECEIVED	<u>✓ GVB</u>
Inte:	_____	REJECTED	_____
Oth	_____	WITHDRAWN	_____
DATE	<u>9-12-02</u>	Witness	_____
Clerk	<u>R. DAVIS</u>		

OFFICE OF THE SECRETARY  
RULING MAKING AND  
ADJUDICATIONS STAFF

2003 MAR -4 PM 2:31

DOCKETED  
USNRC



NOTICE OF SELECTION/NONSELECTION

TVA EA, 908 Burwell Building, Knoxville  
Date: 2/25/97

Vacancy Announcement No.: 10249

Closing Date: 1/17/96

Office: <u>Nuclear Power</u>	Official Station: <u>Sequoyah Nuclear Plant</u>
Division: <u>Sequoyah Site</u>	
Branch: <u>Radiological Control</u>	Position: <u>Shift Supv</u>
Section: <u>---</u>	(Schedule & Grade) <u>PG-5</u>

(XXX) The position has been filled by selection(s) of the following applicant(s) with effective date(s) as shown:

John W. Wikle (9/30/96)  
Lyndon L. Wheeler (9/30/96)

- ( ) No selection(s) will be made on the above referenced vacancy announcement number at this time.
- ( ) Management is presently reassessing the workload to determine if the advertised position is needed.
- ( ) All applicants' records show little or no experience in work required for the advertised position.
- ( ) No applicants applied on the above referenced vacancy announcement.
- ( ) Selectee refused offer and all other applicants' records show little or no experience in work required for the advertised position.
- ( ) Management assessed workload and determined that advertised position is no longer needed.

If you have any questions, please contact the Human Resources Office at extension 8100, Sequoyah.

NOTICE OF SELECTION/NONSELECTION

Date: 2/25/97

Vacancy Announcement No.: 10249

Office: <u>Nuclear Power</u>	Official Station: <u>Sequoyah Nuclear Plant</u>
Division: <u>Sequoyah Site</u>	
Branch: <u>Radiological Control</u>	Position: <u>Shift Supv</u>
Section: <u>---</u>	(Schedule & Grade) <u>PG-5</u>

(XX) The position has been filled by selection(s) of the following applicant(s):

John W. Wikle  
Lyndon L. Wheeler

( ) No selection(s) will be made on the above referenced vacancy announcement number at this time.

If you have any questions, please contact the Human Resources Office at extension 8100, Sequoyah.

0489u

DB000003

March 30, 1995

R. J. Adney, OPS 4A-SQN

SEQUOYAH NUCLEAR PLANT - REQUEST TO POST VACANT POSITION

The following vacancy (vacancies) exist at Sequoyah. The position(s) listed below have not been identified as at-risk.

<u>JOB TITLE</u>	<u>ORG/DIV/DEPT</u>	<u>SCHEDULE &amp; GRADE</u>	<u>LOCATION</u>	<u>POSTING LEVEL</u>
Chemical Engineer* (1 Position)	Plant Manager Tech Support	SC-4	SQN	TVA Wide

\*Replacement for Early Out

This job is critical to successful operations based on:

The only other Chemical Engineer that was in Technical Support has accepted another position on site. The major systems that the suitable replacement will be responsible for are unique. They involve the condensate demineralizer, new makeup demineralizer, and the sampling systems. The first two dictate insight into the operation and maintenance of large scale water treatment plants. The last requires knowledge of the acquisition and chemical analysis of power plant samples.

Chemistry Shift Supv (1 position)	Plant Manager Radcon & Chem Control	PG-05	SQN	TVA Wide
Radchem Lab Analyst (2 positions)	Plant Manager Radcon & Chem Control	SE-06	SQN	TVA Wide
Radiological Control Shift Supervisor (1 position)	Plant Manager Radcon & Chem Control	PG-05	SQN	TVA Wide

DB000070

March 30, 1995

J. Adney

Page 2

These jobs are critical to successful operations based on:

These positions are needed as a result of transfers within TVA and vacancies created from early-out incentives. All positions are budgeted and included in approved headcount authorization for Radiological and Chemistry Control.

J. S. Baumstark  
Plant Manager  
POB 2B-SQN.

CONCURRENCE/APPROVAL

HUMAN RESOURCE MANAGER/OFFICER	: <u><i>[Signature]</i></u>	DATE: <u>3/24/95</u>
SITE VICE PRESIDENT	: <u><i>[Signature]</i></u>	DATE: <u>3/29/95</u>
MGR, NUCLEAR HUMAN RESOURCES	: <u><i>[Signature]</i></u>	DATE: <u>3/31/95</u>
GEN MGR, NUCLEAR HUMAN RESOURCES	: <u><i>[Signature]</i></u>	DATE: <u>4-3-95</u>
ORG. VICE PRESIDENT	: <u><i>[Signature]</i></u>	DATE: <u>      </u>
PRESIDENT	: <u><i>[Signature]</i></u>	DATE: <u>4/6/95</u>
HR ADM/CLERK	: <u><i>[Signature]</i></u>	PROCESS DATE: <u>4-10-95</u>

PL030N02/10399/p2

950324003SD

DB00CG71

February 14, 1996

Buddy Haemsch, DSP 1A-SQN

SEQUOYAH NUCLEAR PLANT (SQN) - VACANT POSITION ANNOUNCEMENT  
NO. 10249 - SHIFT SUPERVISOR (RAD CONTROL), PG-4

We have evaluated the candidates for the above mentioned position and recommend an offer be extended to Lyndon L. Wheeler and John W. Wikle. Mr. Wheeler and Mr. Wikle are the best qualified candidates that can immediately fill our vacancies. Since the need for support in this area of my program is critical, prompt action on this request will be greatly appreciated.



Charles E. Kent, Jr., Manager  
Radiological & Chemistry Control  
POB 2 C- SQN

CEK:MAP

Sequoyah Nuclear Plant Human Resources				
FEB 20 1996				
	INFO	ACTION	FILE	XC
JRH				
CYC				
HRR				
ZRW				
SLH				
LARCOM				

DB000094

UPA NUMBER: 0000010249  
STATUS: RECEIVING APPLICATIONS  
GROUP: TVA-WIDE  
SCHEDULE AND GRADE: PG 05 NUMBER OF POSITIONS: 01  
JOB TITLE: SHIFT SUPERVISOR  
LOCATION: SEQUOYAH NUC PLY (RAD CONTROL)  
ORGANIZATION: CHIEF NUCLEAR POWER OFFICER  
NUCLEAR OPERATIONS  
SEQUOYAH NUCLEAR SITE  
PLANT MANAGER  
POSTING-DATE: 01/03/96 CLOSING-DATE: 01/17/96

DUTIES: SUPERVISES AND IMPLEMENTS THE FIELD OPERATIONS, RADIOLOGICAL HEALTH, RADWASTE, AND ADMINISTRATIVE ASPECTS OF THE SITE RADIOLOGICAL CONTROL PROGRAM. THIS PROGRAM INCLUDES RADIOLOGICAL SURVEILLANCE AND CONTROL, DECONTAMINATION ACTIVITIES, INTERNAL AND EXTERNAL DOSIMETRY, RESPIRATORY PROTECTION, RADIAC INSTRUMENTATION, RADWASTE PROCESSING/DISPOSAL, AND NUCLEAR TRAINING ACTIVITIES. SUPERVISE THE PROGRAM SUCH THAT ALL ACTIVITIES ARE CONDUCTED IN ACCORDANCE WITH TVA POLICIES, PLANT TECHNICAL SPECIFICATIONS, AND STATE AND FEDERAL REGULATIONS. H. A. PALMER - SUPERVISOR

MINIMUM QUALIFICATIONS: MINIMUM QUALIFICATIONS: A.S. DEGREE IN HEALTH PHYSICS, ENGINEERING, PHYSICAL SCIENCE AND FOUR YEARS OF APPLIED HEALTH PHYSICS EXPERIENCE OR COMPLETION OF NAVAL NUCLEAR POWER SCHOOL AND ELT SCHOOL OR A COMPARABLE CIVILIAN COURSE IN APPLIED RADIATION PROTECTION AND AT LEAST SIX YEARS OF APPLIED RADIATION PROTECTION OR EQUIVALENT TRAINING AND EXPERIENCE.

TO APPLY SEND FORM TVA 9824 TO:

HUMAN RESOURCES  
DSP 1A - SEQUOYAH NUCLEAR PLANT  
ATTN: KAREN A. WALKER (423) 843-8100  
FAX: (423) 843-8140

DB000120

REVIEW/CONCURRENCE SHEET

DOCUMENT NAME: SEQUOYAH NUCLEAR PLANT - APPROVAL TO FILL VACANT  
POSITION - RADIOLOGICAL AND CHEMISTRY CONTROL - SHIFT SUPERVISOR  
(RAD CONTROL), PG-05 - JOHN W. WIKLE AND LYNDON L. WHEELER

ORIGINATING ORGANIZATION: HUMAN RESOURCES

DOCUMENT PREPARED BY: ZEBEDEE R. WILLIAMS

ACCESSION NO.: \_\_\_\_\_ DATE: 03/14/96

MAILREG NO. 960315001 SD

CONCURRENCES				
Name	RV	CN	Signature - Comment	Date
J.R. HAEMSCH	X		<i>Caroline V Crow</i>	3/15/96
C.E. KENT		X	<i>John Wikle</i>	3/19/96
J.S. BAUMSTARK		X	<i>J.S. Baumstark</i>	3/19/96
N.C. LINDSEY				
P.L. REYNOLDS				

*8/8/96*  
*Hold until*  
*8/20/96*  
*On Charles*  
*1/20*

*[Signature]*

**DB000121**

INSTRUCTIONS:

The originator

**REVIEW:** E  
 (RV) should confirm the truth and accuracy of factual statements and indicate agreement with commitments made which are applicable to the reviewer's organization.

**CONCURRENCE:** Indication of agreement with the document as a whole.  
 (CN) Concurrence signifies that the document is responsive to the intended purpose, logical in construction, and clear in meaning in the eyes of the recipient. A concurrence signature indicates that the individual would be willing to sign the document for the agency.

REVIEW/CONCURRENCE SHEET

DOCUMENT NAME: SEQUOYAH NUCLEAR PLANT - APPROVAL TO FILL VACANT  
POSITION - RADIOLOGICAL AND CHEMISTRY CONTROL - SHIFT SUPERVISOR  
(RAD CONTROL), PG-05 - JOHN W. WIKLE AND LYNDON L. WHEELER

ORIGINATING ORGANIZATION: \_\_\_\_\_ HUMAN RESOURCES \_\_\_\_\_

DOCUMENT PREPARED BY: \_\_\_\_\_ ZEBEDEE R. WILLIAMS \_\_\_\_\_

ACCESSION NO.: \_\_\_\_\_ DATE: \_\_\_\_\_ 03/14/96 \_\_\_\_\_

MAILREG NO. 960315001 SD

CONCURRENCES				
Name	RV	CN	Signature - Comment	Date
J.R. HAEMSCH	X		<i>Caroline V Crow</i>	3/15/96
G.E. KENT		X	<i>John Wikle</i>	3/19/96
J.S. BAUMSTARK		X	<i>L.S. Baumstark</i>	3/19/96
N.C. LINDSEY	X			
P.L. REYNOLDS	X			

INSTRUCTIONS:

The originator will determine the review/concurrence assignment.

**REVIEW:** Examine technical content and commitments made. A review  
 (RV) should confirm the truth and accuracy of factual statements and indicate agreement with commitments made which are applicable to the reviewer's organization.

**CONCURRENCE:** Indication of agreement with the document as a whole.  
 (CN) Concurrence signifies that the document is responsive to the intended purpose, logical in construction, and clear in meaning in the eyes of the recipient. A concurrence signature indicates that the individual would be willing to sign the document for the agency.