

MAR 11 2003

LR-N03-0117



U. S. Nuclear Regulatory Commission
Document Control Desk
Washington, DC 20555

Gentlemen:

**MONTHLY OPERATING REPORT
HOPE CREEK GENERATING STATION
DOCKET NO. 50-354**

In compliance with Section 6.9, Reporting Requirements for the Hope Creek Technical Specifications, the operating statistics for **February 2003** are being forwarded.

Sincerely,

A handwritten signature in black ink, appearing to read "Lon Waldinger", written over a large, stylized circular flourish.

Lon Waldinger
Operations Director

RAR
Attachments

C Distribution

IE24

DOCKET NO.: 50-354
 UNIT: Hope Creek
 DATE: 3/10/03
 COMPLETED BY: F. Todd
 TELEPHONE: (856) 339-1316

Reporting Period February 2003

OPERATING DATA REPORT

Design Electrical Rating (MWe-Net)
 Maximum Dependable Capacity (MWe-Net)

No. of hours reactor was critical
 No. of hours generator was on line (service hours)

Unit reserve shutdown hours
 Net Electrical Energy (MWH)

1083		
1049		
Month	Year-to-date	Cumulative
672	1416	122531
672	1416	120235
0	0	0
718805	1510152	121988843

UNIT SHUTDOWNS

NO.	DATE	TYPE F=FORCED S=SCHEDULED	DURATION (HOURS)	REASON (1)	METHOD OF SHUTTING DOWN THE REACTOR (2)	CORRECTIVE ACTION/ COMMENT

(1) Reason

- A - Equipment Failure (Explain)
- B - Maintenance or Test
- C - Refueling
- D - Regulatory Restriction
- E - Operator Training/License Examination
- F - Administrative
- G - Operational Error (Explain)
- H - Other

(2) Method

- 1 - Manual
- 2 - Manual Trip/Scram
- 3 - Automatic Trip/Scram
- 4 - Continuation
- 5 - Other (Explain)

DOCKET NO.: 50-354
UNIT: Hope Creek
DATE: 3/10/03
COMPLETED BY: R. Ritzman
TELEPHONE: (856) 339-1445

Summary Of Monthly Operating Experience

- Hope Creek entered the month at 100% reactor power. On February 8, power was reduced for planned turbine valve testing and control rod adjustments. Power was returned to 100% later that day.
- On February 22, power was reduced for planned turbine valve testing and control rod adjustments. Power was returned to 100% later that day.
- At the end of the month, Hope Creek completed 246 days of continuous on-line operation.