

UNITED STATES NUCLEAR REGULATORY COMMISSION WASHINGTON, DC 20555 - 0001

March 18, 2003

Joseph Tchira LitePro, LLC 3731 N. Country Club Drive, #525 Aventura, FL 33180

SUBJECT: ISSUANCE OF AMENDED SEALED SOURCE AND DEVICE REGISTRATION CERTIFICATE NUMBER NR-1145-D-101-E.

Dear Mr. Tchira:

Based on the information submitted in your letter dated November 25, 2002, with enclosures thereto, we have amended registration certificate number NR-1145-D-101-E. A copy of the certificate is enclosed for your review and records. Please read over the registration certificate in its entirety and notify us immediately of any errors or omissions.

Please be advised that you must manufacture and distribute the product in accordance with the statements and representations contained in your application, with enclosures thereto, and the information set out in your registration certificate. As a general rule, you must request and obtain an amendment to the certificate before you make changes or modifications to the information submitted to obtain the certificate.

You are obligated to notify us promptly in writing should you decide to no longer manufacture or offer service support for the product.

Please be aware that, as a holder of an NRC registration, you may be subject to the NRC's licensing and inspection fees in accordance with 10 CFR Part 170, and annual fees in accordance with 10 CFR Part 171. If you have any questions concerning the fee requirements, please contact the License Fee and Accounts Receivable Branch at (301) 415-7544.

If you have any questions, please contact me at (301) 415-5810 or Dr. John Jankovich at (301) 415-7904.

Sincerely,

/RA/

Jonathan Rivera, General Engineer Materials Safety and Inspection Branch Division of Industrial and Medical Nuclear Safety Office of Nuclear Material Safety and Safeguards

Enclosure: As stated cc w/encl: RJones, LFARB Joseph Tchira LitePro, LLC 3731 N. Country Club Drive, #525 Aventura, FL 33180

SUBJECT: ISSUANCE OF AMENDED SEALED SOURCE AND DEVICE REGISTRATION CERTIFICATE NUMBER NR-1145-D-101-E.

Dear Mr. Tchira:

Based on the information submitted in your letter dated November 25, 2002, with enclosures thereto, we have amended registration certificate number NR-1145-D-101-E. A copy of the certificate is enclosed for your review and records. Please read over the registration certificate in its entirety and notify us immediately of any errors or omissions.

Please be advised that you must manufacture and distribute the product in accordance with the statements and representations contained in your application, with enclosures thereto, and the information set out in your registration certificate. As a general rule, you must request and obtain an amendment to the certificate before you make changes or modifications to the information submitted to obtain the certificate.

You are obligated to notify us promptly in writing should you decide to no longer manufacture or offer service support for the product.

Please be aware that, as a holder of an NRC registration, you may be subject to the NRC's licensing and inspection fees in accordance with 10 CFR Part 170, and annual fees in accordance with 10 CFR Part 171. If you have any questions concerning the fee requirements, please contact the License Fee and Accounts Receivable Branch at (301) 415-7544.

If you have any questions, please contact me at (301) 415-5810 or Dr. John Jankovich at (301) 415-7904.

Sincerely,

/RA/

Jonathan Rivera, General Engineer Materials Safety and Inspection Branch Division of Industrial and Medical Nuclear Safety Office of Nuclear Material Safety and Safeguards

Enclosure: As stated cc w/encl: RJones, LFARB

Distribution: NMSS12 SSD-03-12 SSD File #: NR-1145-D-101-E ADAMS accession number for package: ML030760292

To receive a copy of this document, indicate in the box:	"C'	= Copy without attachment/enclosure	e "l	E" = Copy with attachment/enclosure	" N " = No copy	

	MSIB	Е	MSIB	С	С		L
NAME	JRivera /RA/		JJankovich /RA/		USBhachu /RA/		
DATE	DATE 03/ 18 /2002		03/ 17 /2002		03/ 17 /2002		

OFFICIAL RECORD COPY