

AK

030-01063
40-06921-03



FEB 21 2003

Michael K. Wanous, Ph.D.
Radiation Safety Officer

February 17, 2003

Robert J. Evans
Radiation Specialist/Health Physics
U.S. Nuclear Regulatory Commission, Region IV
611 Ryan Plaza Drive, Suite 400
Arlington, TX
76011

Dear Mr. Evans:

We have now finalized decommissioning of our former 10 CFR 20.304 burial pit which contains C-14. Solutient Technologies of North Canton, OH performed a site visit and assessment of our burial pit and ran the RESRAD program, version 6.1. This program determined that our site meets the unrestricted use dose limit of 25 mrem/yr. The maximum dose was actually calculated to be 0.4514 mrem/yr. I am enclosing a copy of the RESRAD output and requesting NRC approval of the decommissioning of our former 10 CFR 20.304 burial pit.

Please contact me if you have any questions.

Sincerely,

Michael K. Wanous

Michael Wanous, Ph.D.
Radiation Safety Officer

phone: 605-274-4712 email: mike_wanous@augie.edu

2001 SOUTH SUMMIT AVENUE, SIOUX FALLS, SOUTH DAKOTA 57197
605-274-0770 • 800-727-2844

No 469574

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	3
Summary of Pathway Selections	7
Contaminated Zone and Total Dose Summary	8
Total Dose Components	9
Time = 0.000E+00	10
Time = 1.000E+00	11
Time = 3.000E+00	12
Time = 1.000E+01	13
Time = 3.000E+01	14
Time = 1.000E+02	15
Time = 3.000E+02	16
Time = 1.000E+03	17
Dose/Source Ratios Summed Over All Pathways	17
Single Radionuclide Soil Guidelines	17
Dose Per Nuclide Summed Over All Pathways	18
Soil Concentration Per Nuclide	18

Dose Conversion Factor (and Related) Parameter Summary
 File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	C-14	2.090E-06	2.090E-06	DCF2(1)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	C-14	2.090E-06	2.090E-06	DCF3(1)
D-34	Food transfer factors:			
D-34	C-14 , plant/soil concentration ratio, dimensionless	5.500E+00	5.500E+00	RTF(1,1)
D-34	C-14 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.100E-02	3.100E-02	RTF(1,2)
D-34	C-14 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.200E-02	1.200E-02	RTF(1,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	C-14 , fish	5.000E+04	5.000E+04	BIOFAC(1,1)
D-5	C-14 , crustacea and mollusks	9.100E+03	9.100E+03	BIOFAC(1,2)

Site-Specific Parameter Summary				Used by RESRAD	Parameter	
0	Menu	Parameter	User Input	Default	(If different from user input)	Name
	R011	Area of contaminated zone (m**2)	1.000E+04	1.000E+04	---	AREA
	R011	Thickness of contaminated zone (m)	1.000E+00	2.000E+00	---	THICKO
	R011	Length parallel to aquifer flow (m)	1.000E+02	1.000E+02	---	LCZPAQ
	R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
	R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
	R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
	R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
	R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
	R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
	R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
	R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
	R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
	R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
	R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
	R012	Initial principal radionuclide (pCi/g): C-14	1.000E+00	0.000E+00	---	SI(1)
	R012	Concentration in groundwater (pCi/L): C-14	not used	0.000E+00	---	WI(1)
	R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVERO
	R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
	R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
	R013	Density of contaminated zone (g/cm**3)	1.500E+00	1.500E+00	---	DENSCZ
	R013	Contaminated zone erosion rate (m/yr)	1.000E-03	1.000E-03	---	V CZ
	R013	Contaminated zone total porosity	4.000E-01	4.000E-01	---	TPCZ
	R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
	R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ
	R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ
	R013	Average annual wind speed (m/sec)	2.000E+00	2.000E+00	---	WIND
	R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
	R013	Evapotranspiration coefficient	5.000E-01	5.000E-01	---	EVAPTR
	R013	Precipitation (m/yr)	5.000E-01	1.000E+00	---	PRECIP
	R013	Irrigation (m/yr)	0.000E+00	2.000E-01	---	RI
	R013	Irrigation mode	overhead	overhead	---	IDITCH
	R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
	R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
	R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
	R014	Density of saturated zone (g/cm**3)	1.500E+00	1.500E+00	---	DENSAQ
	R014	Saturated zone total porosity	4.000E-01	4.000E-01	---	TPSZ
	R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	EPSZ
	R014	Saturated zone field capacity	2.000E-01	2.000E-01	---	FCSZ
	R014	Saturated zone hydraulic conductivity (m/yr)	1.000E+02	1.000E+02	---	HCSZ
	R014	Saturated zone hydraulic gradient	2.000E-02	2.000E-02	---	HGWT
	R014	Saturated zone b parameter	5.300E+00	5.300E+00	---	BSZ
	R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
	R014	Well pump intake depth (m below water table)	1.000E+01	1.000E+01	---	DWIBWT
	R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
	R014	Well pumping rate (m**3/yr)	2.500E+02	2.500E+02	---	UW
	R015	Number of unsaturated zone strata	1	1	---	NS

		Site-Specific Parameter Summary (continued)		Used by RESRAD	Parameter	
0	Menu	Parameter	User Input	Default	(If different from user input)	Name
	R015	Unsat. zone 1, thickness (m)	4.000E+00	4.000E+00	---	H(1)
	R015	Unsat. zone 1, soil density (g/cm ³)	1.500E+00	1.500E+00	---	DENSUZ(1)
	R015	Unsat. zone 1, total porosity	4.000E-01	4.000E-01	---	TPUZ(1)
	R015	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	EPUZ(1)
	R015	Unsat. zone 1, field capacity	2.000E-01	2.000E-01	---	FCUZ(1)
	R015	Unsat. zone 1, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ(1)
	R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCUZ(1)
	R016	Distribution coefficients for C-14	0.000E+00	0.000E+00	---	DCNUCC(1)
	R016	Contaminated zone (cm ³ /g)	0.000E+00	0.000E+00	---	DCNUCU(1,1)
	R016	Unsaturated zone 1 (cm ³ /g)	0.000E+00	0.000E+00	---	DCNUCS(1)
	R016	Saturated zone (cm ³ /g)	0.000E+00	0.000E+00	6.666E-01	ALEACH(1)
	R016	Leach rate (/yr)	0.000E+00	0.000E+00	not used	SOLUBK(1)
	R016	Solubility constant	0.000E+00	0.000E+00	---	
	R017	Inhalation rate (m ³ /yr)	8.400E+03	8.400E+03	---	INHALR
	R017	Mass loading for inhalation (g/m ³)	1.000E-04	1.000E-04	---	MLINH
	R017	Exposure duration	3.000E+01	3.000E+01	---	ED
	R017	Shielding factor, inhalation	4.000E-01	4.000E-01	---	SHF3
	R017	Shielding factor, external gamma	7.000E-01	7.000E-01	---	SHF1
	R017	Fraction of time spent indoors	5.000E-01	5.000E-01	---	FIND
	R017	Fraction of time spent outdoors (on site)	2.500E-01	2.500E-01	---	FOTD
	R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
	R017	Radii of shape factor array (used if FS = -1):			---	
	R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
	R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
	R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
	R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
	R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
	R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
	R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
	R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
	R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
	R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
	R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
	R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
	R017	Fractions of annular areas within AREA:			---	
	R017	Ring 1	not used	1.000E+00	---	FRACA(1)
	R017	Ring 2	not used	2.732E-01	---	FRACA(2)
	R017	Ring 3	not used	0.000E+00	---	FRACA(3)
	R017	Ring 4	not used	0.000E+00	---	FRACA(4)
	R017	Ring 5	not used	0.000E+00	---	FRACA(5)
	R017	Ring 6	not used	0.000E+00	---	FRACA(6)
	R017	Ring 7	not used	0.000E+00	---	FRACA(7)
	R017	Ring 8	not used	0.000E+00	---	FRACA(8)
	R017	Ring 9	not used	0.000E+00	---	FRACA(9)
	R017	Ring 10	not used	0.000E+00	---	FRACA(10)
	R017	Ring 11	not used	0.000E+00	---	FRACA(11)
	R017	Ring 12	not used	0.000E+00	---	FRACA(12)

Site-Specific Parameter Summary (continued)						
0	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name	
R018	Fruits, vegetables and grain consumption (kg/yr)	1.600E+02	1.600E+02	---	DIET(1)	
R018	Leafy vegetable consumption (kg/yr)	1.400E+01	1.400E+01	---	DIET(2)	
R018	Milk consumption (L/yr)	not used	9.200E+01	---	DIET(3)	
R018	Meat and poultry consumption (kg/yr)	not used	6.300E+01	---	DIET(4)	
R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET(5)	
R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET(6)	
R018	Soil ingestion rate (g/yr)	3.650E+01	3.650E+01	---	SOIL	
R018	Drinking water intake (L/yr)	5.100E+02	5.100E+02	---	DWI	
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW	
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW	
R018	Contamination fraction of livestock water	not used	1.000E+00	---	FLW	
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW	
R018	Contamination fraction of aquatic food	not used	5.000E-01	---	FR9	
R018	Contamination fraction of plant food	-1	-1	0.500E+00	FPLANT	
R018	Contamination fraction of meat	not used	-1	---	FMEAT	
R018	Contamination fraction of milk	not used	-1	---	FMLK	
R019	Livestock fodder intake for meat (kg/day)	not used	6.800E+01	---	LF15	
R019	Livestock fodder intake for milk (kg/day)	not used	5.500E+01	---	LF16	
R019	Livestock water intake for meat (L/day)	not used	5.000E+01	---	LW15	
R019	Livestock water intake for milk (L/day)	not used	1.600E+02	---	LW16	
R019	Livestock soil intake (kg/day)	not used	5.000E-01	---	LSI	
R019	Mass loading for foliar deposition (g/m ² *3)	1.000E-04	1.000E-04	---	MLFD	
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM	
R019	Depth of roots (m)	9.000E-01	9.000E-01	---	DROOT	
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW	
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH	
R019	Livestock water fraction from ground water	not used	1.000E+00	---	FGLW	
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR	
R19B	Wet weight crop yield for Non-Leafy (kg/m ² *2)	7.000E-01	7.000E-01	---	YV(1)	
R19B	Wet weight crop yield for Leafy (kg/m ² *2)	1.500E+00	1.500E+00	---	YV(2)	
R19B	Wet weight crop yield for Fodder (kg/m ² *2)	not used	1.100E+00	---	YV(3)	
R19B	Growing Season for Non-Leafy (years)	1.700E-01	1.700E-01	---	TE(1)	
R19B	Growing Season for Leafy (years)	2.500E-01	2.500E-01	---	TE(2)	
R19B	Growing Season for Fodder (years)	not used	8.000E-02	---	TE(3)	
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)	
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)	
R19B	Translocation Factor for Fodder	not used	1.000E+00	---	TIV(3)	
R19B	Dry Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RDRY(1)	
R19B	Dry Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RDRY(2)	
R19B	Dry Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RDRY(3)	
R19B	Wet Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RWET(1)	
R19B	Wet Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RWET(2)	
R19B	Wet Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RWET(3)	
R19B	Weathering Removal Constant for Vegetation	2.000E+01	2.000E+01	---	WLAM	
C14	C-12 concentration in water (g/cm ³)	2.000E-05	2.000E-05	---	C12WTR	
C14	C-12 concentration in contaminated soil (g/g)	3.000E-02	3.000E-02	---	C12CZ	
C14	Fraction of vegetation carbon from soil	2.000E-02	2.000E-02	---	CSOIL	
C14	Fraction of vegetation carbon from air	9.800E-01	9.800E-01	---	CAIR	

Site-Specific Parameter Summary (continued)					
0	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-14 evasion layer thickness in soil (m)	3.000E-01	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	7.000E-07	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	1.000E-10	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	8.000E-01	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	2.000E-01	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	8.894E+01	8.894E+01	---	CO2F
Storage times of contaminated foodstuffs (days):					
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm ³)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	257	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	suppressed
5 -- milk ingestion	suppressed
6 -- aquatic foods	suppressed
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	active

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g	
Area:	10000.00 square meters	C-14	1.000E+00
Thickness:	1.00 meters		
Cover Depth:	0.00 meters		

0

Total Dose TDOSE(t), mrem/yr	
Basic Radiation Dose Limit = 2.500E+01 mrem/yr	
Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)	
t (years):	0.000E+00 1.000E+00 3.000E+00 1.000E+01 3.000E+01 1.000E+02 3.000E+02 1.000E+03
TDOSE(t):	4.514E-01 3.601E-04 6.417E-02 7.445E-02 0.000E+00 0.000E+00 0.000E+00 0.000E+00
M(t):	1.806E-02 1.440E-05 2.567E-03 2.978E-03 0.000E+00 0.000E+00 0.000E+00 0.000E+00

Maximum TDOSE(t): 4.514E-01 mrem/yr at t = 0.000E+00 years

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	1.079E-06	0.0000	7.979E-05	0.0002	0.000E+00	0.0000	4.513E-01	0.9998	0.000E+00	0.0000	0.000E+00	0.0000	7.829E-06	0.0000
Total	1.079E-06	0.0000	7.979E-05	0.0002	0.000E+00	0.0000	4.513E-01	0.9998	0.000E+00	0.0000	0.000E+00	0.0000	7.829E-06	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.514E-01	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.514E-01	1.0000

* Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	7.210E-10	0.0000	5.330E-08	0.0001	0.000E+00	0.0000	3.600E-04	0.9998	0.000E+00	0.0000	0.000E+00	0.0000	5.230E-09	0.0000
Total	7.210E-10	0.0000	5.330E-08	0.0001	0.000E+00	0.0000	3.600E-04	0.9998	0.000E+00	0.0000	0.000E+00	0.0000	5.230E-09	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.601E-04	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.601E-04	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	3.091E-16	0.0000	2.285E-14	0.0000	0.000E+00	0.0000	1.545E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.242E-15	0.0000
Total	3.091E-16	0.0000	2.285E-14	0.0000	0.000E+00	0.0000	1.545E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.242E-15	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	6.417E-02	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.417E-02	1.0000
Total	6.417E-02	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.417E-02	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	7.445E-02	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.445E-02	1.0000
Total	7.445E-02	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.445E-02	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

* Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

* Sum of all water independent and dependent pathways.

Dose/Source Ratios Summed Over All Pathways
 Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
C-14	C-14	1.000E+00		4.514E-01	3.601E-04	6.417E-02	7.445E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life > 0.5 yr) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 Basic Radiation Dose Limit = 2.500E+01 mrem/yr

ONuclide (i)	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
C-14		5.538E+01	6.943E+04	3.896E+02	3.358E+02	*4.454E+12	*4.454E+12	*4.454E+12	*4.454E+12

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
 and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 at tmin = time of minimum single radionuclide soil guideline
 and at tmax = time of maximum total dose = 0.000E+00 years

ONuclide (i)	Initial (pCi/g)	tmin (years)	DSR(i,tmin) (pCi/g)	G(i,tmin) (pCi/g)	DSR(i,tmax) (pCi/g)	G(i,tmax) (pCi/g)
C-14	1.000E+00	0.000E+00	4.514E-01	5.538E+01	4.514E-01	5.538E+01

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

ONuclide (j)	Parent (i)	BRF(i)	DOSE(j,t), mrem/yr								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
C-14	C-14	1.000E+00	4.514E-01	3.601E-04	6.417E-02	7.445E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

ONuclide (j)	Parent (i)	BRF(i)	S(j,t), pCi/g								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
C-14	C-14	1.000E+00	1.000E+00	6.692E-04	2.880E-10	9.849E-33	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.
 ORESALC.EXE execution time = 2.82 seconds

469574

MAR 24 2003

DATE

This is to acknowledge the receipt of your letter/application dated 2/17/03, and to inform you that the initial processing, which includes an administrative review, has been performed.

There were no administrative omissions. Your application will be assigned to a technical reviewer. Please note that the technical review may identify additional omissions or require additional information.

Please provide to this office within 30 days of your receipt of this card:

The action you requested is normally processed in 1 days.

A copy of your action has been forwarded to our License Fee & Accounts Receivable Branch, who will contact you separately if there is a fee issue involved.

Your action has been assigned Mail Control Number 469574.
When calling to inquire about this action, please refer to this mail control number.
You may call me at 817-860-8103.

Sincerely,

Cecilia Murnahan
Licensing Assistant

NRC FORM 532 (RIV)
(11-1999)

BETWEEN:
License Fee Management Branch, ARM
and
Regional Licensing Sections

(FOR LFMS USE)
INFORMATION FROM LTS

Program Code: 03620
Status Code: 0
Fee Category: EX 3M 1D
Exp. Date: 20080131
Fee Comments: 170.11(A)(4)
Decom Fin Assur Req'd: N

LICENSE FEE TRANSMITTAL

A. REGION

1. APPLICATION ATTACHED
Applicant/Licensee: AUGUSTANA COLLEGE
Received Date: 20030221
Docket No: 3001063
Control No.: 469574
License No.: 40-06921-03
Action Type: Notifications

2. FEE ATTACHED
Amount: _____
Check No.: /

3. COMMENTS
Signed Cassien Murnahan
Date 3/24/03

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered /_/_/)

1. Fee Category and Amount: _____
2. Correct Fee Paid. Application may be processed for:
Amendment _____
Renewal _____
License _____
3. OTHER _____

Signed _____
Date _____