

UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
OFFICE OF NUCLEAR MATERIAL SAFETY AND SAFEGUARDS  
WASHINGTON, D.C. 20555

July 8, 1993

NRC INFORMATION NOTICE 93-50: EXTENDED STORAGE OF SEALED SOURCES

Addressees

All licensees authorized to possess sealed sources.

Purpose

The U.S. Nuclear Regulatory Commission is issuing this information notice to inform addressees of what information NRC considers necessary for placing a license into a possession-only status, if extended storage of sealed sources is necessary. It is expected that recipients will review the information for applicability to their facilities and consider actions, as appropriate, to provide all necessary information when requesting possession-only licenses. However, suggestions contained in this information notice are not new NRC requirements; therefore, no specific action or written response is required.

Description of Circumstances

A number of licensees who possess sealed sources have gone out of business or allowed their licenses to expire for various reasons. These licensees are finding it difficult, and sometimes impossible, to dispose of their radioactive sources. There have been several incidents where licensees having financial difficulty have abandoned their sources in violation of NRC regulations.

Disposal is especially difficult for greater-than-Class-C (GTCC) sealed sources. The requirements for classifying waste for near-surface disposal are provided in 10 CFR 61.55. This regulation states that GTCC waste is generally not acceptable for near-surface disposal and must be disposed of in a geologic repository, pursuant to Part 60, unless another disposal method is approved by NRC. Many sealed source users have discovered that they have no place to ship their GTCC sources for disposal, because no geologic repository is currently available.

The Low-Level Radioactive Waste Policy Amendments Act of 1985 designates the Federal Government as responsible for disposal of GTCC wastes. Congress has designated the Department of Energy (DOE) as the responsible agency for disposal of GTCC waste. NRC has been working with DOE to establish an interim storage facility for GTCC waste, until a geologic repository is available. DOE estimates that a storage facility may be available by the end of 1997. However, further delays in meeting this schedule may occur.

9307010129

PDR I & E Notice 93-050 93070

WDR-11C

D403 1/1

## Discussion

If a licensee with sealed sources wishes to terminate its license, but cannot find any way to dispose of its sources, the licensee can request an amendment to restrict its license to possession-only, incident to license termination. Under current annual fee regulations, this will exempt the licensee from the requirement to pay an annual fee under 10 CFR Part 171 for the fiscal year following issuance of the license amendment authorizing possession only, and each year thereafter. (Each fiscal year begins on October 1.) The licensee will continue to be subject to licensing and inspection fees under 10 CFR Part 170. The inspection frequency for possession-only licenses is once every 3 years under current NRC inspection procedures.

The annual fee waiver is intended for licensees who have permanently ceased licensed operations. The annual fee will not be waived for licensees who wish to put their licenses, certificates, approvals, or registrations in an inactive status, on a temporary basis, with the intent of reactivating them as needed. The following information is needed to process requests for possession-only licenses:

1. Identification of each sealed source to be placed in storage, including the manufacturer's name, model number, serial number, isotope, and activity.
2. A detailed description of efforts made to dispose of the sources, including telephone calls, letters, facsimiles, personal contacts, etc.
3. A statement that the licensee has permanently ceased licensed operations and a commitment not to use the sources for any purpose pending disposition and license termination.
4. A physical description of the facilities where the sealed sources will be stored, if it is different from storage facilities already approved in the license. Identify any facility changes that are planned after the sources are placed in storage and provisions to maintain exposure to radiation as low as reasonably achievable (ALARA).
5. Identification of the individual who will be responsible for maintaining control of the stored sources. Provide a resume of training and experience, if this information has not already been provided.
6. A description of the accountability program to be implemented by the licensee to ensure that its sources remain in secure storage and are not used. The program should provide reasonable assurance that the licensee can maintain security and account for the sources (inventory at least annually).

7. A description of planned changes to the licensee's radiation safety program as a result of placing the sources in storage. These changes may include, but are not limited to, the following:
  - a. dosimetry services
  - b. worker training programs
  - c. instrument calibration services
  - d. quarterly inventories
  - e. internal audits
  - f. maintenance and visual inspection of equipment and storage facilities
  - g. maintenance of utilization logs
8. A commitment to leak-test the sources at least once every 3 years and immediately before transfer to an authorized recipient.
9. A commitment to maintain the license in an active state. (Note that amendment, renewal, and inspection fees will continue to apply.)

When a storage/disposal facility becomes available, it is expected that licensees with possession-only licenses will transfer their sealed sources and request license termination.

This information notice requires no specific action or written response. If you have any questions about the information in this notice, please contact one of the contacts listed below or the appropriate regional office.

Carl J. Paperiello, Director  
 Division of Industrial and  
 Medical Nuclear Safety *Original Signed by*  
 Office of Nuclear Material Safety  
 and Safeguards

Technical contacts: Jack Whitten, RIV  
 (817) 860-8197

Kevin Ramsey, NMSS  
 (301) 504-2534

Fee contact: Doug Weiss, OC  
 (301) 492-7225

- Attachments:
1. List of Recently Issued NMSS Information Notices
  2. List of Recently Issued NRC Information Notices

Tech Editor  
 EKraus\*  
 5/20/93

\*See previous concurrence DOCUMENT NAME: 93-50.IN

OFC	IMOB*	E	RIV*	E	IMOB*	E	IMOB*	E	IMAB*
NAME	KRamsey/11		JWhitten		GPangburn		FCombs		JGlenn
DATE	5/7/93		5/17/93		5/18/93		5/19/93		5/26/93

OFC	SCDB*	LLWM*	E	NRR/PRPB*	OGC*	OC*	IMNS:D
NAME	CHaughney	RBangart		LCunningham	STreby	CJHolloway	RCunningham
DATE	5/21/93	6/11/93		6/10/93	6/23/93	6/23/93	06/24/93

7. A description of planned changes to the licensee's radiation safety program as a result of placing the sources in storage. These changes may include, but are not limited to, the following:
  - a. dosimetry services
  - b. worker training programs
  - c. instrument calibration services
  - d. quarterly inventories
  - e. internal audits
  - f. maintenance and visual inspection of equipment and storage facilities
  - g. maintenance of utilization logs
8. A commitment to leak-test the sources at least once every 3 years and immediately before transfer to an authorized recipient.
9. A commitment to maintain the license in an active state. (Note that amendment, renewal, and inspection fees will continue to apply.)

When a storage/disposal facility becomes available, it is expected that licensees with possession-only licenses will transfer their sealed sources and request license termination.

This information notice requires no specific action or written response. If you have any questions about the information in this notice, please contact one of the contacts listed below or the appropriate regional office.

Richard E. Cunningham, Director  
 Division of Industrial and  
 Medical Nuclear Safety  
 Office of Nuclear Material Safety  
 and Safeguards

Technical contacts: Jack Whitten, RIV  
 (817) 860-8197

Kevin Ramsey, NMSS  
 (301) 504-2534

Fee contact: Doug Weiss, OC  
 (301) 492-7225

- Attachments:
1. List of Recently Issued NMSS Information Notices
  2. List of Recently Issued NRC Information Notices

Tech Editor

EKraus\*  
 5/20/93

\*See previous concurrence DOCUMENT NAME: 93-50.IN

OFC	IMOB*	E	RIV*	E	IMOB*	E	IMOB*	E	IMAB*	
NAME	KRamsey/11		JWhitten		GPangburn		FCombs		JGlenn	
DATE	5/7/93		5/17/93		5/18/93		5/19/93		5/26/93	

  

OFC	SCDB*	LLWM*	E	NRR/PRPB*	OGC*	OC*	IMNS:D
NAME	CHaughney	RBangart		LCunningham	STreby	CJHolloway	RECunningham
DATE	5/21/93	6/11/93		6/10/93	6/23/93	6/23/93	06/24/93

8. A commitment to leak-test the sources at least once every 3 years and immediately before transfer to an authorized recipient.
9. A commitment to maintain the license in an active state. (Note that amendment, renewal, and inspection fees will continue to apply.)

*request*  
When a storage/disposal facility becomes available, it is expected that licensees with possession-only licenses will transfer their sealed sources and submit an application for license termination. This information notice requires no specific action or written response. If you have any questions about the information in this notice, please contact one of the contacts listed below or the appropriate regional office.

Richard E. Cunningham, Director  
Division of Industrial and  
Medical Nuclear Safety  
Office of Nuclear Material Safety  
and Safeguards

Technical Contacts: Jack Whitten, Region IV  
(817) 860-8197

Kevin Ramsey, NMSS  
(301) 504-2634

Fee Contact: Doug Weiss, OC  
(301) 492-7225

- Attachments:
1. List of Recently Issued NMSS Information Notices
  2. List of Recently Issued NRC Information Notices

Tech Editor  
EKraus\*  
5/20/93

\* - See previous concurrence

OFC	IMOB*	E	RIV*	E	IMOB*	E	IMOB*	E	IMAB*	
NAME	KRamsey/11		JWhitten		GPangburn		FCombs		JGlenn	
DATE	5/7/93		5/17/93		5/18/93		5/19/93		5/26/93	
OFC	SCDB*		LLWM*	E	NRR/PRPB*		OGC*		OC*	IMNS:D
NAME	CHaughney		RBangart		LCunningham		STreby		CJHolloway	RECunningham
DATE	5/21/93		6/11/93		6/10/93		6/23/93		6/23/93	6/24/93

OFFICIAL RECORD COPY: G:INCLASSC.KMR

8. A commitment to leak-test the sources at least once every 3 years and immediately before transfer to an authorized recipient.
9. A commitment to maintain the license in an active state and to pay any amendment, renewal, or inspection fees until the license is terminated.

When a storage/disposal facility becomes available, it is expected that licensees with possession-only licenses will transfer their sealed sources and submit an application for license termination. This information notice requires no specific action or written response. If you have any questions about the information in this notice, please contact one of the technical contacts listed below or the appropriate regional office.

Richard E. Cunningham, Director  
 Division of Industrial and  
 Medical Nuclear Safety  
 Office of Nuclear Material Safety  
 and Safeguards

Technical Contacts: Jack Whitten, Region IV  
 (817) 860-8197

Kevin Ramsey, NMSS  
 (301) 504-2534

Attachments:

1. List of Recently Issued NMSS Information Notices
2. List of Recently Issued NRC Information Notices

Tech Editor  
 EKraus\*

5/20/93

\* - See previous concurrence

OFC	IMOB*	E	RIV*	E	IMOB*	E	IMOB*	E	IMAB*	
NAME	KRamsey/11		JWhitten		GPangburn		FCombs		JGlenn	
DATE	5/7/93		5/17/93		5/18/93		5/19/93		5/26/93	

  

OFC	SCDB*	LLW	NRR/DRSS	OGC	OC	IMNS:D
NAME	CHaughney	RBangart	Jay Cunningham by FGonget note	STreby	CJHolloway	RECunningham
DATE	5/21/93	06/11/93	6/10/93	/ /93	/ /93	/ /93

8. A commitment to leak-test the sources at least once every 3 years and immediately before transfer to an authorized recipient.
9. A commitment to maintain the license in an active state and to pay any amendment, renewal, or inspection fees until the license is terminated.

When a storage/disposal facility becomes available, it is expected that licensees with possession-only licenses will transfer their sealed sources and submit an application for license termination. This information notice requires no specific action or written response. If you have any questions about the information in this notice, please contact one of the technical contacts listed below or the appropriate regional office.

Richard E. Cunningham, Director  
 Division of Industrial and  
 Medical Nuclear Safety  
 Office of Nuclear Material Safety  
 and Safeguards

Technical Contacts: Jack Whitten, Region IV  
 (817) 860-8197

Kevin Ramsey, NMSS  
 (301) 504-2534

Attachments:

1. List of Recently Issued NMSS Information Notices
2. List of Recently Issued NRC Information Notices

Tech Editor  
 EKraus\*  
 5/20/93

\* - See previous concurrence

OFC	IMOB*	E	RIV*	E	IMOB*	E	IMOB*	E	IMAB
NAME	KRamsey/11		JWhitten		GPangburn		FCombs		JGlenn
DATE	5/7/93		5/17/93		5/18/93		5/19/93		5/26/93
OFC	SCDB*		LLWB		OC		IMNS:D		
NAME	CHaughney		PLohaus		CJHalloway		RECunningham		
DATE	5/21/93		/ /93		/ /93		/ /93		

- 8. A commitment to leak test the sources at least once every 3 years and immediately before transfer to an authorized recipient.
- 9. A commitment to maintain the license in an active state and to pay any amendment, renewal, or inspection fees until the license is terminated.

When a storage/disposal facility becomes available, it is expected that licensees with possession-only licenses will transfer their sealed sources and submit an application for license termination. This information notice requires no specific action or written response. If you have any questions about the information in this notice, please contact one of the technical contacts listed below or the appropriate regional office.

Richard E. Cunningham, Director  
 Division of Industrial and  
 Medical Nuclear Safety  
 Office of Nuclear Material Safety  
 and Safeguards

Technical Contacts: Jack Whitten, Region IV  
 (817) 860-8197  
 Kevin Ramsey, NMSS  
 (301) 504-2534

- Attachments:
- 1. List of Recently Issued NMSS Information Notices
  - 2. List of Recently Issued NRC Information Notices

Tech Editor  
 EKraus  
 / /93

OFC	IMOB	E	RIV	E	IMOB	E	IMOB	E	IMAB	
NAME	KRamsey/11	<i>KMR</i>	JWhitten	<i>KMR per telecom</i>	GPansburn	<i>GP</i>	FCombs	<i>F</i>	JGlenn	
DATE	5/7/93		5/17/93		6/18/93		5/19/93		/ /93	

  

OFC	SCDB		LLWB		OC		IMNS:D	
NAME	<i>per note</i> CChaughney		PLohaus		CJHalloway		RECunningham	
DATE	5/21/93		/ /93		/ /93		/ /93	



7. A description of planned changes to the licensee's radiation safety program as a result of placing the sources in storage. These changes may include, but are not limited to, the following:
  - a. dosimetry services
  - b. worker training programs
  - c. instrument calibration services
  - d. quarterly inventories
  - e. internal audits
  - f. maintenance and visual inspection of equipment and storage facilities
  - g. maintenance of utilization logs
8. A commitment to leak-test the sources at least once every 3 years and immediately before transfer to an authorized recipient.
9. A commitment to maintain the license in an active state. (Note that amendment, renewal, and inspection fees will continue to apply.)

When a storage/disposal facility becomes available, it is expected that licensees with possession-only licenses will transfer their sealed sources and request license termination.

This information notice requires no specific action or written response. If you have any questions about the information in this notice, please contact one of the contacts listed below or the appropriate regional office.



Carl J. Paparelli, Director  
Division of Industrial and  
Medical Nuclear Safety  
Office of Nuclear Material Safety  
and Safeguards

Technical contacts: Jack Whitten, RIV  
(817) 860-8197

Kevin Ramsey, NMSS  
(301) 504-2534

Fee contact: Doug Weiss, OC  
(301) 492-7225

Attachments:

1. List of Recently Issued NMSS Information Notices
2. List of Recently Issued NRC Information Notices

LIST OF RECENTLY ISSUED  
NRC INFORMATION NOTICES

LIST OF RECENTLY ISSUED  
NRC INFORMATION NOTICES

Information Notice No.	Subject	Date of Issuance	Issued to
93-36	Notifications, Reports, and Records of Misadministrations	05/07/93	All U.S. Nuclear Regulatory Commission medical licensees.
93-31	Training of Nurses Responsible for the Care of Patients with Brachytherapy Implants	04/13/93	All U.S. Nuclear Regulatory Commission medical licensees.
93-30	NRC Requirements for Evaluation of Mips Test Results; Calibration of Count Rate Survey Instruments	04/12/93	All U.S. Nuclear Regulatory Commission medical licensees.
93-19	Slab Hopper Bulging	03/17/93	All nuclear fuel cycle licensees.
93-18	Portable Moisture-Density Gauge User Responsibilities during Field Operations	03/10/93	All U.S. Nuclear Regulatory Commission licensees that possess moisture-density gauges.
93-14	Clarification of 10 CFR 40.22, Small Quantities of Source Material	02/18/93	All licensees who possess source material.
93-10	Dose Calibrator Quality Control	02/02/93	All Nuclear Regulatory Commission medical licensees.
93-07	Classification of Transportation Emergencies	02/01/93	All licensees required to have an emergency plan.
93-05	Locking of Radiography Exposure Devices	01/14/93	All Nuclear Regulatory Commission industrial radiography licensees.

Information Notice No.	Subject	Date of Issuance	Issued to
93-49	Improper Integration of Software into Operating Practices	07/08/93	All holders of OLs or CPs for nuclear power reactors.
93-48	Failure of Turbine-Driven Main Feedwater Pump to Trip Because of Contaminated Oil	7/6/93	All holders of OLs or CPs for nuclear power reactors.
92-06, Supp. 1	Reliability of ATWS Mitigation Systems and Other NRC-Required Equipment not Controlled by Plant Technical Specification	07/01/93	All holders of OLs or CPs for nuclear power reactors.
93-47	Unrecognized Loss of Control Room Annunciators	06/18/93	All holders of OLs or CPs for nuclear power reactors.
93-46	Potential Problem with Westinghouse Rod Control System and Inadvertent Withdrawal of A Single Rod Control Cluster Assembly	6/10/93	All holders of OLs or CPs for Westinghouse (W)-designed nuclear power reactors.
93-45	Degradation of Shutdown Cooling System Performance	06/16/93	All holders of OLs or CPs for nuclear power reactors.
93-44	Operational Challenges During A Dual-Unit Transient	06/15/93	All holders of OLs or CPs for nuclear power reactors.
93-43	Use of Inappropriate Lubrication Oils in Safety-Related Applications	06/10/93	All holders of OLs or CPs for nuclear power reactors.
93-42	Failure of Anti-Rotation Keys in Motor-Operated Valves Manufactured by Veilan	06/09/93	All holders of OLs or CPs for nuclear power reactors.

OL = Operating License  
CP = Construction Permit

UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
WASHINGTON, D.C. 20555-0001

FIRST CLASS MAIL  
POSTAGE AND FEES PAID  
USNRC  
PERMIT NO. G-67

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE, \$300