

Department of Energy

Washington, DC 20585

QA: QA

APR 11 2003

D. W. Pearman, Jr. Deputy General Manager Bechtel SAIC Company, LLC 1180 Town Center Drive, M/S 423 Las Vegas, NV 89144

ISSUANCE OF DEFICIENCY REPORT (DR) BSC(O)-03-D-109 REGARDING STAFF TRAINING FOR ADMINISTRATIVE PROCEDURE (AP)-5.1Q

Enclosed is DR BSC(O)-03-D-109 generated as a result of Office of Civilian Radioactive Waste Management Surveillance OQA-SI-03-014.

Please provide a response to this deficiency that meets the applicable requirements of AP 16.1Q, Management of Conditions Adverse to Quality. Send the original of your response to Deborah G. Opielowski, Navarro Quality Services, P.O. Box 364629, Mail Stop 455, North Las Vegas, Nevada 89036-8629. Initial response to the DR is due ten working days from the date of this letter. Any extension to the due date must be requested in accordance with AP-16.1Q.

If you have any questions, please contact either Kerry M. Grooms at (702) 794-1367 or Donald J. Harris at (702) 794-1467.

OQA:KMG-0937

R. Dennis Brown, Director Office of Quality Assurance

Enclosure: DR BSC(0)-03-D-109



D. W. Pearman, Jr.

4

-2-

APR 11 2003

cc w/encl: N. K. Stablein, NRC, Rockville, MD Robert Latta, NRC, Las Vegas, NV (2 cys) S. W. Lynch, State of Nevada, Carson City, NV L. W. Bradshaw, Nye County, Pahrump, NV J. T. Mitchell, BSC, Las Vegas, NV M. J. Mason, BSC, Las Vegas, NV W. J. Glasser, NQS, Las Vegas, NV D. J. Harris, NQS, Las Vegas, NV D. G. Opielowski, NQS, Las Vegas, NV W. J. Arthur, III, DOE/ORD (RW-2W), Las Vegas, NV W. J. Boyle, DOE/ORD (RW-40W), Las Vegas, NV

B. M. Terrell, DOE/ORD (RW-40W), Las Vegas, NV

1

OFFICE OF CIVILIAN RADIOACTIVE WASTE MANAGEMENT U.S. DEPARTMENT OF ENERGY JRIGINAL WASHINGTON, D.C		Т	 8 ☑ Deficiency Report ☐ Corrective Action Report No <u>BSC(O)-03-D-109</u> Page 1 of
DEFICIENCY REPORT/CORRECTIVE ACTION REPORT			
1 Controlling Document (Document ID and Revision or Date) 2		2 Related Re OQA-SI-03-0	eport No
3 Responsible Organization Bechtel SAIC Company, LLC	4 Discussed With Paul Turner, Melinda D'Ou	Discussed With Paul Turner, Melinda D'Ouville, Sam Horton	
 5 Requirement: QARD Section 2.2.12 Personnel Qualification, states in part: 			
 6 Description of Condition: 1. Contrary to Block 5 Requirements The training records obtained from BSC Training reflected that training for AP-5.1Q was neither assigned nor taken for the following personnel involved in developing, reviewing and approving AP-ATS-0001 (Employee training records 2280, 12041, 12203, 13793, 14495, 15168, and 15455) 			
Has work been stopped? Yes No 7. Initiator. Donald J. Harris Lonald Harris 4/8 Printed Name Signature Date 10. Recommended Actions None	9 Does a stop work conditi Yes No N/A If Yes, Check One:	on exist?	_в_с_р
11 QAR Review Donald J. Harris Warris Printed Name 13 QAM Issuance Approval R Dennis Brown Printed Name 14 Corrective Actions Verified/Closure	12 Response Due Date <u>10</u> Working day <u>Signature</u> 15 QAM Closure Approval		се 4/16/03 Date
QAR Printed Name Signature Date Template API61-1	Printed Name	Signa	ature Date Rev 3/25/02

x

•

!