

Exelon Nuclear
200 Exelon Way
Kennett Square, PA 19348

www.exeloncorp.com

April 16, 2003

Mr. Frank Froio, Chairman
Board of Supervisors
5186 Stump Rd.
Plumstead Township
Plumsteadville, PA 18949-0387

CCN-031-6000

Subject: NPDES Permit Renewal for Bradshaw Reservoir, PA0052221

Dear Mr. Froio:

Pursuant to PA Act 14, P.L. 834, we hereby notify you that the Exelon Generation, LLC. will be filing with the Pennsylvania Department of Environmental Protection (PaDEP) for renewal of an NPDES Discharge Permit at our Bradshaw Reservoir Facility. Renewal of the permit is required to continue the discharge of water from the Bradshaw Reservoir site to the East Branch Perkiomen Creek.

Acts 67 and 68, which amended the Municipalities Planning Code to support sound land use practices and planning efforts, direct state agencies to consider comprehensive plans and zoning ordinances when reviewing applications for permitting of facilities or infrastructure, and specify that state agencies may rely upon comprehensive plans and zoning ordinances under certain conditions as described in Sections 619.2 and 1105 of the Municipalities Planning Code. Enclosed is a General Information Form (GIF) we have completed for this project. DEP invites you to review the attached GIF and comment on the land use aspects of this project; please be specific to DEP when identifying any areas of conflict. If you wish to submit comments for DEP to consider in a land use review of this project, you must respond within 30 days to the DEP regional office listed below. If there are no land use comments received by the end of the comment period, DEP will assume that there are no substantive land use conflicts and proceed with the normal application review process."

C001

Please submit any comments concerning this project within 30 days from date of receipt of this letter to the DEP Soils and Waterways Section.

For more information about this land use review process, please visit www.dep.state.pa.us (directLINK: "Land Use Reviews").

If you have any questions concerning the application, please contact Mr. Tracy J. Siglin at (610)-765-5904.

Sincerely,

A handwritten signature in cursive script, reading "Arthur Wiley Ray".

Arthur Wiley Ray
Manager, Environmental Affairs
Exelon Nuclear

Bcc: Cullen, E.J.
DeGregorio, R.J.
Braun, R.C. GML5-1
Hanson, B, GML5-1
Newmaster, R.J. SSB2-1
Weyhmuller, P.R. SSB4-5
Branham, D.L. SSB2-1
Wyler, C.B. SSB4-5
Alejnikov, R.P. SSB2-1
USNRC Correspondence Control Desk (Docket No's 50-352,50-353)

Exelon Nuclear
200 Exelon Way
Kennett Square, PA 19348

www.exeloncorp.com

April 16, 2003

Mr. Robert Holland, Chairman
Board of Supervisors
Bedminster Township
Bedminster Municipal Township Building
P.O. Box 92
3112 Bedminster Road
Bedminster, PA 18910

CCN-03-16001

Subject: NPDES Permit Renewal for Bradshaw Reservoir, PA0052221

Dear Mr. Holland:

Pursuant to PA Act 14, P.L. 834, we hereby notify you that the Exelon Generation, LLC. will be filing with the Pennsylvania Department of Environmental Protection (PaDEP) for renewal of an NPDES Discharge Permit at our Bradshaw Reservoir Facility. Renewal of the permit is required to continue the discharge of water from the Bradshaw Reservoir site to the East Branch Perkiomen Creek.

Acts 67 and 68, which amended the Municipalities Planning Code to support sound land use practices and planning efforts, direct state agencies to consider comprehensive plans and zoning ordinances when reviewing applications for permitting of facilities or infrastructure, and specify that state agencies may rely upon comprehensive plans and zoning ordinances under certain conditions as described in Sections 619.2 and 1105 of the Municipalities Planning Code. Enclosed is a General Information Form (GIF) we have completed for this project. DEP invites you to review the attached GIF and comment on the land use aspects of this project; please be specific to DEP when identifying any areas of conflict. If you wish to submit comments for DEP to consider in a land use review of this project, you must respond within 30 days to the DEP regional office listed below. If there are no land use comments received by the end of the comment period, DEP will assume that there are no substantive land use conflicts and proceed with the normal application review process."

Please submit any comments concerning this project within 30 days from date of receipt of this letter to the DEP Soils and Waterways Section.

For more information about this land use review process, please visit www.dep.state.pa.us (directLINK: "Land Use Reviews").

If you have any questions concerning the application, please contact Mr. Tracy J. Siglin at (610)-765-5904.

Sincerely,



Arthur Wiley Ray
Manager, Environmental Affairs
Exelon Nuclear

Bcc: Cullen, E.J.
DeGregorio, R.J.
Braun, R.C. GML5-1
Hanson, B, GML5-1
Newmaster, R.J. SSB2-1
Weyhmuller, P.R. SSB4-5
Branham, D.L. SSB2-1
Wyler, C.B. SSB4-5
Alejnikov, R.P. SSB2-1
USNRC Correspondence Control Desk (Docket No's-50-352,50-353)

Exelon Nuclear
200 Exelon Way
Kennett Square, PA 19348

www.exeloncorp.com

April 16, 2003

Mr. Michael G. Fitzpatrick, Chairman
Bucks County Board of Commissioners
Bucks County Courthouse
Doylestown, PA 18901

CCN-03-16002

Subject: NPDES Permit Renewal for Bradshaw Reservoir, PA0052221


Dear Mr. Fitzpatrick:

Pursuant to PA Act 14, P.L. 834, we hereby notify you that the Exelon Generation, LLC. will be filing with the Pennsylvania Department of Environmental Protection (PaDEP) for renewal of an NPDES Discharge Permit at our Bradshaw Reservoir Facility. Renewal of the permit is required to continue the discharge of water from the Bradshaw Reservoir site to the East Branch Perkiomen Creek.

Acts 67 and 68, which amended the Municipalities Planning Code to support sound land use practices and planning efforts, direct state agencies to consider comprehensive plans and zoning ordinances when reviewing applications for permitting of facilities or infrastructure, and specify that state agencies may rely upon comprehensive plans and zoning ordinances under certain conditions as described in Sections 619.2 and 1105 of the Municipalities Planning Code. Enclosed is a General Information Form (GIF) we have completed for this project. DEP invites you to review the attached GIF and comment on the land use aspects of this project; please be specific to DEP when identifying any areas of conflict. If you wish to submit comments for DEP to consider in a land use review of this project, you must respond within 30 days to the DEP regional office listed below. If there are no land use comments received by the end of the comment period, DEP will assume that there are no substantive land use conflicts and proceed with the normal application review process."


If you have any questions concerning the application, please contact Mr. Tracy J. Siglin at (610)-765-5904.

Sincerely,

A handwritten signature in cursive script, appearing to read "Arthur Wiley Ray".

Arthur Wiley Ray
Manager, Environmental Affairs
Exelon Nuclear

Bcc: Cullen, E.J.
DeGregorio, R.J.
Braun, R.C. GML5-1
Hanson, B, GML5-1
Newmaster, R.J. SSB2-1
Weyhmuller, P.R. SSB4-5
Branham, D.L. SSB2-1
Wyler, C.B. SSB4-5
Alejnikov, R.P. SSB2-1
USNRC Correspondence Control Desk(Docket No's 50-352,50-353)



COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
GENERAL INFORMATION FORM – AUTHORIZATION APPLICATION

Before completing this General Information Form (GIF), read the step-by-step instructions provided in this application package. This version of the General Information Form (GIF) must be completed and returned with any program-specific application being submitted to the Department.

Related ID#s (If Known)		DEPT. ONLY
Client ID# <u>147686</u>	APS ID# <u>13951</u>	Date Received & General Notes
Site ID# <u>452264</u>	Auth ID# <u>13333</u>	
Facility ID# <u>479459</u>		

CLIENT INFORMATION

DEP Client ID# <u>147686</u>		Client Type / Code <u>LLC</u>	
Organization Name or Registered Fictitious Name <u>Exelon Generation Co., LLC</u>		Employer ID# (EIN) <u>23-064219</u>	Dun & Bradstreet ID#
Individual Last Name	First Name	MI	Suffix SSN
<u>Siglin</u>	<u>Tracy</u>	<u>J</u>	
Additional Individual Last Name	First Name	MI	Suffix SSN
Mailing Address Line 1 <u>200 Exelon Way</u>		Mailing Address Line 2	
Address Last Line – City <u>Kennett Square</u>		State <u>PA</u>	ZIP+4 <u>19348</u>
		Country <u>USA</u>	
Client Contact Last Name	First Name	MI	Suffix
<u>Environmental Specialist</u>		Phone <u>610-765-5904</u>	Ext
Email Address <u>tracy.siglin@exeloncorp.com</u>		FAX <u>610-765-5765</u>	

SITE INFORMATION

DEP Site ID# <u>452264</u>	Site Name <u>Exelon Generation Bradshaw Reservoir</u>
EPA ID#	Estimated Number of Employees to be Present at Site
Description of Site Bradshaw Reservoir is part of the water diversion system, which supplies water to Limerick Generating Station. Water also supplements water supply to Bucks and Montgomery Counties.	
County Name <u>Bucks</u>	Municipality <u>Bedminster</u>
City	Boro
<input type="checkbox"/>	<input type="checkbox"/>
County Name	Municipality
City	Boro
<input type="checkbox"/>	<input type="checkbox"/>
Site Location Line 1 <u>Elephant and Central School Roads</u>	Site Location Line 2
Site Location Last Line – City <u>Bedminster</u>	State <u>PA</u>
	ZIP+4 <u>18944</u>
Detailed Written Directions to Site From PA Turnpike - Take Rte. 611 North. Make a right at the first traffic light after the end of the bypass. Go approximately 200 yards, and make a left onto Danboro Point Pleasant Pike. This road will take you to the Reservoir (several miles), just past Moyer Road. (see attached maps)	
Site Contact Last Name <u>Branham</u>	First Name <u>David</u>
	MI <u>L.</u>
Site Contact Title <u>Manager, Radwaste/Environmental</u>	Site Contact Firm <u>Exelon Generation Co., LLC</u>

Mailing Address Line 1
Evergreen and Sanatoga Roads

Mailing Address Line 2
SSB2-1

Mailing Address Last Line - City
Pottstown

State ZIP+4
PA 19464

Phone
610-718-2500

Ext

FAX
610-718-2721

Email Address
david.branham@exeloncorp.com

NAICS Codes (Two- & Three-Digit Codes - List All That Apply)
22-221

6-Digit Code (Optional)

Client to Site Relationship
OWNOP

FACILITY INFORMATION

Modification of Existing Facility

1. Will this project modify an existing facility, system, or activity?

Yes

No

2. Will this project involve an addition to an existing facility, system, or activity?

☐☒

If "Yes", check all relevant facility types and provide DEP facility identification numbers below.

Facility Type	DEP Fac ID#	Facility Type	DEP Fac ID#
<input type="checkbox"/> Air Emission Plant		<input type="checkbox"/> Industrial Minerals Mining Operation	
<input type="checkbox"/> Beneficial Use (water)		<input type="checkbox"/> Laboratory Location	
<input type="checkbox"/> Blasting Operation		<input type="checkbox"/> Land Recycling Cleanup Location	
<input type="checkbox"/> Captive Hazardous Waste Operation		<input type="checkbox"/> Mine Drainage Trmt/Land Recy Proj Location	
<input type="checkbox"/> Coal Ash Beneficial Use Operation		<input type="checkbox"/> Municipal Waste Operation	
<input type="checkbox"/> Coal Mining Operation		<input type="checkbox"/> Oil & Gas Encroachment Location	
<input type="checkbox"/> Coal Pillar Location		<input type="checkbox"/> Oil & Gas Location	
<input type="checkbox"/> Commercial Hazardous Waste Operation		<input type="checkbox"/> Oil & Gas Water Poll Control Facility	
<input type="checkbox"/> Dam Location		<input type="checkbox"/> Public Water Supply System	
<input type="checkbox"/> Deep Mine Safety Operation -Anthracite		<input type="checkbox"/> Radiation Facility	
<input type="checkbox"/> Deep Mine Safety Operation -Bituminous		<input type="checkbox"/> Residual Waste Operation	
<input type="checkbox"/> Deep Mine Safety Operation -Ind Minerals		<input type="checkbox"/> Storage Tank Location	
<input type="checkbox"/> Encroachment Location (water, wetland)		<input type="checkbox"/> Water Pollution Control Facility	
<input type="checkbox"/> Erosion & Sediment Control Facility		<input type="checkbox"/> Water Resource	
<input type="checkbox"/> Explosive Storage Location		<input type="checkbox"/> Other:	

Latitude/Longitude Point of Origin	Latitude			Longitude		
	Degrees	Minutes	Seconds	Degrees	Minutes	Seconds
	40	24	45	75	13	21

Horizontal Accuracy Measure Feet --or-- Meters

Horizontal Reference Datum Code ☐ North American Datum of 1927
☐ North American Datum of 1983
☐ World Geodetic System of 1984

Horizontal Collection Method Code

Reference Point Code

Altitude Feet --or-- Meters

Altitude Datum Name ☐ The National Geodetic Vertical Datum of 1929
☐ The North American Vertical Datum of 1988 (NAVD88)

Altitude (Vertical) Location Datum Collection Method Code

Geometric Type Code

Data Collection Date

Source Map Scale Number Inch(es) = Feet
--or-- Centimeter(s) = Meters

PROJECT INFORMATION

Project Name
Bradshaw Reservoir

Project Description
NPDES permit renewal for discharge of Delaware River water from Bradshaw Reservoir to the East Branch Perkiomen Creek.

Project Consultant Last Name First Name MI Suffix

Project Consultant Title Consulting Firm

Mailing Address Line 1

Mailing Address Line 2

Address Last Line – City

State

ZIP+4

Phone

Ext

FAX

Email Address

Time Schedules

Project Milestone (Optional)

1. Is this application for an authorization type on the list of authorizations affected by the land use policy? ☒ Yes ☐ No

Note: If "Yes", you must complete the following Land Use Information section, unless exempted by Questions 2 or 3 below.

If "No", skip Questions 2 & 3 below as well as the following Land Use Information section.
For referenced list, see Appendix A attached to the GIF Instructions.

2. For an Air program authorization only. All other authorizations continue with Question 3 below. Will the permit authorize the construction of facilities outside an existing permitted area? ☐ Yes ☐ No

Note: If "Yes", you must complete the following Land Use Information section unless exempted by Question 3 below.
If "No", skip Question 3 below as well as the following Land Use Information section.

3. Have you attached or submitted municipal and county 'Early Opt Out' approval letters for the project? ☐ Yes ☒ No

Note: If "Yes" to Question 3, skip the following Land Use Information section. This should only be checked "Yes" if applicant is choosing the early opt-out option. Required approval letters described in the GIF Checklist and Instructions should be attached.

If "No" to Question 3, continue with the following Land Use Information section.

LAND USE INFORMATION

Note: Applicants are encouraged to submit copies of local land use approvals or other evidence of compliance with local comprehensive plans and zoning ordinances.

- | | | | | | |
|-----|---|-------------------------------------|-----|-------------------------------------|----|
| 1. | Is there a municipal comprehensive plan(s)? | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 2. | Is there a county comprehensive plan(s)? | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 3. | Is there a multi-municipal or multi-county comprehensive plan? | <input type="checkbox"/> | Yes | <input checked="" type="checkbox"/> | No |
| 4. | Is the proposed project consistent with these plans? If no plan(s) exists, answer "Yes". | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 5. | Is there a municipal zoning ordinance(s)? | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 6. | Is there a joint municipal zoning ordinance(s)? | <input type="checkbox"/> | Yes | <input checked="" type="checkbox"/> | No |
| 7. | Will the proposed project require a zoning approval (e.g., special exception, conditional approval, re-zoning, variance)? If zoning approval has already been received, attach documentation. | <input type="checkbox"/> | Yes | <input checked="" type="checkbox"/> | No |
| 8. | Are any zoning ordinances that are applicable to this project currently the subject of any type of legal proceeding? | <input type="checkbox"/> | Yes | <input checked="" type="checkbox"/> | No |
| 9. | Will the project be located on a site that has been or is being remediated under DEP's Land Recycling Program? | <input type="checkbox"/> | Yes | <input checked="" type="checkbox"/> | No |
| 10. | Will the project result in reclamation of abandoned mine lands through re-mining or as part of DEP's Reclaim PA Program? | <input type="checkbox"/> | Yes | <input checked="" type="checkbox"/> | No |
| 11. | Will the project be located in an agricultural security area or an area protected under an agricultural conservation easement? | <input type="checkbox"/> | Yes | <input checked="" type="checkbox"/> | No |
| 12. | Will the project be located in a Keystone Opportunity Zone or Enterprise Development Area? | <input type="checkbox"/> | Yes | <input checked="" type="checkbox"/> | No |
| 13. | Will the project be located in a Designated Growth Area as defined by the Municipalities Planning Code? | <input type="checkbox"/> | Yes | <input checked="" type="checkbox"/> | No |

COORDINATION INFORMATION

Note: The PA Historical and Museum Commission must be notified of proposed projects in accordance with DEP Technical Guidance Document 012-0700-001 and the accompanying Cultural Resource Notice Form.

If the activity will be a mining project (i.e., mining of coal or industrial minerals, coal refuse disposal and/or the operation of a coal or industrial minerals preparation/processing facility), respond to questions 1.0 through 2.5 below.

If the activity will not be a mining project, skip questions 1.0 through 2.5 and begin with question 3.0.

1.0	Is this a coal mining project? If "Yes", respond to 1.1-1.6. If "No", skip to Question 2.0. (DEP Use/48y1)	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
1.1	Will this coal mining project involve coal preparation/ processing activities in which the total amount of coal prepared/processed will be equal to or greater than 200 tons/day? (DEP Use/4x70)	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
1.2	Will this coal mining project involve coal preparation/ processing activities in which the total amount of coal prepared/processed will be greater than 50,000 tons/year? (DEP Use/4x70)	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
1.3	Will this coal mining project involve coal preparation/ processing activities in which thermal coal dryers or pneumatic coal cleaners will be used? (DEP Use/4x70)	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
1.4	For this coal mining project, will sewage treatment facilities be constructed and treated waste water discharged to surface waters? (DEP Use/4x62)	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
1.5	Will this coal mining project involve the construction of a permanent impoundment meeting one or more of the following criteria: (1) a contributory drainage area exceeding 100 acres; (2) a depth of water measured by the upstream toe of the dam at maximum storage elevation exceeding 15 feet; (3) an impounding capacity at maximum storage elevation exceeding 50 acre-feet? (DEP Use/3140)	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
1.6	Will this coal mining project involve underground coal mining to be conducted within 500 feet of an oil or gas well? (DEP Use/4z41)	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
2.0	Is this a non-coal (industrial minerals) mining project? If "Yes", respond to 2.1-2.6. If "No", skip to Question 3.0. (DEP Use/48y1)	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
2.1	Will this non-coal (industrial minerals) mining project involve the crushing and screening of non-coal minerals other than sand and gravel? (DEP Use/4x70)	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
2.2	Will this non-coal (industrial minerals) mining project involve the crushing and/or screening of sand and gravel with the exception of wet sand and gravel operations (screening only) and dry sand and gravel operations with a capacity of less than 150 tons/hour of unconsolidated materials? (DEP Use/4x70)	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
2.3	Will this non-coal (industrial minerals) mining project involve the construction, operation and/or modification of a portable non-metallic (i.e., non-coal) minerals processing plant under the authority of the General Permit for Portable Non-metallic Mineral Processing Plants (i.e., BAQ-PGPA/GP-3)? (DEP Use/4x70)	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
2.4	For this non-coal (industrial minerals) mining project, will sewage treatment facilities be constructed and treated waste water discharged to surface waters? (DEP Use/4x62)	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
2.5	Will this non-coal (industrial minerals) mining project involve the construction of a permanent impoundment meeting one or more of the following criteria: (1) a contributory drainage area exceeding 100 acres; (2) a depth of water measured by the upstream toe of the dam at maximum storage elevation exceeding 15 feet; (3) an impounding capacity at maximum storage elevation exceeding 50 acre-feet? (DEP Use/3140)	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No

3.0	Will your project, activity, or authorization have anything to do with a well related to oil or gas production, site development for such activity, or the waste from such a well? If "Yes", respond to 3.1-3.3. If "No", skip to Question 4.0. (DEP Use/4z41)	<input type="checkbox"/>	Yes	<input checked="" type="checkbox"/>	No
3.1	Does the oil- or gas-related project involve any of the following: placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a watercourse, floodway or body of water (including wetlands)? (DEP Use/4z41)	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
3.2	Will the oil- or gas-related project involve discharge of industrial wastewater or stormwater to a dry swale, surface water, ground water or an existing sanitary sewer system or storm water system? If "Yes", discuss in <i>Project Description</i> . (DEP Use/4z41)	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
3.3	Will the oil- or gas-related project involve the construction and operation of industrial waste treatment facilities? (DEP Use/4z41)	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
4.0	Will the project involve a construction activity that results in earth disturbance? If "Yes", specify the total disturbed acreage. (DEP Use/4x66)	<input type="checkbox"/>	Yes	<input checked="" type="checkbox"/>	No
4.0.1	Total Disturbed Acreage				
5.0	Does the project involve any of the following: placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a watercourse, floodway or body of water (including wetlands)? (DEP Use/4x66)	<input type="checkbox"/>	Yes	<input checked="" type="checkbox"/>	No
6.0	Will the project involve discharge of industrial wastewater or stormwater to a dry swale, surface water, ground water or an existing sanitary sewer system or separate storm water system? If "Yes", discuss in <i>Project Description</i> . (DEP Use/4x62)	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No
7.0	Will the project involve the construction and operation of industrial waste treatment facilities? (DEP Use/4x62)	<input type="checkbox"/>	Yes	<input checked="" type="checkbox"/>	No
8.0	Will the project involve construction of sewage treatment facilities, sanitary sewers, or sewage pumping stations? If "Yes", indicate estimated proposed flow (gal/day). Also, discuss the sanitary sewer pipe sizes and the number of pumping stations/treatment facilities/name of downstream sewage facilities in the <i>Project Description</i> , where applicable. (DEP Use/4x62)	<input type="checkbox"/>	Yes	<input checked="" type="checkbox"/>	No
8.0.1	Estimated Proposed Flow (gal/day)				
9.0	Was sewage planning submitted and approved? If "Yes", attach the Act 537 approval letter unless the submitted application is actually requesting Act 537 approval (Approval required prior to 105/NPDES approval). (DEP Use/4x61)	<input type="checkbox"/>	Yes	<input checked="" type="checkbox"/>	No
9.0.1	Is Act 537 Approval Letter attached?	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
10.0	Is this project for the beneficial use of biosolids for land application within Pennsylvania? If "Yes" indicate how much (i.e. gallons or dry tons per year). (DEP Use/4X62)	<input type="checkbox"/>	Yes	<input checked="" type="checkbox"/>	No
10.0.1	Gallons Per Year (residential septage)				
10.0.2	Dry Tons Per Year (biosolids)				
11.0	Does the project involve construction, modification or removal of a dam? If "Yes", identify the dam. (DEP Use/3140)	<input type="checkbox"/>	Yes	<input checked="" type="checkbox"/>	No
11.0.1	Dam Name				
12.0	Will the project interfere with the flow from, or otherwise impact, a dam? If "Yes", identify the dam. (DEP Use/3140)	<input type="checkbox"/>	Yes	<input checked="" type="checkbox"/>	No
12.0.1	Dam Name				
13.0	Will the project involve operations (excluding during the construction period) that produce air emissions (i.e., NOX, VOC, etc.)? If "Yes", identify each type of emission followed by the amount of that emission. (DEP Use/4x70)	<input type="checkbox"/>	Yes	<input checked="" type="checkbox"/>	No
13.0.1	Enter all types & amounts of emissions; separate each set with semicolons.				


14.0	Is an on-site drinking water supply (well), other than individual house wells, proposed for your project? If "Yes", indicate total number of people served and/or the total number of connections served, if applicable. Also, check all proposed sub-facilities. (DEP Use/4x81)	<input type="checkbox"/>	Yes	<input checked="" type="checkbox"/>	No
14.0.1	Number of Persons Served				
14.0.2	Number of Employee/Guests				
14.0.3	Number of Connections				
14.0.4	Sub-Fac: Distribution System	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
14.0.5	Sub-Fac: Water Treatment Plant	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
14.0.6	Sub-Fac: Source	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
14.0.7	Sub-Fac: Pump Station	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
14.0.8	Sub-Fac: Entry Point	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
14.0.9	Sub-Fac: Transmission Main	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
14.0.10	Sub-Fac: Storage Facility	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
15.0	Will your project involve purchasing water in bulk, excluding during the construction period? If "Yes", name the provider. Also, indicate the daily number of employees or guests served. (DEP Use/4x81)	<input type="checkbox"/>	Yes	<input checked="" type="checkbox"/>	No
15.0.1	Provider's Name				
15.0.2	Number of Employees/Guests				
16.0	Is your project to be served by public water supply? If "Yes", indicate name of supplier and attach letter from supplier stating that it will serve the project. (DEP Use/4x81)	<input type="checkbox"/>	Yes	<input checked="" type="checkbox"/>	No
16.0.1	Supplier's Name				
16.0.2	Letter of Approval from Supplier is Attached	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
17.0	Will this project involve a new or increased drinking water withdrawal from a stream or other water body? If "Yes", provide name of stream. (DEP Use/4x81)	<input type="checkbox"/>	Yes	<input checked="" type="checkbox"/>	No
17.0.1	Stream Name				
18.0	Will the construction or operation of this project involve treatment, storage, reuse, or disposal of waste? If "Yes", indicate what type (i.e., hazardous, municipal (including infectious & chemotherapeutic), residual) and the amount to be treated, stored, re-used or disposed. (DEP/Use4x32)	<input type="checkbox"/>	Yes	<input checked="" type="checkbox"/>	No
18.0.1	Type & Amount				
19.0	Will your project involve the removal of coal, minerals, etc. as part of any earth disturbance activities? (DEP Use/48y1)	<input type="checkbox"/>	Yes	<input checked="" type="checkbox"/>	No
20.0	Does your project involve installation of a field constructed underground storage tank? If "Yes", list each Substance & its Capacity. <u>Note:</u> Applicant may need a Storage Tank Site Specific Installation Permit. (DEP Use/2570)	<input type="checkbox"/>	Yes	<input checked="" type="checkbox"/>	No
20.0.1	Enter all substances & capacity of each; separate each set with semicolons.				
21.0	Does your project involve installation of an aboveground storage tank greater than 21,000 gallons capacity at an existing facility? If "Yes", list each Substance & its Capacity. <u>Note:</u> Applicant may need a Storage Tank Site Specific Installation Permit. (DEP Use/2570)	<input type="checkbox"/>	Yes	<input checked="" type="checkbox"/>	No
21.0.1	Enter all substances & capacity of each; separate each set with semicolons.				
22.0	Does your project involve installation of a tank greater than 1,100 gallons which will contain a highly hazardous substance as defined in DEP's Regulated Substances List, 2570-BK-DEP2724? If "Yes", list each Substance & its Capacity. <u>Note:</u> Applicant may need a Storage Tank Site Specific Installation Permit. (DEP Use/2570)	<input type="checkbox"/>	Yes	<input checked="" type="checkbox"/>	No
22.0.1	Enter all substances & capacity of each; separate each set with semicolons.				

- 23.0 Does your project involve installation of a storage tank at a new facility with a total AST capacity greater than 21,000 gallons? If "Yes", list each Substance & its Capacity. **Note:** Applicant may need a Storage Tank Site Specific Installation Permit. (DEP Use/2570) ☐ Yes ☒ No
- 23.0.1 Enter all substances & capacity of each; separate each set with semicolons.

CERTIFICATION

I certify that I have the authority to submit this application on behalf of the applicant named herein and that the information provided in this application is true and correct to the best of my knowledge and information.

Type or Print Name Robert Braun



Signature

Site Vice President, Limerick Generating Station

Title

4/15/03
Date