15

Department of Energy

Yucca Mountain Site Characterization Project Office P. O. Box 98608 Las Vegas, NV 89193-8608

WBS 1.2.9.3 QA

92-2003

FEB 2 5 1992

Carl P. Gertz, Project Manager, YMP, NV

VERIFICATION OF CORRECTIVE ACTION AND CLOSURE OF CORRECTIVE ACTION REQUEST (CAR) YM-92-009 RESULTING FROM YUCCA MOUNTAIN QUALITY ASSURANCE DIVISION (YMQAD) AUDIT YMP-91-1-01

The YMQAD staff has verified the corrective action to CAR YM-92-009 and determined the results to be satisfactory. As a result, the CAR is considered closed.

If you have any questions, please contact either Robert B. Constable at 794-7945 or Neil D. Cox at 794-7236.

Richard E. Spence, Director Yucca Mountain Quality Assurance Division

YMQAD: RBC-2003

Enclosure: CAR YM-92-009

cc w/encl: K. R. Hooks, NRC, Washington, DC S. W. Zimmerman, NWPO, Carson City, NV W. V. Macnabb, SAIC, Las Vegas, NV, 517/T-04 K. W. Moore, SAIC, Las Vegas, NV, 517/T-28

cc w/o encl: J. W. Gilray, NRC, Las Vegas, NV N. J. Brogan, SAIC, Las Vegas, NV, 517/T-08

Add: K. R. Hook 4. 4. wm-11 NH03 102.7

YMP-5					
TIVIE-9	9203130326 PDR WASTE	720225			
	WM-11	PDR			

			W-92-009
•	OFFICE OF	CIVILIAN	14CAR NO.: YM-92-009 DATE: 11/6/91
	RADIOACTIVE WAST		SHEET: _1 OF _2
	U.S. DEPARTMEN		QA
	WASHINGT	ON, D.C.	WBS No.: 1.2.9.3
· · · · · · · · · · · · · · · · · · ·	CORRECTIVE ACT	ION REQUEST	······································
1 Controlling Document AP-6.17Q, Revision 0, ICN	5 1 & 2, Para. 5.2.2, Item	1	ated Report No. it YMP-91-I-01
3 Responsible Organization		ussed With Waddell, R. Barton	
10 Response Due	11 Responsibility for Correctiv		2 Stop Work Order Y or N
20 days from issuance	C. P. Gertz		No
6 Adverse Condition: The Assessment Team (AT)	Controlled List does not :	include the most curre	ent available version of
WES Dictionary. Discussion:			
 WES Dictionary. Discussion: a. AT controlled List, 1 dated 7/19/91 while t is a recurring proble I-02, June 11-15, 195 	MP/90-44, Revision 12, dat he document Control Center m. The same deficiency wa 0, and Internal Audit 90-1 edied during the respectiv	contains a WBS Dict: as found during the Co C-01, October 22-26, 1	WBS Dictionary, YMP/CC-00 ionary dated 10/9/91. Th prrective Action Review 1990. Although these
 WES Dictionary. Discussion: a. AT controlled List, 1 dated 7/19/91 while t is a recurring proble I-02, June 11-15, 199 deficiencies were rem have been ineffective 	he document Control Center m. The same deficiency wa 0, and Internal Audit 90-1 edied during the respectiv	c contains a WBS Dict is found during the Co -01, October 22-26, 1 we audits, actions to	WBS Dictionary, YMP/CC-00 ionary dated 10/9/91. Th prrective Action Review 1990. Although these prevent recurrence, if a
 WES Dictionary. Discussion: a. AT controlled List, 1 dated 7/19/91 while t is a recurring proble I-02, June 11-15, 199 deficiencies were rem have been ineffective 	he document Control Center m. The same deficiency wa 0, and Internal Audit 90-3 edied during the respectiv	c contains a WBS Dict is found during the Co -01, October 22-26, 1 we audits, actions to	WBS Dictionary, YMP/CC-00 ionary dated 10/9/91. Th prrective Action Review 1990. Although these prevent recurrence, if a
 WES Dictionary. Discussion: a. AT controlled List, h dated 7/19/91 while t is a recurring proble I-02, June 11-15, 195 deficiencies were rem have been ineffective b. The audit team recogn 7 Recommended Action(s): 1) Correct the deficience 	he document Control Center m. The same deficiency wa 0, and Internal Audit 90-3 edied during the respectiv	contains a WBS Dict: s found during the Co -01, October 22-26, 1 re audits, actions to edure revision was be dure revision was be	WBS Dictionary, YMP/CC-00 ionary dated 10/9/91. Th prrective Action Review 1990. Although these prevent recurrence, if a ing processed prior to th
WES Dictionary. Discussion: a. AT controlled List, 1 dated 7/19/91 while t is a recurring proble I-02, June 11-15, 199 deficiencies were rem have been ineffective b. The audit team recogn 7 Recommended Action(s): 1) Correct the deficience and 3) develop correctiv	he document Control Center m. The same deficiency wa 0, and Internal Audit 90-1 edied during the respectiv izes that a proposed proce y identified, 2) determine e actions to prevent its r	contains a WBS Dict: s found during the Co -01, October 22-26, 1 re audits, actions to edure revision was be dure revision was be	WBS Dictionary, YMP/CC-00 ionary dated 10/9/91. Th prrective Action Review 1990. Although these prevent recurrence, if a ing processed prior to th
 WES Dictionary. Discussion: a. AT controlled List, 1 dated 7/19/91 while t is a recurring proble I-02, June 11-15, 195 deficiencies were rem have been ineffective b. The audit team recogn 7 Recommended Action(s): 1) Correct the deficience and 3) develop corrective 8 Initiator Claus, ATL Date Neil D. Cox 10/28/91 	he document Control Center m. The same deficiency wa 0, and Internal Audit 90-1 edied during the respectiv izes that a proposed proce y identified, 2) determine e actions to prevent its r	contains a WBS Dict: s found during the Co -01, October 22-26, 1 we audits, actions to edure revision was be dure revision was be edure the root cause of t ecurrence.	WBS Dictionary, YMP/CC-00 ionary dated 10/9/91. Th prrective Action Review 1990. Although these prevent recurrence, if a ing processed prior to th this deficiency, Date:
 WBS Dictionary. Discussion: AT controlled List, 1 dated 7/19/91 while t is a recurring proble I-02, June 11-15, 195 deficiencies were rem have been ineffective The audit team recogn 7 Recommended Action(s): 1) Correct the deficience and 3) develop corrective 8 Initiator Claus, ATL Date Neil D. Cox 10/28/91 Neil S. Logy 10/28/91 	he document Control Center m. The same deficiency we 0, and Internal Audit 90-1 edied during the respectiv izes that a proposed proce y identified, 2) determine actions to prevent its r : 9 Severity Level - 1 2 2 3	contains a WBS Dict: s found during the Co -01, October 22-26, 1 we audits, actions to edure revision was be dure revision was be edure the root cause of t ecurrence.	WBS Dictionary, YMP/CC-00 ionary dated 10/9/91. Th prective Action Review 1990. Although these prevent recurrence, if a ing processed prior to th chis deficiency,
 WBS Dictionary. Discussion: AT controlled List, M dated 7/19/91 while t is a recurring proble I-02, June 11-15, 195 deficiencies were rem have been ineffective The audit team recogn 7 Recommended Action(s): 1) Correct the deficience and 3) develop corrective 8 Initiator Claus, ATL Date Neil D. Cox 10/28/91 Mill D. Loy 10/28/91 TC N # 3 40 A 	he document Control Center m. The same deficiency we 0, and Internal Audit 90-1 edied during the respective izes that a proposed processor y identified, 2) determine e actions to prevent its r : 9 Severity Level - 1 2 3 3 $P_{-} G, 17 Q$ Corke	contains a WBS Dict: s found during the Co -01, October 22-26, 1 re audits, actions to edure revision was be dure revision was be the the root cause of t ecurrence. 13 Approved By: OQA Jame Blue Coats Tairs	WBS Dictionary, YMP/CC-00 ionary dated 10/9/91. Th prective Action Review 1990. Although these prevent recurrence, if a ing processed prior to th this deficiency, Date: $M_{1/14/91}$ DEFICIENCY
 WES Dictionary. Discussion: a. AT controlled List, M dated 7/19/91 while t is a recurring proble I-02, June 11-15, 195 deficiencies were rem have been ineffective b. The audit team recogn 7 Recommended Action(s): 1) Correct the deficience and 3) develop corrective 8 Initiator A CTone, ATL Date Neil D. Cox 10/28/91 Meil D. Cox 10/28/91 Meil D. Corrective Action IC CN # 3 40 A AND PRECLUDES 	he document Control Center m. The same deficiency we 0, and Internal Audit 90-1 edied during the respective izes that a proposed processor y identified, 2) determine e actions to prevent its r : 9 Severity Level - 1 2 3 3 $P_{-} G, 17 Q$ Corke	contains a WBS Dict: s found during the Co -01, October 22-26, 1 re audits, actions to edure revision was be dure revision was be the the root cause of t ecurrence. 13 Approved By: OQA Jame Blue Coats Tairs	WBS Dictionary, YMP/CC-00 ionary dated 10/9/91. Th prective Action Review 1990. Although these prevent recurrence, if a ing processed prior to th this deficiency, Date: $M_{1/14/91}$ DEFICIENCY
 WBS Dictionary. Discussion: AT controlled List, M dated 7/19/91 while t is a recurring proble I-02, June 11-15, 195 deficiencies were rem have been ineffective The audit team recogn 7 Recommended Action(s): 1) Correct the deficience and 3) develop corrective 8 Initiator Claus, ATL Date Neil D. Cox 10/28/91 Mill D. Loy 10/28/91 TC N # 3 40 A 	he document Control Center m. The same deficiency we 0, and Internal Audit 90-1 edied during the respective izes that a proposed processor y identified, 2) determine e actions to prevent its r : 9 Severity Level - 1 2 3 3 $P_{-} G, 17 Q$ Corke	contains a WBS Dict: s found during the Co -01, October 22-26, 1 re audits, actions to edure revision was be dure revision was be the the root cause of t ecurrence. 13 Approved By: OQA Jame Blue Coats Tairs	WBS Dictionary, YMP/CC-00 ionary dated 10/9/91. Th prective Action Review 1990. Although these prevent recurrence, if a ing processed prior to th this deficiency, Date: $M_{1/14/91}$ DEFICIENCY
 WES Dictionary. Discussion: a. AT controlled List, M dated 7/19/91 while t is a recurring proble I-02, June 11-15, 195 deficiencies were rem have been ineffective b. The audit team recogn 7 Recommended Action(s): 1) Correct the deficience and 3) develop corrective 8 Initiator A CTone, ATL Date Neil D. Cox 10/28/91 Meil D. Cox 10/28/91 Meil D. Corrective Action IC CN # 3 40 A AND PRECLUDES 	he document Control Center m. The same deficiency we 0, and Internal Audit 90-1 edied during the respective izes that a proposed processor y identified, 2) determine actions to prevent its r $\begin{array}{c} 9 \text{ Severity Level}-\\ 1 \end{array} 2 \end{array} 3 \ \end{array}$ P-6,170 Correct RECURRENCE	contains a WBS Dict: s found during the Co -01, October 22-26, 1 re audits, actions to edure revision was be dure revision was be the the root cause of t ecurrence. 13 Approved By: OQA Jame Blue Coats Tairs	WBS Dictionary, YMP/CC-00 ionary dated 10/9/91. Th prective Action Review 1990. Although these prevent recurrence, if a ing processed prior to th this deficiency, Date: $M_{1/14/91}$ DEFICIENCY

	OFFICE OF CIVI RADIOACTIVE WASTE M U.S. DEPARTMENT O WASHINGTON,	IANAGEMENT F ENERGY	CAR NO.: <u>YM-92-009</u> DATE: <u>11/6/91</u> SHEET: <u>2</u> OF _	
CORRECTIVE ACTION REQUEST (continuation sheet)				
6 Adverse Condition (continued) audit that should clarify the intent of the procedure, and that during the audit a new not: was added to the AT Controlled List (see Attachment 1).				

.

HHachment #1 10 CAR YM-92.009

ASSESSMENT TEAM CONTROLLED LIST, REV. 14, 10/31/91

The Assessment Team Controlled List identifies reference documents to be used in the implementation of AP-6.17Q to identify the scope and importance of items and activities within the Yucca Mountain Project. These documents are called "bases documents" in the procedure (AP-6.17Q, Section 5.2). Two categories of information are included in the AT Controlled List:

- I. Documents Defining Items and Scope of Activities
- II. Documents Defining Analysis Methods and Data for Evaluation of Importance

The Assessment Team Manager may also add documents as necessary to support detailed evaluations by the Assessment Teams. The revision or replacement of documents on the AT Controlled List will trigger a review by the Assessment Team Leaders of such changes to determine whether the Project Q-List, Quality Activity List, and Project Requirements Lists must be revised to reflect the changes in the bases documentation. The appendix of this controlled list contains the analyses of changes resulting from this review.

Assessment Team Manager

S Waddell Signature

31-Oct- 1991

-New notice

Date

NOTICE: This list is prepared for use by the Assessment Teams. Only the most current revisions of these documents available from the document control centers should be used by Assessment Team members. The documents were the most current available versions when the ATCL was prepared. Any discrepancies should be brought to the attention of the Assessment Team Manager. Revisions to this list are made only after the AT Manager has evaluated the changes to the documents.

p. 1

· · · · ·	-		
		OFFICE OF CIVILIAN RADIOACTIVE WASTE MANAGEMENT U.S. DEPARTMENT OF ENERGY WASHINGTON, D.C.	* CAR NO. YM-92-009 DATE: 12/12/91 PAGE: 1 OF 2 QA
		CORRECTIVE ACTION REQUEST (Continuation F	Page)
		-	
1.	Cor	rrective Action Response for CAR YM-92-009	
	a.	Remedial Action: It was determined that remedial action was not require specific deficiency because the intent of the proce corrective actions identified below will preclude a determination was completed by John Waddell on Nove	edure was met. The recurrence. This
	b.	Investigative Action: The extent of this deficiency is limited to that de CAR YM-92-009. A review of available documentation John Waddell on December 4, 1991, and is summarized objective evidence provided by the auditor indicate of the ATCL, dated August 30, 1991, lists the July was the version AVAILABLE from document control on also indicates that when he checked the document co October 9, 1991, version of the WBS dictionary was correct and the version he found was included in the dated October 29, 1991.	h was completed by d below. The ed that Revision 12 19, 1991, WBS. That August 30, 1991. He ontrol center, an available. This is
	с.	Root Cause Determination: The CAR is against paragraph 5.2.2 which states " shall assure that all documents (including subseque WBS Dictionary) entered on the AT (Assessment Team) meet the following criteria: 2. They are the mo- versions." The evidence indicates that the root ca clarify the intent of the procedure and not a failur the intent of the procedure. The need to clarify to identified in a prior audit, and a procedure revisi clarification is now in draft. Earlier revisions to were deferred after discussions among DOE staff, the the TPOS resulted in an agreement to hold all indiv- not to change this procedure piecemeal.	ent versions of the Controlled List ost current available use is a failure to are to comply with this section was on to provide to the procedures the QA Manager, and
		Although the auditor is correct that the statement at least two ways, the YMPO is in compliance with t statement. While the lists have not been revised I notification of each change of the WBS, the lists h prior to each evaluation assigned to the Assessment the documents ENTERED on the list are the most curr use in the analysis, i.e., the list is current at t use. This root cause analysis was completed by Joh December 6, 1991.	he intent of the MMEDIATELY upon ave been revised Team to assure that ent available for ime of issue and

ENCLOSURE

•••

REV. 08/91

. . ..

CAR NO. YM-92-009 DATE: 12/12/91 **OFFICE OF CIVILIAN** PAGE: 2 **RADIOACTIVE WASTE MANAGEMENT** OF 2 **U.S. DEPARTMENT OF ENERGY** AD WASHINGTON, D.C. **CORRECTIVE ACTION REQUEST (Continuation Page)** d. Corrective Action to Preclude Recurrence: Include specific statements in the revision of AP 6.17Q to clarify (1) the timing of changes, and assure that the statements do not imply requirements for instantaneous change. This action has been assigned to Durward Hulbert, who is the subject matter expert for the revision, and will be completed by January 31, 1992. (2) Add a notice to the AT Controlled List to emphasize that only most current available information is to be used by the Assessment Team. This action is complete and was accomplished by John Waddell on November 7, 1991. 2. Response Approved: Response Accepted: Response Accepted:

REV. 08/91