

May 9, 2003

Smith Ranch - Highland Uranium Project -P.O. Box 1210

Glenrock, Wyoming USA 82637

307-235-1628 Casper: Douglas: Fax:

307-358-6541 307-358-4533

Mr. John Wagner, Cheyenne Office Program Manager Land Quality Division Wyoming Department of Environmental Quality 122 West 25<sup>th</sup> Street Chevenne, WY 82002

RE: Corrective Action Report 16, West Evaporation Pond Leak

Permit to Mine 633, License SUA-1548, Docket 40-8964

Dear Mr. Wagner:

Power Resources, Inc. (PRI) is herein providing a monthly status report for the West Evaporation Pond leak at the Smith Ranch facility.

## West Evaporation Pond Status are much no although after a figure for a fine a fine a fine a fine at the second part of the second part of the fine at the first of the second part of the fine at the first of the fi

During a routine inspection on January 4, 2002, it was discovered that the water level in the West Evaporation Pond sump exceeded six inches (6"). The water level in the pond, 3' 2" at the time of the discovery, was lowered to 2' 10" in order to stop the leak. The sump water was analyzed for chloride, specific conductance, bicarbonate, uranium, and sulfate. The results are provided below:

Chemical	Concentration
Chloride	5,100 mg/L
Specific Conductance @ 25° C	3,941 μ Siemens
Bicarbonate	396 mg/L
Uranium as U <sub>3</sub> O <sub>8</sub>	36 mg/L
Sulfate	4,700 mg/L

Upon receipt of the confirming analysis, both Steve Ingle, WDEQ-LQD Project Manager, and John Lusher, NRC Project Manager, were notified via telephone on January 11, 2002. 

During the report period, April 12 through May 9, 2003, the water level in the West Evaporation Pond was maintained at 3'1" or less with no apparent signs of leakage. PRI will continue to monitor the sump for pond leakage and take appropriate actions, as necessary.

egiskope melengiskus interior, måris i meletik (b. 14.44).





If you have any questions or need additional information, please call me at (307) 358-6541, ext. 46.

Sincerely,

Scott A. Bakken

Acting Manager-Health, Safety

& Environmental Affairs

cc: J. Lusher, NRC Project Manager (Addressee Only)


S.P. Collings

R. Knode

File SR-4.3.3.4



Uranium Project
P. O. Box 1210
Glenrock, Wyoming USA 82637



## **ADDRESSEE ONLY**

Mr. John Lusher Fuel Cycle Licensing Branch, NMSS Mail Stop T-8A33 US Nuclear Regulatory Commission Washington, DC 20555