

June 17, 2003

Phillip Mazor
Remedial Project Manager
Waste Management, Inc.
700 56th Avenue
Zeeland, MI 49464

SUBJECT: RESPONSE TO THE RECORD OF MAY 12, 2003, CONFERENCE CALL ON
EXPOSURE SCENARIOS FOR THE SCA SERVICES (HARTLEY & HARTLEY
LANDFILL) SITE DECOMMISSIONING PLAN

Dear Mr. Mazor:

I am responding to the June 5, 2003 letter from RMT, Inc. (RMT), SCA Services' (SCA's) consultant, who is preparing the Decommissioning Plan (DP) for the SCA site. RMT's letter is a record of the May 12, 2003, conference call on the exposure scenarios for developing the DP. The following changes are required in RMT's June 5, 2003, letter.

- Page 2, Point 3: Please remove the second sentence starting with 'Mr. Peckenpaugh' and ending with 'scenarios.'
- Page 2, Point 5: Please replace the second and third sentences with the following two sentences: Mr. Peckenpaugh said that, according to his preliminary calculations of the water-bearing unit's capacity within the MDNR's landfill, there is insufficient water to support the drinking water pathway for a farm family with four members. He mentioned that SCA may want to evaluate the drinking water capacity of the Northwest and East Landfills.
- Page 3, Point 6: In the 5th line, please replace the word 'swampland' with 'marshland.'

If you have any questions concerning this letter, please contact me at (301) 415-6694.

Sincerely,
/RA/

M. (Sam) Nalluswami, Project Manager
Section B/Decommissioning Branch
Division of Waste Management
Office of Nuclear Material Safety
and Safeguards

cc: T. Bertram, MDEQ
L. Smith, MDEQ
D. Gruben, MDNR

Docket No.: 40-9022
License No.: SUC-1565

June 17, 2003

Phillip Mazor
Remedial Project Manager
Waste Management, Inc.
700 56th Avenue
Zeeland, MI 49464

SUBJECT: RESPONSE TO THE RECORD OF MAY 12, 2003, CONFERENCE CALL ON
EXPOSURE SCENARIOS FOR THE SCA SERVICES (HARTLEY & HARTLEY
LANDFILL) SITE DECOMMISSIONING PLAN

Dear Mr. Mazor:

I am responding to the June 5, 2003 letter from RMT, Inc. (RMT), SCA Services' (SCA's) consultant, who is preparing the Decommissioning Plan (DP) for the SCA site. RMT's letter is a record of the May 12, 2003, conference call on the exposure scenarios for developing the DP. The following changes are required in RMT's June 5, 2003, letter.

- Page 2, Point 3: Please remove the second sentence starting with 'Mr. Peckenpaugh' and ending with 'scenarios.'
- Page 2, Point 5: Please replace the second and third sentences with the following two sentences: Mr. Peckenpaugh said that, according to his preliminary calculations of the water-bearing unit's capacity within the MDNR's landfill, there is insufficient water to support the drinking water pathway for a farm family with four members. He mentioned that SCA may want to evaluate the drinking water capacity of the Northwest and East Landfills.
- Page 3, Point 6: In the 5th line, please replace the word 'swampland' with 'marshland.'

If you have any questions concerning this letter, please contact me at (301) 415-6694.

Sincerely,

/RA/

M. (Sam) Nalluswami, Project Manager
Section B/Decommissioning Branch
Division of Waste Management
Office of Nuclear Material Safety
and Safeguards

cc: T. Bertram, MDEQ
L. Smith, MDEQ
D. Gruben, MDNR
Docket No.: 40-9022
License No.: SUC-1565

AN: ML031681461

TEMPLATE: NMSS/RGN-001

This document should / XX / should not / / be made available to the PUBLIC 6/ /03

DISTRIBUTION:

File Center DCB r/f NMSS r/f C.W.Reamer E.Kulzer, RIII
D.Gillen C.Miller, RIII M.Rothschild/OGC D.Orlando

DOCUMENT NAME: C:\ORPCheckout\FileNET\ML031681461.wpd

OFC	DCB	DCB	EPAB	DCB	
NAME	S. Nalluswami	C. Burkhalter	J.Peckenpaugh	C.Craig	
DATE	6/ 17/03	6/ 17/03	6/ 17/03	6 / 17/03	

OFFICIAL RECORD COPY