



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

Reply to:
1050 East Flamingo Road
Suite 319
Las Vegas, Nevada 89119
Tel: (702) 388-6125
FTS: 598-6125

TO: Eileen Tana, HLPD, Division of High-Level Waste
Management, M/S 4-H-3

FROM: Paul T. Prestholt via Nancy White

DATE: July 14, 1989

SUBJECT: LIBRARY CONTENT

Please find enclosed an update for the list of the Las
Vegas Library.

cc: Charlotte Abrams (to keep WA disk current), M/S 4-H-3

8907190389 890714
PDR WASTE
WM-11 PDC

102
WM-11
NH03

DWB - LAWRENCE LIVERMORE NATIONAL LABORATORY PUBLICATIONS
ON FILE AT LV

E-122 / # THE DISSOLUTION KINETICS OF QUARTZ AS A
FUNCTION OF pH AND TIME AT 70°C
-/KNAUSS, ET AL

E-67 5138N WASTE PACKAGE TASK PUBLICATION LIST, 4/86

E-1 NWM:sc-1 SFT-C PUBLICATION LISTING - 1/2/85

E-133 PNL-6427 TEST PLAN FOR LONG-TERM, LOW-TEMPERATURE
OXIDATION OF BWR SPENT FUEL - 12/88
* PACIFIC NORTHWEST LABORATORY
-/EINZIGER

E-134 PNL-6745 TEST PLAN FOR THERMOGRAVIMETRIC ANALYSES OF BWR
SPENT FUEL OXIDATION - 12/88
* PACIFIC NORTHWEST LABORATORY
-/EINZIGER

E-54 UCID-18125 SEISMIC SAFETY IN NUCLEAR-WASTE DISPOSAL,
-/CARPENTER, ET AL, 4/26/79

E-2 UCID-20069 EQ3/6 GEOCHEMICAL MODELING TASK PLAN FOR
NEVADA NUCLEAR WASTE STORAGE INVESTIGATIONS
-/ISHERWOOD, ET.AL., 4/10/84

E-3 UCID-20165 THE NEVADA NUCLEAR WASTE STORAGE
INVESTIGATIONS PROJECT INTERIM ACCEPTANCE
SPECIFICATIONS FOR DEFENSE WASTE PROCESSING
FACILITY AND WEST VALLEY DEMONSTRATION
PROJECT WASTE FORMS AND CANISTERIZED WASTE -
-/OVERSBY, 8/84

E-4 UCID-20172 POTENTIAL CORROSION AND DEGRADATION
MECHANISMS OF ZIRCALOY CLADDING ON SPENT
NUCLEAR FUEL IN A TUFF REPOSITORY - 9/84
-/ROTHMAN

E-5 UCID-20174 ELECTROCHEMICAL DETERMINATION OF THE
CORROSION BEHAVIOR OF CANDIDATE ALLOYS
PROPOSED FOR CONTAINMENT OF HIGH LEVEL
NUCLEAR WASTE IN TUFF - 6/84
-/GLASS, ET AL

DW8 - LAWRENCE LIVERMORE NATIONAL LABORATORY PUBLICATIONS
ON FILE AT LV

E-6 UCID-20289 PRELIMINARY EVALUATION OF ALTERANT
GEOPHYSICAL TOMOGRAPHY IN WELDED TUFF -
-/RAMIREZ, ET AL, 12/84

E-7 UCID-20301 GEOLOGIC STRUCTURE MAPPING DATABASE SPENT
FUEL TEST - CLIMAX NEVADA TEST SITE -
-/YOW, 12/4/84

E-8 UCID-20318 OVERCORING AND CALIBRATION OF IRAD GAGE
STRESSMETERS AT THE SPENT FUEL TEST IN
CLIMAX GRANITE - 9/15/84
-/MAD

E-9 UCID-20412 PHYSICAL AND CHEMICAL CHANGES TO ROCK NEAR
ELECTRICALLY HEATED BOREHOLES AT SPENT FUEL
TEST - CLIMAX - 1/85
-/BEIRIGER, ET AL

E-10 UCID-20436 METALLURGICAL ANALYSIS OF A 304L STAINLESS
STEEL CANISTER FROM THE SPENT FUEL TEST -
CLIMAX - 4/85
-/WEISS, ET.AL.

E-11 UCID-20450 CONCEPT FOR WASTE PACKAGE ENVIRONMENT TESTS
IN THE YUCCA MOUNTAIN EXPLORATORY SHAFT -
5/85
-/YOW

E-12 UCID-20499 SPENT FUEL CLADDING CORROSION UNDER TUFF
REPOSITORY CONDITIONS - INITIAL
OBSERVATIONS - 6/85
-/SMITH, ET,AL.

E-73 UCID-20509 FY 1985 STATUS REPORT ON FEASIBILITY ASSESSMENT
OF COPPER-BASE WASTE PACKAGE CONTAINER
MATERIALS IN A TUFF REPOSITORY - SEPTEMBER 30,
1985
-/McCRIGHT

DWB - LAWRENCE LIVERMORE NATIONAL LABORATORY PUBLICATIONS
ON FILE AT LV

E-13 UCID-20523 NEGATIVE HYSTERESIS EFFECT OBSERVED DURING
CALIBRATION OF THE U.S. BUREAU OF MINES
BOREHOLE DEFORMATION GAUGE - 8/85
-/GANOW

E-14 UCID-20587 IMPROVEMENTS IN THE SOLID SOLUTION MODELING
CAPABILITIES OF THE EQ3/6 GEOCHEMICAL CODE -
11/85
-/BOURCIER

E-55 UCID-20673 SPENT FUEL TEST-CLIMAX MINEBY REVISITED,
DECEMBER 1985
-/BUTKOVICH

E-68 UCID-20680 THE PLUS FAMILY, A SET OF COMPUTER PROGRAMS TO
EVALUATE ANALYTICAL SOLUTIONS OF THE DIFFUSION
EQUATION, 3/86
-/MONTAN

E-58 UCID-20712 SPENT FUEL TEST-CLIMAX: TECHNICAL
MEASUREMENTS, DATA MANAGEMENT SYSTEM
DESCRIPTION AND DATA PRESENTATION, 8/85
-/CARLSON

E-63 UCID-20758 THERMOMECHANICAL SCOPING CALCULATIONS FOR THE
WASTE PACKAGE ENVIRONMENT TESTS, 3/86
-/BUTKOVICH, ET AL

E-75 UCID-20780 THERMAL CALCULATIONS PERTAINING TO EXPERIMENTS
IN THE YUCCA MOUNTAIN EXPLORATORY SHAFT, 3/86
-/MONTAN

E-74 UCID-20847 FEASIBILITY ASSESSMENT OF COPPER-BASE WASTE
PACKAGE CONTAINER MATERIALS IN A TUFF
REPOSITORY, 9/30/86
-/ACTON, ET AL

E-79 UCID-20864 GEOCHEMICAL MODELING (EQ3/6) PLAN, OFFICE OF
CIVILIAN RADIOACTIVE WASTE MANAGEMENT PROGRAM
-/MCKENZIE, ET AL, 8/28/86

DWB - LAWRENCE LIVERMORE NATIONAL LABORATORY PUBLICATIONS
ON FILE AT LV

E-80 UCID-20895 APPLICATION OF EQ3/6 TO MODELING OF NUCLEAR
WASTE GLASS BEHAVIOR IN A TUFF REPOSITORY
-/AINES, 5/86

E-135 UCID-20926 SPENT FUEL PERFORMANCE DATA: AN ANALYSIS OF
DATA RELEVANT TO THE NNWSI PROJECT, 8/87
OVERSBY, ET AL

E-100 UCID-20967 SCIENTIFIC INVESTIGATION PLAN FOR NNWSI WBS
ELEMENT 1.2.2.5.L - NNWSI WASTE PACKAGE
PERFORMANCE ASSESSMENT, 10/14/86
-/EGGERT, ET AL

E-105 UCID-21044 PROGRESS REPORT ON THE RESULTS OF TESTING
ADVANCED CONCEPTUAL DESIGN METAL BARRIER
MATERIALS UNDER RELEVANT ENVIRONMENTAL
CONDITIONS FOR A TUFF REPOSITORY, 12/87
-/McCRIGHT, ET AL

E-136 UCID-21100 THERMOMECHANICAL CALCULATIONS PERTAINING TO
EXPERIMENTS IN THE YUCCA MOUNTAIN EXPLORATORY
SHAFT, 4/87
-/MONTAN

E-106 UCID-21190 PLAN FOR GLASS WASTE FORM TESTING FOR NNWSI
-/AINES, 12/87

E-127 UCID-21249 AN EXPERIMENT TO DETERMINE DRILLING WATER
IMBIBITION BY IN SITU DENSELY WELDED TUFF
-/DAILY, ET AL, 4/87

E-129 UCID-21262 PLAN FOR METAL BARRIER SELECTION AND TESTING
FOR NNWSI
-/HALSEY, ET AL, 12/87

E-116 UCID-21274 PLAN FOR INTEGRATED TESTING FOR NNWSI NON EQ3/6
DATA BASE PORTION, 5/29
-/OVERSBY

E-104 UCID-21272 PLAN FOR SPENT FUEL WASTE FORM TESTING FOR
NNWSI
-/SHAW, 11/87

DW8 - LAWRENCE LIVERMORE NATIONAL LABORATORY PUBLICATIONS
ON FILE AT LV

E-130 UCID-21294 ESTIMATES OF THE HYDROLOGIC IMPACT OF DRILLING
WATER ON CORE SAMPLES TAKEN FROM PARTIALLY
SATURATED DENSELY WELDED TUFF
-/BUSCHECK, ET AL, 9/87

E-139 UCID-21308 INTERIM REPORT ON MODELING SORPTION WITH EQ3/6
Rev. 1
-/VIANI, 12/88

E-124 UCID-21326 PLAN FOR WASTE PACKAGE ENVIRONMENT FOR NNWSI
-/GLASSLEY, 2/88

E-125 UCID-21347 PLAN FOR WASTE PACKAGE DESIGN, FABRICATION AND
PROTOTYPE TESTING FOR NNWSI
-/RUSSELL, ET AL 2/88

E-140 UCID-21414 THERMAL PERFORMANCE OF A BURIED NUCLEAR WASTE
STORAGE CONTAINER STORING A HYBRID MIX OF PWR
AND BWR SPENT FUEL RODS
-/JOHNSON, 9/88
*THERMO-FLUIDS GROUP, NUCLEAR TEST ENGINEERING
DIVISION

E-141 UCID-21444 NUMERICAL MODELING OF THE THERMAL AND
HYDROLOGICAL ENVIRONMENT AROUND A NUCLEAR WASTE
PACKAGE USING THE EQUIVALENT CONTINUUM
APPROXIMATION: HORIZONTAL EMPLACEMENT
-/NITAO, 5/88

E-146 UCID-21466 SIMULATIONS OF THE NEAR-FIELD TRANSPORT OF
RADIONUCLIDES BY LIQUID DIFFUSION AT YUCCA
MOUNTAIN - COMPARISONS WITH AND WITHOUT
EMPLACEMENT BACKFILL
-/NITAO, 7/88

E-143 UCID-21472 AN ANNOTATED HISTORY OF CONTAINER CANDIDATE
MATERIAL SELECTION, 7/88
-/McCRIGHT

DWB - LAWRENCE LIVERMORE NATIONAL LABORATORY PUBLICATIONS
ON FILE AT LV

- E-137 UCID-21571 PRELIMINARY SCOPING CALCULATIONS OF
HYDROTHERMAL FLOW IN VARIABLY SATURATED,
FRACTURED, WELDED TUFF DURING THE ENGINEERED
BARRIER DESIGN TEST AT THE YUCCA MOUNTAIN
EXPLORATORY SHAFT TEST SITE, 11/88
-/BUSCHECK, ET AL
- E-144 UCID-21579 ESTIMATES OF THE WIDTH OF THE WETTING ZONE
ALONG A FRACTURE SUBJECTED TO AN EPISODIC
INFILTRATION EVENT IN VARIABLY SATURATED,
DENSELY WELDED TUFF, 5/31/88
-/BUSCHECK ET AL
- E-147 UCID-21700 YUCCA MOUNTAIN PROJECT WASTE PACKAGE DESIGN FOR
MRS SYSTEM STUDIES
*SAIC; SANDIA
NELSON, ET AL, 4/89
- E-15 UCRL-15667 PERMEABILITY AND FLUID CHEMISTRY STUDIES OF
SANL 126-016 THE TOPOPAH SPRING MEMBER OF THE
PAINTBRUSH TUFF, NEVADA TEST SITE: PART: II -
-/MOORE, ET AL, 3/85
- E-16 UCRL-15723 NNWSI WASTE FORM TEST METHOD FOR UNSATURATED
SANL 410-001 DISPOSAL CONDITIONS - 3/85
-/BATES, ET AL
- E-59 UCRL-15801 NNWSI WASTE FORM TESTING AT ARGONNE NATIONAL
SNAL-510-002 LABORATORY, SEMIANNUAL REPORT
-/BATES. ET AL - JULY-DECEMBER, '85 - '86
- E-120 UCRL-15801-86-1 NNWSI WASTE FORM TESTING AT ARGONNE
SANL-610-008 NATIONAL LABORATORY, SEMIANNUAL REPORT
-/BATES, ET AL - JAN.-JUNE 1986
- E-71 UCRL-15825 THE EFFECT OF GAMMA RADIATION ON GROUNDWATER
SANL-510-001 CHEMISTRY AND GLASS LEACHING AS RELATED TO
THE NNWSI REPOSITORY SITE, 5/86
-/ABRAJANO, ET AL

DW8 - LAWRENCE LIVERMORE NATIONAL LABORATORY PUBLICATIONS
ON FILE AT LV

- E-87 UCRL-15881 TRANSPORT AND REACTION KINETICS AT THE
SANL 610-008 GLASS: SOLUTION INTERFACE REGION: RESULTS OF
REPOSITORY-ORIENTED LEACHING EXPERIMENTS
-/ABRAJANO, ET AL, 2/87
- E-107 UCRL-15976 MICROSTRUCTURAL CHARACTERISTICS OF PWR SPENT
FUEL RELATIVE TO ITS LEACHING BEHAVIOR, 5/85
-/WILSON
*WESTINGHOUSE HANFORD COMPANY (PRESENTED AT
AMERICAN CERAMIC SOCIETY 87 ANNUAL MEETING,
CINCINNATI, OHIO, MAY 5-9, 1985)
- E-108 UCRL-15993 THE INFLUENCE OF COPPER ON ZIRCALOY SPENT FUEL
CLADDING DEGRADATION UNDER A POTENTIAL TUFF
REPOSITORY CONDITION, 3/87
-/SMITH
*WESTINGHOUSE HANFORD COMPANY
- E-112 UCRL-21005 CORROSION TESTING OF TYPE 304L STAINLESS STEEL
SANL-616-007 IN TUFF GROUNDWATER ENVIRONMENTS, 11/87
-/WESTERMAN, ET AL
*PACIFIC NORTHWEST LABORATORY
- E-110 UCRL-21013 SUMMARY OF RESULTS FROM THE SERIES 2 AND SERIES
3 NNWSI BARE FUEL DISSOLUTION TESTS, 11/87
-/WILSON
*WESTINGHOUSE HANFORD COMPANY
- E-111 UCRL-21019 RECENT RESULTS FROM NNWSI SPENT FUEL
SANL-622-027 LEACHING/DISSOLUTION TESTS, 4/87
-/WILSON
*WESTINGHOUSE HANFORD COMPANY
- E-123 UCRL-21053 THERMOCHEMISTRY OF URANIUM COMPOUNDS. XVII.
STANDARD MOLAR ENTHALPY OF FORMATION AT 298.15
K OF DEHYDRATED SCHOEPIE $UO_2 \cdot 0.9H_2O$.
THERMODYNAMICS OF (SCHOEPIE + DEHYDRATED
SCHOEPIE + WATER)
-/O'HARE, ET AL (ARGONNE NAT'L LAB)
NGUYEN (LLNL) 1/88

DW8 - LAWRENCE LIVERMORE NATIONAL LABORATORY PUBLICATIONS
ON FILE AT LV

E-126 UCRL-21055 THERMOCHEMISTRY OF URANIUM COMPOUNDS. XVI. CALORIMETRIC DETERMINATION OF THE STANDARD MOLAR ENTHALPY OF FORMATION AT 298.15 K, LOW-TEMPERATURE HEAT CAPACITY, AND HIGH-TEMPERATURE ENTHALPY INCREMENTS OF $UO_2(OH)_2 \cdot H_2O$ (SCHOEPITE)
TASKER, ET AL 10/87 (ARGONNE NAT'L LAB)

E-66 UCRL-52000 ENERGY AND TECHNOLOGY REVIEW, 9/83

E-17 UCRL-52984 RESOLUTION AND ERROR OF THE BACK PROJECTION TECHNIQUE ALGORITHM FOR GEOPHYSICAL TOMOGRAPHY - 9/80
-/BURKHARD

E-18 UCRL-53127 DETECTION OF WATER-FILLED AND AIR-FILLED UNDERGROUND CAVITIES - 12/1/80
-/LAINE

E-19 UCRL-53231 DATING FAULT ASSOCIATED QUATERNARY MATERIAL FROM THE NAVADA TEST SITE USING URANIUM-SERIES METHODS - 9/81
-/KNAUSS

E-20 UCRL-53294-83 SPENT FUEL TEST - CLIMAX: TECHNICAL MEASUREMENTS INTERIM REPORT FISCAL YEAR 83 - 2/84
-/PATRICK, ET.AL.

E-21 UCRL-53381 STRUCTURAL GEOLOGY REPORT SPENT FUEL TEST - CLIMAX NEVADA TEST SITE - 10/84
-/WILDER

E-22 UCRL-53442 REACTION OF BULLFROG TUFF WITH J-13 WELL WATER AT 90°C AND 150°C - 9/15/83
-/OVERSBY, ET.AL.

E-23 UCRL-53496 HEATER TEST 1, CLIMAX STOCK GRANITE, NEVADA - 10/84
-/MONTAN, ET.AL.

DWB - LAWRENCE LIVERMORE NATIONAL LABORATORY PUBLICATIONS
ON FILE AT LV

- E-24 UCRL-53531 REFERENCE WASTE FORMS AND PACKING MATERIAL FOR THE NEVADA NUCLEAR WASTE STORAGE INVESTIGATIONS PROJECT - 3/30/84
-/OVERSBY
- E-25 UCRL-53552 REACTION OF THE TOPOPAH SPRING TUFF WITH J-13 WELL WATER AT 90°C AND 150°C - 5/30/84
-/OVERSBY
- E-26 UCRL-53574 REACTION OF THE TOPOPAH SPRING TUFF WITH J-13 WATER AT 120°C - 7/18/84
-/OVERSBY
- E-27 UCRL-53580 RADIATION DOSES IN GRANITE AROUND EMPLACEMENT HOLES IN THE SPENT FUEL TEST - CLIMAX (FINAL REPORT) - 7/2/84
-/VAN KONYNENBURG
- E-28 UCRL-53594 APPLICATION OF THE RUTHENIUM AND TECHNETIUM THERMODYNAMIC DATA BASES USED IN THE EQ3/6 GEOCHEMICAL CODES - 4/85
-/ISHERWOOD
- E-29 UCRL-53595 PRECLOSURE ANALYSIS OF CONCEPTUAL WASTE PACKAGE DESIGNS FOR A NUCLEAR WASTE REPOSITORY IN TUFF - 11/1/84
-/O'NEAL, ET.AL.
- E-30 UCRL-53597 PETITE SISMIC MEASUREMENTS AT THE SPENT FUEL TEST - CLIMAX - 9/84
-/ZUCCA
- E-31 UCRL-53598 FIXED-FUGACITY OPTION FOR THE EQ6 GEOCHEMICAL REACTION PATH CODE - 12/20/84
-/DELANY
- E-32 UCRL-53602 TRANSPORT PROPERTIES OF TOPOPAH SPRING TUFF - 10/84
-/LIN, ET.AL.

DWB - LAWRENCE LIVERMORE NATIONAL LABORATORY PUBLICATIONS
ON FILE AT LV

- E-33 UCRL-53606 PARAMETRIC TESTING OF A DWPF GLASS - 3/85
-/BAZAN, ET.AL.
- E-34 UCRL-53622 EVALUATION OF THE IRAD FLEXIBLE-PROBE SONIC
EXTENSOMETER - 11/84
-/GLENN, ET.AL.
- E-35 UCRL-53625 MINERALOGIC AND PETROLOGIC INVESTIGATION OF
POST-TEST CORE SAMPLES FROM THE SPENT FUEL
TEST - CLIMAX - 2/85
-/RYERSON, ET.AL.
- E-64 UCRL-53629 THE REACTION OF TOPOPAH SPRING TUFF WITH J-13
WATER AT 150° C--SAMPLES FROM DRILL CORES USW
G-1, USW GU-3, USW G-4, AND UE-25h#1 - 3/85
-/OVERSBY
- E-69 UCRL-53630 HYDROTHERMAL INTERACTION OF CRUSHED TOPOPAH
SPRING TUFF AND J-13 WATER AT 90, 150, AND 250°
C USING DICKSON-TYPE, GOLD-BAG ROCKING
AUTOCLAVES, 5/85
KNAUSS, ET AL
- E-62 UCRL-53631 REACTION OF TOPOPAH SPRING TUFF WITH J-13
WATER: A GEOCHEMICAL MODELING APPROACH USING
THE EQ3/6 REACTION PATH CODE - 11/25/85
-/DELANY
- E-36 UCRL-53632 FIELD INVESTIGATION OF KEYBLOCK STABILITY -
4/85
-/YOW
- E-37 UCRL-53637 INSTRUMENTATION REPORT No. 3: PERFORMANCE
AND RELIABILITY OF INSTRUMENTATION DEPLOYED
FOR THE SPENT FUEL TEST - CLIMAX - 12/84
-/PATRICK, ET AL
- E-92 UCRL-53642 PRECIPITATION KINETICS OPTION FOR THE EQ6
GEOCHEMICAL REACTION PATH CODE - 5/19/86
-/DELANY, ET AL

DW8 - LAWRENCE LIVERMORE NATIONAL LABORATORY PUBLICATIONS
ON FILE AT LV

E-103 UCRL-53645 HYDROTHERMAL INTERACTION OF SOLID WAFERS OF TOPOPAH SPRING TUFF WITH J-13 WATER AND DISTILLED WATER AT 90, 150, AND 250°C, USING DICKSON-TYPE, GOLD-BAG ROCKING AUTOCLAVES
-/KNAUSS, ET AL - 9/85

E-60 UCRL-53673 ESTIMATES OF IN SITU DEFORMABILITY WITH AN NX BOREHOLE JACK, SPENT FUEL TEST - CLIMAX, NEVADA TEST SITE - 12/85
-/PATRICK, ET AL

E-76 UCRL-53688 POST-TEST THERMOMECHANICAL CALCULATIONS AND PRELIMINARY DATA ANALYSIS FOR THE SPENT FUEL TEST--CLIMAX - 9/85
-/BUTKOVICH ET AL

E-88 UCRL-53698 GEOCHEMICAL GRADIENTS IN THE TOPOPAH SPRING MEMBER OF THE PAINTBRUSH TUFF: EVIDENCE FOR ERUPTION ACROSS A MAGMATIC INTERFACT, 6/86
-/SCHURAYTZ, ET AL

E-98 UCRL-53702 SPENT FUEL TEST--CLIMAX: AN EVALUATION OF THE TECHNICAL FEASIBILITY OF GEOLOGIC STORAGE OF SPENT NUCLEAR FUEL IN GRANITE, FINAL REPORT
-/W.C. PATRICK, 3/30/86

E-72 UCRL-53719 RADIATION CHEMICAL EFFECTS IN EXPERIMENTS TO STUDY THE REACTION OF GLASS IN AN ENVIRONMENT OF GAMMA-IRRADIATED AIR, GROUNDWATER, AND TUFF
-/VAN KONYNENBURG, 5/2/86

E-93 UCRL-53722 HYDROTHERMAL INTERACTION OF SOLID WAFERS OF TOPOPAH SPRING TUFF WITH J-13 WATER AT 90 AND 150°C USING DICKSON-TYPE, GOLD-BAG ROCKING AUTOCLAVES: LONG-TERM EXPERIMENTS, 5/87
-/KNAUSS, ET AL

E-81 UCRL-53726 REFERENCE WASTE PACKAGE ENVIRONMENT REPORT
-/GLASSLEY, 10/1/86

DWB - LAWRENCE LIVERMORE NATIONAL LABORATORY PUBLICATIONS
ON FILE AT LV

E-97 UCRL-53728 POST-TEST THERMAL CALCULATIONS AND DATA
2 copies ANALYSES FOR THE SPENT FUEL TEST--CLIMAX, 6/86
-/MONTAN, ET AL

E-70 UCRL-53735 THE TUFF REACTION VESSEL EXPERIMENT, 6/86
-/BAZAN, ET AL

E-95 UCRL-53761 WASTE PACKAGE PERFORMANCE ASSESSMENT:
DETERMINISTIC SYSTEM MODEL PROGRAM SCOPE AND
SPECIFICATION, 10/86
-/O'CONNELL, ET AL

E-90 UCRL-53762 SPENT-FUEL TEST--CLIMAX: AN EVALUATION OF THE
TECHNICAL FEASIBILITY OF GEOLOGIC STORAGE OF
SPENT NUCLEAR FUEL IN GRANITE (Executive
Summary of Final Results) 9/2/86
-/PATRICK

E-99 UCRL-53767 GEOMECHANICS OF THE SPENT FUEL TEST--CLIMAX
-/WILDER, ET AL

E-109 UCRL-53795 REACTION OF VITRIC TOPOPAH SPRING TUFF AND J-13
GROUND WATER UNDER HYDROTHERMAL CONDITIONS
USING DICKSON-TYPE, GOLD-BAG ROCKING
AUTOCLAVES, 11/86
-/KNAUSS, ET AL

E-38 UCRL-87018 BOREHOLE ELONGATION VERSUS IN SITU STRELL
ORIENTATION - 12/81
-/SPRINGER, ET AL

E-39 UCRL-89475 POST EMPLACEMENT ENVIRONMENT OF WASTE
PACKAGES (Materials Research Society
Symposium, Boston, Mass Nov. 14-17, 1983)
-/KNAUSS, ET.AL.

E-40 UCRL-89869 SPENT FUEL CLADDING CONTAINMENT CREDIT TESTS
(Waste Management 84 Conference Tucson,
Arizona March 11-15, 1984) - 2/84
-/WILSON

DWB - LAWRENCE LIVERMORE NATIONAL LABORATORY PUBLICATIONS
ON FILE AT LV

- E-41 UCRL-89988 SELECTION OF CANDIDATE CANISTER MATERIALS FOR HIGH-LEVEL NUCLEAR WASTE CONTAINMENT IN A TUFF REPOSITORY (National Association of Corrosion Engineers 4-1-84) - 11/83
-/MC CRIGHT, ET.AL.
- E-42 UCRL-90045 PERFORMANCE TESTING OF WASTE FORMS IN A TUFF ENVIRONMENT (Civilian Radioactive Waste Management Information Meeting, Washington, D.C. December 12-15, 1983) - 11/83
-/OVERSBY
- E-43 UCRL-90818 THE BEHAVIOR OF ACTINIDE CONTAINING GLASSES DURING GAMMA IRRADIATION IN A SATURATED TUFF ENVIRONMENT (Materials Research Society Meeting, Boston, Mass. November 26-30, 1984
-/BATES, ET.AL.
- E-44 UCRL-90855 BEHAVIOR OF CARBON-14 IN WASTE PACKAGES FOR SPENT FUEL IN A REPOSITORY IN TUFF (Paper prepared for submittal to Materials Research Society Symposium of the Scientific Basis for Nuclear Waste Management, Boston, Mass., November 26-30, 1984) - 11/7/84
-/VAN KONYNENBURG, ET.AL.
Rev. 1
- E-45 UCRL-90875 CORROSION BEHAVIOR OF CARBON STEELS UNDER TUFF REPOSITORY ENVIRONMENTAL CONDITIONS (Materials Research Society 1984 Annual Meeting, Boston, Mass. November 26-30, 1984) - 10/84
-/MC CRIGHT, ET.AL.
- E-46 UCRL-91257 LABORATORY EXPERIMENTS DESIGNED TO PROVIDE LIMITS ON THE RADIONUCLIDE SOURCE TERM FOR THE NNWSI PROJECT (Proceedings of Workshop on the Source Term for Radionuclide Migration from HLW or Spent Nuclear Fuel, Albuquerque, NM, November 13-15, 1984) - 11/84
-/OVERSBY, ET.AL.

DW8 - LAWRENCE LIVERMORE NATIONAL LABORATORY PUBLICATIONS
ON FILE AT LV

- E-47 UCRL-91258 LEACHING SAVANNAH RIVER PLANT NUCLEAR WASTE GLASS IN A SATURATED TUFF ENVIRONMENT (Materials Research Society Meeting, Boston, Mass., November 26-30, 1984) - 11/84
-/BIBLER, ET.AL.
- E-48 UCRL-91804 BEHAVIOR OF STRESSED AND UNSTRESSED 304L SPECIMENTS IN TUFF REPOSITORY ENVIRONMENTAL CONDITIONS (Corrosion 85 NACE Annual Meeting, Boston, Mass, March 25-29, 1985) - 11/84
-/JUHAS, ET.AL.
- E-49 UCRL-92096 DERIVATION OF A WASTE PACKAGE SOURCE TERM FOR NNWSI FROM THE RESULTS OF LABORATORY EXPERIMENTS (Materials Research Society 1985 Symposium on the Scientific Basis for Nuclear Waste Management, Stockholm, Sweden, September 9-11, 1985) - 9/85
-/OVERSBY, ET.AL.
- E-50 UCRL-92311 GAMMA RADIATION EFFECTS ON CORROSION: I ELECTROCHEMICAL MECHANISMS FOR THE AQUEOUS CORROSION PROCESSES OF AUSTENITIC STAINLESS STEELS (Radiation Physics and Chemistry) - 2/85
-/GLASS, ET.AL.
- E-51 UCRL-92526 THE EFFECT OF GAMMA IRRADIATION ON THE STRENGTH AND ELASTICITY OF CLIMAX STOCK AND WESTERLY GRANITES (Paper prepared for Submittal to Nuclear and Chemical Waste Management) - 3/85
-/DURHAM, ET.AL.
- E-52 UCRL-92891 LWR SPENT FUEL CHARACTERISTICS RELEVANT TO PERFORMANCE AS A WASTEFORM IN A POTENTIAL TUFF REPOSITORY (The American Nuclear Society Winter Meeting, November 10-14, 1985, San Francisco, Calif.) - 6/85
-/WILSON, ET.AL.

DW8 - LAWRENCE LIVERMORE NATIONAL LABORATORY PUBLICATIONS
ON FILE AT LV

- E-53 UCRL-92941 CORROSION PROCESSES OF AUSTENITIC STAINLESS
STEELS AND COPPER-BASED MATERIALS IN
GAMMA-IRRADIATED AQUEOUS ENVIRONMENTS (Paper
prepared for submittal to Corrosion/86,
Albert Thomas Convention Center, Houston,
Texas, March 17-21, 1986) - 9/85
-/GLASS, ET.AL.
- E-77 UCRL-93405 EVIDENCE FOR SYNTECTONIC ACTIVITY DURING
ALLUVIAL DEPOSITION, YUCCA FLAT, NEVADA
-/ELWOOD, ET AL, 9/85
- E-57 UCRL-94031 CONTROL OF RESEARCH ORIENTED SOFTWARE
DEVELOPMENT
(Paper prepared for submittal for the 1986-ASQC
Quality Congress Transaction, Anaheim, CA, May
19-21, 1986).
-/LEWIS, ET AL
- E-65 UCRL-94087 A MONTE CARLO INVESTIGATION OF A PROPOSED
SCREEN FOR NX-BOREHOLE JACK DATE, 4/86
-/AXELROD
- E-56 UCRL 94222 IMPORTANT RADIONUCLIDES IN HIGH LEVEL NUCLEAR
PREPRINT WASTE DISPOSAL: DETERMINATION USING A
COMPARISON OF THE EPA AND NRC REGULATIONS
(Paper prepared for submittal to Nuclear and
Chemical Waste Management, February, 1986)
-/OVERSBY
- E-96 UCRL-94363 HYDROLOGICAL PROPERTIES OF TOPOPAH SPRING
TUFF-LABORATORY MEASUREMENTS
-/DAILY, ET AL
- E-89 UCRL-94500 LONG-TERM CORROSION BEHAVIOR OF COPPER-BASE
PREPRINT MATERIALS IN A GAMMA-IRRADIATED ENVIRONMENT
-/YUNKER, 12/86

DWS - LAWRENCE LIVERMORE NATIONAL LABORATORY PUBLICATIONS
ON FILE AT LV

- E-61 UCRL-94600 AN APPLICATION OF SOFTWARE QUALITY ASSURANCE TO
PREPRINT A SPECIFIC SCIENTIFIC CODE DEVELOPMENT
TASK
(Prepared for submittal to 17th California
Quality Week, Santa Clara, CA, March 21-22,
1986)
-/DRONKERS
- E-83 UCRL-94633 EXPERIMENTAL STUDY OF THE DISSOLUTION SPENT
PREPRINT FUEL AT 85° C IN NATURAL GROUND WATER
-/WILSON, ET AL
MATERIALS RESEARCH SOCIETY SYMPOSIUM, BOSTON,
12/1-5/86
- E-82 UCRL-94658 INTEGRATED TESTING OF THE SRL-165 GLASS WASTE
PREPRINT FORM
-/PHINNEY, ET AL, 12/86
- E-85 UCRL-94659 SPENT FUEL AS A WASTE FORM - DATA NEEDS TO
PREPRINT ALLOW LONG TERM PERFORMANCE ASSESSMENT UNDER
REPOSITORY DISPOSAL CONDITIONS
-/OVERSBY, 12/86
- E-78 UCRL-94708 CARBON-14 IN WASTE PACKAGES FOR SPENT FUEL IN A
TUFF REPOSITORY (Prepared for submittal to
Materials Research Society Symposium on the
Scientific Basis for Nuclear Waste Management,
Boston, MA, 12/1-6/86) WESTINGHOUSE HANFORD CO.
-/VAN KONYNENBURG
- E-94 UCRL-94721 LEACHING OF ACTINIDE-DOPED NUCLEAR WASTE GLASS
PREPRINT IN A TUFF-DOMINATED SYSTEM, 1/87
-/BAZAN, ET AL
- E-121 UCRL-95539 INFLUENCE OF STRESS-INDUCED DEFORMATIONS ON
Rev. 1 OBSERVED WATER FLOW IN FRACTURES AT THE CLIMAX
PREPRINT GRANITIC STOCK, 6/87
-/WILDER

DW8 - LAWRENCE LIVERMORE NATIONAL LABORATORY PUBLICATIONS
ON FILE AT LV

- E-91 UCRL-95568 TEST CONCEPT FOR WASTE PACKAGE ENVIRONMENT
PREPRINT TESTS AT YUCCA MOUNTAIN, 6/87, (Prepared for
submittal to 28th U.S. Symposium on Rock
Mechanics, Tucson, AZ, 6/29-7/1/87)
-/YOW, Jr.
- E-86 UCRL-95884 THE EFFECTS OF GAMMA RADIATION ON GROUNDWATER
PREPRINT CHEMISTRY AND GLASS REACTION IN A SATURATED
TUFF ENVIRONMENT
-/EBERT, ET AL & VAN KONYNENBURG, 12/23/86
- E-101 UCRL-95961 COPPER CORROSION IN IRRADIATED ENVIRONMENTS.
PREPRINT THE INFLUENCE OF H₂O₂ ON THE ELECTROCHEMISTRY
OF COPPER DISSOLUTION IN HCl ELECTROLYTE, 12/86
-/SMYRL, ET AL, for Materials Research Society
Symposium, Boston, Ma.
- E-84 UCRL-95962 HYDROGEN SPECIATION IN HYDRATED LAYERS ON
PREPRINT NUCLEAR WASTE GLASS
-/AINES, ET AL, 1/15/87
*ARGONNE NATIONAL LABORATORY
- E-102 UCRL-96318 ELECTROMAGNETIC EXPERIMENT TO MAP IN SITU WATER
IN HEATED WELDED TUFF: PRELIMINARY RESULTS
-/RAMIREZ, ET AL, 3/87
- E-117 UCRL-96555 THERMODYNAMIC DATA BASES FOR MULTIVALENT
REV. 1 ELEMENTS: AN EXAMPLE FOR RUTHENIUM, 11/87
PREPRINT -/RARD
- E-118 UCRL-96702 GEOCHEMICAL SIMULATION OF REACTION BETWEEN
PREPRINT SPENT FUEL WASTE FORM AND J-13 WATER AT 25°C
AND 90°C
-/BRUTON, ET AL
*MATERIALS RESEARCH SOCIETY SYMPOSIUM, BOSTON
- E-113 UCRL-96703 GEOCHEMICAL SIMULATION OF DISSOLUTION OF WEST
PREPRINT VALLEY AND DWPF GLASSES IN J-13 WATER AT 90°C
-/BRUTON, 11/87
*MATERIALS RESEARCH SOCIETY SYMPOSIUM, BOSTON

DWB - LAWRENCE LIVERMORE NATIONAL LABORATORY PUBLICATIONS
ON FILE AT LV

- E-119 UCRL-96816 PRELIMINARY EVALUATION OF AN ELECTROMAGNETIC
EXPERIMENT TO MAP IN SITU WATER IN HEATED
WELDED TUFF, 2/87
-/DAILY, ET AL
- E-132 UCRL-96926 HYDROLOGICAL PROPERTIES OF TOPOPAH SPRING TUFF
UNDER A THERMAL GRADIENT LABORATORY RESULTS
-/LIN, ET AL 4/88
- E-114 UCRL-97562 IMPACT OF PHASE STABILITY ON THE CORROSION
PREPRINT BEHAVIOR OF THE AUSTENITIC CANDIDATE MATERIALS
FOR NNWSI, 10/87
-/BULLEN, ET AL
*MATERIALS RESEARCH SOCIETY SYMPOSIUM, BOSTON
- E-138 UCRL-97805 AN APPROXIMATE CALCULATION OF ADVECTIVE GAS
PHASE TRANSPORT OF ¹⁴C AT YUCCA MOUNTAIN,
NEVADA, 12/87
-/KNAPP
- E-115 UCRL-97936 EFFECT OF IONIZING RADIATION ON MOIST AIR
PREPRINT SYSTEMS, 12/87
-/REED, ET AL
*MATERIALS RESEARCH SOCIETY SYMPOSIUM, BOSTON
- E-145 UCRL-98029 ASSESSMENT OF ENGINEERED BARRIER SYSTEM AND
PREPRINT DESIGN OF WASTE PACKAGES, 6/88
-/RAMSPOTT
- E-128 UCRL-98756 LOCALIZED CORROSION AND STRESS CORROSION
PREPRINT CRACKING OF CANDIDATE MATERIALS FOR HIGH-LEVEL
RADIOACTIVE WASTE DISPOSAL CONTAINERS IN US: A
LITERATURE REVIEW
-/FARMER, ET AL, 11/4/88
*MATERIALS RESEARCH SOCIETY MEETING, BERLIN,
10/10-13/88
- E-131 UCRL-99734 URANIUM TRANSPORT IN TOPOPAH SPRING TUFF: AN
PREPRINT ION-MICROSCOPE INVESTIGATION
-/McKEEGAN, ET AL
*MATERIALS RESEARCH SOCIETY MEETING, BERLIN

DWS - LAWRENCE LIVERMORE NATIONAL LABORATORY PUBLICATIONS
ON FILE AT LV

- E-148 UCRL-100395 WASTE PACKAGE PERFORMANCE ASSESSMENT FOR THE
PREPRINT YUCCA MOUNTAIN PROJECT
-/O'CONNELL, ET AL
*WASTE MANAGEMENT '89, TUCSON, AZ, 2/26-3/2/89
- E-149 UCRL-100554 CHEMICAL THERMODYNAMICS OF TECHNETIUM, 2/89
-/RARD
*PREPARED FOR BOOK: CHEMICAL THERMODYNAMICS OF
TECHNETIUM, NUCLEAR ENERGY AGENCY, PARIS,
FRANCE
- E-142 UCRL-100563 INTERPRETING QUALITY ASSURANCE REQUIREMENTS
PREPRINT FROM A PROJECT MANAGEMENT PERSPECTIVE
-/DRONKERS, ET AL (for ASQC 4/2-5/89, LV, NV)
- E-150 UCRL-21060-87-2 NNHSI WASTE FORM TESTING AT ARGONNE
NATIONAL LABORATORY, SEMIANNUAL REPORT,
JULY-DECEMBER 1987

DWB - SANDIA PUBLICATIONS ON FILE AT LAS VEGAS

C-125 SAND86-7013 TECHNICAL BASIS AND PARAMETRIC STUDY OF GROUND MOTION AND SURFACE RUPTURE HAZARD EVALUATIONS AT YUCCA MOUNTAIN, NEVADA, 9/87
-/BLUME & ASSOC.

C-124 SAND86-7130 LABORATORY DETERMINATION OF THE MECHANICAL, ULTRASONIC AND HYDROLOGIC PROPERTIES OF WELDED TUFF FROM THE GROUSE CANYON HEATED BLOCK SITE, 8/87
-/BOARD, ET AL

C-105 SAND86-7133 ANALYSIS OF HORIZONTAL WASTE EMPLACEMENT BOREHOLES OF A NUCLEAR WASTE REPOSITORY IN TUFF, 3/87
-/ARULMOLI, ET AL

C-96 SAND86-7135 ONE-TWELFTH-SCALE MODEL OF HORIZONTAL EMPLACEMENT AND RETRIEVAL EQUIPMENT FOR RADIOACTIVE WASTE PACKAGES AT THE PROPOSED REPOSITORY IN TUFF, 12/86
-/WHITE, ET AL

C-133 SAND86-7136 SITE-GENERATED WASTE TREATMENT AND DISPOSAL STUDY, 10/87
-/JARDINE, ET AL

C-119 SAND87-0112 SIMPLE MODELS OF THE SATURATED ZONE AT YUCCA MOUNTAIN, 7/87
-/BARR, ET AL

C-101 SAND-87-0115 TECHNICAL CORRESPONDENCE IN SUPPORT OF THE SITE CHARACTERIZATION PLAN
-/NIMICK, ET AL

C-138 SAND87-0293C DRYING OF AN INITAILLY SATURATED FRACTURED VOLCANIC TUFF, 1/88
-/RUSSO, ET AL

C-139-A SAND87-1176 DESCRIPTION OF GROUND MOTION DATA PROCESSING
C-139-B SAND87-1176 CODES 2/88, VOLUMES I, II, III
C-139-C SAND87-1176
-/SANDERS

C-130 SAND87-1245 REPOSITORY WASTE-HANDLING EQUIPMENT
UC-70 DEVELOPMENT PLAN, 11/87
-/GLOWKA

C-160 SAND87-1575 PRELIMINARY ANALYSES OF THE EXCAVATION INVESTIGATION EXPERIMENTS PROPOSED FOR THE EXPLORATORY SHAFT AT YUCCA MOUNTAIN, NEVADA TEST SITE
-/COSTIN, ET AL

C-152 SAND87-1685 PRELIMINARY EVALUATION OF THE EXPLORATORY SHAFT REPRESENTATIVENESS FOR THE YUCCA MOUNTAIN PROJECT
-/NIMICK, ET AL, 12/88

- C-163 SAND88-2785 PRELIMINARY ANALYSES IN SUPPORT OF IN SITU
THERMOMECHANICAL INVESTIGATIONS
-/BAUER, ET AL
- C-155 SAND88-2936 TECHNICAL CORRESPONDENCE IN SUPPORT OF AN
EVALUATION OF THE HYDROLOGIC EFFECTS OF
EXPLORATORY SHAFT FACILITY CONSTRUCTION AT
YUCCA MOUNTAIN
-/PETERSON, ET AL, 12/88
- C-61 SAND--7212
(PNL-5306) INVESTIGATIONS OF SENSITIVITY AND
UNCERTAINTY IN SOME HYDROLOGIC MODELS OF
YUCCA MOUNTAIN AND VICINITY
-/JACOBSON, ET.AL.
- C-68 6310-85-1 RECOMMENDED MATRIX AND ROCK MASS BULK,
MECHANICAL, AND THERMAL PROPERTIES FOR
THERMOMECHANICAL STRATIGRAPHY OF YUCCA
MOUNTAIN, VERSION 1, OCTOBER 1984
-/NIMIC, ET AL