

VARIOUS CHECKLISTS

FOR THE LASALLE INITIAL EXAMINATION - MAY 2003

Facility: <u>LaSalle County Station Units 1 and 2</u>		Date of Examination: <u>May 19-23, 2003</u>
Examinations Developed by: Facility / <u>(NRC)</u> (circle one)		
Target Date*	Task Description / Reference	Chief Examiner's Initials
-180	1. Examination administration date confirmed (C.1.a; C.2.a & b)	MFB
-120	2. NRC examiners and facility contact assigned (C.1.d; C.2.e)	MFB
-120	3. Facility contact briefed on security & other requirements (C.2.c)	MFB
-120	4. Corporate notification letter sent (C.2.d)	MFB
[-90]	[5. Reference material due (C.1.e; C.3.c)]	N/A
-75	6. Integrated examination outline(s) due (C.1.e & f; C.3.d)	MFB
-70	7. Examination outline(s) reviewed by NRC and feedback provided to facility licensee (C.2.h; C.3.e)	MFB
-45	8. Proposed examinations, supporting documentation, and reference materials due (C.1.e, f, g & h; C.3.d)	MFB
-30	9. Preliminary license applications due (C.1.i; C.2.g; ES-202)	MFB
-14	10. Final license applications due and assignment sheet prepared (C.1.i; C.2.g; ES-202)	MFB
-14	11. Examination approved by NRC supervisor for facility licensee review (C.2.h; C.3.f)	MFB
-14	12. Examinations reviewed with facility licensee (C.1.j; C.2.f & h; C.3.g)	MFB
-7	13. Written examinations and operating tests approved by NRC supervisor (C.2.i; C.3.h)	MFB
-7	14. Final applications reviewed; assignment sheet updated; waiver letters sent (C.2.g, ES-204)	MFB
-7	15. Proctoring/written exam administration guidelines reviewed with facility licensee and authorization granted to give written exams (if applicable) (C.3.k)	MFB
-7	16. Approved scenarios, job performance measures, and questions distributed to NRC examiners (C.3.i)	MFB
<p>* Target dates are keyed to the examination date identified in the corporate notification letter. They are for planning purposes and may be adjusted on a case-by-case basis in coordination with the facility licensee.</p> <p>[] Applies only to examinations prepared by the NRC.</p>		

Facility: <u>La Salle</u>		Date of Examination: <u>5/19/03</u>		
Item	Task Description	Initials		
		a	b*	c#
1. W R I T T E N	a. Verify that the outline(s) fit(s) the appropriate model per ES-401.	PZ	JBS	BP
	b. Assess whether the outline was systematically and randomly prepared in accordance with Section D.1 of ES-401 and whether all K/A categories are appropriately sampled.	PZ	JBS	BP
	c. Assess whether the outline over-emphasizes any systems, evolutions, or generic topics.	PZ	JBS	BP
	d. Assess whether the justifications for deselected or rejected K/A statements are appropriate.	PZ	JBS	BP
2. S I M	a. Using Form ES-301-5, verify that the proposed scenario sets cover the required number of normal evolutions, instrument and component failures, and major transients.	PZ	JBS	BP
	b. Assess whether there are enough scenario sets (and spares) to test the projected number and mix of applicants in accordance with the expected crew composition and rotation schedule without compromising exam integrity; ensure each applicant can be tested using at least one new or significantly modified scenario, that no scenarios are duplicated from the applicants' audit test(s)*, and scenarios will not be repeated over successive days.	PZ	JBS	BP
	c. To the extent possible, assess whether the outline(s) conform(s) with the qualitative and quantitative criteria specified on Form ES-301-4 and described in Appendix D.	PZ	JBS	BP
3. W / T	a. Verify that: (1) the outline(s) contain(s) the required number of control room and in-plant tasks, (2) no more than 30% of the test material is repeated from the last NRC examination, (3)* no tasks are duplicated from the applicants' audit test(s), and (4) no more than 80% of any operating test is taken directly from the licensee's exam banks.	PZ	JBS	BP
	b. Verify that: (1) the tasks are distributed among the safety function groupings as specified in ES-301, (2) one task is conducted in a low-power or shutdown condition, (3) 40% of the tasks require the applicant to implement an alternate path procedure, (4) one in-plant tests the applicant's response to an emergency or abnormal condition, and (5) the in-plant walk-through requires the applicant to enter the RCA.	PZ	JBS	BP
	c. Verify that the required administrative topics are covered, with emphasis on performance-based activities.	PZ	JBS	BP
	d. Determine if there are enough different outlines to test the projected number and mix of applicants and ensure that no items are duplicated on successive days.	PZ	JBS	BP
4. G E N E R A L	a. Assess whether plant-specific priorities (including PRA and IPE insights) are covered in the appropriate exam section.	PZ	JBS	BP
	b. Assess whether the 10 CFR 55.41/43 and 55.45 sampling is appropriate.	PZ	JBS	BP
	c. Ensure that K/A importance ratings (except for plant-specific priorities) are at least 2.5.	PZ	JBS	BP
	d. Check for duplication and overlap among exam sections.	PZ	JBS	BP
	e. Check the entire exam for balance of coverage.	PZ	JBS	BP
	f. Assess whether the exam fits the appropriate job level (RO or SRO).	PZ	JBS	BP
a. Author		Printed Name / Signature		Date
b. Facility Reviewer (*)		<u>Patrick J. Lehoney / Patrick Lehoney</u>		<u>4/16/03</u>
c. NRC Chief Examiner (#)		<u>Larry R Blunk / Larry R Blunk</u>		<u>1/19/03</u>
d. NRC Supervisor		<u>Michael E. Bielby / Michael E. Bielby</u>		<u>2/3/03</u>
		<u>RD Lankford / RD Lankford</u>		<u>5/15/03</u>
Note: * Not applicable for NRC-developed examinations. # Independent NRC reviewer initial items in Column "c;" chief examiner concurrence required.				

1. Pre-Examination

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of 5/19/03 → 6/05/03 as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC. Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

2. Post-Examination

To the best of my knowledge, I did not divulge to any unauthorized persons any information concerning the NRC licensing examinations administered during the week(s) of 5-19-03 From the date that I entered into this security agreement until the completion of examination administration, I did not instruct, evaluate, or provide performance feedback to those applicants who were administered these licensing examinations, except as specifically noted below and authorized by the NRC.

PRINTED NAME	JOB TITLE / RESPONSIBILITY	SIGNATURE (1)	DATE	SIGNATURE (2)	DATENOTE
1. Patrick J. Leheney	Senior Training Specialist/Facility Author	<i>Patrick Leheney</i>	4/18/02	<i>Patrick Leheney</i>	5/23/03
2. Steven J. Russell	Exam Development Coordinator	<i>Steven Russell</i>	4/18/02	<i>Steven Russell</i>	5/23/03
3. LARRY R BLUNK	FACILITY REPRESENTATIVE	<i>Larry Blunk</i>	4/16/03	<i>Larry Blunk</i>	5/28/03
4. MARK ZICKBOOSE	SENIOR TRAINING SPECIALIST/Exam Development	<i>Mark Zickboose</i>	4/29/03	<i>Mark Zickboose</i>	5-25-03
5. PAUL CARSON	IASMUR IT	<i>Paul Carson</i>	4/13/03	<i>Paul Carson</i>	5/28/03
6. NATHAN DARROW	LASALLE IT	<i>Nathan Darrow</i>	3/4/03	<i>Nathan Darrow</i>	5/28/03
7. Marla Hill	LaSalle Training	<i>Marla Hill</i>	3/5/03	<i>Marla Hill</i>	5/28/03
8. Grant Hayden	LaSalle Sim Super	<i>Grant Hayden</i>	3/11/03	<i>Grant Hayden</i>	5-28-03
9. RONALD STRACK	Sim/rupt. Simulator Maint.	<i>Ronald Strack</i>	03/11/03	<i>Ronald Strack</i>	6/2/03
10. Wayne Clayton	RD / Exam Validation	<i>Wayne Clayton</i>	3-17-03	<i>Wayne Clayton</i>	5-28-03
11. Douglas J Evans	SRB / Exam Validation	<i>Douglas Evans</i>	3/17/03	<i>Douglas Evans</i>	5/28/03
12. Tony S. Adams	NSO / Exam Validation	<i>Tony Adams</i>	3-17-03	<i>Tony Adams</i>	5-28-03
13. William J. Traylor	NSO / Exam Validation	<i>William Traylor</i>	3/18/03	<i>William Traylor</i>	5/28/03
14. MICHAEL GIRKA	NSO / EXAM VALIDATION	<i>Michael Girka</i>	3/25/03	<i>Michael Girka</i>	5/28/03
15. DAN E. MONTGOMERY	RO	<i>Dan E. Montgomery</i>	4/29/03	<i>Dan E. Montgomery</i>	5/28/03

NOTES:

1. Pre-Examination

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of 5/19/03 as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC. Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

2. Post-Examination

To the best of my knowledge, I did not divulge to any unauthorized persons any information concerning the NRC licensing examinations administered during the week(s) of _____. From the date that I entered into this security agreement until the completion of examination administration, I did not instruct, evaluate, or provide performance feedback to those applicants who were administered these licensing examinations, except as specifically noted below and authorized by the NRC.

PRINTED NAME JOB TITLE / RESPONSIBILITY SIGNATURE (1) DATE SIGNATURE (2) DATE/NOTE

1. STEVEN P. BROWN	SRO / EXAM VALIDATION	<i>Steven P. Brown</i>	4/29/03	<i>Steven P. Brown</i>	5/28/03
2. TOM BADALAMENTI	SIMULATOR SUPPORT	<i>Tom Badalamenti</i>	4/28/03	<i>Tom Badalamenti</i>	5/28/03
3. TERESA WASH	Database Admin.	<i>Teresa Wash</i>	5/1/03	<i>Teresa Wash</i>	5/28/03
4. JIM ROY	ERP & SAMG Coordinator	<i>Jim Roy</i>	5-7-03	<i>Jim Roy</i>	5/28/03
5. JEFF NUGENT	Ops Instructor	<i>Jeff Nugent</i>	5-13-03	<i>Jeff Nugent</i>	5-23-03
6. JOHN E. ROSS	Ops Instruction (Process)	<i>John E. Ross</i>	5-19-2003	<i>John E. Ross</i>	05/23/2003
7. ALAN D. BAILEY	SRO / INSTRUCTOR	<i>Alan D. Bailey</i>	5-19-03	<i>Alan D. Bailey</i>	5/28/2003
8. GREGORY C. CICCHMAN	Sequester	<i>Gregory C. Cicchman</i>	5-19-03	<i>Gregory C. Cicchman</i>	5-23-03
9. DONALD PUCKETT	Instructor	<i>Donald P. Puckett</i>	5/19/03	<i>Donald P. Puckett</i>	5/23/03
10. MICHAEL A. ENTWISTLE	OTM	<i>Michael A. Entwistle</i>	5/19/03	<i>Michael A. Entwistle</i>	5/23/03
11. CHUCK DRECKMANN	Trng. Director	<i>Chuck Dreckmann Jr.</i>	5-19-03	<i>Chuck Dreckmann Jr.</i>	5-28-03
12. JEFF K. CHATMAN	NWROB Operations Training	<i>Jeff K. Chatman</i>	5-21-03	<i>Jeff K. Chatman</i>	5/29/03
13. GREG DU BOIS	Instructor (Sequester)	<i>Greg Du Bois</i>	5/22/03	<i>Greg Du Bois</i>	5/23/03
14.					
15.					

NOTES:

Facility: LaSalle Date of Examination: 5/19/03
 Examination Level (circle one): RO **SRO** Operating Test Number: ILT 02-01

	Administrative Topic/Subject Description	Describe method of evaluation: 1. ONE Administrative JPM, OR 2. TWO Administrative Questions
A.1	Conduct of Operations	SA.1.1 Determine Reporting Requirements K/A 2.1.14 Importance 2.5/3.3
		75.02.00 During performance of tasks, apply the administrative requirements of OP-AA-101-102
	Conduct of Operations	SA.1.2 Perform Offsite Power Verification K/A 2.1.31 Importance 3.9/4.2
		656.020 During performance of tasks, apply the administrative requirements of LOS-AA-S101.
A.2	Equipment Control	SA.2.1 Determine Allowable EOOS Combination K/A 2.1.11 Importance 3.0/3.8
		774.010 Given the proper procedure and a T.S. which requires a time clock for actions, identify and prepare the T.S. actions IAW station procedures.
A.3	Radiological Conditions	SA.3.1 Ability to Control Rad Releases K/A 2.3.11 Importance 2.7/3.2
		Radwaste Discharge Source Check
A.4	Emergency Plan	SA.4.1 Determine PARS and Fill Out NARS Form for Transmittal K/A 2.4.38 Importance 2.2/4.0

Facility: LaSalle Date of Examination: 5/19/03
 Examination Level (circle one) RO SRO Operating Test Number: ILT 02-01

Administrative Topic/Subject Description	Describe method of evaluation: 1. ONE Administrative JPM, OR 2. TWO Administrative Questions	
A.1	<p style="text-align: center;">A.1.1</p> <p style="text-align: center;">Verify Off-site Power Lineup K/A 2.1.31 Importance 3.9/4.2</p>	
	<p style="text-align: center;">A.1.2</p> <p style="text-align: center;">Knowledge of Conduct of Operations K/A 2.1.1 Importance 3.7/3.8</p> <p style="text-align: center;">NRC Active License Maintenance</p>	
	A.2	<p style="text-align: center;">A.2.1</p> <p style="text-align: center;">Ability to Track Limiting Conditions for Operations K/A 2.2.23 Importance 2.6/3.8</p>
		<p style="text-align: center;">Determine T.S. Short Duration Timeclock</p>
A.3	<p style="text-align: center;">A.3.1</p> <p style="text-align: center;">Ability to Control Rad Releases K/A 2.3.11 Importance 2.7/3.2</p>	
	<p style="text-align: center;">Radwaste Discharge Source Check</p>	
A.4	<p style="text-align: center;">A.4.1</p> <p style="text-align: center;">Reporting Emergencies K/A 2.4.39 Importance 3.3/3.1</p>	
	<p style="text-align: center;">Knowledge of the RO's responsibilities in emergency plan implementation</p>	

Facility: LaSalle

Date of Examination: 5/19/03

Exam Level (circle one): RO / SRO(I) SRO(U)

Operating Test Number: ILT 02-01

B.1 Control Room Systems

	System / JPM Title	Type Code*	Safety Function
a.	B.1.a Diesel Generator/LOS-DG-M3 with loss of SAT	DAS	Electrical
b.	B.1.b Reactor Manual Control/Single Rod Insert During an ATWS	DSL	Reactivity Control
c.	B.1.c Pri. Cont. Vent. And Purge/Emergency Vent. The Primary Cont.	DS	Cont. Integrity
d.	B.1.d Nuclear Inst./Bypass a Failed Local Power Range Monitor	DS	Inst.
e.	B.1.e Reactor Recirculation/RR Pump Trip on Downshift	DAS	Heat Removal from Core
f.	B.1.f Shutdown of SBGT System IAW LOP-VG-02	NSL	Radioactivity Release
g.	B.1.g Feedwater/TDRFP Surv. With Inability to Trip	NAS	Reactor Water Level Control

B.2 Facility Walk-Through

a.	B.2.a Reactor Core Isolation Cooling/Install Jumpers and Lifted Leads for LGA-RI-02.	D	Reactor Pressure Control
b.	B.2.b Process Radiation Monitoring/Perform the Local actions to S/U the Main Stack WRGM	DR	Radioactivity Releases
c.	B.2.c Feedwater Heating/Verification of LP Heater 13B Trip	ADR	Reactor Water Level Control

* Type Codes: (D)irect from bank, (M)odified from bank, (N)ew, (A)lternate path, (C)ontrol room, (S)imulator, (L)ow Power, (R)CA

Facility: LaSalle

Date of Examination: 5/19/03

Exam Level (circle one): RO / SRO(I) **SRO(U)**

Operating Test Number: ILT 02-01

B.1 Control Room Systems

System / JPM Title	Type Code*	Safety Function
B.1.e Reactor Recirculation/RR Pump Trip on Downshift	DAS	Heat Removal from Core
B.1.f Shutdown of the SGBT System	NSL	Radioactivity Release
B.1.g Feedwater/TDRFP Surv. With Inability to Trip	NAS	Reactor Water Level Control

B.2 Facility Walk-Through

a. B.2.a Reactor Core Isolation Cooling/Install Jumpers and Lifted Leads for LGA-RI-02.	D	Reactor Pressure Control
b. B.2.b Process Radiation Monitoring/Perform the Local actions to S/U the Main Stack WRGM	DR	Radioactivity Releases

* Type Codes: (D)irect from bank, (M)odified from bank, (N)ew, (A)lternate path, (C)ontrol room, (S)imulator, (L)ow Power, (R)CA

Facility:		Date of Examination:		Operating Test Number:		
1. GENERAL CRITERIA				Initials		
				a	b*	c#
a.	The operating test conforms with the previously approved outline; changes are consistent with sampling requirements (e.g., 10 CFR 55.45, operational importance, safety function distribution).	R	JEB	R/W		
b.	There is no day-to-day repetition between this and other operating tests to be administered during this examination.	R	JEB	R/W		
c.	The operating test shall not duplicate items from the applicants' audit test(s)(see Section D.1.a).	R	JEB	R/W		
d.	Overlap with the written examination and between operating test categories is within acceptable limits.	R	JEB	R/W		
e.	It appears that the operating test will differentiate between competent and less-than-competent applicants at the designated license level.	R	JEB	R/W		
2. WALK-THROUGH (CATEGORY A & B) CRITERIA				-	-	-
a.	Each JPM includes the following, as applicable: <ul style="list-style-type: none"> - initial conditions - initiating cues - references and tools, including associated procedures - reasonable and validated time limits (average time allowed for completion) and specific designation if deemed to be time critical by the facility licensee - specific performance criteria that include: <ul style="list-style-type: none"> - detailed expected actions with exact criteria and nomenclature - system response and other examiner cues - statements describing important observations to be made by the applicant - criteria for successful completion of the task - identification of critical steps and their associated performance standards - restrictions on the sequence of steps, if applicable 	R	JEB	R/W		
b.	The prescribed questions in Category A are predominantly open reference and meet the criteria in Attachment 1 of ES-301.	R	JEB	R/W		
c.	Repetition from operating tests used during the previous licensing examination is within acceptable limits (30% for the walk-through) and do not compromise test integrity.	R	JEB	R/W		
d.	At least 20 percent of the JPMs on each test are new or significantly modified.	R	JEB	R/W		
3. SIMULATOR (CATEGORY C) CRITERIA				-	-	-
a.	The associated simulator operating tests (scenario sets) have been reviewed in accordance with Form ES-301-4 and a copy is attached.	R	JEB	R/W		
		Printed Name / Signature		Date		
a.	Author	Patrick J. Lehmaney / <i>[Signature]</i>		3/27/03		
b.	Facility Reviewer(*)	LARRY R BLANK / <i>[Signature]</i>		3/27/03		
c.	NRC Chief Examiner (#)	Michael E. Bielby / <i>[Signature]</i>		4/16/03		
d.	NRC Supervisor	RD Lanksting / <i>[Signature]</i>		5/15/03		
NOTE: * The facility signature is not applicable for NRC-developed tests. # Independent NRC reviewer initial items in Column "c;" chief examiner concurrence required.						

Facility: <u>LaSalle</u>		Date of Exam: <u>5/19/03</u>		Scenario Numbers: <u>112 1314</u>		Operating Test No.: <u>1</u>			
QUALITATIVE ATTRIBUTES				Initials					
				a	b*	c#			
1.	The initial conditions are realistic, in that some equipment and/or instrumentation may be out of service, but it does not cue the operators into expected events.	P	SB	PKW					
2.	The scenarios consist mostly of related events.	P	SB	PKW					
3.	Each event description consists of . the point in the scenario when it is to be initiated . the malfunction(s) that are entered to initiate the event . the symptoms/cues that will be visible to the crew . the expected operator actions (by shift position) . the event termination point (if applicable)	P	SB	PKW					
4.	No more than one non-mechanistic failure (e.g., pipe break) is incorporated into the scenario without a credible preceding incident such as a seismic event.	P	SB	PKW					
5.	The events are valid with regard to physics and thermodynamics.	P	SB	PKW					
6.	Sequencing and timing of events is reasonable, and allows the examination team to obtain complete evaluation results commensurate with the scenario objectives.	P	SB	PKW					
7.	If time compression techniques are used, the scenario summary clearly so indicates. Operators have sufficient time to carry out expected activities without undue time constraints. Cues are given.	P	SB	PKW					
8.	The simulator modeling is not altered.	P	SB	PKW					
9.	The scenarios have been validated. Any open simulator performance deficiencies have been evaluated to ensure that functional fidelity is maintained while running the planned scenarios.	P	SB	PKW					
10.	Every operator will be evaluated using at least one new or significantly modified scenario. All other scenarios have been altered in accordance with Section D.4 of ES-301.	P	SB	PKW					
11.	All individual operator competencies can be evaluated, as verified using Form ES-301-6 (submit the form along with the simulator scenarios).	P	SB	PKW					
12.	Each applicant will be significantly involved in the minimum number of transients and events specified on Form ES-301-5 (submit the form with the simulator scenarios).	P	SB	PKW					
13.	The level of difficulty is appropriate to support licensing decisions for each crew position.	P	SB	PKW					
TARGET QUANTITATIVE ATTRIBUTES (PER SCENARIO; SEE SECTION D.4.D)				Actual Attributes			-	-	-
1.	Total malfunctions (5-8)	6	2	3	4	P	SB	PKW	
2.	Malfunctions after EOP entry (1-2)	3	2	1	2	P	SB	PKW	
3.	Abnormal events (2-4)	4	4	4	5	P	SB	PKW	
4.	Major transients (1-2)	2	1	1	1	P	SB	PKW	
5.	EOPs entered/requiring substantive actions (1-2)	3	2	2	3	P	SB	PKW	
6.	EOP contingencies requiring substantive actions (0-2)	1	1	1	1	P	SB	PKW	
7.	Critical tasks (2-3)	3	2	2	2	P	SB	PKW	

OPERATING TEST NO.:

Applicant Type	Evolution Type	Minimum Number	Scenario Number			
			1	2	3	4
RO	Reactivity	1	1/	2/	3/	4/
	Normal	1	1/2	1/1	1/2	1/2
	Instrument / Component	4	4,5/3,6	5,6/3,4	5,6/3,4	3,6/4,6
	Major	1	7,8	7-9	7,8	8-10
As RO	Reactivity	1	1	2	1	4
	Normal	0				
	Instrument / Component	2	4,5	5,6	5,6	4-7
	Major	1	7,8	7-9	7,8	8-10
SRO-I						
As SRO	Reactivity	0				
	Normal	1	2	1	2	2
	Instrument / Component	2	3-6	3-6	3-6	3-7
	Major	1	7-8	7-9	7-8	8-10
SRO-U	Reactivity	0				
	Normal	1	2	1	2	2
	Instrument / Component	2	3-6	3-6	3-6	3-7
	Major	1	7,8	7-9	7-8	8-10

- Instructions:
- (1) Enter the operating test number and Form ES-D-1 event numbers for each evolution type.
 - (2) Reactivity manipulations may be conducted under normal or *controlled* abnormal conditions (refer to Section D.4.d) but must be significant per Section C.2.a of Appendix D.
 - (3) Whenever practical, both instrument and component malfunctions should be included; only those that require verifiable actions that provide insight to the applicant's competence count toward the minimum requirement.

Author:

R. J. Sherry

NRC Reviewer:

M. Billy

Competencies <i>RO/ DOP</i>	Applicant #1 <i>(RO/SRO-I/SRO-U)</i>				Applicant #2 <i>RO/SRO-I/SRO-U</i>				Applicant #3 <i>RO/SRO-I/SRO-U</i>			
	SCENARIO				SCENARIO				SCENARIO			
	1	2	3	4	1	2	3	4	1	2	3	4
Understand and Interpret Annunciators and Alarms	<i>4/6</i>	<i>5/3</i>	<i>1,5/2,3</i>	<i>3/2,4</i>	4	5,9	3/7,8	6	4	5,9	3/7,8	6
Diagnose Events and Conditions	<i>4/6</i>	<i>5/3</i>	<i>1,5/2,3</i>	<i>3/2,4</i>	4	5,9	3/7,8	6	4	5,9	3/7,8	6
Understand Plant and System Response	<i>4/6</i>	<i>5/3</i>	<i>1,5/2,3</i>	<i>3/2,4</i>	4	5,9	3/7,8	6	4	5,9	3/7,8	6
Comply With and Use Procedures (1)	<i>4/6</i>	<i>5/3</i>	<i>1,5/2,3</i>	<i>3/2,4</i>	4	5,9	3/7,8	6	4	5,9	3/7,8	6
Operate Control Boards (2)	<i>4/6</i>	<i>5/3</i>	<i>1,5/2,3</i>	<i>3/2,4</i>	4	5,9	3/7,8	6	N/A	N/A	N/A	N/A
Communicate and Interact With the Crew	<i>4/6</i>	<i>5/3</i>	<i>1,5/2,3</i>	<i>3/2,4</i>	4	5,9	3/7,8	6	4	5,9	3/7,8	6
Demonstrate Supervisory Ability (3)	<i>N/A</i>	<i>N/A</i>	<i>N/A</i>	<i>N/A</i>	4	5,9	3/7,8	6	4	5,9	3/7,8	6
Comply With and Use Tech. Specs. (3)	<i>N/A</i>	<i>N/A</i>	<i>N/A</i>	<i>N/A</i>	4	5,9	3/7,8	6	4	5,9	3/7,8	6
Notes:												
(1) Includes Technical Specification compliance for an RO.												
(2) Optional for an SRO-U.												
(3) Only applicable to SROs.												

Instructions:

Circle the applicant's license type and enter one or more event numbers that will allow the examiners to evaluate every applicable competency for every applicant.

Author:

Patricia King

NRC Reviewer:

M. Billy

Facility: <u>LaSalle</u>		Date of Exam: <u>5/23/03</u>		Exam Level: RO/SRO		
Item Description	Initial					
	a	b*	c#			
1. Questions and answers technically accurate and applicable to facility	<u>PL</u>	<u>SRB</u>	<u>RKW</u>			
2. a. NRC K/As referenced for all questions b. Facility learning objectives referenced as available	<u>PL</u>	<u>SRB</u>	<u>RKW</u>			
3. RO/SRO overlap is no more than 75 percent, and SRO questions are appropriate per Section D.2.d of ES-401	<u>PL</u>	<u>SRB</u>	<u>RKW</u>			
4. Question selection and duplication from the last two NRC licensing exams appears consistent with a systematic sampling process			<u>RKW</u>			
5. Question duplication from the license screening/audit exam was controlled as indicated below (check the item that applies) and appears appropriate: ___ the audit exam was systematically and randomly developed; or ___ the audit exam was completed before the license exam was started; or ___ the examinations were developed independently; or ___ the licensee certifies that there is no duplication; or ___ other (explain)	<u>PL</u>	<u>SRB</u>	<u>RKW</u>			
6. Bank use meets limits (no more than 75 percent from the bank at least 10 percent new, and the rest modified); enter the actual question distribution at right	Bank	Modified	New	<u>PL</u>	<u>SRB</u>	<u>RKW</u>
	<u>24</u>	<u>12</u>	<u>64</u>			
7. Between 50 and 60 percent of the questions on the exam (including 10 new questions) are written at the comprehension/analysis level; enter the actual question distribution at right	Memory	CIA		<u>PL</u>	<u>SRB</u>	<u>RKW</u>
	<u>49</u>	<u>47</u>	<u>51</u>			
8. References/handouts provided do not give away answers	<u>PL</u>	<u>SRB</u>	<u>RKW</u>			
9. Question content conforms with specific K/A statements in the previously approved examination outline and is appropriate for the Tier to which they are assigned; deviations are justified	<u>PL</u>	<u>SRB</u>	<u>RKW</u>			
10. Question psychometric quality and format meet ES, Appendix B, guidelines	<u>PL</u>	<u>SRB</u>	<u>RKW</u>			
11. The exam contains 100, one-point, multiple choice items; the total is correct and agrees with value on cover sheet	<u>PL</u>	<u>SRB</u>	<u>RKW</u>			
Printed Name / Signature		Date				
a. Author	<u>Patrick J. Lehany</u>	<u>3/27/03</u>				
b. Facility Reviewer (*)	<u>Larry R. Blusk</u>	<u>3/29/03</u>				
c. NRC Chief Examiner (#)	<u>Michael E. Bielby</u>	<u>4/16/03</u>				
d. NRC Regional Supervisor	<u>RD Lankisby</u>	<u>5/15/03</u>				
Note: * The facility reviewer's initials/signature are not applicable for NRC-developed examinations. # Independent NRC reviewer initial items in Column "c;" chief examiner concurrence required.						

Facility: <u>LaSalle</u>		Date of Exam: <u>5/23/03</u>		Exam Level: <u>RO/SRO</u>		
Item Description	Initial					
	a	b*	c#			
1. Questions and answers technically accurate and applicable to facility	<u>P</u>	<u>SLB</u>	<u>RW</u>			
2. a. NRC K/As referenced for all questions b. Facility learning objectives referenced as available	<u>P</u>	<u>SLB</u>	<u>RW</u>			
3. RO/SRO overlap is no more than 75 percent, and SRO questions are appropriate per Section D.2.d of ES-401	<u>P</u>	<u>SLB</u>	<u>RW</u>			
4. Question selection and duplication from the last two NRC licensing exams appears consistent with a systematic sampling process			<u>RW</u>			
5. Question duplication from the license screening/audit exam was controlled as indicated below (check the item that applies) and appears appropriate: <input type="checkbox"/> the audit exam was systematically and randomly developed; or <input type="checkbox"/> the audit exam was completed before the license exam was started; or <input type="checkbox"/> the examinations were developed independently; or <input type="checkbox"/> the licensee certifies that there is no duplication; or <input type="checkbox"/> other (explain)	<u>P</u>	<u>SLB</u>	<u>RW</u>			
6. Bank use meets limits (no more than 75 percent from the bank at least 10 percent new, and the rest modified); enter the actual question distribution at right	Bank	Modified	New	<u>P</u>	<u>SLB</u>	<u>RW</u>
	<u>24</u> ^{MFB} <u>28</u>	<u>17</u> ^{MFB} <u>13</u>	<u>59</u>			
7. Between 50 and 60 percent of the questions on the exam (including 10 new questions) are written at the comprehension/analysis level; enter the actual question distribution at right	Memory	C/A		<u>P</u>	<u>SLB</u>	<u>RW</u>
	<u>48</u> ^{MFB} <u>46</u> ^{MFB}	<u>52</u> ^{MFB} <u>54</u> ^{MFB}				
8. References/handouts provided do not give away answers	<u>P</u>	<u>SLB</u>	<u>RW</u>			
9. Question content conforms with specific K/A statements in the previously approved examination outline and is appropriate for the Tier to which they are assigned; deviations are justified	<u>P</u>	<u>SLB</u>	<u>RW</u>			
10. Question psychometric quality and format meet ES, Appendix B, guidelines	<u>P</u>	<u>SLB</u>	<u>RW</u>			
11. The exam contains 100, one-point, multiple choice items; the total is correct and agrees with value on cover sheet	<u>P</u>	<u>SLB</u>	<u>RW</u>			
a. Author		Printed Name / Signature		Date		
b. Facility Reviewer (*)		<u>Patrick J. Lehoney</u>		<u>3/27/03</u>		
c. NRC Chief Examiner (#)		<u>LARRY R. BLUNK</u>		<u>3/29/03</u>		
d. NRC Regional Supervisor		<u>Michael E. Bielby Sr.</u>		<u>4/16/03</u>		
		<u>Michael E. Bielby Sr.</u>		<u>5/15/03</u>		
Note: * The facility reviewer's initials/signature are not applicable for NRC-developed examinations. # Independent NRC reviewer initial items in Column "c;" chief examiner concurrence required.						

Facility:		Date of Exam:		Exam Level: RO/SRO		
Item Description				Initials		
				a	b	c
1.	Clean answer sheets copied before grading			je	R	RKW
2.	Answer key changes and question deletions justified and documented			je	R	RKW
3.	Applicants' scores checked for addition errors (reviewers spot check > 25% of examinations)			je	R	RKW
4.	Grading for all borderline cases (80% +/- 2%) reviewed in detail			je	R	RKW
5.	All other failing examinations checked to ensure that grades are justified			je	R	RKW
6.	Performance on missed questions checked for training deficiencies and wording problems; evaluate validity of questions missed by half or more of the applicants			je	R	RKW
Printed Name / Signature				Date		
a. Grader	JOHN E. ROSS / <i>John E. Ross je</i>			05/27/03		
b. Facility Reviewer(*)	Patrick J. Lehany / <i>Patrick J. Lehany</i>			05/28/03		
c. NRC Chief Examiner (*)	Michael E. Bielby / <i>Michael E. Bielby</i>			5/29/03		
d. NRC Supervisor (*)	Bruce Palagi / <i>Bruce Palagi</i> For Roger Lanksbury			6/12/03		
(*) The facility reviewer's signature is not applicable for examinations graded by the NRC; two independent NRC reviews are required.						