PDR-1 LPDR-WM-10(2) Wm-11 (2) Wm-16 (2)

426.1/A-4171/EAW/11/16/87

1 -

Dr. Charles Interrante, Program Manager Metallurgy Division - Corrosion Group National Bureau of Standards U.S. Department of Commerce Gaithersburg, MD. 20899

Dear Dr. Interrante:

This is to request general technical assistance under Task 4 of FIN A-4171, "Evaluation and Compilation of DOE Waste Package Test Data". The general technical assistance consists of reviewing two User Manuals on Waste Package Performance Assessment Codes that were transmitted to you by Mr. K.C. Chang at NBS on October 29, 1987. These User Manuals are entitled, "Part I, Computer Programs for Probabilistic Thermal Analyses of Waste Packages," L.A. Zaremba, March 1987 and , "Part II, CONVO - A Computer Program for Probabilistic Analysis of Waste Package Lifetimes and Release Rates," L.A. Zaremba, June 1987. General guidance and specific guidance for review of these User Manuals are presented in Enclosure 1. Please forward your written comments by December 7, 1987.

Also enclosed for your information is a copy of NUREG/CR-4770, "Potential Scenarios for Use in Performance Assessment of High-Level Radioactive Waste Repositories in Unsaturated Tuff," Robert Guzowski, Remote Sensing Systems, Inc., September 1987. Please call me if you have any questions or if you wish to discuss this.

Actions resulting from this letter are considered to be within the scope of FIN A-4171. No changes in cost or delivery of contracted products are authorized. Please notify me immediately if you feel this letter will result in additional costs or delay in delivery of contracted products.

Sincerely,

88132296 WM Project: WK-10, 11, 16 WK Record File: A-4171 PDR w/encl LPDR w/encl (Return to WM, 623-SS)

Enclosure: As stated

cc: Dr. Neville Pugh, Director Metallurgy Division

> Dr. Dale Hall, Group Leader Corrosion Group - Metallurgy Division

871214021	871118
PDR WMRE	FUSNES
A-4171	PDR

Everett A. Wick	
Materials Engineering	ng Section
Technical Review Bra	anch
Division of High-Lev	el Waste Management
Office of Nuclear Ma	
and Safeguards	
40. 77.	

WM Record File	WM Project 10, 11, 16. Docket No.
NBS	PORK XLPDRU (B, N, S
Distribution:	

(Return to WM, 623-SS)

PDA-1

NOV 1 8 1987

426.1/A-4171/EAW/11/16/87

- 3 -

N-MW 9091 WM-16

OFFICIAL CONCURRENCE AND DISTRIBUTION RECORD

LETTER TO:

Dr. Charles Interrante, Program Manager

Metallurgy Division - Corrosion Group

National Bureau of Standards U.S. Department of COmmerce Gaithersburg, MD. 20899

FROM:

Everett A. Wick

Materials Engineering Section

Technical Review Branch

Division of High-Level Waste Manaagement

Office of Nuclear Material Safety and Safeguards

SUBJECT:

REQUEST FOR NBS REVIEW OF TWO USER MANUALS FOR WASTE

PACKAGE PERFORMANCE ASSESSMENT CODES (FIN A-4171)

DATE:

DISTRIBUTION

HLWM/SF

MBell, HLWM

Youngblood, HLOB KChang, HLTR

PDR

NMSS RF

JBunting, HLSE

EWick, HLTR&RF

CPeterson, HLTR

RBrowning, HLWM

RBallard, HLTR

RWeller, HLTR

HLTR RF

CONCURRENCES

ORGANIZATION/CONCUREE

INITIALS

DATE CONCURRED

HLTR/EWick HLTR/RWeller

87/11//8

87/11//8

5 . 3.4.

ENCLOSURE 1

GENERAL GUIDANCE IN REVIEW OF USER'S MANUALS

- 1. Are the codes documented adequately for first time users?
- 2. Are the processes represented by the code pertinent to demonstrating that the waste package and the engineered barrier system will meet the performance objectives of 10 CFR 60, i.e., containment and controlled release?
- 3. Identify any important processes that are not accounted for by the code.

SPECIFIC GUIDANCE IN REVIEW OF MODELS IN THE CODE

- 1. Do data exist to provide a crude evaluation of the models?
- 2. Identify any feature of the model which appears to violate present understanding of the process or processes the model is intended to represent.
- 3. Does the model omit any parameters which are known to affect process mechanisms? How can such missing parameters be factored into the model?
- 4. Are the models constructed so that unknown coefficients and proportionality constants can be derived through experiments and analyses which are state-of-the-art?