



SEP 11 2003

SERIAL: BSEP 03-0127

U. S. Nuclear Regulatory Commission  
ATTN: Document Control Desk  
Washington, DC 20555-0001

BRUNSWICK STEAM ELECTRIC PLANT, UNIT NOS. 1 AND 2  
DOCKET NOS. 50-325 AND 50-324/LICENSE NOS. DPR-71 AND DPR-62  
AUGUST 2003 MONTHLY OPERATING REPORTS

Ladies and Gentlemen:

In accordance with Technical Specification (TS) 5.6.4 for the Brunswick Steam Electric Plant (BSEP), Unit Nos. 1 and 2, Progress Energy Carolinas, Inc. is submitting the enclosed Monthly Operating Reports for August 2003. These reports are being submitted to the NRC by the 15th day of the month following the calendar month covered by the reports, as specified in TS 5.6.4.

There are no regulatory commitments being made in this submittal. Please refer questions regarding this submittal to Mr. Leonard R. Beller, Supervisor - Licensing/Regulatory Programs, at (910) 457-2073.

Sincerely,

A handwritten signature in black ink, appearing to read 'E. O'Neil'.

Edward T. O'Neil  
Manager - Support Services  
Brunswick Steam Electric Plant

DRC/drc

Enclosures:

1. BSEP, Unit No. 1 Monthly Operating Report August 2003
2. BSEP, Unit No. 2 Monthly Operating Report August 2003

IE24

**Document Control Desk  
BSEP 03-0127 Page 2**

**cc (with enclosures):**

**U. S. Nuclear Regulatory Commission, Region II  
ATTN: Mr. Luis A. Reyes, Regional Administrator  
Sam Nunn Atlanta Federal Center  
61 Forsyth Street, SW, Suite 23T85  
Atlanta, GA 30303-8931**

**U. S. Nuclear Regulatory Commission  
ATTN: Mr. Eugene M. DiPaolo, NRC Senior Resident Inspector  
8470 River Road  
Southport, NC 28461-8869**

**U. S. Nuclear Regulatory Commission  
ATTN: Ms. Brenda L. Mozafari (Mail Stop OWFN 8G9) (Electronic Copy Only)  
11555 Rockville Pike  
Rockville, MD 20852-2738**

**Ms. Jo A. Sanford  
Chair - North Carolina Utilities Commission  
P.O. Box 29510  
Raleigh, NC 27626-0510**

**ElectriCities of N. C., Inc.  
ATTN: Mr. Roy Donehower  
P. O. Box 29513  
Raleigh, NC 27626-0513**

# **APPENDIX A OPERATING DATA REPORT**

**DOCKET NO.** 50-325  
**UNIT NAME** Brunswick Steam Electric Plant, Unit No. 1  
**DATE** September 5, 2003  
**COMPLETED BY** Kester M. Thompson  
**TELEPHONE** (910) 457-2754

**REPORTING PERIOD** August 2003  
 (Month/Year)

	<b>MONTH</b>	<b>YEAR TO DATE</b>	<b>CUMULATIVE</b>
1. Design Electrical Rating: (MWe-Net) – Note 1	895	N/A	N/A
2. Maximum Dependable Capacity: (MWe-Net) – Note 2	872	N/A	N/A
3. Number of Hours the Reactor Was Critical:	744	5,759.7	166,674.4
4. Number of Hours the Generator Was On Line:	744	5,724.3	162,175.5
5. Unit Reserve Shutdown Hours:	0	0	0
6. Net Electrical Energy (MWH):	658,503	5,097,952	121,145,388

**Note 1:** License Amendment 222 for Unit 1 approved Extended Power Uprate (EPU). This amendment was implemented on June 1, 2002. As a result, the present value for Design Electrical Rating (i.e., net megawatts electric (MWe)) has been revised from 867 MWe to 895 MWe to reflect current equipment limitations and testing activities associated with the first phase of EPU implementation. The Design Electrical Rating value is subject to further revision as EPU testing and implementation activities continue.

**Note 2:** A new Maximum Dependable Capacity of 872 MWe-Net has been established for Unit 1 effective January 2003. This value is subject to further revision as EPU implementation activities continue.

# **APPENDIX B UNIT SHUTDOWNS**

**DOCKET NO.** 50-325  
**UNIT NAME** Brunswick Steam Electric Plant, Unit No. 1  
**DATE** September 5, 2003  
**COMPLETED BY** Kester M. Thompson  
**TELEPHONE** (910) 457-2754

**REPORTING PERIOD** August 2003  
**(Month/Year)**

NO.	DATE	TYPE F: FORCED S: SCHEDULED	DURATION (HOURS)	REASON (1)	METHOD OF SHUTTING DOWN (2)	CAUSE/CORRECTIVE ACTIONS COMMENTS
						Unit No. 1 was not required to shut down during the month of August 2003.

## **SUMMARY:**

### **(1) Reason**

- A - Equipment Failure (Explain)
- B - Maintenance or Test
- C - Refueling
- D - Regulatory Restriction
- E - Operator Training/License Examination
- F - Administrative
- G - Operational Error (Explain)
- H - Other (Explain)

### **(2) Method**

- 1 - Manual
- 2 - Manual Trip/Scram
- 3 - Automatic Trip/Scram
- 4 - Continuation
- 5 - Other (Explain)

**APPENDIX A  
OPERATING DATA REPORT**

**DOCKET NO.** 50-324  
**UNIT NAME** Brunswick Steam Electric Plant, Unit No. 2  
**DATE** September 5, 2003  
**COMPLETED BY** Kester M. Thompson  
**TELEPHONE** (910) 457-2754

**REPORTING PERIOD** August 2003  
(Month/Year)

	<b>MONTH</b>	<b>YEAR TO DATE</b>	<b>CUMULATIVE</b>
1. Design Electrical Rating: (MWe-Net) – Note 1	935	N/A	N/A
2. Maximum Dependable Capacity: (MWe-Net)	811	N/A	N/A
3. Number of Hours the Reactor Was Critical:	744	5,200.6	175,495.8
4. Number of Hours the Generator Was On Line:	744	5,135.3	169,448.0
5. Unit Reserve Shutdown Hours:	0	0	0
6. Net Electrical Energy (MWH):	672,133	4,454,992	121,480,402

**Note 1:** License Amendment 247 for Unit 2 approved Extended Power Uprate (EPU). This amendment was implemented on March 8, 2003. As a result, the present value for Design Electrical Rating (i.e., net megawatts electric (MWe)) has been revised from 867 MWe to 935 MWe to reflect current equipment limitations and testing activities associated with the first phase of EPU implementation. The Design Electrical Rating value is subject to further revision as EPU testing and implementation activities continue.

**APPENDIX B  
UNIT SHUTDOWNS**

**DOCKET NO.** 50-324  
**UNIT NAME** Brunswick Steam Electric Plant, Unit No. 2  
**DATE** September 5, 2003  
**COMPLETED BY** Kester M. Thompson  
**TELEPHONE** (910) 457-2754

**REPORTING PERIOD** August 2003  
(Month/Year)

NO.	DATE	TYPE F: FORCED S: SCHEDULED	DURATION (HOURS)	REASON (1)	METHOD OF SHUTTING DOWN (2)	CAUSE/CORRECTIVE ACTIONS COMMENTS
						Unit No. 2 was not required to shut down during the month of August 2003.

**SUMMARY:****(1) Reason**

- A - Equipment Failure (Explain)
- B - Maintenance or Test
- C - Refueling
- D - Regulatory Restriction
- E - Operator Training/License Examination
- F - Administrative
- G - Operational Error (Explain)
- H - Other (Explain)

**(2) Method**

- 1 - Manual
- 2 - Manual Trip/Scram
- 3 - Automatic Trip/Scram
- 4 - Continuation
- 5 - Other (Explain)