

ACI COMMITTEE 355 - ANCHORAGE TO CONCRETE

HOUSTON, TEXAS 22 MARCH 1998

MEETING MINUTES

Chair Wollmershauser called the meeting to order at 9:30 A.M. Introduction of members and guests followed. A copy of the attendance roster is attached. Also attached is a copy of the meeting agenda. H. Wiewel was not able to attend and sent regrets. R. Eligehausen was unable to attend due to his research schedule. Werner Fuchs represented Rolf at this meeting.

The minutes of the Fall 1997 meeting in Atlanta were reviewed. It was moved by D. Meinheit and seconded by R. Cook to approve the minutes as submitted. Motion passed.

Membership Changes: New voting members are H. Graves and R. Ernst. R. Hays resigned. A copy of the committee roster was sent around for corrections. A new committee roster is attached. Please send any additional changes to the committee Chair or Secretary. There are 27 voting members according to committee records.

Subcommittee Reports :

Bonded Anchors : Ron Cook reported that 60 grouted anchors are being tested at the University of Florida. There are some 400 other anchor compounds available that can be tested. Manufacturers are contributing to the testing program. Those that contribute will have their anchors tested and receive test results. An approval standard for chemical anchors is being developed by R. Cook. A similar standard is being developed in Europe. A proposal for grouted anchor design procedures dated 27 February 1998 is attached. Ron has also done testing on channel anchors in shear and tension and grouted base plate testing. All tests were done in uncracked concrete.

Seismic Provisions : P. Carrato reported no additional information for this meeting. R. Wollmershauser reported that NEHRP is updating their seismic design provisions for publication in year 2000.

Terminology & Definitions: H. Wiewel was not present and no update was given.

ACI 349, Sub. B. : R. Orr reported that ACI-349 Chapter 23 was balloted. There were 30 negatives received. These will be resolved on 23 March 1998 and the revised chapter out for re-ballot as soon as possible.

Fastening to Concrete Programs: W. Fuchs represented R. Eligehausen who is in the middle of a research report. He is working on the anchor data base. The main

A18

effort at this time is on chemical anchor testing procedures. Werner showed transparencies on headed anchor testing. This involved various design rebar anchors with heads tested in shear in cracked and uncracked concrete. Werner also presented data on headed studs in tension as related to the CB-30 formula. Correlation was good. The shear limit  $L/d_o < 8$  in CB-30 was not used in the evaluation of these tests. Discussion followed. Copies of the test transparencies are attached.

Other test programs :

University of Texas : R. Klingner reported that the final document for USNRC tests is now being reviewed by that agency. It should be available in April/May, and includes all typed of anchors in cracked and uncracked concrete. Design recommendations for designing and evaluating concrete connections is being done now and will be given to USNRC in one month. It will be available after their release and will be presented at the Structural Engineers World Congress in San Francisco. Members of 355 are giving a session at that congress on Wednesday 25 July 1998. Bechtel Engineers gave a lot of information to R. Klingner in response to his request for material to be added to the 355 anchor data base. Any material on mechanical anchors should be sent to him.

H. Chambers : Nelson Stud has received ICBO Report ER-5217 on deformed bar anchors showing a lot of design data based on testing by H. Wiewel at Techmar in accordance with ASTM A-488.

Don Meinheit : Don reported that WJE is doing a testing-research report on headed studs for the Precast/Prestressed Concrete Institute. The studs will be tested in tension and shear as typically used in precast connections. Don is now in the literature research phase and currently investigating shear data. Send any information you may have to him. WJE also did a precast industry survey and that report is going to PCI at this time. The report as approved by PCI will be sent by Don to this committee for distribution. Discussion followed.

Other Discussion :

Design Guide : This document is needed quickly. The current draft by R. Klingner is to be revised to CEB format. An editorial committee is needed. Please submit your name to Chairman Wollmershauser if you can serve in this capacity. The time frame for the guide is to have the final draft balloted by mid 1999. It will contain all anchor types except grouted. The document will be sent to TAC by mid-summer 1999.

ACI-355 Provisional Standards : The Provisional Standards for the Performance of Post Installed Anchors in Uncracked and Cracked Concrete were discussed. This committee has 27 voting members. The December 1997 ballot had

11 members not responding to both standards. The January 1998 Work Session combined the documents into one standard: *Provisional Standard for the Performance of Mechanical Post Installed Anchors in Concrete*. There were not sufficient voting members present (17) to resolve or over ride negative ballots or substantive comments. Additional work sessions at this conference were scheduled for 23 March and 24 March to address the editorial comments and discuss the negative ballots with submitters that are present at this committee meeting. This document is critical to the 355/318 Chapter 23 work and the following timeline for resolution of both the provisional standard and 318's work on Chapter 23 is as follows:

| <u>Committee</u> | <u>Document</u>            | <u>Action Required</u>                                    | <u>Action Date</u> |
|------------------|----------------------------|---|--------------------|
| 355              | Provisional Std.           | Resolve Negatives and Primary Comments                    | 3/22/98            |
| 355              | Re-ballot Provisional Std. | Committee Letter Ballot                                   | 5/18 - 7/1/98      |
| 355              | Ballot Negatives           | Committee Letter Ballot                                   | 8/1 - 9/15/98      |
| 318-B            | CB-30                      | Resolve Negatives send to 318 Main                        | 3/23, 3/24         |
| 318 Main         | CB-30                      | Ballot on CB-30   | 4/8 - 5/8/98       |
| 318 Main         | CB-30                      | Summer 1998 Meeting<br>Resolve any remaining<br>Negatives | 6/6 - 6/7/98       |

Unfinished Business: None

New Business : A request for a Sunday meeting time at the 1998 meeting in Houston was discussed and approved informally by the majority of the committee members present. This request will be submitted by Chair Wollmershauser.


Provisional Standard : The committee reviewed and discussed all ballot comments and negatives and developed a concensus on each item submitted.

Page 4. of 4.

Wollmershauser will re-write the provisional standard and re-ballot by letter ballot in May.

There being no further business, it was moved and approved to adjourn the meeting at 8:49 PM.

Respectfully submitted,

A handwritten signature in cursive script, appearing to read "Harry A. Chambers".

Harry A. Chambers, Secretary 355

**ACI COMMITTEE 355 - ANCHORAGE TO CONCRETE**  
**1998 Spring Convention • Houston, TX**  
**Sunday, March 22, 1998 • 9:30 AM - 6:30 PM**  
**EHR7 Room • Hyatt Regency**

**Preliminary**  
**AGENDA**

1. Call to Order - Introduction of All Attendees
2. Approval of Fall 1997 Atlanta Meeting Minutes
3. Roster/Address Changes
4. Correspondence:
5. Subcommittee Reports:
  - a) Bonded Anchor Subcommittee Ron Cook  
Grouted Anchor Research Status
  - b) Seismic Provisions for Fastening to Concrete Pete Carrato
  - c) Terminology and Definitions Harry Wiewel
6. Report from ACI 349 Subcommittee 3 Richard Orr
7. Fastening Programs of Interest:
  - a) Univ. of Stuttgart Rolf Eligehausen/Werner Fuchs
  - b) Univ. of Texas Richard Klingner
  - c) U. of Florida Ron Cook
  - d) Others
8. Committee Discussion on Fastening to Concrete Documents Committee Discussion
  - a) Design Guide - Draft and Next Steps
  - b) ACI 355 Provisional Standard - Ballot Comments and Revisions
9. Unfinished Business:
10. New Business:
  - a) Fall 1998 Meeting Date - Los Angeles - Proposal of Sunday Oct. 25 or Monday morning Oct. 26, 1998
  - b) Other
11. Adjournment

**Committee Mission:** "Develop and report information, and develop and maintain standards for anchorage to concrete."

**Future ACI Conventions and Meetings of Note:**

|            | <u>DATES</u>          | <u>LOCATION</u>                             | <u>THEME</u>              |
|------------|-----------------------|---|---------------------------|
| Summer '98 | July 19-(20)-23, 1998 | San Francisco, CA                           | SEWC - Anchorage Session  |
| Fall '98   | October 25-30, 1998   | Los Angeles, Westin Century Plaza           | Seismic Constructability  |
| Spring '99 | March 14-18, 1999     | Chicago, Hyatt Regency                      | High Performance Concrete |
| Fall '99   | Oct. 31-Nov. 5, 1999  | Baltimore, Omni Inner Harbor/Radisson Plaza |                           |



HOUSTON CONVENTION REGISTRATION FORM

COMMITTEE: 355 Anchorage to Concrete

DATE: 22 March 1998

NAME AND ADDRESS:

\* MEMBERS - PLEASE GIVE ADDRESS AND PHONE NUMBER ONLY IF CHANGED
\* VISITORS - PLEASE GIVE COMPLETE ADDRESS AND PHONE NUMBER

COMMITTEE MEMBER?

VISITOR ARE YOU INTERESTED IN COMM. MEMBERSHIP?

Table with 3 columns: Name and Address, Committee Member?, Visitor. Rows include: ROBERT G SMITH - ERICO INT-, Christopher Heinz, PETE CARRATO - BECHTEL, Timothy J. Lynch - Stone & Webster, Gerry Hagel - Simpson Strong-Tie, WILLIAM ALDERMAN, KENNETH L. WHITMONE - GPUN, HARRY LANCELOT DAYTON/RICHMOND, PETER PUSILL - WACHSSTUTH, HILTI AG, WEINER FUCHS, KEVIN HEINEIT, Milton Rodicus, Rajit L. Bandyopadhyay, Richard Klingner, Herman L. Graves, DAVID NIDAY DAYTON/SUPERIOR CORP, Bob Rowan - Rowan & Assoc. Inc, DAN STOPPENHAGEN - FLOOR DANIEL, Erick Larson - Pacific Gas & Electric Co, new mailing address: P.O. Box 77000, San Francisco, CA 94177



# ACI Committee Roster

20-Apr-98

Committee: 0000355-00 Anchorage

Page 1 of 7

---

|   |  |  |
|---|--|--|
| <b>William H. Alderman</b><br>Vice-President<br>Powers Fastening, Inc.<br>Two Powers Square<br>New Rochelle, NY 10802                         | <b>Member</b><br>(Voting)                | <b>Phone:</b> (914) 235-6300<br><b>Fax:</b> (914) 576-6483<br><b>Email:</b> alderman@powers.com          |
| <b>Tarek Aziz</b><br>Section Head<br>Atomic Energy of Canada Ltd.<br>2251 Speakman Drive<br>Mississauga, Ontario L5L 3N8 Canada               | <b>Member</b><br>(Voting)                | <b>Phone:</b> (905) 823-9060<br><b>Fax:</b> (905) 823-6120<br><b>Email:</b>                              |
| <b>Ranjit L. Bandyopadhyay</b><br>Principal Engineer<br>Westinghouse Savannah River Co.<br>3629 Pebble Beach Drive<br>Martinez, GA 30907-9087 | <b>Member</b><br>(Voting)                | <b>Phone:</b> (803) 952-9088<br><b>Fax:</b> (803) 952-7293<br><b>Email:</b> ranjit.bandyopadhyay@srs.gov |
| <b>John E. Breen</b><br>AL Rashid Chair<br>The University of Texas at Austin<br>10100 Burnet Road - Bldg. 24<br>Austin, TX 78758              | <b>Associate Member</b><br>(Non-Voting)  | <b>Phone:</b> (512) 471-4578<br><b>Fax:</b> (512) 471-1944<br><b>Email:</b>                              |
| <b>Edwin G. Burdette</b><br>Professor/Civil Engineering<br>University of Tennessee<br>Dept. of Civil Engineering<br>Knoxville, TN 37996       | <b>Consulting Member</b><br>(Non-Voting) | <b>Phone:</b> (615) 974-7704<br><b>Fax:</b> (615) 974-2669<br><b>Email:</b>                              |
| <b>Robert W. Cannon</b><br>Consulting Engineer<br>3103 Dorothy Drive<br>Maryville, TN 37804   | <b>Consulting Member</b><br>(Non-Voting) | <b>Phone:</b> (423) 982-5495<br><b>Fax:</b> (423) 982-5495<br><b>Email:</b>                              |
| <b>Peter J. Carrato</b><br>Eng. Supervisor<br>Bechtel Power Corp.<br>9801 Washingtonian Blvd.<br>Gaithersburg, MD 20878                       | <b>Member</b><br>(Voting)                | <b>Phone:</b> (301) 417-3203<br><b>Fax:</b> (301) 963-9547<br><b>Email:</b> pcarrato@bechtel.com         |

---

# ACI Committee Roster

20-Apr-98

Committee: 0000355-00 Anchorage

Page 2 of 7

---

|  |   |   |
|--|---|---|
| <b>Harry A. Chambers</b><br>Construction Administrator<br>TRW Nelson Division<br>P.O. Box 4019<br>7900 West Ridge Road<br>Elyria, OH 44036         | <b>Secretary</b><br>(Voting)            | <b>Phone:</b> (440) 329-0400<br><b>Fax:</b> (440) 329-0526<br><b>Email:</b> harry.chambers@TRW.com        |
| <b>Marvin A. Cones</b><br>Eng. Specialist/Concrete/Anchorage<br>Tennessee Valley Authority<br>400 W. Summit Hill Ave., WT9D<br>Knoxville, TN 37902 | <b>Associate Member</b><br>(Non-Voting) | <b>Phone:</b> (615) 751-8392<br><b>Fax:</b> (615) 751-8314<br><b>Email:</b>                               |
| <b>Ronald A. Cook</b><br>Professor/PhD<br>The University of Florida<br>346 Weil Hall - Civil Engr. Dept.<br>Gainesville, FL 32611                  | <b>Member</b><br>(Voting)               | <b>Phone:</b> (352) 392-1036<br><b>Fax:</b> (352) 392-3394<br><b>Email:</b> rcook@shell.ce.ufl.edu        |
| <b>Lennart G. Elfgrén</b><br>Professor/PhD<br>University of Lulea<br>Division of Structural Engineering<br>Lulea, S-951 87 Sweden                  | <b>Associate Member</b><br>(Non-Voting) | <b>Phone:</b> (469) 209-1360<br><b>Fax:</b> (469) 209-1913<br><b>Email:</b>                               |
| <b>Rolf Eligehausen</b><br>Professor/PhD<br>University of Stuttgart<br>Pfaffenwaldring 4<br>Stuttgart, 70550 Germany                               | <b>Member</b><br>(Voting)               | <b>Phone:</b> (711) 685-3323<br><b>Fax:</b> (711) 685-2285<br><b>Email:</b> choynack@iwb.uni-stuttgart.de |
| <b>Rich Ernst</b><br>ITW Ramset/Red Head<br>1300 N. Michael Dr.<br>Wood Dale, IL 60191   | <b>Member</b><br>(Voting)               | <b>Phone:</b> (630) 350-0370<br><b>Fax:</b> (630) 350-1858<br><b>Email:</b>                               |
| <b>Herman L. Graves, III</b><br>Sr. Structural Engineer<br>U.S. Nuclear Regulatory Commission<br>Mailstop: T.10L1<br>Washington, D.C 20555         | <b>Associate Member</b><br>(Voting)     | <b>Phone:</b> (301) 415-5880<br><b>Fax:</b> (301) 415-5074<br><b>Email:</b> HLG1@NRC.GOV                  |

---



# ACI Committee Roster

20-Apr-98

Committee: 0000355-00 Anchorage

Page 4 of 7

---

|  |                           |  |
|--|---------------------------|--|
| <b>Richard E. Klingner</b><br>Professor/PhD<br>The University of Texas at Austin<br>10100 Burnet Rd., Bldg. 24, Ferguson Lab<br>Austin, TX 78758 | <b>Member</b><br>(Voting) | <b>Phone:</b> (512) 471-4577<br><b>Fax:</b> (512) 471-1944<br><b>Email:</b> Klingner@uts.ce-utexas.edu |
|--|---------------------------|--|

|  |                           |   |
|--|---------------------------|---|
| <b>Harry B. Lancelot III</b><br>Director, Engineering<br>Dayton/Richmond Inc.<br>7214 Burns Street<br>Fort Worth, TX 76118 | <b>Member</b><br>(Voting) | <b>Phone:</b> (817) 284-4981<br><b>Fax:</b> (817) 284-4504<br><b>Email:</b> |
|--|---------------------------|---|

|  |   |  |
|--|---|--|
| <b>Erick N. Larson</b><br>Senior Civil Engineer<br>Pacific Gas & Electric Co.<br>P.O. Box 770000<br>Mailstop N11D<br>San Francisco, CA 94177 | <b>Associate Member</b><br>(Non-Voting) | <b>Phone:</b> (415) 973-3647<br><b>Fax:</b> (415) 973-5121<br><b>Email:</b> ENL1@pge.com |
|--|---|--|

|   |  |   |
|---|--|---|
| <b>Benjamin Lavon, P.E.</b><br>Feld, Kaminetzky & Cohen, P.C.<br>125 Mineola Avenue<br>Roslyn Heights, NY 11577 | <b>Consulting Member</b><br>(Non-Voting) | <b>Phone:</b> (516) 484-4060<br><b>Fax:</b> (516) 484-4064<br><b>Email:</b> |
|---|--|---|

|  |                           |   |
|--|---------------------------|---|
| <b>Douglas D. Lee</b><br>Principal<br>Douglas D. Lee & Associates<br>6150 Foxglove Court<br>Fort Worth, TX 76112 | <b>Member</b><br>(Voting) | <b>Phone:</b> (817) 496-9277<br><b>Fax:</b> (817) 457-8970<br><b>Email:</b> |
|--|---------------------------|---|

|   |                           |   |
|---|---------------------------|---|
| <b>Alexander Makitka</b><br>Project Engineer<br>Alexander Makitka Jr. & Assoc.<br>RD #8, Box 8123<br>Stroudsburg, PA 18360-9206 | <b>Member</b><br>(Voting) | <b>Phone:</b> (717) 529-4595<br><b>Fax:</b> (717) 839-2238<br><b>Email:</b> |
|---|---------------------------|---|

|   |                           |   |
|---|---------------------------|---|
| <b>Lee E. Mattis</b><br>Principal<br>CTI Engineering<br>2501 B. Grant Avenue<br>San Lorenzo, CA 94580 | <b>Member</b><br>(Voting) | <b>Phone:</b> (510) 317-1255<br><b>Fax:</b> (510) 276-8840<br><b>Email:</b> |
|---|---------------------------|---|

---

# ACI Committee Roster

20-Apr-98

Committee: 0000355-00 Anchorage

Page 5 of 7

---

|  |   |   |
|--|---|---|
| <b>Robert R. McGlohn</b><br>Proj. Eng./Pulp & Paper<br>Raytheon Eng & Constructors<br>100 Corporate Parkway<br>Birmingham, AL 35242                  | <b>Member</b><br>(Voting)               | <b>Phone:</b> (205) 995-2753<br><b>Fax:</b> (205) 995-7199<br><b>Email:</b> Robert_McGlohn@rec.raytheon.com |
| <b>Donald F. Meinheit</b><br>Sr. Consultant<br>Wiss Janney Elstner & Assoc. Inc.<br>330 Pfingsten Road<br>Northbrook, IL 60062                       | <b>Member</b><br>(Voting)               | <b>Phone:</b> (847) 272-7400 EXT 4274<br><b>Fax:</b> (847) 291-5189<br><b>Email:</b> dfm@wje.com            |
| <b>Joseph Mockapetris</b><br>Product Manager<br>SIKA Corp<br>201 Polito Ave.<br>Lyndhurst, NJ 07071  | <b>Associate Member</b><br>(Non-Voting) | <b>Phone:</b><br><b>Fax:</b><br><b>Email:</b>   |
| <b>Scott L. Moorman</b><br>President<br>Plant-Pro Industrial<br>19000 Cochran Rd.<br>Cleveland, OH 44110   | <b>Associate Member</b><br>(Non-Voting) | <b>Phone:</b> (216) 481-4000<br><b>Fax:</b> (216) 531-4000<br><b>Email:</b>                                 |
| <b>Francis A. Oluokun</b><br>Civil Eng. Professor<br>Northeastern University - Civil Engr. Dept.<br>441 Snell Engineering Center<br>Boston, MA 02115 | <b>Member</b><br>(Voting)               | <b>Phone:</b> (617) 373-5222<br><b>Fax:</b> (617) 373-4419<br><b>Email:</b> boye@neu.edu                    |
| <b>Richard S. Orr</b><br>Advisory Engineer<br>Westinghouse NPD<br>P.O. Box 355<br>Pittsburgh, PA 15230   | <b>Member</b><br>(Voting)               | <b>Phone:</b> (412) 374-5924<br><b>Fax:</b> (412) 374-5535<br><b>Email:</b> orrrs@westinghouse.com          |
| <b>John E. Pearson, PE, SE</b><br>Structural Engineer<br>Wiss, Janney, Elstner Associates<br>330 Pfingsten Road<br>Northbrook, IL 60062              | <b>Associate Member</b><br>(Non-Voting) | <b>Phone:</b> (847) 272-7400<br><b>Fax:</b> (847) 291-5999<br><b>Email:</b> jep@wje.com                     |

---

# ACI Committee Roster

20-Apr-98

Committee: 0000355-00 Anchorage

Page 6 of 7

**Andrew Rossi**  
Executive Vice-President  
Five Star Products  
425 Stillson Road  
Fairfield, CT 06430

Member  
(Voting)

Phone: (203) 336-7911  
Fax: (203) 336-7930  
Email:

**Robert L. Rowan, Jr.**  
Principal  
Robert L. Rowan & Assoc., Inc.  
P.O. Box 920760  
Houston, TX 77292-0760

Associate Member  
(Non-Voting)

Phone: (713) 681-5811  
Fax: (713) 681-5815  
Email: rowanr@hal-pc.org

**George A. Senkiw**  
Supervising Proj. Eng.  
Ontario Hydro  
800 Kipling Avenue KB214  
Toronto, Ontario M8Z 5S4

Member  
(Voting)

Phone: (416) 207-6321  
Fax: (416) 207-5862  
Email:

**Robert G. Smith**  
Vice-President  
Erico Product, Inc.  
145 Country Club Circle  
Southern Pines, NC 28387

Associate Member  
(Non-Voting)

Phone: (910) 692-3934  
Fax: (910) 692-3773  
Email:

**John W. Stiles**  
Industrial Consulting Engineers, Inc.  
P.O. Box 250372  
Little Rock, AR 72225

Associate Member  
(Non-Voting)

Phone: (501) 664-3245  
Fax:  
Email:

**Dan R. Stoppenhagen**  
Structural Engineer  
218 Needleleaf Lane  
Sugar Land, TX 77479-5035

Member  
(Voting)

Phone: (713) 263-2677  
Fax: (713) 263-3276  
Email: dan.stoppenhagen@fluor.daniel.com

**Patrick J.E. Sullivan**  
Consultant/Sr. Partner  
Sullivan & Associates  
2 Sandy Lodge Road  
Rickmansworth Herts, WD3 1LJ England

Member  
(Voting)

Phone: (192) 377-3267  
Fax: (192) 389-7484  
Email:

**Richard A. Walther**  
Wiss Janney Elstner Associates  
330 Pfingsten Road  
Northbrook, IL 60062

Associate Member  
(Non-Voting)

Phone: (708) 272-7400  
Fax: (708) 291-9599  
Email:

# ACI Committee Roster

20-Apr-98

Committee: 0000355-00 Anchorage

Page 7 of 7

**Ken Whitmore**  
Sr. Structural Engineer  
General Public Utility  
1 Upper Pond Road  
Parsippany, NJ 07054

Associate Member  
(Non-Voting)

**Phone:** (201) 316-7546  
**Fax:** (201) 316-7883  
**Email:** kwhitmore@gpu.com

**Harry Wiewel**  
President  
Techmar, Inc.  
P.O. Box 30487  
Long Beach, CA 90853

Member  
(Voting)

**Phone:** (562) 438-8564  
**Fax:** (562) 988-1616  
**Email:** TMMaui@aol.com

**Richard E. Wollmershauser**  
Director, Technical Services  
Hilti, Inc.  
P.O. Box 21148  
Tulsa, OK 74121

Chairman  
(Voting)

**Phone:** (918) 252-6571  
**Fax:** (918) 252-6347  
**Email:** wollric@us.hilti.com

**Sherry Yin Xiaochen**  
Proj Eng/Manager  
KPFF Consulting Engineers  
707 SW Washington St. #600  
Portland, OR 97205

Associate Member  
(Non-Voting)

**Phone:** (503) 227-3251  
**Fax:** (503) 227-7980  
**Email:**

**Konstantinos Zavliaris**  
Dip. Civil Engineer  
Etan S.A.  
4 Thetidos Street  
Athens, 115 28 Greece

Associate Member  
(Non-Voting)

**Phone:** (101) 721-1362  
**Fax:**  
**Email:**