

Table Of Contents

Overview

Tendency Plot

Magnitude Tool

Stress Ratio Graph

Mohr Graph

3D Fault Viewer

Map Viewer

Rose Diagram

Surface Viewer

Options

Appendix



Exit Help

3D STRESS

User's Guide for Version 1.3

Software License Notice

This computer code/material was prepared as an account of work performed by the Center for Nuclear Waste Regulatory Analyses (CNWRA) for the Division of Waste Management of the Nuclear Regulatory Commission (NRC), an independent agency of the United States Government. The developer(s) of the code nor any of their sponsors make any warranty, expressed or implied, or assume any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product or process disclosed, or represent that its use would not infringe on privately-owned rights.

Technical Support

For technical support for 3DStress contact:

Dr. David A. Ferrill
CNWRA
Southwest Research Institute
6220 Culebra Road
San Antonio, TX 78238
(210) 522-6082 voice (210) 522-5155 fax
dferrill@swri.edu

Hardware Requirements

Silicon Graphics Workstation Running IRIX 5.x or later Operating System

Table of Contents

Table Of Contents

Overview

Tendency Plot

Magnitude Tool

Stress Ratio Graph

Mohr Graph

3D Fault Viewer

Map Viewer

Rose Diagram

Surface Viewer

Options

Appendix

Overview	P. 4
Starting 3DStress	P. 6
The Controller	P. 7
Common Buttons	P. 8
Tendency Plot	P. 9
Reading Slip Tendency and Direction Values	P. 10
Tendency Plot Options	P. 12
Overlaying Points on the 2D Slip tendency Plot	P. 15
Magnitude Tool	P. 19
Entering Stress Orientations	P. 19
Loading and Saving magnitudes and orientations	P. 22
Stress Ratio Graph	P. 23
Mohr Graph	P. 25
Mohr Graph Options	P. 26
3D Fault Viewer	P. 28
Fault Builder	P. 29
Coverages	P. 31
Map Viewer	P. 32
Map Viewer Options	P. 32
Coverages	P. 33
Rose Diagram	P. 35
Rose Diagram Options	P. 37
Surface Viewer	P. 38
Surface Viewer Options	P. 39



Table of Contents Continued

Table Of Contents

Overview

Tendency Plot

Magnitude Tool

Stress Ratio Graph

Mohr Graph

3D Fault Viewer

Map Viewer

Rose Diagram

Surface Viewer

Options

Appendix

Options	P. 41
Tendency Plot Variables	P. 41
Color Options	P. 41
Appendix	P. 45
Hot Keys	P. 45
File Selector	P. 48
Example	P. 50



Exit Help

Overview

Table Of Contents

Overview

Tendency Plot

Magnitude Tool

Stress Ratio Graph

Mohr Graph

3D Fault Viewer

Map Viewer

Rose Diagram

Surface Viewer

Options

Appendix

3DStress is a tool for computing the propensity for a fault to slip or dilate based on three-dimensional (3D) stress conditions. **Slip tendency** is a ratio of the shear stress (τ_s) divided by the normal stress (σ_n) on a fault surface, as shown in the equation below:

$$\text{Slip tendency} = \tau_s / \sigma_n$$

The stress axis with the **greatest** magnitude is called σ_1 . The stress axis with the **smallest** magnitude is called σ_3 . The **intermediate** stress axis is called σ_2 . Any of the stress axes (σ_u , σ_v , or σ_w) can be σ_1 , σ_2 , or σ_3 depending on the user selection.

Dilation tendency is the relative propensity for a fault to dilate based on the 3D stress conditions and is computed as shown in the equation below:

$$\text{Dilation tendency} = (\sigma_1 - \sigma_n) / (\sigma_1 - \sigma_3)$$


Leakage factor is a quantitative estimate of the propensity for a fault or fracture to dilate, for situations where fluid pressure and fault or fracture tensile strength are known or can be inferred. Leakage factor is computed as a function of pore fluid pressure (P_f), σ_n , and tensile strength (T) by the equation below:

$$\text{Leakage factor} = P_f / (\sigma_n - T)$$

For additional background and details on slip tendency see the following references:

Morris, A., D. A. Ferrill, and D. B. Henderson, 1996, "Slip-tendency analysis and fault reactivation," *Geology*, March 1996, 24(3):275-278.

Morris, A. P., D. A. Ferrill, and D. B. Henderson, 1994, "Slip tendency analysis and fault reactivation," *EOS, Transactions of the American Geophysical Union*, 75(44):591.



Exit Help

Table Of Contents

Overview

Tendency Plot

Magnitude Tool

Stress Ratio Graph

Mohr Graph

3D Fault Viewer

Map Viewer

Rose Diagram

Surface Viewer

Options

Appendix



Exit Help

Overview Continued

Ferrill, D. A., S. R. Young, A. P. Morris, D. B. Henderson, and R. H. Martin, 1994, "3-Dimensional stress domains interpreted from fault slip patterns in southern California and Nevada," *Geological Society of America Abstracts with Programs*, 26(7):A185.

Ferrill, D. A., A. P. Morris, D. B. Henderson, and R. H. Martin, 1994, "Tectonic processes in the Central Basin and Range region." *NRC High-Level Radioactive Waste Research at CNWRA*, July-December, 1994. CNWRA 94-02S. 121-139.

Ferrill, D. A., A. P. Morris, S. M. Jones, and J. A. Stamatakos, 1998, "Extensional Layer-Parallel Shear and Normal Faulting." *Journal of Structural Geology*, 20(4):355-362.

Table Of Contents

Overview

Tendency Plot

Magnitude Tool

Stress Ratio Graph

Mohr Graph

3D Fault Viewer

Map Viewer

Rose Diagram

Surface Viewer

Options

Appendix

Index


Exit Help

Starting 3DStress

To start 3DStress from a shell window, change directories to the directory with the executable for 3DStress and enter:

```
% 3dstress
```

Two windows similar to the ones below will appear on the display.



The Controller

The 3DStress controller is used to access each of the main windows by clicking the left mouse button over the desired button.

Table Of Contents

Overview

Tendency Plot

Magnitude Tool

Stress Ratio Graph

Mohr Graph

3D Fault Viewer

Map Viewer

Rose Diagram

Surface Viewer

Options

Appendix

Index

Exit Help



Tendency Plot




Map Viewer




Magnitude Tool



Surface Viewer




Stress Ratio Graph



Options




Mohr Graph



Help



3D Fault Viewer



Exit 3DStress




Table Of Contents

Overview

Tendency Plot

Magnitude Tool

Stress Ratio Graph

Mohr Graph

3D Fault Viewer

Map Viewer

Rose Diagram

Surface Viewer

Options

Appendix


Index




Exit Help

Overview Continued Common Buttons

Each of the different main windows accessed from the Controller has buttons located near the top of the window that serve a common purpose.



Load a file




Save loaded file(s)




Options applying to that particular window




Centers the viewer and any loaded file(s)



Saves the window to a screen raster file (Silicon Graphics rgb format)



Closes the window.



Showcase help file for the window.

Tendency Plot

Table Of Contents

Overview

Tendency Plot

Magnitude Tool

Stress Ratio Graph

Mohr Graph

3D Fault Viewer

Map Viewer

Rose Diagram


Surface Viewer

Options

Appendix



Exit Help



3DStress computes slip tendency based on a user-selected stress state. The stress state is defined by the magnitudes and orientations of the orthogonal stress axes called σ_u , σ_v , and σ_w . The magnitude values in 3DStress are **normalized** to range from 1 to 100. These represent principal compressive stresses.


The stress axis with the **greatest** magnitude is called σ_1 . The stress axis with the **smallest** magnitude is called σ_3 . The **intermediate** stress axis is called σ_2 . Any of the stress axes (σ_u , σ_v , or σ_w) can be σ_1 , σ_2 , or σ_3 depending on the user selection.

A **stress state** is defined in terms of principal stress components σ_1 , σ_2 , and σ_3 ($\sigma_3 \leq \sigma_2 \leq \sigma_1$), which are oriented along orthogonal directions u , v , and w . The user may set the relative magnitudes of the principal stress components and may choose any two of the three orthogonal axes for σ_1 and σ_3 . Initially, u points vertically down, but the user may rotate the stress axes to other orientations (see the **Magnitude Tool** section). Only mutually orthogonal stress-axis orientations are allowed by 3DStress.

Tendency Plot Continued

Reading Slip Tendency and Direction Values

Slip tendency is displayed on a lower hemisphere equal-angle stereographic projection as shown below. Locations on the lower hemisphere plot correspond to fault surface poles. The slip tendency for a given fault pole is indicated on a color scale where **red** indicates relatively high slip tendency and **blue** indicates relatively low slip tendency.



Slip is likely to occur on a surface when the resolved shear stress equals or exceeds the frictional resistance to sliding. For more information see the references listed in the **overview** section.

Table Of Contents

Overview

Tendency Plot

Magnitude Tool

Stress Ratio Graph

Mohr Graph

3D Fault Viewer


Map Viewer

Rose Diagram

Surface Viewer

Options

Appendix



Exit Help