

Appendix D

Truck Farmer Scenario

RESRAD 6.0 Output File Reports

➤ **Uranium DCGL**

- Deterministic Module Summary Report (Part I)
- Detailed Pathway Calculations Report (Part II)
- Intake Quantities & Health Risk Factors (Part III)
- Concentrations of Radionuclide Report (Part IV)
- Dose from Radionuclides at Point of Action (Part V)
- Probabilistic (Uncertainty) Analysis Report (Part V)

➤ **Byproduct (Co-60) DCGL**

- Deterministic Module Summary Report (Part I)
- Detailed Pathway Calculations Report (Part II)
- Intake Quantities & Health Risk Factors (Part III)
- Concentrations of Radionuclide Report (Part IV)
- Dose from Radionuclides at Point of Action (Part V)
- Probabilistic (Uncertainty) Analysis Report (Part V)

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

=====

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	4
Summary of Pathway Selections	9
Contaminated Zone and Total Dose Summary	10
Total Dose Components	
Time = 0.000E+00	11
Time = 1.000E+00	12
Time = 3.000E+00	13
Time = 1.000E+01	14
Time = 3.000E+01	15
Time = 1.000E+02	16
Time = 3.000E+02	17
Time = 1.000E+03	18
Dose/Source Ratios Summed Over All Pathways	19
Single Radionuclide Soil Guidelines	19
Dose Per Nuclide Summed Over All Pathways	20
Soil Concentration Per Nuclide	21

Dose Conversion Factor (and Related) Parameter Summary
 File: Default.LIB

0 Menu	Parameter	Current Value	Default	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Ac-227+D	6.720E+00	6.720E+00	DCF2(1)
B-1	Pa-231	1.280E+00	1.280E+00	DCF2(2)
B-1	Pb-210+D	2.320E-02	2.320E-02	DCF2(3)
B-1	Ra-226+D	8.600E-03	8.600E-03	DCF2(4)
B-1	Th-230	3.260E-01	3.260E-01	DCF2(5)
B-1	U-234	1.320E-01	1.320E-01	DCF2(6)
B-1	U-235+D	1.230E-01	1.230E-01	DCF2(7)
B-1	U-238+D	1.180E-01	1.180E-01	DCF2(8)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Ac-227+D	1.480E-02	1.480E-02	DCF3(1)
D-1	Pa-231	1.060E-02	1.060E-02	DCF3(2)
D-1	Pb-210+D	7.270E-03	7.270E-03	DCF3(3)
D-1	Ra-226+D	1.330E-03	1.330E-03	DCF3(4)
D-1	Th-230	5.480E-04	5.480E-04	DCF3(5)
D-1	U-234	2.830E-04	2.830E-04	DCF3(6)
D-1	U-235+D	2.670E-04	2.670E-04	DCF3(7)
D-1	U-238+D	2.690E-04	2.690E-04	DCF3(8)
D-34	Food transfer factors:			
D-34	Ac-227+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(1,1)
D-34	Ac-227+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-05	2.000E-05	RTF(1,2)
D-34	Ac-227+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-05	2.000E-05	RTF(1,3)
D-34	Pa-231 , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF(2,1)
D-34	Pa-231 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-03	5.000E-03	RTF(2,2)
D-34	Pa-231 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(2,3)
D-34	Pb-210+D , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF(3,1)
D-34	Pb-210+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	8.000E-04	RTF(3,2)
D-34	Pb-210+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.000E-04	3.000E-04	RTF(3,3)
D-34	Ra-226+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(4,1)
D-34	Ra-226+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(4,2)
D-34	Ra-226+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF(4,3)
D-34	Th-230 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(5,1)
D-34	Th-230 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(5,2)
D-34	Th-230 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(5,3)
D-34	U-234 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(6,1)
D-34	U-234 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(6,2)
D-34	U-234 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(6,3)
D-34	U-235+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(7,1)
D-34	U-235+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(7,2)
D-34	U-235+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(7,3)

Dose Conversion Factor (and Related) Parameter Summary (continued)
 File: Default.LIB

0 Menu	Parameter	Current Value	Default	Parameter Name
D-34	U-238+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(8,1)
D-34	U-238+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(8,2)
D-34	U-238+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(8,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Ac-227+D , fish	1.500E+01	1.500E+01	BIOFAC(1,1)
D-5	Ac-227+D , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(1,2)
D-5				
D-5	Pa-231 , fish	1.000E+01	1.000E+01	BIOFAC(2,1)
D-5	Pa-231 , crustacea and mollusks	1.100E+02	1.100E+02	BIOFAC(2,2)
D-5				
D-5	Pb-210+D , fish	3.000E+02	3.000E+02	BIOFAC(3,1)
D-5	Pb-210+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(3,2)
D-5				
D-5	Ra-226+D , fish	5.000E+01	5.000E+01	BIOFAC(4,1)
D-5	Ra-226+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC(4,2)
D-5				
D-5	Th-230 , fish	1.000E+02	1.000E+02	BIOFAC(5,1)
D-5	Th-230 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(5,2)
D-5				
D-5	U-234 , fish	1.000E+01	1.000E+01	BIOFAC(6,1)
D-5	U-234 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(6,2)
D-5				
D-5	U-235+D , fish	1.000E+01	1.000E+01	BIOFAC(7,1)
D-5	U-235+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(7,2)
D-5				
D-5	U-238+D , fish	1.000E+01	1.000E+01	BIOFAC(8,1)
D-5	U-238+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(8,2)

Site-Specific Parameter Summary						
0	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name	
R011	Area of contaminated zone (m**2)	2.023E+06	1.000E+04	---	AREA	
R011	Thickness of contaminated zone (m)	1.500E-01	2.000E+00	---	THICK0	
R011	Length parallel to aquifer flow (m)	1.000E+02	1.000E+02	---	LCZPAQ	
R011	Basic radiation dose limit (mrem/yr)	1.900E+01	2.500E+01	---	BRDL	
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI	
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T (2)	
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T (3)	
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T (4)	
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T (5)	
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T (6)	
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T (7)	
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T (8)	
R011	Times for calculations (yr)	not used	0.000E+00	---	T (9)	
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)	
R012	Initial principal radionuclide (pCi/g): U-234	4.177E+03	0.000E+00	---	S1 (6)	
R012	Initial principal radionuclide (pCi/g): U-235	2.300E+02	0.000E+00	---	S1 (7)	
R012	Initial principal radionuclide (pCi/g): U-238	9.835E+02	0.000E+00	---	S1 (8)	
R012	Concentration in groundwater (pCi/L): U-234	not used	0.000E+00	---	W1 (6)	
R012	Concentration in groundwater (pCi/L): U-235	not used	0.000E+00	---	W1 (7)	
R012	Concentration in groundwater (pCi/L): U-238	not used	0.000E+00	---	W1 (8)	
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0	
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV	
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV	
R013	Density of contaminated zone (g/cm**3)	1.500E+00	1.500E+00	---	DENSCZ	
R013	Contaminated zone erosion rate (m/yr)	1.000E-03	1.000E-03	---	VCZ	
R013	Contaminated zone total porosity	4.000E-01	4.000E-01	---	TPCZ	
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ	
R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ	
R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ	
R013	Average annual wind speed (m/sec)	3.160E+00	2.000E+00	---	WIND	
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID	
R013	Evapotranspiration coefficient	5.000E-01	5.000E-01	---	EVAPTR	
R013	Precipitation (m/yr)	1.120E+00	1.000E+00	---	PRECIP	
R013	Irrigation (m/yr)	2.000E-01	2.000E-01	---	RI	
R013	Irrigation mode	overhead	overhead	---	IDITCH	
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF	
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA	
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS	
R014	Density of saturated zone (g/cm**3)	1.500E+00	1.500E+00	---	DENSAQ	
R014	Saturated zone total porosity	4.000E-01	4.000E-01	---	TPSZ	
R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	EPSZ	
R014	Saturated zone field capacity	2.000E-01	2.000E-01	---	FCSZ	
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E+02	1.000E+02	---	HCSZ	
R014	Saturated zone hydraulic gradient	2.000E-02	2.000E-02	---	HGWT	
R014	Saturated zone b parameter	5.300E+00	5.300E+00	---	BSZ	
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT	
R014	Well pump intake depth (m below water table)	1.000E+01	1.000E+01	---	DWIBWT	

Site-Specific Parameter Summary (continued)					
0		User		Used by RESRAD	Parameter
Menu	Parameter	Input	Default	(If different from user input)	Name
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.500E+02	2.500E+02	---	UW
R015	Number of unsaturated zone strata	2	1	---	NS
R015	Unsat. zone 1, thickness (m)	2.000E+00	4.000E+00	---	H (1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.500E+00	1.500E+00	---	DENSUZ (1)
R015	Unsat. zone 1, total porosity	4.000E-01	4.000E-01	---	TPUZ (1)
R015	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	EPUZ (1)
R015	Unsat. zone 1, field capacity	2.000E-01	2.000E-01	---	FCUZ (1)
R015	Unsat. zone 1, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ (1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCUZ (1)
R015	Unsat. zone 2, thickness (m)	4.000E+00	0.000E+00	---	H (2)
R015	Unsat. zone 2, soil density (g/cm**3)	1.500E+00	1.500E+00	---	DENSUZ (2)
R015	Unsat. zone 2, total porosity	4.000E-01	4.000E-01	---	TPUZ (2)
R015	Unsat. zone 2, effective porosity	2.000E-01	2.000E-01	---	EPUZ (2)
R015	Unsat. zone 2, field capacity	2.000E-01	2.000E-01	---	FCUZ (2)
R015	Unsat. zone 2, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ (2)
R015	Unsat. zone 2, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCUZ (2)
R016	Distribution coefficients for U-234				
R016	Contaminated zone (cm**3/g)	8.700E+03	5.000E+01	---	DCNUCC (6)
R016	Unsaturated zone 1 (cm**3/g)	3.300E+03	5.000E+01	---	DCNUCU (6,1)
R016	Unsaturated zone 2 (cm**3/g)	1.250E+02	5.000E+01	---	DCNUCU (6,2)
R016	Saturated zone (cm**3/g)	1.250E+02	5.000E+01	---	DCNUCS (6)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.799E-04	ALEACH (6)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (6)
R016	Distribution coefficients for U-235				
R016	Contaminated zone (cm**3/g)	8.700E+03	5.000E+01	---	DCNUCC (7)
R016	Unsaturated zone 1 (cm**3/g)	3.300E+03	5.000E+01	---	DCNUCU (7,1)
R016	Unsaturated zone 2 (cm**3/g)	1.250E+02	5.000E+01	---	DCNUCU (7,2)
R016	Saturated zone (cm**3/g)	1.250E+02	5.000E+01	---	DCNUCS (7)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.799E-04	ALEACH (7)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (7)
R016	Distribution coefficients for U-238				
R016	Contaminated zone (cm**3/g)	8.700E+03	5.000E+01	---	DCNUCC (8)
R016	Unsaturated zone 1 (cm**3/g)	3.300E+03	5.000E+01	---	DCNUCU (8,1)
R016	Unsaturated zone 2 (cm**3/g)	1.250E+02	5.000E+01	---	DCNUCU (8,2)
R016	Saturated zone (cm**3/g)	1.250E+02	5.000E+01	---	DCNUCS (8)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.799E-04	ALEACH (8)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (8)
R016	Distribution coefficients for daughter Ac-227				
R016	Contaminated zone (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCC (1)
R016	Unsaturated zone 1 (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCU (1,1)
R016	Unsaturated zone 2 (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCU (1,2)
R016	Saturated zone (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCS (1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.205E-01	ALEACH (1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (1)

Site-Specific Parameter Summary (continued)

0	Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
	R016	Distribution coefficients for daughter Pa-231				
	R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC (2)
	R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU (2,1)
	R016	Unsaturated zone 2 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU (2,2)
	R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS (2)
	R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.850E-02	ALEACH (2)
	R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (2)
	R016	Distribution coefficients for daughter Pb-210				
	R016	Contaminated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCC (3)
	R016	Unsaturated zone 1 (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCU (3,1)
	R016	Unsaturated zone 2 (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCU (3,2)
	R016	Saturated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCS (3)
	R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.430E-02	ALEACH (3)
	R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (3)
	R016	Distribution coefficients for daughter Ra-226				
	R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC (4)
	R016	Unsaturated zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU (4,1)
	R016	Unsaturated zone 2 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU (4,2)
	R016	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS (4)
	R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.469E-02	ALEACH (4)
	R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (4)
	R016	Distribution coefficients for daughter Th-230				
	R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC (5)
	R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU (5,1)
	R016	Unsaturated zone 2 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU (5,2)
	R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS (5)
	R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.059E-05	ALEACH (5)
	R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (5)
	R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
	R017	Mass loading for inhalation (g/m**3)	1.000E-04	1.000E-04	---	MLINH
	R017	Exposure duration	3.000E+01	3.000E+01	---	ED
	R017	Shielding factor, inhalation	4.000E-01	4.000E-01	---	SHF3
	R017	Shielding factor, external gamma	7.000E-01	7.000E-01	---	SHF1
	R017	Fraction of time spent indoors	0.000E+00	5.000E-01	---	FIND
	R017	Fraction of time spent outdoors (on site)	4.570E-02	2.500E-01	---	FOTD
	R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS

Site-Specific Parameter Summary (continued)

0	Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
	R017	Radii of shape factor array (used if FS = -1):				
	R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE (1)
	R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE (2)
	R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE (3)
	R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE (4)
	R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE (5)
	R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE (6)
	R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE (7)
	R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE (8)
	R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE (9)
	R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE (10)
	R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE (11)
	R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE (12)
	R017	Fractions of annular areas within AREA:				
	R017	Ring 1	not used	1.000E+00	---	FRACA (1)
	R017	Ring 2	not used	2.732E-01	---	FRACA (2)
	R017	Ring 3	not used	0.000E+00	---	FRACA (3)
	R017	Ring 4	not used	0.000E+00	---	FRACA (4)
	R017	Ring 5	not used	0.000E+00	---	FRACA (5)
	R017	Ring 6	not used	0.000E+00	---	FRACA (6)
	R017	Ring 7	not used	0.000E+00	---	FRACA (7)
	R017	Ring 8	not used	0.000E+00	---	FRACA (8)
	R017	Ring 9	not used	0.000E+00	---	FRACA (9)
	R017	Ring 10	not used	0.000E+00	---	FRACA (10)
	R017	Ring 11	not used	0.000E+00	---	FRACA (11)
	R017	Ring 12	not used	0.000E+00	---	FRACA (12)
	R018	Fruits, vegetables and grain consumption (kg/yr)	1.600E+02	1.600E+02	---	DIET (1)
	R018	Leafy vegetable consumption (kg/yr)	1.400E+01	1.400E+01	---	DIET (2)
	R018	Milk consumption (L/yr)	not used	9.200E+01	---	DIET (3)
	R018	Meat and poultry consumption (kg/yr)	not used	6.300E+01	---	DIET (4)
	R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET (5)
	R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET (6)
	R018	Soil ingestion rate (g/yr)	3.650E+01	3.650E+01	---	SOIL
	R018	Drinking water intake (L/yr)	not used	5.100E+02	---	DWI
	R018	Contamination fraction of drinking water	not used	1.000E+00	---	FDW
	R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
	R018	Contamination fraction of livestock water	not used	1.000E+00	---	FLW
	R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
	R018	Contamination fraction of aquatic food	not used	5.000E-01	---	FR9
	R018	Contamination fraction of plant food	1.000E-01	-1	---	FPLANT
	R018	Contamination fraction of meat	not used	-1	---	FMEAT
	R018	Contamination fraction of milk	not used	-1	---	FMILK
	R019	Livestock fodder intake for meat (kg/day)	not used	6.800E+01	---	LFI5
	R019	Livestock fodder intake for milk (kg/day)	not used	5.500E+01	---	LFI6
	R019	Livestock water intake for meat (L/day)	not used	5.000E+01	---	LWI5
	R019	Livestock water intake for milk (L/day)	not used	1.600E+02	---	LWI6
	R019	Livestock soil intake (kg/day)	not used	5.000E-01	---	LSI

Site-Specific Parameter Summary (continued)

0	Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
	R019	Mass loading for foliar deposition (g/m**3)	1.000E-04	1.000E-04	---	MLFD
	R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
	R019	Depth of roots (m)	9.000E-01	9.000E-01	---	DROOT
	R019	Drinking water fraction from ground water	not used	1.000E+00	---	FGWDW
	R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
	R019	Livestock water fraction from ground water	not used	1.000E+00	---	FGWLW
	R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
	R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	7.000E-01	7.000E-01	---	YV(1)
	R19B	Wet weight crop yield for Leafy (kg/m**2)	1.500E+00	1.500E+00	---	YV(2)
	R19B	Wet weight crop yield for Fodder (kg/m**2)	not used	1.100E+00	---	YV(3)
	R19B	Growing Season for Non-Leafy (years)	1.700E-01	1.700E-01	---	TE(1)
	R19B	Growing Season for Leafy (years)	2.500E-01	2.500E-01	---	TE(2)
	R19B	Growing Season for Fodder (years)	not used	8.000E-02	---	TE(3)
	R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
	R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
	R19B	Translocation Factor for Fodder	not used	1.000E+00	---	TIV(3)
	R19B	Dry Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RDRY(1)
	R19B	Dry Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RDRY(2)
	R19B	Dry Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RDRY(3)
	R19B	Wet Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RWET(1)
	R19B	Wet Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RWET(2)
	R19B	Wet Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RWET(3)
	R19B	Weathering Removal Constant for Vegetation	2.000E+01	2.000E+01	---	WLAM
	C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
	C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
	C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
	C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
	C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
	C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
	C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
	C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
	C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
	C14	DCF correction factor for gaseous forms of C14	not used	1.234E+02	---	CO2F
	STOR	Storage times of contaminated foodstuffs (days):				
	STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
	STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
	STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
	STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
	STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
	STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
	STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
	STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
	STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
	R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
	R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
	R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV

Site-Specific Parameter Summary (continued)

0 Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA (1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA (2)
TITL	Number of graphical time points	128	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	suppressed
5 -- milk ingestion	suppressed
6 -- aquatic foods	suppressed
7 -- drinking water	suppressed
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	active

Contaminated Zone Dimensions	Initial Soil Concentrations, pCi/g	
-----	-----	
Area:2023400.00 square meters	U-234	4.177E+03
Thickness: 0.15 meters	U-235	2.300E+02
Cover Depth: 0.00 meters	U-238	9.835E+02

0

Total Dose TDOSE(t), mrem/yr
 Basic Radiation Dose Limit = 19 mrem/yr
 Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	3.291E+01	3.276E+01	3.244E+01	3.134E+01	2.811E+01	1.499E+01	9.518E-04	7.244E-02
M(t):	1.732E+00	1.724E+00	1.708E+00	1.650E+00	1.480E+00	7.890E-01	5.010E-05	3.813E-03

0Maximum TDOSE(t): 3.291E+01 mrem/yr at t = 0.000E+00 years

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

0
 0 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	7.600E-02	0.0023	4.979E+00	0.1513	0.000E+00	0.0000	8.576E+00	0.2606	0.000E+00	0.0000	0.000E+00	0.0000	1.965E+00	0.0597
U-235	7.621E+00	0.2316	2.555E-01	0.0078	0.000E+00	0.0000	4.463E-01	0.0136	0.000E+00	0.0000	0.000E+00	0.0000	1.021E-01	0.0031
U-238	5.483E+00	0.1666	1.048E+00	0.0318	0.000E+00	0.0000	1.920E+00	0.0583	0.000E+00	0.0000	0.000E+00	0.0000	4.398E-01	0.0134
Total	1.318E+01	0.4005	6.282E+00	0.1909	0.000E+00	0.0000	1.094E+01	0.3325	0.000E+00	0.0000	0.000E+00	0.0000	2.507E+00	0.0762

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

0
 0 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.560E+01	0.4739
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.425E+00	0.2560
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.891E+00	0.2701
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.291E+01	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

0
 0 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	7.597E-02	0.0023	4.944E+00	0.1509	0.000E+00	0.0000	8.516E+00	0.2600	0.000E+00	0.0000	0.000E+00	0.0000	1.951E+00	0.0596
U-235	7.612E+00	0.2324	2.538E-01	0.0077	0.000E+00	0.0000	4.446E-01	0.0136	0.000E+00	0.0000	0.000E+00	0.0000	1.015E-01	0.0031
U-238	5.472E+00	0.1671	1.041E+00	0.0318	0.000E+00	0.0000	1.906E+00	0.0582	0.000E+00	0.0000	0.000E+00	0.0000	4.367E-01	0.0133
Total	1.316E+01	0.4018	6.239E+00	0.1905	0.000E+00	0.0000	1.087E+01	0.3318	0.000E+00	0.0000	0.000E+00	0.0000	2.489E+00	0.0760

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

0
 0 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.549E+01	0.4728
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.412E+00	0.2568
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.856E+00	0.2704
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.276E+01	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

0
 0 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	7.592E-02	0.0023	4.875E+00	0.1503	0.000E+00	0.0000	8.397E+00	0.2588	0.000E+00	0.0000	0.000E+00	0.0000	1.924E+00	0.0593
U-235	7.593E+00	0.2341	2.504E-01	0.0077	0.000E+00	0.0000	4.410E-01	0.0136	0.000E+00	0.0000	0.000E+00	0.0000	1.002E-01	0.0031
U-238	5.450E+00	0.1680	1.026E+00	0.0316	0.000E+00	0.0000	1.880E+00	0.0579	0.000E+00	0.0000	0.000E+00	0.0000	4.306E-01	0.0133
Total	1.312E+01	0.4044	6.151E+00	0.1896	0.000E+00	0.0000	1.072E+01	0.3303	0.000E+00	0.0000	0.000E+00	0.0000	2.455E+00	0.0757

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

0
 0 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.527E+01	0.4707
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.385E+00	0.2585
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.786E+00	0.2708
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.244E+01	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

0
 0 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	7.591E-02	0.0024	4.634E+00	0.1478	0.000E+00	0.0000	7.981E+00	0.2546	0.000E+00	0.0000	0.000E+00	0.0000	1.828E+00	0.0583
U-235	7.524E+00	0.2400	2.384E-01	0.0076	0.000E+00	0.0000	4.265E-01	0.0136	0.000E+00	0.0000	0.000E+00	0.0000	9.574E-02	0.0031
U-238	5.369E+00	0.1713	9.752E-01	0.0311	0.000E+00	0.0000	1.786E+00	0.0570	0.000E+00	0.0000	0.000E+00	0.0000	4.092E-01	0.0131
Total	1.297E+01	0.4138	5.847E+00	0.1866	0.000E+00	0.0000	1.019E+01	0.3252	0.000E+00	0.0000	0.000E+00	0.0000	2.333E+00	0.0744

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

0
 0 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.452E+01	0.4632
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.284E+00	0.2643
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.539E+00	0.2725
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.134E+01	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

0
 0 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	7.663E-02	0.0027	3.949E+00	0.1405	0.000E+00	0.0000	6.800E+00	0.2419	0.000E+00	0.0000	0.000E+00	0.0000	1.558E+00	0.0554
U-235	7.273E+00	0.2587	2.039E-01	0.0073	0.000E+00	0.0000	3.733E-01	0.0133	0.000E+00	0.0000	0.000E+00	0.0000	8.227E-02	0.0029
U-238	5.095E+00	0.1812	8.308E-01	0.0296	0.000E+00	0.0000	1.522E+00	0.0541	0.000E+00	0.0000	0.000E+00	0.0000	3.486E-01	0.0124
===== Total	1.245E+01	0.4427	4.983E+00	0.1773	0.000E+00	0.0000	8.695E+00	0.3093	0.000E+00	0.0000	0.000E+00	0.0000	1.989E+00	0.0707

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

0
 0 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.238E+01	0.4405
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.933E+00	0.2822
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.797E+00	0.2773
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.811E+01	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

0
 0 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	7.049E-02	0.0047	1.606E+00	0.1071	0.000E+00	0.0000	2.766E+00	0.1845	0.000E+00	0.0000	0.000E+00	0.0000	6.336E-01	0.0423
U-235	5.158E+00	0.3441	8.303E-02	0.0055	0.000E+00	0.0000	1.542E-01	0.0103	0.000E+00	0.0000	0.000E+00	0.0000	3.360E-02	0.0022
U-238	3.387E+00	0.2260	3.375E-01	0.0225	0.000E+00	0.0000	6.185E-01	0.0413	0.000E+00	0.0000	0.000E+00	0.0000	1.416E-01	0.0094
Total	8.616E+00	0.5748	2.027E+00	0.1352	0.000E+00	0.0000	3.539E+00	0.2361	0.000E+00	0.0000	0.000E+00	0.0000	8.088E-01	0.0540

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

0
 0 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.077E+00	0.3386
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.429E+00	0.3622
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.485E+00	0.2992
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.499E+01	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

0
 0 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

0
 0 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.518E-04	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.518E-04	1.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.518E-04	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.518E-04	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

0
 0
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

0
 0
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.700E-04	0.0106	0.000E+00	0.0000	0.000E+00	0.0000	7.700E-04	0.0106
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.167E-02	0.9894	0.000E+00	0.0000	0.000E+00	0.0000	7.167E-02	0.9894
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.586E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.586E-08	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.244E-02	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.244E-02	1.0000

0*Sum of all water independent and dependent pathways.

Dose/Source Ratios Summed Over All Pathways
 Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		3.734E-03	3.708E-03	3.656E-03	3.476E-03	2.963E-03	1.211E-03	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		2.542E-08	7.462E-08	1.708E-07	4.862E-07	1.207E-06	1.646E-06	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		3.727E-10	2.612E-09	1.350E-08	1.092E-07	6.896E-07	2.452E-06	0.000E+00	3.864E-08
U-234	Pb-210	1.000E+00		1.496E-12	1.907E-11	1.936E-10	3.989E-09	5.455E-08	2.579E-07	0.000E+00	1.457E-07
U-234	äDSR(j)			3.734E-03	3.708E-03	3.657E-03	3.476E-03	2.965E-03	1.215E-03	0.000E+00	1.844E-07
OU-235	U-235	1.000E+00		3.663E-02	3.656E-02	3.643E-02	3.596E-02	3.438E-02	2.354E-02	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		3.435E-06	1.029E-05	2.281E-05	5.579E-05	9.255E-05	4.934E-05	0.000E+00	6.948E-05
U-235	Ac-227	1.000E+00		3.319E-08	2.067E-07	9.289E-07	5.187E-06	1.445E-05	1.067E-05	4.138E-06	2.421E-04
U-235	äDSR(j)			3.663E-02	3.657E-02	3.646E-02	3.602E-02	3.449E-02	2.360E-02	4.138E-06	3.116E-04
OU-238	U-238	1.000E+00		9.040E-03	9.005E-03	8.934E-03	8.683E-03	7.927E-03	4.560E-03	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		5.287E-09	1.576E-08	3.627E-08	1.035E-07	2.562E-07	3.451E-07	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		2.442E-14	1.660E-13	8.564E-13	7.248E-12	5.213E-11	2.337E-10	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		2.624E-16	3.964E-15	4.558E-14	1.117E-12	2.148E-11	2.828E-10	0.000E+00	7.877E-12
U-238	Pb-210	1.000E+00		8.947E-19	2.339E-17	5.093E-16	3.144E-14	1.342E-12	2.549E-11	0.000E+00	2.858E-11
U-238	äDSR(j)			9.040E-03	9.005E-03	8.934E-03	8.683E-03	7.927E-03	4.560E-03	0.000E+00	3.646E-11

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 Basic Radiation Dose Limit = 19 mrem/yr

ONuclide (i)	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	5.088E+03	5.124E+03	5.196E+03	5.466E+03	6.408E+03	1.563E+04	*6.245E+09	1.031E+08	
U-235	5.187E+02	5.195E+02	5.212E+02	5.275E+02	5.509E+02	8.049E+02	*2.160E+06	6.097E+04	
U-238	2.102E+03	2.110E+03	2.127E+03	2.188E+03	2.397E+03	4.166E+03	*3.360E+05	*3.360E+05	

*At specific activity limit

0

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
 and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 at tmin = time of minimum single radionuclide soil guideline
 and at tmax = time of maximum total dose = 0.000E+00 years

ONuclide (i)	Initial pCi/g	tmin (years)	DSR(i,tmin)	G(i,tmin) (pCi/g)	DSR(i,tmax)	G(i,tmax) (pCi/g)
U-234	4.177E+03	0.000E+00	3.734E-03	5.088E+03	3.734E-03	5.088E+03
U-235	2.300E+02	0.000E+00	3.663E-02	5.187E+02	3.663E-02	5.187E+02
U-238	9.835E+02	0.000E+00	9.040E-03	2.102E+03	9.040E-03	2.102E+03

Individual Nuclide Dose Summed Over All Pathways
 Parent Nuclide and Branch Fraction Indicated

ONuclide (j)	Parent (i)	BRF(i)	DOSE(j,t), mrem/yr							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	1.559E+01	1.549E+01	1.527E+01	1.452E+01	1.237E+01	5.058E+00	0.000E+00	0.000E+00
U-234	U-238	1.000E+00	5.200E-06	1.550E-05	3.568E-05	1.017E-04	2.520E-04	3.394E-04	0.000E+00	0.000E+00
U-234	äDOSE(j):		1.559E+01	1.549E+01	1.527E+01	1.452E+01	1.238E+01	5.059E+00	0.000E+00	0.000E+00
0Th-230	U-234	1.000E+00	1.062E-04	3.116E-04	7.132E-04	2.030E-03	5.039E-03	6.876E-03	0.000E+00	0.000E+00
Th-230	U-238	1.000E+00	2.401E-11	1.632E-10	8.423E-10	7.129E-09	5.127E-08	2.298E-07	0.000E+00	0.000E+00
Th-230	äDOSE(j):		1.062E-04	3.116E-04	7.132E-04	2.030E-03	5.039E-03	6.876E-03	0.000E+00	0.000E+00
0Ra-226	U-234	1.000E+00	1.557E-06	1.091E-05	5.637E-05	4.562E-04	2.880E-03	1.024E-02	0.000E+00	1.614E-04
Ra-226	U-238	1.000E+00	2.580E-13	3.899E-12	4.483E-11	1.098E-09	2.113E-08	2.781E-07	0.000E+00	7.747E-09
Ra-226	äDOSE(j):		1.557E-06	1.091E-05	5.637E-05	4.562E-04	2.880E-03	1.024E-02	0.000E+00	1.614E-04
0Pb-210	U-234	1.000E+00	6.250E-09	7.966E-08	8.086E-07	1.666E-05	2.278E-04	1.077E-03	0.000E+00	6.086E-04
Pb-210	U-238	1.000E+00	8.800E-16	2.300E-14	5.009E-13	3.092E-11	1.319E-09	2.507E-08	0.000E+00	2.811E-08
Pb-210	äDOSE(j):		6.250E-09	7.966E-08	8.086E-07	1.666E-05	2.278E-04	1.077E-03	0.000E+00	6.086E-04
0U-235	U-235	1.000E+00	8.424E+00	8.409E+00	8.380E+00	8.270E+00	7.908E+00	5.415E+00	0.000E+00	0.000E+00
0Pa-231	U-235	1.000E+00	7.902E-04	2.366E-03	5.247E-03	1.283E-02	2.129E-02	1.135E-02	0.000E+00	1.598E-02
0Ac-227	U-235	1.000E+00	7.634E-06	4.754E-05	2.137E-04	1.193E-03	3.322E-03	2.453E-03	9.518E-04	5.569E-02
0U-238	U-238	1.000E+00	8.891E+00	8.856E+00	8.786E+00	8.539E+00	7.796E+00	4.485E+00	0.000E+00	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.

			Individual Nuclide Soil Concentration							
			Parent Nuclide and Branch Fraction Indicated							
ONuclide	Parent	BRF(i)	S(j,t), pCi/g							
(j)	(i)		t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	4.177E+03	4.175E+03	4.173E+03	4.165E+03	4.141E+03	4.060E+03	3.837E+03	3.148E+03
U-234	U-238	1.000E+00	0.000E+00	2.787E-03	8.357E-03	2.780E-02	8.294E-02	2.711E-01	7.687E-01	2.104E+00
U-234	äS(j):		4.177E+03	4.175E+03	4.173E+03	4.165E+03	4.141E+03	4.060E+03	3.838E+03	3.150E+03
0Th-230	U-234	1.000E+00	0.000E+00	3.759E-02	1.127E-01	3.753E-01	1.122E+00	3.698E+00	1.073E+01	3.191E+01
Th-230	U-238	1.000E+00	0.000E+00	1.255E-08	1.129E-07	1.252E-06	1.123E-05	1.230E-04	1.063E-03	1.025E-02
Th-230	äS(j):		0.000E+00	3.759E-02	1.127E-01	3.753E-01	1.122E+00	3.698E+00	1.073E+01	3.192E+01
0Ra-226	U-234	1.000E+00	0.000E+00	8.048E-06	7.076E-05	7.260E-04	5.293E-03	3.312E-02	1.203E-01	3.842E-01
Ra-226	U-238	1.000E+00	0.000E+00	1.796E-12	4.765E-11	1.661E-09	3.816E-08	8.944E-07	1.091E-05	1.201E-04
Ra-226	äS(j):		0.000E+00	8.048E-06	7.076E-05	7.260E-04	5.293E-03	3.312E-02	1.203E-01	3.843E-01
0Pb-210	U-234	1.000E+00	0.000E+00	8.249E-08	2.129E-06	6.761E-05	1.211E-03	1.432E-02	6.321E-02	2.122E-01
Pb-210	U-238	1.000E+00	0.000E+00	1.383E-14	1.080E-12	1.179E-10	6.858E-09	3.310E-07	5.386E-06	6.515E-05
Pb-210	äS(j):		0.000E+00	8.249E-08	2.129E-06	6.761E-05	1.211E-03	1.432E-02	6.322E-02	2.123E-01
0U-235	U-235	1.000E+00	2.300E+02	2.299E+02	2.298E+02	2.294E+02	2.281E+02	2.237E+02	2.115E+02	1.738E+02
0Pa-231	U-235	1.000E+00	0.000E+00	4.750E-03	1.358E-02	3.850E-02	7.650E-02	9.730E-02	9.275E-02	7.624E-02
0Ac-227	U-235	1.000E+00	0.000E+00	7.248E-05	5.727E-04	4.158E-03	1.383E-02	2.030E-02	1.942E-02	1.596E-02
0U-238	U-238	1.000E+00	9.835E+02	9.832E+02	9.827E+02	9.808E+02	9.753E+02	9.563E+02	9.043E+02	7.434E+02

BRF(i) is the branch fraction of the parent nuclide.

ORESMAIN5.EXE execution time = 347.76 seconds

Table of Contents

Part II: Source Terms, Factors, and Parameters for Individual Pathways

=====
Iteration Logs
Maximum U-234 Dose/Source Ratio 3

Source Factors for Ingrowth and Decay
Radioactivity Only 4
Combined Radioactivity and Leaching 4

Ground Pathway
Source Term Parameters 5
Time Dependence of Source Geometry 5
Occupancy, Cover/Depth, and Area Factors 7
Dose Conversion and Environmental Transport Factors . 8
Dose/Source Ratios 8

Inhalation Pathway (radon excluded)
Dose/Source Ratios 9
Pathway Factors 9
Dose Conversion and Environmental Transport Factors . 10

Radon Pathway
Flux and Parameters 11
Concentration and Parameters 12
Working Levels 13
Dose/Source Ratios 14

Groundwater and Surface Water Pathway Segments
Transport Time Parameters for Unsaturated Zone Strata 15
Dilution Factor and Rise Time Parameters for
Nondispersion (ND) Model 17
Primary Parameters Used to Calculate Ratios 17
Water/Soil Concentration Ratios 18

Table of Contents (cont.)

Part II: Source Terms, Factors, and Parameters for Individual Pathways
 =====

Food Pathways	
Storage Times for Contaminated Foodstuffs	19
Storage Time Ingrowth and Decay Factors	19
Storage Correction Factors	
Drinking Water	20
Irrigation Water	20
Livestock Water	22
Plants	23
Livestock Fodder	24
Meat and Milk	25
Fish and Crustacea	26
Area and Depth Factors	27
Dose Conversion and Environmental Transport Factors	
Plant	30
Meat	32
Milk	35
Fish	38
Drinking Water	38
Dose/Source Ratios	
Plant	39
Plant Total	41
Meat	42
Meat Total	44
Milk	45
Milk Total	47
Fish	48
Drinking Water	49
Concentration Ratios	
Plant/Air and Plant/Water	50
Plant/Soil	50
Meat/Fodder, Fodder/Air, Fodder/Water	53
Fodder/Soil	54
Meat/Soil	56
Milk/Soil	58
Soil Ingestion Pathway	
Dose/Source Ratios.....	60
Dose Conversion and Environmental Transport Factors .	60

Iteration Log for Computation of the Time of Maximum U-234 Dose/Source Ratio
 Pathway: Ground

0 Tolerance for tmax = 1.0E-03 (fractional accuracy)

0 Iteration Number	t (years)	DSR(t) (mrem/yr)/(pCi/g)	Step Size (years)	Step Type
0	5.57060E+01	1.85268E-05		
1	5.42685E+01	1.85277E-05	-1.43747E+00	parabolic
2	5.43228E+01	1.85277E-05	6.27335E-03	parabolic
3	5.43771E+01	1.85277E-05	5.43228E-02	parabolic
4	5.43228E+01	1.85277E-05	0.00000E+00	direct

Notes:

- 1) Step size always from t with current largest DSR(t) .
- 2) Parabolic step based on parabola maximum through the current best triplet.
- 3) Golden section step, $0.5 * (3 - \sqrt{5})$ of larger interval bracketing maximum, taken only if trial parabolic step fails.
- 4) Direct step to a previous t only on last iteration and only if prior iteration met convergence test but DSR(t) was smaller than the previous value.

Source Factors for Ingrowth and Decay
 Radioactivity Factors Only

Parent and Progeny Principal Radionuclide Contributions Indicated			ID(j,t) = CUMBRF(j)*S1(j,t)/S1(i,0)							
Parent (i)	Product (j)	Branch Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01	9.997E-01	9.991E-01	9.972E-01
U-234	Th-230	1.000E+00	0.000E+00	9.002E-06	2.701E-05	9.001E-05	2.700E-04	8.997E-04	2.696E-03	8.949E-03
U-234	Ra-226	1.000E+00	0.000E+00	1.950E-09	1.754E-08	1.947E-07	1.747E-06	1.921E-05	1.679E-04	1.689E-03
U-234	Pb-210	1.000E+00	0.000E+00	2.004E-11	5.328E-10	1.870E-08	4.373E-07	1.068E-05	1.363E-04	1.591E-03
OU-235	U-235	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00	0.000E+00	2.116E-05	6.347E-05	2.116E-04	6.345E-04	2.114E-03	6.327E-03	2.094E-02
U-235	Ac-227	1.000E+00	0.000E+00	3.332E-07	2.937E-06	3.037E-05	2.258E-04	1.477E-03	5.667E-03	2.028E-02
OU-238	U-238	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00	0.000E+00	2.835E-06	8.505E-06	2.835E-05	8.505E-05	2.835E-04	8.501E-04	2.831E-03
U-238	Th-230	1.000E+00	0.000E+00	1.276E-11	1.148E-10	1.276E-09	1.148E-08	1.275E-07	1.147E-06	1.271E-05
U-238	Ra-226	1.000E+00	0.000E+00	1.842E-15	4.973E-14	1.841E-12	4.959E-11	1.822E-09	4.813E-08	1.654E-06
U-238	Pb-210	1.000E+00	0.000E+00	1.423E-17	1.138E-15	1.346E-13	9.704E-12	8.486E-10	3.570E-08	1.509E-06

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).

0

Source Factors for Ingrowth and Decay

Combined Radioactivity and Leaching Factors

Parent and Progeny Principal Radionuclide Contributions Indicated			SF(j,t) = CUMBRF(j)*S1(j,t)/S1(i,0)							
Parent (i)	Product (j)	Branch Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	1.000E+00	9.997E-01	9.992E-01	9.972E-01	9.916E-01	9.721E-01	9.187E-01	7.537E-01
U-234	Th-230	1.000E+00	0.000E+00	9.000E-06	2.699E-05	8.987E-05	2.687E-04	8.854E-04	2.570E-03	7.641E-03
U-234	Ra-226	1.000E+00	0.000E+00	1.927E-09	1.694E-08	1.738E-07	1.267E-06	7.929E-06	2.881E-05	9.198E-05
U-234	Pb-210	1.000E+00	0.000E+00	1.975E-11	5.098E-10	1.619E-08	2.899E-07	3.429E-06	1.514E-05	5.081E-05
OU-235	U-235	1.000E+00	1.000E+00	9.997E-01	9.992E-01	9.972E-01	9.916E-01	9.724E-01	9.194E-01	7.558E-01
U-235	Pa-231	1.000E+00	0.000E+00	2.065E-05	5.905E-05	1.674E-04	3.326E-04	4.230E-04	4.032E-04	3.315E-04
U-235	Ac-227	1.000E+00	0.000E+00	3.151E-07	2.490E-06	1.808E-05	6.013E-05	8.825E-05	8.444E-05	6.941E-05
OU-238	U-238	1.000E+00	1.000E+00	9.997E-01	9.992E-01	9.972E-01	9.916E-01	9.724E-01	9.194E-01	7.558E-01
U-238	U-234	1.000E+00	0.000E+00	2.834E-06	8.498E-06	2.827E-05	8.433E-05	2.756E-04	7.816E-04	2.140E-03
U-238	Th-230	1.000E+00	0.000E+00	1.276E-11	1.148E-10	1.273E-09	1.141E-08	1.250E-07	1.080E-06	1.042E-05
U-238	Ra-226	1.000E+00	0.000E+00	1.826E-15	4.845E-14	1.689E-12	3.880E-11	9.094E-10	1.109E-08	1.221E-07
U-238	Pb-210	1.000E+00	0.000E+00	1.406E-17	1.099E-15	1.198E-13	6.973E-12	3.365E-10	5.476E-09	6.625E-08

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The effect of volatilization was also considered when computing the source factors for H-3 and C-14.

Dose Conversion and Environmental Transport Factors for the Ground Pathway (p=1)

Parent (i)	Product (j)	DCF(j,1)*	ETF(j,1,t) (dimensionless)							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	4.020E-04	4.528E-02	4.527E-02	4.524E-02	4.514E-02	4.469E-02	3.799E-02	0.000E+00	0.000E+00
U-234	Th-230	1.210E-03	4.511E-02	4.510E-02	4.506E-02	4.492E-02	4.434E-02	3.600E-02	0.000E+00	0.000E+00
U-234	Ra-226	1.120E+01	3.913E-02	3.905E-02	3.888E-02	3.827E-02	3.617E-02	2.296E-02	0.000E+00	0.000E+00
U-234	Pb-210	6.120E-03	4.503E-02	4.501E-02	4.498E-02	4.483E-02	4.423E-02	3.648E-02	0.000E+00	0.000E+00
OU-235	U-235	7.570E-01	4.380E-02	4.376E-02	4.368E-02	4.336E-02	4.216E-02	3.062E-02	0.000E+00	0.000E+00
U-235	Pa-231	1.910E-01	4.257E-02	4.252E-02	4.241E-02	4.198E-02	4.043E-02	2.789E-02	0.000E+00	0.000E+00
U-235	Ac-227	2.010E+00	4.267E-02	4.261E-02	4.250E-02	4.209E-02	4.057E-02	2.816E-02	0.000E+00	0.000E+00
OU-238	U-238	1.370E-01	4.074E-02	4.067E-02	4.053E-02	4.000E-02	3.819E-02	2.599E-02	0.000E+00	0.000E+00
U-238	U-234	4.020E-04	4.528E-02	4.527E-02	4.524E-02	4.514E-02	4.469E-02	3.799E-02	0.000E+00	0.000E+00
U-238	Th-230	1.210E-03	4.511E-02	4.510E-02	4.506E-02	4.492E-02	4.434E-02	3.600E-02	0.000E+00	0.000E+00
U-238	Ra-226	1.120E+01	3.913E-02	3.905E-02	3.888E-02	3.827E-02	3.617E-02	2.296E-02	0.000E+00	0.000E+00
U-238	Pb-210	6.120E-03	4.503E-02	4.501E-02	4.498E-02	4.483E-02	4.423E-02	3.648E-02	0.000E+00	0.000E+00

* - The dose conversion factor units are (mrem/yr)/(pCi/g) at infinite depth and area.

Dose/Source Ratios for External Radiation from the Ground (p=1)
 Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	DSR(j,1,t) (mrem/yr)/(pCi/g)							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	1.820E-05	1.819E-05	1.817E-05	1.809E-05	1.781E-05	1.480E-05	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00	2.456E-10	7.365E-10	1.717E-09	5.128E-09	1.465E-08	3.861E-08	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00	2.819E-10	1.950E-09	1.004E-08	8.163E-08	5.272E-07	2.039E-06	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00	1.367E-15	2.010E-14	2.245E-13	5.094E-12	8.163E-11	7.693E-10	0.000E+00	0.000E+00
U-234	äDSR(j)		1.820E-05	1.819E-05	1.818E-05	1.818E-05	1.835E-05	1.688E-05	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00	3.313E-02	3.309E-02	3.301E-02	3.271E-02	3.162E-02	2.242E-02	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00	8.457E-08	2.480E-07	5.507E-07	1.392E-06	2.584E-06	2.241E-06	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00	9.151E-09	6.048E-08	2.814E-07	1.637E-06	4.955E-06	4.968E-06	0.000E+00	0.000E+00
U-235	äDSR(j)		3.313E-02	3.310E-02	3.301E-02	3.271E-02	3.162E-02	2.243E-02	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00	5.575E-03	5.564E-03	5.542E-03	5.459E-03	5.181E-03	3.444E-03	0.000E+00	0.000E+00
U-238	U-234	1.000E+00	2.579E-11	7.734E-11	1.803E-10	5.384E-10	1.540E-09	4.217E-09	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00	2.321E-16	1.624E-15	8.573E-15	7.634E-14	6.326E-13	5.479E-12	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00	2.001E-16	2.974E-15	3.397E-14	8.351E-13	1.643E-11	2.352E-10	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00	7.771E-22	2.371E-20	5.768E-19	3.977E-17	2.001E-15	7.595E-14	0.000E+00	0.000E+00
U-238	äDSR(j)		5.575E-03	5.564E-03	5.542E-03	5.459E-03	5.181E-03	3.444E-03	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Dose/Source Ratios for Inhalation Pathway, Excluding Radon (p=2)
Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch Fraction*	DSR(j,2,t) (mrem/yr) / (pCi/g)							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	1.192E-03	1.184E-03	1.167E-03	1.109E-03	9.448E-04	3.837E-04	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00	1.324E-08	3.947E-08	9.084E-08	2.592E-07	6.429E-07	8.674E-07	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00	4.996E-14	3.442E-13	1.756E-12	1.382E-11	8.093E-11	2.053E-10	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00	1.037E-15	1.517E-14	1.674E-13	3.631E-12	5.053E-11	2.399E-10	0.000E+00	0.000E+00
U-234	äDSR(j)		1.192E-03	1.184E-03	1.167E-03	1.109E-03	9.454E-04	3.846E-04	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00	1.111E-03	1.103E-03	1.088E-03	1.034E-03	8.804E-04	3.576E-04	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00	1.202E-07	3.509E-07	7.707E-07	1.874E-06	3.096E-06	1.619E-06	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00	6.471E-09	4.257E-08	1.960E-07	1.097E-06	2.952E-06	1.774E-06	0.000E+00	0.000E+00
U-235	äDSR(j)		1.111E-03	1.103E-03	1.089E-03	1.037E-03	8.865E-04	3.610E-04	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00	1.066E-03	1.058E-03	1.043E-03	9.916E-04	8.447E-04	3.431E-04	0.000E+00	0.000E+00
U-238	U-234	1.000E+00	1.688E-09	5.032E-09	1.158E-08	3.302E-08	8.169E-08	1.093E-07	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00	1.250E-14	8.699E-14	4.536E-13	3.859E-12	2.776E-11	1.231E-10	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00	3.546E-20	5.248E-19	5.942E-18	1.414E-16	2.522E-15	2.367E-14	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00	5.897E-22	1.790E-20	4.301E-19	2.834E-17	1.238E-15	2.368E-14	0.000E+00	0.000E+00
U-238	äDSR(j)		1.066E-03	1.058E-03	1.043E-03	9.916E-04	8.447E-04	3.432E-04	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Pathway Factors for the Inhalation Pathway (radon excluded)

Area (A):	2.0234E+06 m**2	Occupancy Factor (FO2):	4.5700E-02
Area Factor (FA2):	2.3607E-01	Annual Air Intake (F12):	8.4000E+03 m**3/yr
Cover Depth [Cd(0)]:	0.0000E+00 m	Mass Loading (ASR2):	1.0000E-04 g/m**3
Contaminated Zone Thickness [T(0)]:	1.5000E-01 m	FA2 * FO2 * F12 * ASR2:	9.0621E-03 g/yr

Nuclide (i)	t=	Depth Factor [FD(i,2,t)] (dimensionless)							
		0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	1.0000E+00	9.9333E-01	9.8000E-01	9.3333E-01	8.0000E-01	3.3333E-01	0.0000E+00	0.0000E+00	
U-235 +D	1.0000E+00	9.9333E-01	9.8000E-01	9.3333E-01	8.0000E-01	3.3333E-01	0.0000E+00	0.0000E+00	
U-238 +D	1.0000E+00	9.9333E-01	9.8000E-01	9.3333E-01	8.0000E-01	3.3333E-01	0.0000E+00	0.0000E+00	

Dose Conversion and Environmental Transport Factors for the Inhalation Pathway, Excluding Radon (p=2)

Parent (i)	Product (j)	DCF(j,2) *	ETF(j,2,t) (g/yr)							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.320E-01	9.062E-03	9.002E-03	8.881E-03	8.458E-03	7.250E-03	3.021E-03	0.000E+00	0.000E+00
U-234	Th-230	3.260E-01	9.062E-03	9.002E-03	8.881E-03	8.458E-03	7.250E-03	3.021E-03	0.000E+00	0.000E+00
U-234	Ra-226	8.600E-03	9.062E-03	9.002E-03	8.881E-03	8.458E-03	7.250E-03	3.021E-03	0.000E+00	0.000E+00
U-234	Pb-210	2.320E-02	9.062E-03	9.002E-03	8.881E-03	8.458E-03	7.250E-03	3.021E-03	0.000E+00	0.000E+00
0U-235	U-235	1.230E-01	9.062E-03	9.002E-03	8.881E-03	8.458E-03	7.250E-03	3.021E-03	0.000E+00	0.000E+00
U-235	Pa-231	1.280E+00	9.062E-03	9.002E-03	8.881E-03	8.458E-03	7.250E-03	3.021E-03	0.000E+00	0.000E+00
U-235	Ac-227	6.720E+00	9.062E-03	9.002E-03	8.881E-03	8.458E-03	7.250E-03	3.021E-03	0.000E+00	0.000E+00
0U-238	U-238	1.180E-01	9.062E-03	9.002E-03	8.881E-03	8.458E-03	7.250E-03	3.021E-03	0.000E+00	0.000E+00
U-238	U-234	1.320E-01	9.062E-03	9.002E-03	8.881E-03	8.458E-03	7.250E-03	3.021E-03	0.000E+00	0.000E+00
U-238	Th-230	3.260E-01	9.062E-03	9.002E-03	8.881E-03	8.458E-03	7.250E-03	3.021E-03	0.000E+00	0.000E+00
U-238	Ra-226	8.600E-03	9.062E-03	9.002E-03	8.881E-03	8.458E-03	7.250E-03	3.021E-03	0.000E+00	0.000E+00
U-238	Pb-210	2.320E-02	9.062E-03	9.002E-03	8.881E-03	8.458E-03	7.250E-03	3.021E-03	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Outdoor Working Levels of Radon [WLOTD(i,t)]

ONuclide (i)	t=	WLOTD(i,t) (WL)							
		0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
U-238	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00

0

Indoor Working Levels of Radon [WLIND(i,t)]

ONuclide (i)	t=	WLIND(i,t) (WL)							
		0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
U-238	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00

0

0 Fraction of Time Spent Outdoors (FOTD): 4.570E-02
 Fraction of Time Spent Indoors (FIND): 0.000E+00

Dose/Source Ratios for Radon Pathway (p=9)
 Subpathway: Outdoor and Indoor Radon Flux

Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Radon Pathway (p=9)
 Subpathway: Indoor Radon from Water Usage

Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Transport Time Parameters for Unsaturated Zone Stratum No. 1

Stratum thickness [h(1)]: 2.000000 m
 Bulk soil material density [rhob(1)]: 1.500000 g/cm**3
 Effective porosity [peuz(1)]: 0.200000
 Hydraulic conductivity [Khuz(1)]: 10.000000 m/yr
 Total porosity [ptuz(1)]: 0.400000
 Soil specific b parameter [buz(1)]: 5.300000
 Saturation ratio [sruz(1)]: 0.807725

Radio-nuclide (i)	Distribution Coefficient Kduz(i,1), cm**3/g	Retardation Factor Rduz(i,1)	Transport Time Dtuz(i,1), yr
Ac-227	2.0000E+01	9.3853E+01	5.5334E+01
Pa-231	5.0000E+01	2.3313E+02	1.3745E+02
Pb-210	1.0000E+02	4.6527E+02	2.7431E+02
Ra-226	7.0000E+01	3.2599E+02	1.9220E+02
Th-230	6.0000E+04	2.7856E+05	1.6423E+05
U-234	3.3000E+03	1.5322E+04	9.0334E+03
U-235	3.3000E+03	1.5322E+04	9.0334E+03
U-238	3.3000E+03	1.5322E+04	9.0334E+03

0

Transport Time Parameters for Unsaturated Zone Stratum No. 2

Stratum thickness [h(2)]: 4.000000 m
 Bulk soil material density [rhob(2)]: 1.500000 g/cm**3
 Effective porosity [peuz(2)]: 0.200000
 Hydraulic conductivity [Khuz(2)]: 10.000000 m/yr
 Total porosity [ptuz(2)]: 0.400000
 Soil specific b parameter [buz(2)]: 5.300000
 Saturation ratio [sruz(2)]: 0.807725

Radio-nuclide (i)	Distribution Coefficient Kduz(i,2), cm**3/g	Retardation Factor Rduz(i,2)	Transport Time Dtuz(i,2), yr
Ac-227	2.0000E+01	9.3853E+01	1.1067E+02
Pa-231	5.0000E+01	2.3313E+02	2.7490E+02
Pb-210	1.0000E+02	4.6527E+02	5.4862E+02
Ra-226	7.0000E+01	3.2599E+02	3.8439E+02
Th-230	6.0000E+04	2.7856E+05	3.2847E+05
U-234	1.2500E+02	5.8133E+02	6.8549E+02
U-235	1.2500E+02	5.8133E+02	6.8549E+02
U-238	1.2500E+02	5.8133E+02	6.8549E+02

Transport Time Parameters for Unsaturated Zone created by the Falling Water Table

Water table drop rate [vwt]: 0.001000 m/yr
 Bulk soil material density [rhobaq]: 1.500000 g/cm**3
 Effective porosity [peaq]: 0.200000
 Hydraulic conductivity [Khaq]: 100.000000 m/yr
 Total porosity [ptaq]: 0.400000
 Soil specific b parameter [baq]: 5.300000
 Saturation ratio [sruaq]: 0.681921

Radio-nuclide	Distribution Coefficient	Retardation Factor	Minimum Transport Time
(i)	Kdaq(i), cm**3/g	Rduaq(i)	Dtuaq(i), yr
Ac-227	2.0000E+01	1.1098E+02	4.7154E+00
Pa-231	5.0000E+01	2.7596E+02	3.0409E+01
Pb-210	1.0000E+02	5.5092E+02	1.3076E+02
Ra-226	7.0000E+01	3.8594E+02	6.1267E+01
Th-230	6.0000E+04	3.2995E+05	Infinite
U-234	1.2500E+02	6.8840E+02	2.0094E+03
U-235	1.2500E+02	6.8840E+02	2.0094E+03
U-238	1.2500E+02	6.8840E+02	2.0094E+03

0 Dilution Factor and Rise Time Parameters for Nondispersion (ND) Model

Aquifer contamination depth at well (z): 2.74000E+01 m
 Depth of water intake below water table (dw): 1.00000E+01 m
 Infiltration rate (In): 5.48000E-01 m/yr
 Aquifer water flow rate (Vwfr): 2.00000E+00 m/yr
 Hydraulic gradient (J): 2.00000E-02
 Hydraulic conductivity of aquifer (Kszh): 1.00000E+02 m/yr
 Contaminated zone extent parallel to gradient (l): 1.00000E+02 m
 Distance below contaminated zone to water table (h): 0.60000E+01 m
 Initial thickness of uncontaminated cover (Cd): 0.00000E+00 m
 Initial thickness of contaminated zone (T): 0.15000E+00 m
 Effective porosity of saturated zone (pesz): 0.20000E+00

0 Radio-nuclide (i)	Dilution Factor	Retardation Factor	Horizontal Transport Time		Rise Time	Decay Time Parameter
	f(i)	Rdsz(i)	Onsite	Horizontal	dt(i), yr	1/lamda(i),yr
			Tauh(i), yr			
Ac-227	1.000E+00	7.600E+01	7.600E+02		2.774E+02	3.141E+01
Pa-231	1.000E+00	1.885E+02	1.885E+03		6.880E+02	4.726E+04
Pb-210	1.000E+00	3.760E+02	3.760E+03		1.372E+03	3.217E+01
Ra-226	1.000E+00	2.635E+02	2.635E+03		9.617E+02	2.308E+03
Th-230	1.000E+00	2.250E+05	2.250E+06		8.212E+05	1.111E+05
U-234	1.000E+00	4.698E+02	4.698E+03		1.714E+03	3.527E+05
U-235	1.000E+00	4.698E+02	4.698E+03		1.714E+03	1.015E+09
U-238	1.000E+00	4.698E+02	4.698E+03		1.714E+03	6.446E+09

0 Primary Parameters Used for Calculating Water/Soil Concentration Ratios for Groundwater Pathway Segment

Model used: Nondispersion (ND)
 Bulk soil density in contaminated zone (rhob): 1.500 g/cm**3

0 Radio-nuclide (i)	Dilution Factor	Retardation Factor	Breakthrough Time		Rise Time
	f(i)	Rdcz(i)	Chain year	Single Nuclide Dt(i), yr	dt(i), yr
Ac-227	1.000E+00	9.385E+01	1.707E+02	1.707E+02	2.774E+02
Pa-231	1.000E+00	2.331E+02	4.428E+02	4.428E+02	6.880E+02
Pb-210	1.000E+00	4.653E+02	6.379E+02	9.537E+02	1.372E+03
Ra-226	1.000E+00	3.260E+02	6.379E+02	6.379E+02	9.617E+02
Th-230	1.000E+00	2.786E+05	1.173E+04	Infinite	8.212E+05
U-234	1.000E+00	4.039E+04	1.173E+04	1.173E+04	1.714E+03
U-235	1.000E+00	4.039E+04	1.173E+04	1.173E+04	1.714E+03
U-238	1.000E+00	4.039E+04	1.173E+04	1.173E+04	1.714E+03

Storage Times For Contaminated Foodstuffs

k	Food Item	STOR_T(k), days
1	non-leafy plants	14.
2	leafy plants	1.
3	milk	1.
4	meat	20.
5	fish	7.
6	crustacea	7.
7	well water	1.
8	surface water	1.
9	livestock fodder	45.

0

Storage Time Ingrowth and Decay Factors
 Storage Time for k'th Foodstuff: $t = \text{STOR_T}(k)$, days

Parent (i)	Product (j)	Branch Fraction	STOR_ID(i,j,t) = CONCE(i,j,t)/CONCE(i,i,0)									
			t=	1.400E+01	1.000E+00	1.000E+00	2.000E+01	7.000E+00	7.000E+00	1.000E+00	1.000E+00	4.500E+01
Ac-227	Ac-227	1.000E+00	9.988E-01	9.999E-01	9.999E-01	9.983E-01	9.994E-01	9.994E-01	9.999E-01	9.999E-01	9.999E-01	9.961E-01
Pa-231	Pa-231	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Pa-231	Ac-227	1.000E+00	1.219E-03	8.716E-05	8.716E-05	1.742E-03	6.099E-04	6.099E-04	8.716E-05	8.716E-05	8.716E-05	3.915E-03
Pb-210	Pb-210	1.000E+00	9.988E-01	9.999E-01	9.999E-01	9.983E-01	9.994E-01	9.994E-01	9.999E-01	9.999E-01	9.999E-01	9.962E-01
Ra-226	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01
Ra-226	Pb-210	1.000E+00	1.191E-03	8.510E-05	8.510E-05	1.701E-03	5.955E-04	5.955E-04	8.510E-05	8.510E-05	8.510E-05	3.822E-03
Th-230	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
Th-230	Ra-226	1.000E+00	1.661E-05	1.186E-06	1.186E-06	2.372E-05	8.303E-06	8.303E-06	1.186E-06	1.186E-06	1.186E-06	5.337E-05
Th-230	Pb-210	1.000E+00	9.888E-09	5.047E-11	5.047E-11	2.018E-08	2.472E-09	2.472E-09	5.047E-11	5.047E-11	5.047E-11	1.021E-07
U-234	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Th-230	1.000E+00	3.450E-07	2.465E-08	2.465E-08	4.929E-07	1.725E-07	1.725E-07	2.465E-08	2.465E-08	2.465E-08	1.109E-06
U-234	Ra-226	1.000E+00	2.865E-12	1.462E-14	1.462E-14	5.846E-12	7.162E-13	7.162E-13	1.462E-14	1.462E-14	1.462E-14	2.960E-11
U-234	Pb-210	1.000E+00	1.137E-15	4.146E-19	4.146E-19	3.315E-15	1.422E-16	1.422E-16	4.146E-19	4.146E-19	4.146E-19	3.774E-14
U-235	U-235	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00	8.110E-07	5.793E-08	5.793E-08	1.159E-06	4.055E-07	4.055E-07	5.793E-08	5.793E-08	5.793E-08	2.607E-06
U-235	Ac-227	1.000E+00	4.946E-10	2.524E-12	2.524E-12	1.009E-09	1.237E-10	1.237E-10	2.524E-12	2.524E-12	2.524E-12	5.105E-09
U-238	U-238	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00	1.087E-07	7.762E-09	7.762E-09	1.552E-07	5.433E-08	5.433E-08	7.762E-09	7.762E-09	7.762E-09	3.493E-07
U-238	Th-230	1.000E+00	1.875E-14	9.565E-17	9.565E-17	3.826E-14	4.687E-15	4.687E-15	9.565E-17	9.565E-17	9.565E-17	1.937E-13
U-238	Ra-226	1.000E+00	1.038E-19	3.782E-23	3.782E-23	3.025E-19	1.297E-20	1.297E-20	3.782E-23	3.782E-23	3.782E-23	3.446E-18
U-238	Pb-210	1.000E+00	3.090E-23	8.045E-28	8.045E-28	1.287E-22	1.931E-24	1.931E-24	8.045E-28	8.045E-28	8.045E-28	3.296E-21

CONCE(i,j,t)/CONCE(i,i,0) is the concentration ratio of Product(j) at time t to Parent(i) at start of storage time.

Storage Time Correction Factors
 Drinking Water from Well and/or Surface
 Harvest Time = t - 2.74E-03 yr; Consumption Time = t yr

Parent (i)	Product (j)	Branch Fraction*	CFWW(j,t,1) #							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
OU-235	U-235	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Ac-227	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01	9.999E-01
OU-238	U-238	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors
 Irrigation Water for Nonleafy Plants from Well and/or Surface
 Harvest Time = t - 4.11E-02 yr; Consumption Time = t - 3.83E-02 yr

Parent (i)	Product (j)	Branch Fraction*	CFWW(j,t,2) #							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
OU-235	U-235	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Ac-227	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01	9.999E-01
OU-238	U-238	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors
 Irrigation Water for Leafy Plants from Well and/or Surface
 Harvest Time = t - 5.48E-03 yr; Consumption Time = t - 2.74E-03 yr

OParent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Th-230	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Ra-226	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Pb-210	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
OU-235	U-235	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Ac-227	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01	9.999E-01
OU-238	U-238	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Th-230	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Ra-226	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Pb-210	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors
 Irrigation Water for Livestock (Milk) Fodder from Well and/or Surface
 Harvest Time = t - 1.29E-01 yr; Consumption Time = t - 1.26E-01 yr

OParent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Th-230	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Ra-226	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Pb-210	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
OU-235	U-235	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Ac-227	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01	9.999E-01
OU-238	U-238	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Th-230	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Ra-226	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Pb-210	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors
 Irrigation Water for Livestock (Meat) Fodder from Well and/or Surface
 Harvest Time = t - 1.81E-01 yr; Consumption Time = t - 1.78E-01 yr

OParent (i)	Product (j)	Branch Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
OU-235	U-235	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Ac-227	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01	9.999E-01
OU-238	U-238	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors
 Livestock (Milk) Water from Well and/or Surface
 Harvest Time = t - 5.48E-03 yr; Consumption Time = t - 2.74E-03 yr

OParent (i)	Product (j)	Branch Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
OU-235	U-235	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Ac-227	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01	9.999E-01
OU-238	U-238	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors
 Livestock (Meat) Water from Well and/or Surface
 Harvest Time = t - 5.75E-02 yr; Consumption Time = t - 5.48E-02 yr

OParent (i)	Product (j)	Branch Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
OU-235	U-235	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Ac-227	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01	9.999E-01
OU-238	U-238	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Nonleafy Plants
 Harvest Time = t - 3.83E-02 yr; Consumption Time = t yr

OParent (i)	Product (j)	Branch Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.001E+00
OU-235	U-235	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Ac-227	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.988E-01	9.993E-01
OU-238	U-238	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.001E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Leafy Plants
 Harvest Time = t - 2.74E-03 yr; Consumption Time = t yr

OParent (i)	Product (j)	Branch Fraction*	CF3(j,2,t)#							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
OU-235	U-235	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Ac-227	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01	9.999E-01
OU-238	U-238	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Livestock (Meat) Fodder
 Harvest Time = t - 1.78E-01 yr; Consumption Time = t - 5.48E-02 yr

OParent (i)	Product (j)	Branch Fraction*	CFLF(j,1,t)#							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Th-230	1.000E+00	1.000E+00	1.366E+00	1.107E+00	1.031E+00	1.010E+00	1.003E+00	1.000E+00	1.000E+00
U-234	Ra-226	1.000E+00	1.000E+00	1.009E+00	1.002E+00	1.001E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01
U-234	Pb-210	1.000E+00	1.000E+00	2.809E+00	1.534E+00	1.163E+00	1.063E+00	1.031E+00	1.000E+00	1.002E+00
OU-235	U-235	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00	1.000E+00	1.039E+00	1.012E+00	1.004E+00	1.002E+00	1.002E+00	1.000E+00	1.000E+00
U-235	Ac-227	1.000E+00	1.000E+00	2.244E+00	1.386E+00	1.141E+00	1.082E+00	1.070E+00	9.961E-01	9.977E-01
OU-238	U-238	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00	1.000E+00	1.150E+00	1.044E+00	1.013E+00	1.004E+00	1.001E+00	1.000E+00	1.000E+00
U-238	Th-230	1.000E+00	1.000E+00	1.787E+00	1.218E+00	1.062E+00	1.020E+00	1.006E+00	1.000E+00	1.000E+00
U-238	Ra-226	1.000E+00	1.000E+00	1.016E+00	1.004E+00	1.001E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01
U-238	Pb-210	1.000E+00	1.000E+00	3.417E+00	1.711E+00	1.215E+00	1.081E+00	1.037E+00	1.000E+00	1.002E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Livestock (Milk) Fodder
 Harvest Time = t - 1.26E-01 yr; Consumption Time = t - 2.74E-03 yr

OParent	Product	Branch	CFLF(j,2,t)#							
(i)	(j)	Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Th-230	1.000E+00	1.000E+00	1.344E+00	1.105E+00	1.030E+00	1.010E+00	1.003E+00	1.000E+00	1.000E+00
U-234	Ra-226	1.000E+00	1.000E+00	1.009E+00	1.002E+00	1.001E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01
U-234	Pb-210	1.000E+00	1.000E+00	2.702E+00	1.525E+00	1.162E+00	1.063E+00	1.031E+00	1.000E+00	1.002E+00
OU-235	U-235	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00	1.000E+00	1.036E+00	1.012E+00	1.004E+00	1.002E+00	1.002E+00	1.000E+00	1.000E+00
U-235	Ac-227	1.000E+00	1.000E+00	2.171E+00	1.379E+00	1.141E+00	1.082E+00	1.070E+00	9.961E-01	9.977E-01
OU-238	U-238	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00	1.000E+00	1.141E+00	1.043E+00	1.012E+00	1.004E+00	1.001E+00	1.000E+00	1.000E+00
U-238	Th-230	1.000E+00	1.000E+00	1.737E+00	1.214E+00	1.061E+00	1.020E+00	1.006E+00	1.000E+00	1.000E+00
U-238	Ra-226	1.000E+00	1.000E+00	1.015E+00	1.004E+00	1.001E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01
U-238	Pb-210	1.000E+00	1.000E+00	3.274E+00	1.698E+00	1.214E+00	1.081E+00	1.037E+00	1.000E+00	1.002E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Meat
 Harvest Time = t - 5.48E-02 yr; Consumption Time = t yr

OParent	Product	Branch	CF45(j,1,t)#							
(i)	(j)	Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Th-230	1.000E+00	1.000E+00	1.203E+00	1.065E+00	1.019E+00	1.006E+00	1.002E+00	1.000E+00	1.000E+00
U-234	Ra-226	1.000E+00	1.000E+00	1.008E+00	1.002E+00	1.001E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Pb-210	1.000E+00	1.000E+00	1.261E+00	1.099E+00	1.033E+00	1.013E+00	1.006E+00	1.000E+00	1.001E+00
OU-235	U-235	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00	1.000E+00	1.004E+00	1.001E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Ac-227	1.000E+00	1.000E+00	3.413E+01	1.294E+01	5.660E+00	3.784E+00	3.413E+00	9.983E-01	1.173E+00
OU-238	U-238	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00	1.000E+00	1.058E+00	1.019E+00	1.006E+00	1.002E+00	1.001E+00	1.000E+00	1.000E+00
U-238	Th-230	1.000E+00	1.000E+00	1.415E+00	1.131E+00	1.039E+00	1.013E+00	1.004E+00	1.000E+00	1.000E+00
U-238	Ra-226	1.000E+00	1.000E+00	1.014E+00	1.003E+00	1.001E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Pb-210	1.000E+00	1.000E+00	1.325E+00	1.128E+00	1.043E+00	1.016E+00	1.007E+00	1.000E+00	1.002E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Milk
 Harvest Time = t - 2.74E-03 yr; Consumption Time = t yr

OParent (i)	Product (j)	Branch Fraction*	CF45(j,2,t)#							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Th-230	1.000E+00	1.000E+00	1.337E+00	1.112E+00	1.034E+00	1.011E+00	1.003E+00	1.000E+00	1.000E+00
U-234	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Pb-210	1.000E+00	1.000E+00	1.033E+00	1.013E+00	1.004E+00	1.002E+00	1.001E+00	1.000E+00	1.000E+00
OU-235	U-235	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00	1.000E+00	1.302E+00	1.104E+00	1.037E+00	1.018E+00	1.014E+00	1.000E+00	1.000E+00
U-235	Ac-227	1.000E+00	1.000E+00	1.002E+00	1.001E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01	9.999E-01
OU-238	U-238	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00	1.000E+00	1.003E+00	1.001E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Th-230	1.000E+00	1.000E+00	1.673E+00	1.225E+00	1.067E+00	1.022E+00	1.007E+00	1.000E+00	1.000E+00
U-238	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Pb-210	1.000E+00	1.000E+00	1.041E+00	1.016E+00	1.006E+00	1.002E+00	1.001E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Fish & Crustacea
 Harvest Time = t - 1.92E-02 yr; Consumption Time = t yr

OParent (i)	Product (j)	Branch Fraction*	CF45(j,1,t)#							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.995E-01
OU-235	U-235	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Ac-227	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.994E-01	9.996E-01
OU-238	U-238	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.996E-01

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Area and Depth Factors for Plant (p=3), Meat (p=4), and Milk (p=5) Pathways
 Root Uptake from Contaminated Soil (q=1)

Area Factor for Plant Foods [FA(3)] = 0.10

Nuclide (i)	t=	Depth Factor FD(i,1,t) (dimensionless)						
		0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02
Ac-227	1.6667E-01	1.6556E-01	1.6333E-01	1.5556E-01	1.3333E-01	5.5556E-02	0.0000E+00	0.0000E+00
Pa-231	1.6667E-01	1.6556E-01	1.6333E-01	1.5556E-01	1.3333E-01	5.5556E-02	0.0000E+00	0.0000E+00
Pb-210	1.6667E-01	1.6556E-01	1.6333E-01	1.5556E-01	1.3333E-01	5.5556E-02	0.0000E+00	0.0000E+00
Ra-226	1.6667E-01	1.6556E-01	1.6333E-01	1.5556E-01	1.3333E-01	5.5556E-02	0.0000E+00	0.0000E+00
Th-230	1.6667E-01	1.6556E-01	1.6333E-01	1.5556E-01	1.3333E-01	5.5556E-02	0.0000E+00	0.0000E+00
U-234	1.6667E-01	1.6556E-01	1.6333E-01	1.5556E-01	1.3333E-01	5.5556E-02	0.0000E+00	0.0000E+00
U-235	1.6667E-01	1.6556E-01	1.6333E-01	1.5556E-01	1.3333E-01	5.5556E-02	0.0000E+00	0.0000E+00
U-238	1.6667E-01	1.6556E-01	1.6333E-01	1.5556E-01	1.3333E-01	5.5556E-02	0.0000E+00	0.0000E+00

0

Area and Depth Factors for Plant (p=3), Meat (p=4), and Milk (p=5) Pathways
 Foliar Uptake from Contaminated Dust (q=2)

Area Factor for Plant Foods [FA(3)] = 0.10

Nuclide (i)	t=	Depth Factor FD(i,2,t) (dimensionless)						
		0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02
Ac-227	1.0000E+00	9.9333E-01	9.8000E-01	9.3333E-01	8.0000E-01	3.3333E-01	0.0000E+00	0.0000E+00
Pa-231	1.0000E+00	9.9333E-01	9.8000E-01	9.3333E-01	8.0000E-01	3.3333E-01	0.0000E+00	0.0000E+00
Pb-210	1.0000E+00	9.9333E-01	9.8000E-01	9.3333E-01	8.0000E-01	3.3333E-01	0.0000E+00	0.0000E+00
Ra-226	1.0000E+00	9.9333E-01	9.8000E-01	9.3333E-01	8.0000E-01	3.3333E-01	0.0000E+00	0.0000E+00
Th-230	1.0000E+00	9.9333E-01	9.8000E-01	9.3333E-01	8.0000E-01	3.3333E-01	0.0000E+00	0.0000E+00
U-234	1.0000E+00	9.9333E-01	9.8000E-01	9.3333E-01	8.0000E-01	3.3333E-01	0.0000E+00	0.0000E+00
U-235	1.0000E+00	9.9333E-01	9.8000E-01	9.3333E-01	8.0000E-01	3.3333E-01	0.0000E+00	0.0000E+00
U-238	1.0000E+00	9.9333E-01	9.8000E-01	9.3333E-01	8.0000E-01	3.3333E-01	0.0000E+00	0.0000E+00

Area and Depth Factors for Plant (p=3), Meat (p=4), and Milk (p=5) Pathways
 Ditch Irrigation (q=3)

Area Factor for Plant Foods [FA(3)] = 0.10

Nuclide (i)	t=	Depth Factor FD(i,3,t) (dimensionless)							
		0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Ac-227	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00
Pa-231	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00
Pb-210	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00
Ra-226	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00
Th-230	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00
U-234	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00
U-235	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00
U-238	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00

0

Area and Depth Factors for Plant (p=3), Meat (p=4), and Milk (p=5) Pathways
 Overhead Irrigation (q=4)

Area Factor for Plant Foods [FA(3)] = 0.10

The Depth Factor Value
 FD(i,p,q,t) = 1.0000E+00

is applicable for all radionuclides(i) and times(t).

0

Area and Depth Factors for Meat (p=4) and Milk (p=5) Pathways
 Transfer from Livestock Water (q=5) and Soil (q=6) Intake

Area Factor for Meat and Milk [FA(p),p=4,5] = 1.00

The livestock water subpathway (q=5) and livestock soil intake subpathway (q=6)
 occur only for the meat (p=4) and milk (p=5) pathways.

Area and Depth Factors for Meat (p=4) and Milk (p=5) Pathways
Transfer from Livestock Water (q=5) and Soil (q=6) Intake

Area Factor for Meat and Milk [FA(p),p=4,5] = 1.00

The livestock water subpathway (q=5) and livestock soil intake subpathway (q=6)
occur only for the meat (p=4) and milk (p=5) pathways.

Dose Conversion and Environmental Transport Factors for the Plant Food Pathway (p=3)
 Subpathway: Root Uptake from Contaminated Soil (q=1)

Parent (i)	Product (j)	DCF(j,3)*	ETF(j,3,1,t) (g/yr)							
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02
U-234	U-234	2.830E-04	7.250E+00	7.201E+00	7.101E+00	6.749E+00	5.753E+00	2.351E+00	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	2.731E-05	7.809E-05	2.446E-04	6.247E-04	8.569E-04	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	2.072E-07	1.883E-06	1.870E-05	1.174E-04	3.067E-04	0.000E+00	0.000E+00
U-234	Pb-210	7.270E-03	0.000E+00	7.378E-10	1.605E-08	4.541E-07	6.830E-06	3.346E-05	0.000E+00	0.000E+00
OU-235	U-235	2.670E-04	7.250E+00	7.201E+00	7.101E+00	6.750E+00	5.753E+00	2.352E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	5.798E-04	1.665E-03	4.524E-03	7.719E-03	4.094E-03	0.000E+00	0.000E+00
U-235	Ac-227	1.480E-02	0.000E+00	2.765E-06	1.917E-05	1.267E-04	3.569E-04	2.178E-04	0.000E+00	0.000E+00
OU-238	U-238	2.690E-04	7.250E+00	7.201E+00	7.101E+00	6.750E+00	5.753E+00	2.352E+00	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	2.042E-05	6.039E-05	1.913E-04	4.893E-04	6.666E-04	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	4.060E-11	3.378E-10	3.484E-09	2.658E-08	1.211E-07	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	1.897E-13	5.323E-12	1.811E-10	3.590E-09	3.516E-08	0.000E+00	0.000E+00
U-238	Pb-210	7.270E-03	0.000E+00	5.582E-16	3.562E-14	3.397E-12	1.649E-10	3.287E-09	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Plant Food Pathway (p=3)
 Subpathway: Foliar Uptake from Contaminated Dust (q=2)

Parent (i)	Product (j)	DCF(j,3)*	ETF(j,3,2,t) (g/yr)							
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02
U-234	U-234	2.830E-04	2.925E-02	2.905E-02	2.864E-02	2.723E-02	2.321E-02	9.482E-03	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	2.615E-07	7.738E-07	2.454E-06	6.289E-06	8.636E-06	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	5.606E-11	4.862E-10	4.751E-09	2.969E-08	7.742E-08	0.000E+00	0.000E+00
U-234	Pb-210	7.270E-03	0.000E+00	5.746E-13	1.463E-11	4.423E-10	6.788E-09	3.347E-08	0.000E+00	0.000E+00
OU-235	U-235	2.670E-04	2.925E-02	2.905E-02	2.864E-02	2.723E-02	2.321E-02	9.485E-03	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	6.008E-07	1.695E-06	4.576E-06	7.795E-06	4.132E-06	0.000E+00	0.000E+00
U-235	Ac-227	1.480E-02	0.000E+00	9.188E-09	7.162E-08	4.953E-07	1.412E-06	8.637E-07	0.000E+00	0.000E+00
OU-238	U-238	2.690E-04	2.925E-02	2.905E-02	2.864E-02	2.723E-02	2.321E-02	9.485E-03	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	8.235E-08	2.436E-07	7.718E-07	1.974E-06	2.689E-06	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	3.708E-13	3.290E-12	3.477E-11	2.671E-10	1.220E-09	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	5.315E-17	1.390E-15	4.616E-14	9.089E-13	8.879E-12	0.000E+00	0.000E+00
U-238	Pb-210	7.270E-03	0.000E+00	4.093E-19	3.152E-17	3.274E-15	1.633E-13	3.285E-12	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Plant Food Pathway (p=3)

Subpathway: Ditch Irrigation (q=3)

Parent (i)	Product (j)	DCF(j,3)*	ETF(j,3,3,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.990E-07
U-234	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	5.227E-08
0U-235	U-235	2.670E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.699E-05
U-235	Ac-227	1.480E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.784E-07	1.057E-05
0U-238	U-238	2.690E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	6.084E-11
U-238	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.012E-11

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Plant Food Pathway (p=3)

Subpathway: Overhead Irrigation (q=4)

Parent (i)	Product (j)	DCF(j,3)*	ETF(j,3,4,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.873E-05
U-234	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.997E-05
0U-235	U-235	2.670E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	6.537E-03
U-235	Ac-227	1.480E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.765E-04	1.635E-02
0U-238	U-238	2.690E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	5.856E-09
U-238	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.873E-09

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Meat Pathway (p=4)
 Subpathway: Fodder Root Uptake from Contaminated Soil (q=1)

Parent (i)	Product (j)	DCF(j,4)*	ETF(j,4,1,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0U-235	U-235	2.670E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.480E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0U-238	U-238	2.690E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.
 0

Dose Conversion and Environmental Transport Factors for the Meat Pathway (p=4)
 Subpathway: Fodder Foliar Uptake from Contaminated Dust (q=2)

Parent (i)	Product (j)	DCF(j,4)*	ETF(j,4,2,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0U-235	U-235	2.670E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.480E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0U-238	U-238	2.690E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Meat Pathway (p=4)

Subpathway: Ditch Irrigation (q=3)

Parent (i)	Product (j)	DCF(j,4)*	ETF(j,4,3,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0U-235	U-235	2.670E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.480E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0U-238	U-238	2.690E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Meat Pathway (p=4)

Subpathway: Overhead Irrigation (q=4)

Parent (i)	Product (j)	DCF(j,4)*	ETF(j,4,4,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0U-235	U-235	2.670E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.480E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0U-238	U-238	2.690E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Meat Pathway (p=4)

Subpathway: Livestock Water (q=5)

Parent (i)	Product (j)	DCF(j,4)*	ETF(j,4,5,t) * SF(j,t) (g/yr)									
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03	
U-234	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	2.670E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.480E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	2.690E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Milk Pathway (p=5)
 Subpathway: Fodder Root Uptake from Contaminated Soil (q=1)

Parent (i)	Product (j)	DCF(j,5)*	ETF(j,5,1,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0U-235	U-235	2.670E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.480E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0U-238	U-238	2.690E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Milk Pathway (p=5)
 Subpathway: Fodder Foliar Uptake from Contaminated Dust (q=2)

Parent (i)	Product (j)	DCF(j,5)*	ETF(j,5,2,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0U-235	U-235	2.670E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.480E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0U-238	U-238	2.690E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Milk Pathway (p=5)

Subpathway: Ditch Irrigation (q=3)

OParent (i)	Product (j)	DCF(j,5)*	ETF(j,5,3,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	2.670E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.480E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	2.690E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Milk Pathway (p=5)

Subpathway: Overhead Irrigation (q=4)

OParent (i)	Product (j)	DCF(j,5)*	ETF(j,5,4,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	2.670E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.480E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	2.690E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Milk Pathway (p=5)
 Subpathway: Livestock Water (q=5)

Parent (i)	Product (j)	DCF(j,5)*	ETF(j,5,5,t) * SF(j,t) (g/yr)								
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03	
U-234	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	2.670E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.480E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	2.690E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Fish Pathway (p=6)

0Parent (i)	Product (j)	DCF(j,6)*	ETF(j,6,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0U-235	U-235	2.670E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.480E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0U-238	U-238	2.690E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Drinking Water Pathway (p=7)

0Parent (i)	Product (j)	DCF(j,7)*	ETF(j,7,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0U-235	U-235	2.670E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.480E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0U-238	U-238	2.690E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose/Source Ratios for Internal Radiation from Ingestion of Plant Foods (p=3)
Subpathway: Root Uptake from Contaminated Soil (q=1)

Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		2.045E-03	2.031E-03	2.002E-03	1.903E-03	1.621E-03	6.586E-04	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		7.770E-09	2.199E-08	4.962E-08	1.402E-07	3.465E-07	4.672E-07	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		8.930E-11	6.520E-10	3.410E-09	2.720E-08	1.600E-07	4.065E-07	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		1.433E-12	1.815E-11	1.834E-10	3.767E-09	5.145E-08	2.428E-07	0.000E+00	0.000E+00
U-234	äDSR(j)			2.045E-03	2.031E-03	2.002E-03	1.903E-03	1.622E-03	6.597E-04	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00		1.929E-03	1.916E-03	1.889E-03	1.795E-03	1.530E-03	6.215E-04	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		3.044E-06	9.145E-06	2.029E-05	4.961E-05	8.207E-05	4.297E-05	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		1.490E-08	8.607E-08	3.707E-07	2.000E-06	5.321E-06	3.192E-06	0.000E+00	0.000E+00
U-235	äDSR(j)			1.932E-03	1.925E-03	1.910E-03	1.847E-03	1.617E-03	6.677E-04	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00		1.944E-03	1.930E-03	1.903E-03	1.809E-03	1.541E-03	6.262E-04	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		2.896E-09	8.633E-09	1.987E-08	5.664E-08	1.402E-07	1.877E-07	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		7.747E-15	4.997E-14	2.514E-13	2.098E-12	1.499E-11	6.633E-11	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		6.118E-17	9.743E-16	1.143E-14	2.773E-13	4.979E-12	4.686E-11	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		8.588E-19	2.230E-17	4.831E-16	2.970E-14	1.266E-12	2.400E-11	0.000E+00	0.000E+00
U-238	äDSR(j)			1.944E-03	1.930E-03	1.903E-03	1.809E-03	1.541E-03	6.264E-04	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Plant Foods (p=3)
Subpathway: Foliar Uptake from Contaminated Dust (q=2)

Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		8.249E-06	8.192E-06	8.077E-06	7.676E-06	6.539E-06	2.656E-06	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		7.182E-11	2.142E-10	4.929E-10	1.407E-09	3.489E-09	4.708E-09	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		2.497E-14	1.720E-13	8.772E-13	6.906E-12	4.044E-11	1.026E-10	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		1.051E-15	1.536E-14	1.695E-13	3.675E-12	5.115E-11	2.429E-10	0.000E+00	0.000E+00
U-234	äDSR(j)			8.249E-06	8.192E-06	8.078E-06	7.678E-06	6.542E-06	2.661E-06	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00		7.783E-06	7.729E-06	7.621E-06	7.242E-06	6.170E-06	2.507E-06	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		3.217E-09	9.391E-09	2.063E-08	5.017E-08	8.287E-08	4.336E-08	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		4.618E-11	3.037E-10	1.398E-09	7.824E-09	2.105E-08	1.266E-08	0.000E+00	0.000E+00
U-235	äDSR(j)			7.786E-06	7.739E-06	7.643E-06	7.300E-06	6.274E-06	2.563E-06	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00		7.841E-06	7.787E-06	7.678E-06	7.297E-06	6.216E-06	2.526E-06	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		1.168E-11	3.482E-11	8.013E-11	2.285E-10	5.654E-10	7.569E-10	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		6.787E-17	4.720E-16	2.461E-15	2.094E-14	1.507E-13	6.682E-13	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		1.774E-20	2.623E-19	2.969E-18	7.064E-17	1.260E-15	1.183E-14	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		5.982E-22	1.812E-20	4.354E-19	2.869E-17	1.253E-15	2.398E-14	0.000E+00	0.000E+00
U-238	äDSR(j)			7.841E-06	7.787E-06	7.678E-06	7.297E-06	6.216E-06	2.526E-06	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Plant Foods (p=3)
 Subpathway: Ditch Irrigation (q=3)

Parent and Progeny Principal Radionuclide Contributions Indicated		DSR(j,3,3,t) (mrem/yr)/(pCi/g)								
OParent (i)	Product (j)	Branch Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.980E-10
U-234	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.803E-10
U-234	äDSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	7.783E-10
OU-235	U-235	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.801E-07
U-235	Ac-227	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.669E-09	1.564E-07
U-235	äDSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.669E-09	3.365E-07
OU-238	U-238	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	8.116E-14
U-238	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	7.458E-14
U-238	äDSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.557E-13

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Plant Foods (p=3)
 Subpathway: Overhead Irrigation (q=4)

Parent and Progeny Principal Radionuclide Contributions Indicated		DSR(j,3,4,t) (mrem/yr)/(pCi/g)								
OParent (i)	Product (j)	Branch Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.824E-08
U-234	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.453E-07
U-234	äDSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.836E-07
OU-235	U-235	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	6.930E-05
U-235	Ac-227	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.136E-06	2.420E-04
U-235	äDSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.136E-06	3.113E-04
OU-238	U-238	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	7.796E-12
U-238	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.851E-11
U-238	äDSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.630E-11

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Plant Foods (p=3)
 Total for All Subpathways

		Parent and Progeny Principal Radionuclide Contributions Indicated								
Parent (i)	Product (j)	Branch Fraction*	DSR(j,3,t) (mrem/yr) / (pCi/g)							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	2.053E-03	2.039E-03	2.010E-03	1.911E-03	1.628E-03	6.612E-04	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00	7.841E-09	2.220E-08	5.011E-08	1.416E-07	3.500E-07	4.719E-07	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00	8.933E-11	6.522E-10	3.411E-09	2.720E-08	1.600E-07	4.066E-07	0.000E+00	3.864E-08
U-234	Pb-210	1.000E+00	1.434E-12	1.816E-11	1.836E-10	3.771E-09	5.150E-08	2.430E-07	0.000E+00	1.457E-07
U-234	äDSR(j)		2.053E-03	2.039E-03	2.011E-03	1.911E-03	1.628E-03	6.624E-04	0.000E+00	1.844E-07
U-235	U-235	1.000E+00	1.937E-03	1.924E-03	1.897E-03	1.803E-03	1.536E-03	6.240E-04	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00	3.047E-06	9.154E-06	2.032E-05	4.966E-05	8.215E-05	4.301E-05	0.000E+00	6.948E-05
U-235	Ac-227	1.000E+00	1.495E-08	8.637E-08	3.721E-07	2.008E-06	5.342E-06	3.204E-06	4.138E-06	2.421E-04
U-235	äDSR(j)		1.940E-03	1.933E-03	1.918E-03	1.854E-03	1.623E-03	6.702E-04	4.138E-06	3.116E-04
U-238	U-238	1.000E+00	1.952E-03	1.938E-03	1.911E-03	1.816E-03	1.547E-03	6.287E-04	0.000E+00	0.000E+00
U-238	U-234	1.000E+00	2.907E-09	8.668E-09	1.995E-08	5.687E-08	1.407E-07	1.884E-07	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00	7.815E-15	5.044E-14	2.539E-13	2.119E-12	1.514E-11	6.700E-11	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00	6.120E-17	9.746E-16	1.143E-14	2.773E-13	4.980E-12	4.687E-11	0.000E+00	7.877E-12
U-238	Pb-210	1.000E+00	8.594E-19	2.232E-17	4.835E-16	2.973E-14	1.267E-12	2.402E-11	0.000E+00	2.858E-11
U-238	äDSR(j)		1.952E-03	1.938E-03	1.911E-03	1.816E-03	1.547E-03	6.289E-04	0.000E+00	3.646E-11

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Meat (p=4)
 Subpathway: Fodder Root Uptake from Contaminated Soil (q=1)

Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Meat (p=4)
 Subpathway: Fodder Foliar Uptake from Contaminated Dust (q=2)

Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Meat (p=4)
 Subpathway: Ditch Irrigation (q=3)

Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch	Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	äDSR(j)				0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	äDSR(j)				0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	äDSR(j)				0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Meat (p=4)
 Subpathway: Overhead Irrigation (q=4)

Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch	Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	äDSR(j)				0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	äDSR(j)				0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	äDSR(j)				0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Meat (p=4)
 Subpathway: Livestock Water (q=5)

Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Meat (p=4)
 Total for All Subpathways

Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Milk (p=5)

Subpathway: Fodder Root Uptake from Contaminated Soil (q=1)

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0U-235	U-235	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0U-238	U-238	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Milk (p=5)

Subpathway: Fodder Foliar Uptake from Contaminated Dust (q=2)

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0U-235	U-235	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0U-238	U-238	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Milk (p=5)
 Subpathway: Ditch Irrigation (q=3)

Parent and Progeny Principal Radionuclide Contributions Indicated		DSR(j,5,3,t) (mrem/yr)/(pCi/g)								
OParent (i)	Product (j)	Branch Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	äDSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	äDSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	äDSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Milk (p=5)
 Subpathway: Overhead Irrigation (q=4)

Parent and Progeny Principal Radionuclide Contributions Indicated		DSR(j,5,4,t) (mrem/yr)/(pCi/g)								
OParent (i)	Product (j)	Branch Fraction*	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	äDSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	äDSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	äDSR(j)		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Milk (p=5)
 Subpathway: Livestock Water (q=5)

Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Milk (p=5)
 Total for All Subpathways

Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from the Ingestion of Fish (p=6)
 Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch Fraction*	t=	DSR(j, 6, t) (mrem/yr) / (pCi/g)								
				0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03	
U-234	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

 *Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from the Ingestion of Drinking Water (p=7)
 Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch Fraction*	t=	DSR(j, 7, t) (mrem/yr) / (pCi/g)								
				0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03	
U-234	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

 *Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Plant/Air and Plant/Water Concentration Ratios
 Mass Loading [ASR(3)]: 1.000E-04 g/m**3
 Area Factor for Mass Loading [FA(2)]: 2.361E-01

ONuclide (i)	FAR(i,3,2,1) m**3/g	FAR(i,3,2,2) m**3/g	FWR(i,3,3,1) L/g	FWR(i,3,3,2) L/g	FWR(i,3,4,1) L/g	FWR(i,3,4,2) L/g
Ac-227	5.4545E-02	2.6156E-01	2.8045E-07	4.1045E-07	3.4522E-04	1.6554E-03
Pa-231	5.4545E-02	2.6156E-01	1.1287E-06	1.6566E-06	3.4522E-04	1.6554E-03
Pb-210	5.4545E-02	2.6156E-01	1.1310E-06	1.6616E-06	3.4522E-04	1.6554E-03
Ra-226	5.4545E-02	2.6156E-01	4.5200E-06	6.6378E-06	3.4522E-04	1.6554E-03
Th-230	5.4545E-02	2.6156E-01	1.1355E-07	1.6642E-07	3.4522E-04	1.6554E-03
U-234	5.4545E-02	2.6156E-01	2.8318E-07	4.1661E-07	3.4522E-04	1.6554E-03
U-235	5.4545E-02	2.6156E-01	2.8318E-07	4.1661E-07	3.4522E-04	1.6554E-03
U-238	5.4545E-02	2.6156E-01	2.8318E-07	4.1661E-07	3.4522E-04	1.6554E-03

FAR(i,p,q,k) is the plant/air concentration ratio for airborne contaminated dust,
 and FWR(i,p,q,k) is the plant/water concentration ratio. See groundwater displays
 for water/soil concentration ratios.

Plant/Soil Concentration Ratios, FSR(i,3,q,k,t)
 Root Uptake (q=1) and Foliar Dust Deposition (q=2)
 Nonleafy (k=1) and/or Leafy (k=2) Vegetables

Nuclide (i)	Parent	Product	FSR(i,3,1,k)	FSR(i,3,2,1)	FSR(i,3,2,2)
U-234	U-234	U-234	2.5000E-03	1.2876E-06	6.1745E-06
U-234	Th-230	U-234	1.0000E-03	1.2876E-06	6.1745E-06
U-234	Ra-226	U-234	4.0000E-02	1.2876E-06	6.1745E-06
U-234	Pb-210	U-234	1.0000E-02	1.2876E-06	6.1745E-06
U-235	U-235	U-235	2.5000E-03	1.2876E-06	6.1745E-06
U-235	Pa-231	U-235	1.0000E-02	1.2876E-06	6.1745E-06
U-235	Ac-227	U-235	2.5000E-03	1.2876E-06	6.1745E-06
U-238	U-238	U-238	2.5000E-03	1.2876E-06	6.1745E-06
U-238	U-234	U-238	2.5000E-03	1.2876E-06	6.1745E-06
U-238	Th-230	U-238	1.0000E-03	1.2876E-06	6.1745E-06
U-238	Ra-226	U-238	4.0000E-02	1.2876E-06	6.1745E-06
U-238	Pb-210	U-238	1.0000E-02	1.2876E-06	6.1745E-06

Meat/Fodder, Milk/Fodder, Fodder/Air and Fodder/Water Concentration Ratios

0 FI(4,q): 68.0 kg/day FI(5,q): 55.0 kg/day q=1,2,3,4
 FI(4,q): 50.0 L/day FI(5,q): 160.0 L/day q=5
 FI(4,q): 0.5 kg/day FI(5,q):

ONuclide (i)	FQR(i,4) d/kg	FQR(i,5) d/kg	FAR(i,3,2,3) m**3/g	FWR(i,3,3,3) L/g	FWR(i,3,4,3) L/g
Ac-227	2.0000E-05	2.0000E-05	2.8659E-01	1.3269E-07	1.8139E-03
Pa-231	5.0000E-03	5.0000E-06	2.8659E-01	5.3230E-07	1.8139E-03
Pb-210	8.0000E-04	3.0000E-04	2.8659E-01	5.3282E-07	1.8139E-03
Ra-226	1.0000E-03	1.0000E-03	2.8659E-01	2.1304E-06	1.8139E-03
Th-230	1.0000E-04	5.0000E-06	2.8659E-01	5.2861E-08	1.8139E-03
U-234	3.4000E-04	6.0000E-04	2.8659E-01	1.3343E-07	1.8139E-03
U-235	3.4000E-04	6.0000E-04	2.8659E-01	1.3343E-07	1.8139E-03
U-238	3.4000E-04	6.0000E-04	2.8659E-01	1.3343E-07	1.8139E-03

FI(p,q) are the fodder (q=1,2,3,4), livestock water (q=5) and soil (q=6) intake rates;
 FQR(i,p) are the transfer coefficients from contaminated fodder of livestock
 water to meat (p=4) or milk (p=5). FAR(i,3,2,3) are the fodder/air
 concentration ratios, and FWR(i,3,3,3) and FWR(i,3,4,3) are the fodder/
 water concentration ratios for ditch and overhead irrigation, respectively.

Dose/Source Ratios for Soil Ingestion Pathway (p=8)
 Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		4.704E-04	4.671E-04	4.606E-04	4.377E-04	3.728E-04	1.514E-04	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		4.096E-09	1.221E-08	2.811E-08	8.021E-08	1.989E-07	2.684E-07	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		1.422E-12	9.799E-12	4.997E-11	3.934E-10	2.304E-09	5.843E-09	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		5.983E-14	8.753E-13	9.656E-12	2.094E-10	2.915E-09	1.384E-08	0.000E+00	0.000E+00
U-234	äDSR(j)			4.704E-04	4.672E-04	4.606E-04	4.378E-04	3.730E-04	1.517E-04	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00		4.438E-04	4.407E-04	4.346E-04	4.130E-04	3.518E-04	1.429E-04	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		1.832E-07	5.348E-07	1.175E-06	2.857E-06	4.719E-06	2.469E-06	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		2.623E-09	1.726E-08	7.944E-08	4.447E-07	1.197E-06	7.190E-07	0.000E+00	0.000E+00
U-235	äDSR(j)			4.440E-04	4.413E-04	4.358E-04	4.163E-04	3.577E-04	1.461E-04	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00		4.471E-04	4.440E-04	4.378E-04	4.161E-04	3.544E-04	1.440E-04	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		6.660E-10	1.986E-09	4.569E-09	1.303E-08	3.224E-08	4.315E-08	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		3.868E-15	2.692E-14	1.404E-13	1.194E-12	8.591E-12	3.809E-11	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		1.009E-18	1.494E-17	1.692E-16	4.024E-15	7.180E-14	6.739E-13	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		3.402E-20	1.032E-18	2.481E-17	1.635E-15	7.142E-14	1.366E-12	0.000E+00	0.000E+00
U-238	äDSR(j)			4.471E-04	4.440E-04	4.378E-04	4.161E-04	3.545E-04	1.440E-04	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Dose Conversion and Environmental Transport Factors for the Soil Ingestion Pathway (p=8)

OParent (i)	Product (j)	DCF(j,8)*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	2.830E-04		1.668E+00	1.657E+00	1.635E+00	1.557E+00	1.334E+00	5.560E-01	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04		1.668E+00	1.657E+00	1.635E+00	1.557E+00	1.334E+00	5.560E-01	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03		1.668E+00	1.657E+00	1.635E+00	1.557E+00	1.334E+00	5.560E-01	0.000E+00	0.000E+00
U-234	Pb-210	7.270E-03		1.668E+00	1.657E+00	1.635E+00	1.557E+00	1.334E+00	5.560E-01	0.000E+00	0.000E+00
OU-235	U-235	2.670E-04		1.668E+00	1.657E+00	1.635E+00	1.557E+00	1.334E+00	5.560E-01	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02		1.668E+00	1.657E+00	1.635E+00	1.557E+00	1.334E+00	5.560E-01	0.000E+00	0.000E+00
U-235	Ac-227	1.480E-02		1.668E+00	1.657E+00	1.635E+00	1.557E+00	1.334E+00	5.560E-01	0.000E+00	0.000E+00
OU-238	U-238	2.690E-04		1.668E+00	1.657E+00	1.635E+00	1.557E+00	1.334E+00	5.560E-01	0.000E+00	0.000E+00
U-238	U-234	2.830E-04		1.668E+00	1.657E+00	1.635E+00	1.557E+00	1.334E+00	5.560E-01	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04		1.668E+00	1.657E+00	1.635E+00	1.557E+00	1.334E+00	5.560E-01	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03		1.668E+00	1.657E+00	1.635E+00	1.557E+00	1.334E+00	5.560E-01	0.000E+00	0.000E+00
U-238	Pb-210	7.270E-03		1.668E+00	1.657E+00	1.635E+00	1.557E+00	1.334E+00	5.560E-01	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Table of Contents

Part III: Intake Quantities and Health Risk Factors

=====

Cancer Risk Slope Factors	2
Amount of Intake Quantities and Excess Cancer Risks	
Time= 0.000E+00	3
Time= 1.000E+00	6
Time= 3.000E+00	9
Time= 1.000E+01	12
Time= 3.000E+01	15
Time= 1.000E+02	18
Time= 3.000E+02	21
Time= 1.000E+03	24

Cancer Risk Slope Factors Summary Table
 File: Default.LIB

0	Menu	Parameter	Current Value	Default	Parameter Name
		Ground external radiation slope factors, 1/yr per (pCi/g):			
	Sf-1	Ac-227+D	9.30E-07	9.30E-07	SLPF(1,1)
	Sf-1	Pa-231	2.70E-08	2.70E-08	SLPF(2,1)
	Sf-1	Pb-210+D	1.43E-10	1.43E-10	SLPF(3,1)
	Sf-1	Ra-226+D	6.70E-06	6.70E-06	SLPF(4,1)
	Sf-1	Th-230	4.40E-11	4.40E-11	SLPF(5,1)
	Sf-1	U-234	2.10E-11	2.10E-11	SLPF(6,1)
	Sf-1	U-235+D	2.70E-07	2.70E-07	SLPF(7,1)
	Sf-1	U-238+D	6.60E-08	6.60E-08	SLPF(8,1)
		Inhalation, slope factors, 1/(pCi):			
	Sf-2	Ac-227+D	7.90E-08	7.90E-08	SLPF(1,2)
	Sf-2	Pa-231	2.40E-08	2.40E-08	SLPF(2,2)
	Sf-2	Pb-210+D	3.80E-09	3.80E-09	SLPF(3,2)
	Sf-2	Ra-226+D	2.70E-09	2.70E-09	SLPF(4,2)
	Sf-2	Th-230	1.70E-08	1.70E-08	SLPF(5,2)
	Sf-2	U-234	1.40E-08	1.40E-08	SLPF(6,2)
	Sf-2	U-235+D	1.30E-08	1.30E-08	SLPF(7,2)
	Sf-2	U-238+D	1.20E-08	1.20E-08	SLPF(8,2)
		Ingestion, slope factors, 1/(pCi):			
	Sf-3	Ac-227+D	6.30E-10	6.30E-10	SLPF(1,3)
	Sf-3	Pa-231	1.50E-10	1.50E-10	SLPF(2,3)
	Sf-3	Pb-210+D	1.01E-09	1.01E-09	SLPF(3,3)
	Sf-3	Ra-226+D	3.00E-10	3.00E-10	SLPF(4,3)
	Sf-3	Th-230	3.80E-11	3.80E-11	SLPF(5,3)
	Sf-3	U-234	4.40E-11	4.40E-11	SLPF(6,3)
	Sf-3	U-235+D	4.70E-11	4.70E-11	SLPF(7,3)
	Sf-3	U-238+D	6.20E-11	6.20E-11	SLPF(8,3)
		Radon Inhalation slope factors, 1/(pCi):			
	Sf-Rn	Rn-222	1.80E-12	1.80E-12	SLPFRN(1,1)
	Sf-Rn	Po-218	3.70E-12	3.70E-12	SLPFRN(1,2)
	Sf-Rn	Pb-214	6.20E-12	6.20E-12	SLPFRN(1,3)
	Sf-Rn	Bi-214	1.50E-11	1.50E-11	SLPFRN(1,4)
		Radon K factors, (mrem/WLM):			
	Sf-Rn	Rn-222 Indoor	7.60E+02	7.60E+02	KFACTR(1,1)
	Sf-Rn	Rn-222 Outdoor	5.70E+02	5.70E+02	KFACTR(1,2)

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As pCi/yr at t= 0.000E+00 years

Radio-Nuclide	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total Ingestion*
	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	
Ac-227	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Pa-231	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Pb-210	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	3.785E+01	3.040E+04	0.000E+00	0.000E+00	6.967E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.737E+04
U-235	2.084E+00	1.674E+03	0.000E+00	0.000E+00	3.837E+02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.058E+03
U-238	8.913E+00	7.159E+03	0.000E+00	0.000E+00	1.641E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	8.800E+03

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil and water-dependent water, fish, plant, meat, milk pathways

0
 Amount of Intake Quantities QINT9(irn,i,t) and QINT9W(irn,i,t) for Inhalation of Radon and its Decay Products as pCi/yr at t= 0.000E+00 years

Radon Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

0
 Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p) and Fraction of Total Risk at t= 0.000E+00 years

Radio-Nuclide	Ground		Inhalation		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Ac-227	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pa-231	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	1.191E-07	0.0005	1.590E-05	0.0637	4.013E-05	0.1608	0.000E+00	0.0000	0.000E+00	0.0000	9.196E-06	0.0368
U-235	8.159E-05	0.3270	8.129E-07	0.0033	2.361E-06	0.0095	0.000E+00	0.0000	0.000E+00	0.0000	5.409E-07	0.0022
U-238	7.932E-05	0.3179	3.209E-06	0.0129	1.332E-05	0.0534	0.000E+00	0.0000	0.000E+00	0.0000	3.051E-06	0.0122
Total	1.610E-04	0.6453	1.992E-05	0.0798	5.581E-05	0.2236	0.000E+00	0.0000	0.000E+00	0.0000	1.279E-05	0.0512

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 0.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Plant		Meat		Milk		All Pathways**	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Ac-227	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pa-231	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.534E-05	0.2618
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.531E-05	0.3418
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.890E-05	0.3963
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.496E-04	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
 and water dependent water, fish, plant, meat, milk pathways

0

Excess Cancer Risks CNRS9(irn,i,t) and CNRS9W(irn,i,t) for Inhalation of
 Radon and its Decay Products at t= 0.000E+00 years

0

Radionuclides

Radon Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
===== Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 0.000E+00 years
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	1.191E-07	0.0005	1.590E-05	0.0637	0.000E+00	0.0000	4.013E-05	0.1608	0.000E+00	0.0000	0.000E+00	0.0000	9.196E-06	0.0368
U-235	8.159E-05	0.3270	8.129E-07	0.0033	0.000E+00	0.0000	2.361E-06	0.0095	0.000E+00	0.0000	0.000E+00	0.0000	5.409E-07	0.0022
U-238	7.932E-05	0.3179	3.209E-06	0.0129	0.000E+00	0.0000	1.332E-05	0.0534	0.000E+00	0.0000	0.000E+00	0.0000	3.051E-06	0.0122
Total	1.610E-04	0.6453	1.992E-05	0.0798	0.000E+00	0.0000	5.581E-05	0.2236	0.000E+00	0.0000	0.000E+00	0.0000	1.279E-05	0.0512

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 0.000E+00 years
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.534E-05	0.2618
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.531E-05	0.3418
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.890E-05	0.3963
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.496E-04	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As pCi/yr at t= 1.000E+00 years

Radio- Nuclide	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total Ingestion*
	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	
Ac-227	6.524E-07	6.380E-04	0.000E+00	0.000E+00	1.201E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	7.581E-04
Pa-231	4.275E-05	1.335E-01	0.000E+00	0.000E+00	7.870E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.414E-01
Pb-210	7.425E-10	3.084E-06	0.000E+00	0.000E+00	1.367E-07	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.221E-06
Ra-226	7.245E-08	8.655E-04	0.000E+00	0.000E+00	1.334E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	8.789E-04
Th-230	3.384E-04	1.152E-01	0.000E+00	0.000E+00	6.228E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.774E-01
U-234	3.759E+01	3.020E+04	0.000E+00	0.000E+00	6.918E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.712E+04
U-235	2.070E+00	1.663E+03	0.000E+00	0.000E+00	3.810E+02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.044E+03
U-238	8.851E+00	7.111E+03	0.000E+00	0.000E+00	1.629E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	8.740E+03

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil
 and water-dependent water, fish, plant, meat, milk pathways

0

Amount of Intake Quantities QINT9(irn,i,t) and QINT9W(irn,i,t) for Inhalation of
 Radon and its Decay Products as pCi/yr at t= 1.000E+00 years
 Radionuclides

0

Radon Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

0

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+00 years

0

Radio- Nuclide	Ground		Inhalation		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Ac-227	8.617E-11	0.0000	1.546E-12	0.0000	1.206E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.270E-12	0.0000
Pa-231	1.636E-10	0.0000	3.078E-11	0.0000	6.007E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.541E-11	0.0000
Pb-210	1.593E-17	0.0000	8.465E-17	0.0000	9.344E-14	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.141E-15	0.0000
Ra-226	6.317E-11	0.0000	5.868E-15	0.0000	7.790E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.200E-13	0.0000
Th-230	2.238E-12	0.0000	1.726E-10	0.0000	1.313E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.100E-11	0.0000
U-234	1.191E-07	0.0005	1.579E-05	0.0635	3.986E-05	0.1603	0.000E+00	0.0000	0.000E+00	0.0000	9.132E-06	0.0367
U-235	8.150E-05	0.3277	8.072E-07	0.0032	2.345E-06	0.0094	0.000E+00	0.0000	0.000E+00	0.0000	5.372E-07	0.0022
U-238	7.917E-05	0.3183	3.186E-06	0.0128	1.323E-05	0.0532	0.000E+00	0.0000	0.000E+00	0.0000	3.030E-06	0.0122
Total	1.608E-04	0.6465	1.978E-05	0.0795	5.543E-05	0.2229	0.000E+00	0.0000	0.000E+00	0.0000	1.270E-05	0.0511

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Plant		Meat		Milk		All Pathways**	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Ac-227	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.020E-10	0.0000
Pa-231	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.305E-10	0.0000
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.769E-14	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.109E-11	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.771E-10	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.490E-05	0.2610
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.519E-05	0.3425
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.861E-05	0.3965
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.487E-04	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
 and water dependent water, fish, plant, meat, milk pathways

0

Excess Cancer Risks CNRS9(irn,i,t) and CNRS9W(irn,i,t) for Inhalation of
 Radon and its Decay Products at t= 1.000E+00 years
 Radionuclides

0

Radon Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
===== Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+00 years
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	1.191E-07	0.0005	1.579E-05	0.0635	0.000E+00	0.0000	3.986E-05	0.1603	0.000E+00	0.0000	0.000E+00	0.0000	9.132E-06	0.0367
U-235	8.150E-05	0.3277	8.073E-07	0.0032	0.000E+00	0.0000	2.345E-06	0.0094	0.000E+00	0.0000	0.000E+00	0.0000	5.372E-07	0.0022
U-238	7.917E-05	0.3183	3.186E-06	0.0128	0.000E+00	0.0000	1.323E-05	0.0532	0.000E+00	0.0000	0.000E+00	0.0000	3.030E-06	0.0122
Total	1.608E-04	0.6465	1.978E-05	0.0795	0.000E+00	0.0000	5.543E-05	0.2229	0.000E+00	0.0000	0.000E+00	0.0000	1.270E-05	0.0511

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+00 years
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.490E-05	0.2610
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.519E-05	0.3425
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.861E-05	0.3965
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.487E-04	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As pCi/yr at t= 3.000E+00 years

Radio- Nuclide	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total Ingestion*
	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	
Ac-227	5.086E-06	4.427E-03	0.000E+00	0.000E+00	9.362E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	5.363E-03
Pa-231	1.206E-04	3.834E-01	0.000E+00	0.000E+00	2.220E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.056E-01
Pb-210	1.891E-08	6.710E-05	0.000E+00	0.000E+00	3.481E-06	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	7.058E-05
Ra-226	6.284E-07	7.867E-03	0.000E+00	0.000E+00	1.157E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	7.983E-03
Th-230	1.001E-03	3.294E-01	0.000E+00	0.000E+00	1.843E-01	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	5.137E-01
U-234	3.706E+01	2.978E+04	0.000E+00	0.000E+00	6.822E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.660E+04
U-235	2.041E+00	1.640E+03	0.000E+00	0.000E+00	3.757E+02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.015E+03
U-238	8.727E+00	7.012E+03	0.000E+00	0.000E+00	1.606E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	8.618E+03

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil
 and water-dependent water, fish, plant, meat, milk pathways

Amount of Intake Quantities QINT9(irn,i,t) and QINT9W(irn,i,t) for Inhalation of
 Radon and its Decay Products as pCi/yr at t= 3.000E+00 years
 Radionuclides

Radon Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+00 years

Radio- Nuclide	Ground		Inhalation		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Ac-227	6.791E-10	0.0000	1.205E-11	0.0000	8.366E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.769E-11	0.0000
Pa-231	4.665E-10	0.0000	8.684E-11	0.0000	1.725E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.990E-11	0.0000
Pb-210	4.108E-16	0.0000	2.156E-15	0.0000	2.033E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.055E-13	0.0000
Ra-226	5.531E-10	0.0000	5.090E-14	0.0000	7.081E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.041E-12	0.0000
Th-230	6.706E-12	0.0000	5.106E-10	0.0000	3.755E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.101E-10	0.0000
U-234	1.189E-07	0.0005	1.557E-05	0.0630	3.930E-05	0.1592	0.000E+00	0.0000	0.000E+00	0.0000	9.004E-06	0.0365
U-235	8.130E-05	0.3292	7.959E-07	0.0032	2.312E-06	0.0094	0.000E+00	0.0000	0.000E+00	0.0000	5.297E-07	0.0021
U-238	7.885E-05	0.3193	3.142E-06	0.0127	1.304E-05	0.0528	0.000E+00	0.0000	0.000E+00	0.0000	2.988E-06	0.0121
Total	1.603E-04	0.6490	1.950E-05	0.0790	5.466E-05	0.2213	0.000E+00	0.0000	0.000E+00	0.0000	1.252E-05	0.0507

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Plant		Meat		Milk		All Pathways**	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Ac-227	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.925E-10	0.0000
Pa-231	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.379E-09	0.0000
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.141E-12	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.250E-10	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.103E-09	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.399E-05	0.2591
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.494E-05	0.3439
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.802E-05	0.3969
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.470E-04	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
 and water dependent water, fish, plant, meat, milk pathways

0

Excess Cancer Risks CNRS9(irn,i,t) and CNRS9W(irn,i,t) for Inhalation of
 Radon and its Decay Products at t= 3.000E+00 years

0

Radionuclides

Radon Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
===== Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+00 years
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	1.195E-07	0.0005	1.557E-05	0.0630	0.000E+00	0.0000	3.930E-05	0.1592	0.000E+00	0.0000	0.000E+00	0.0000	9.005E-06	0.0365
U-235	8.130E-05	0.3292	7.960E-07	0.0032	0.000E+00	0.0000	2.314E-06	0.0094	0.000E+00	0.0000	0.000E+00	0.0000	5.298E-07	0.0021
U-238	7.885E-05	0.3193	3.142E-06	0.0127	0.000E+00	0.0000	1.304E-05	0.0528	0.000E+00	0.0000	0.000E+00	0.0000	2.988E-06	0.0121
Total	1.603E-04	0.6490	1.950E-05	0.0790	0.000E+00	0.0000	5.466E-05	0.2213	0.000E+00	0.0000	0.000E+00	0.0000	1.252E-05	0.0507

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+00 years
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.399E-05	0.2591
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.494E-05	0.3439
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.802E-05	0.3969
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.470E-04	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As pCi/yr at t= 1.000E+01 years

Radio- Nuclide	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total Ingestion*
	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	
Ac-227	3.517E-05	2.926E-02	0.000E+00	0.000E+00	6.474E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.573E-02
Pa-231	3.256E-04	1.042E+00	0.000E+00	0.000E+00	5.994E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.102E+00
Pb-210	5.718E-07	1.898E-03	0.000E+00	0.000E+00	1.053E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.004E-03
Ra-226	6.141E-06	7.813E-02	0.000E+00	0.000E+00	1.130E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	7.926E-02
Th-230	3.175E-03	1.032E+00	0.000E+00	0.000E+00	5.843E-01	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.616E+00
U-234	3.523E+01	2.830E+04	0.000E+00	0.000E+00	6.484E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.479E+04
U-235	1.940E+00	1.559E+03	0.000E+00	0.000E+00	3.571E+02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.916E+03
U-238	8.295E+00	6.665E+03	0.000E+00	0.000E+00	1.527E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	8.192E+03

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil
 and water-dependent water, fish, plant, meat, milk pathways

Amount of Intake Quantities QINT9(irn,i,t) and QINT9W(irn,i,t) for Inhalation of
 Radon and its Decay Products as pCi/yr at t= 1.000E+01 years

Radon Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+01 years

Radio- Nuclide	Ground		Inhalation		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Ac-227	4.883E-09	0.0000	8.336E-11	0.0000	5.530E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.224E-10	0.0000
Pa-231	1.309E-09	0.0000	2.344E-10	0.0000	4.687E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.697E-10	0.0000
Pb-210	1.300E-14	0.0000	6.519E-14	0.0000	5.752E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.189E-12	0.0000
Ra-226	5.584E-09	0.0000	4.974E-13	0.0000	7.032E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.017E-11	0.0000
Th-230	2.226E-11	0.0000	1.619E-09	0.0000	1.176E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.662E-10	0.0000
U-234	1.184E-07	0.0005	1.479E-05	0.0614	3.736E-05	0.1552	0.000E+00	0.0000	0.000E+00	0.0000	8.559E-06	0.0355
U-235	8.055E-05	0.3346	7.566E-07	0.0031	2.198E-06	0.0091	0.000E+00	0.0000	0.000E+00	0.0000	5.035E-07	0.0021
U-238	7.768E-05	0.3226	2.986E-06	0.0124	1.240E-05	0.0515	0.000E+00	0.0000	0.000E+00	0.0000	2.840E-06	0.0118
Total	1.584E-04	0.6577	1.854E-05	0.0770	5.196E-05	0.2158	0.000E+00	0.0000	0.000E+00	0.0000	1.190E-05	0.0494

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Plant		Meat		Milk		All Pathways**	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Ac-227	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.641E-09	0.0000
Pa-231	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.501E-09	0.0000
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.079E-11	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.298E-09	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.484E-09	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.083E-05	0.2527
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.401E-05	0.3489
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.590E-05	0.3983
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.408E-04	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
 and water dependent water, fish, plant, meat, milk pathways

0

Excess Cancer Risks CNRS9(irn,i,t) and CNRS9W(irn,i,t) for Inhalation of
 Radon and its Decay Products at t= 1.000E+01 years
 Radionuclides

0

Radon Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
===== Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+01 years
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	1.240E-07	0.0005	1.480E-05	0.0615	0.000E+00	0.0000	3.736E-05	0.1552	0.000E+00	0.0000	0.000E+00	0.0000	8.559E-06	0.0356
U-235	8.056E-05	0.3346	7.569E-07	0.0031	0.000E+00	0.0000	2.203E-06	0.0091	0.000E+00	0.0000	0.000E+00	0.0000	5.039E-07	0.0021
U-238	7.768E-05	0.3226	2.986E-06	0.0124	0.000E+00	0.0000	1.240E-05	0.0515	0.000E+00	0.0000	0.000E+00	0.0000	2.840E-06	0.0118
Total	1.584E-04	0.6577	1.854E-05	0.0770	0.000E+00	0.0000	5.196E-05	0.2158	0.000E+00	0.0000	0.000E+00	0.0000	1.190E-05	0.0494

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+01 years
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.084E-05	0.2527
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.402E-05	0.3490
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.590E-05	0.3983
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.408E-04	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As pCi/yr at t= 3.000E+01 years

Radio- Nuclide	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total Ingestion*
	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	
Ac-227	1.003E-04	8.241E-02	0.000E+00	0.000E+00	1.846E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.009E-01
Pa-231	5.546E-04	1.777E+00	0.000E+00	0.000E+00	1.021E-01	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.879E+00
Pb-210	8.777E-06	2.855E-02	0.000E+00	0.000E+00	1.616E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.017E-02
Ra-226	3.837E-05	4.905E-01	0.000E+00	0.000E+00	7.063E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.976E-01
Th-230	8.136E-03	2.635E+00	0.000E+00	0.000E+00	1.498E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.133E+00
U-234	3.002E+01	2.412E+04	0.000E+00	0.000E+00	5.526E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.965E+04
U-235	1.653E+00	1.329E+03	0.000E+00	0.000E+00	3.044E+02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.633E+03
U-238	7.070E+00	5.681E+03	0.000E+00	0.000E+00	1.301E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	6.983E+03

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil
 and water-dependent water, fish, plant, meat, milk pathways

Amount of Intake Quantities QINT9(irn,i,t) and QINT9W(irn,i,t) for Inhalation of
 Radon and its Decay Products as pCi/yr at t= 3.000E+01 years
 Radionuclides

Radon Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+01 years

Radio- Nuclide	Ground		Inhalation		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Ac-227	1.565E-08	0.0001	2.376E-10	0.0000	1.558E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.488E-10	0.0000
Pa-231	2.505E-09	0.0000	3.993E-10	0.0000	7.998E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.594E-10	0.0000
Pb-210	2.297E-13	0.0000	1.001E-12	0.0000	8.652E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.895E-11	0.0000
Ra-226	3.848E-08	0.0002	3.108E-12	0.0000	4.415E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.357E-11	0.0000
Th-230	6.568E-11	0.0000	4.150E-09	0.0000	3.004E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.707E-09	0.0000
U-234	1.166E-07	0.0005	1.261E-05	0.0568	3.184E-05	0.1434	0.000E+00	0.0000	0.000E+00	0.0000	7.295E-06	0.0328
U-235	7.789E-05	0.3507	6.449E-07	0.0029	1.873E-06	0.0084	0.000E+00	0.0000	0.000E+00	0.0000	4.291E-07	0.0019
U-238	7.375E-05	0.3321	2.545E-06	0.0115	1.057E-05	0.0476	0.000E+00	0.0000	0.000E+00	0.0000	2.421E-06	0.0109
Total	1.518E-04	0.6836	1.580E-05	0.0712	4.430E-05	0.1995	0.000E+00	0.0000	0.000E+00	0.0000	1.015E-05	0.0457

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Plant		Meat		Milk		All Pathways**	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Ac-227	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.780E-08	0.0001
Pa-231	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.136E-08	0.0001
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.153E-10	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.296E-08	0.0002
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.927E-09	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.186E-05	0.2336
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.083E-05	0.3640
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.928E-05	0.4021
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.221E-04	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
 and water dependent water, fish, plant, meat, milk pathways

0

Excess Cancer Risks CNRS9(irn,i,t) and CNRS9W(irn,i,t) for Inhalation of
 Radon and its Decay Products at t= 3.000E+01 years
 Radionuclides

0

Radon Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
===== Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+01 years
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	1.552E-07	0.0007	1.261E-05	0.0568	0.000E+00	0.0000	3.185E-05	0.1434	0.000E+00	0.0000	0.000E+00	0.0000	7.296E-06	0.0329
U-235	7.790E-05	0.3508	6.455E-07	0.0029	0.000E+00	0.0000	1.883E-06	0.0085	0.000E+00	0.0000	0.000E+00	0.0000	4.299E-07	0.0019
U-238	7.375E-05	0.3321	2.546E-06	0.0115	0.000E+00	0.0000	1.057E-05	0.0476	0.000E+00	0.0000	0.000E+00	0.0000	2.421E-06	0.0109
Total	1.518E-04	0.6836	1.580E-05	0.0712	0.000E+00	0.0000	4.430E-05	0.1995	0.000E+00	0.0000	0.000E+00	0.0000	1.015E-05	0.0457

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+01 years
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.192E-05	0.2338
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.086E-05	0.3641
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.929E-05	0.4021
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.221E-04	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As pCi/yr at t= 1.000E+02 years

Radio- Nuclide	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total Ingestion*
	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	
Ac-227	6.131E-05	5.029E-02	0.000E+00	0.000E+00	1.129E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	6.158E-02
Pa-231	2.939E-04	9.426E-01	0.000E+00	0.000E+00	5.410E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	9.967E-01
Pb-210	4.327E-05	1.399E-01	0.000E+00	0.000E+00	7.964E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.478E-01
Ra-226	1.000E-04	1.281E+00	0.000E+00	0.000E+00	1.841E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.300E+00
Th-230	1.117E-02	3.615E+00	0.000E+00	0.000E+00	2.056E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	5.671E+00
U-234	1.227E+01	9.859E+03	0.000E+00	0.000E+00	2.258E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.212E+04
U-235	6.756E-01	5.431E+02	0.000E+00	0.000E+00	1.244E+02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	6.674E+02
U-238	2.889E+00	2.322E+03	0.000E+00	0.000E+00	5.317E+02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.854E+03

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil
 and water-dependent water, fish, plant, meat, milk pathways

Amount of Intake Quantities QINT9(irn,i,t) and QINT9W(irn,i,t) for Inhalation of
 Radon and its Decay Products as pCi/yr at t= 1.000E+02 years

Radon Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+02 years

Radio- Nuclide	Ground		Inhalation		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Ac-227	1.595E-08	0.0001	1.453E-10	0.0000	9.505E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.133E-10	0.0000
Pa-231	2.198E-09	0.0000	2.116E-10	0.0000	4.242E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.435E-10	0.0000
Pb-210	2.241E-12	0.0000	4.932E-12	0.0000	4.238E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.413E-10	0.0000
Ra-226	1.528E-07	0.0011	8.103E-12	0.0000	1.153E-08	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	1.657E-10	0.0000
Th-230	1.757E-10	0.0000	5.697E-09	0.0000	4.121E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.344E-09	0.0000
U-234	9.717E-08	0.0007	5.151E-06	0.0385	1.301E-05	0.0973	0.000E+00	0.0000	0.000E+00	0.0000	2.980E-06	0.0223
U-235	5.547E-05	0.4149	2.635E-07	0.0020	7.657E-07	0.0057	0.000E+00	0.0000	0.000E+00	0.0000	1.753E-07	0.0013
U-238	4.922E-05	0.3682	1.040E-06	0.0078	4.319E-06	0.0323	0.000E+00	0.0000	0.000E+00	0.0000	9.890E-07	0.0074
Total	1.050E-04	0.7851	6.461E-06	0.0483	1.812E-05	0.1356	0.000E+00	0.0000	0.000E+00	0.0000	4.148E-06	0.0310

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Plant		Meat		Milk		All Pathways**	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Ac-227	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.726E-08	0.0001
Pa-231	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.895E-09	0.0001
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.487E-09	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.645E-07	0.0012
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.234E-08	0.0001
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.124E-05	0.1589
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.667E-05	0.4239
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.557E-05	0.4157
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.337E-04	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
 and water dependent water, fish, plant, meat, milk pathways

0

Excess Cancer Risks CNRS9(irn,i,t) and CNRS9W(irn,i,t) for Inhalation of
 Radon and its Decay Products at t= 1.000E+02 years
 Radionuclides

0

Radon Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
===== Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+02 years
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	2.501E-07	0.0019	5.157E-06	0.0386	0.000E+00	0.0000	1.303E-05	0.0975	0.000E+00	0.0000	0.000E+00	0.0000	2.983E-06	0.0223
U-235	5.549E-05	0.4150	2.638E-07	0.0020	0.000E+00	0.0000	7.709E-07	0.0058	0.000E+00	0.0000	0.000E+00	0.0000	1.758E-07	0.0013
U-238	4.922E-05	0.3682	1.040E-06	0.0078	0.000E+00	0.0000	4.320E-06	0.0323	0.000E+00	0.0000	0.000E+00	0.0000	9.892E-07	0.0074
Total	1.050E-04	0.7851	6.461E-06	0.0483	0.000E+00	0.0000	1.812E-05	0.1356	0.000E+00	0.0000	0.000E+00	0.0000	4.148E-06	0.0310

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+02 years
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.142E-05	0.1602
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.670E-05	0.4241
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.557E-05	0.4157
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.337E-04	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Plant		Meat		Milk		All Pathways**	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Ac-227	0.000E+00	0.0000	0.000E+00	0.0000	1.203E-09	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.203E-09	1.0000
Pa-231	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	1.203E-09	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.203E-09	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
 and water dependent water, fish, plant, meat, milk pathways

0

Excess Cancer Risks CNRS9(irn,i,t) and CNRS9W(irn,i,t) for Inhalation of
 Radon and its Decay Products at t= 3.000E+02 years
 Radionuclides

0

Radon Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
===== Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+02 years
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+02 years
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.203E-09	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.203E-09	1.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.203E-09	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.203E-09	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+03 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Plant		Meat		Milk		All Pathways**	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Ac-227	0.000E+00	0.0000	0.000E+00	0.0000	7.111E-08	0.8723	0.000E+00	0.0000	0.000E+00	0.0000	7.111E-08	0.8723
Pa-231	0.000E+00	0.0000	0.000E+00	0.0000	6.783E-09	0.0832	0.000E+00	0.0000	0.000E+00	0.0000	6.783E-09	0.0832
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	2.535E-09	0.0311	0.000E+00	0.0000	0.000E+00	0.0000	2.535E-09	0.0311
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	1.091E-09	0.0134	0.000E+00	0.0000	0.000E+00	0.0000	1.091E-09	0.0134
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	8.152E-08	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.152E-08	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
 and water dependent water, fish, plant, meat, milk pathways

0

Excess Cancer Risks CNRS9(irn,i,t) and CNRS9W(irn,i,t) for Inhalation of
 Radon and its Decay Products at t= 1.000E+03 years

0

Radionuclides

Radon Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
===== Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+03 years
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+03 years
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.626E-09	0.0445	0.000E+00	0.0000	0.000E+00	0.0000	3.626E-09	0.0445
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.789E-08	0.9555	0.000E+00	0.0000	0.000E+00	0.0000	7.789E-08	0.9555
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.681E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.681E-13	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.152E-08	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.152E-08	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Table of Contents

Part IV: Concentration of Radionuclides
=====

Concentration of radionuclides in different media

Time= 0.000E+00	2
Time= 1.000E+00	3
Time= 3.000E+00	4
Time= 1.000E+01	5
Time= 3.000E+01	6
Time= 1.000E+02	7
Time= 3.000E+02	8
Time= 1.000E+03	9

Concentration of radionuclides in environmental media
 at t = 0.000E+00 years

Radio- Nuclide	Contaminat- ted Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Ac-227	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Pa-231	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Pb-210	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	4.177E+03	4.177E+03	9.859E-02	0.000E+00	0.000E+00
U-235	2.300E+02	2.300E+02	5.430E-03	0.000E+00	0.000E+00
U-238	9.835E+02	9.835E+02	2.322E-02	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 0.000E+00 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Ac-227	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Pa-231	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Pb-210	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	0.000E+00	1.746E+03	1.766E+03	1.768E+03	1.768E+03	7.509E+02	1.311E+03	0.000E+00	0.000E+00
U-235	0.000E+00	9.613E+01	9.725E+01	9.739E+01	9.739E+01	4.135E+01	7.221E+01	0.000E+00	0.000E+00
U-238	0.000E+00	4.111E+02	4.159E+02	4.164E+02	4.164E+02	1.768E+02	3.088E+02	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time.
 For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
 at t = 1.000E+00 years

Radio- Nuclide	Contaminat- ted Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Ac-227	7.248E-05	7.199E-05	1.699E-09	0.000E+00	0.000E+00
Pa-231	4.750E-03	4.718E-03	1.114E-07	0.000E+00	0.000E+00
Pb-210	8.249E-08	8.194E-08	1.934E-12	0.000E+00	0.000E+00
Ra-226	8.048E-06	7.995E-06	1.887E-10	0.000E+00	0.000E+00
Th-230	3.759E-02	3.734E-02	8.815E-07	0.000E+00	0.000E+00
U-234	4.175E+03	4.147E+03	9.791E-02	0.000E+00	0.000E+00
U-235	2.299E+02	2.284E+02	5.392E-03	0.000E+00	0.000E+00
U-238	9.832E+02	9.767E+02	2.306E-02	0.000E+00	0.000E+00

=====

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 1.000E+00 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Ac-227	0.000E+00	3.716E-05	3.097E-05	4.683E-05	5.102E-05	2.421E-05	7.736E-07	0.000E+00	0.000E+00
Pa-231	0.000E+00	7.654E-03	7.877E-03	6.778E-03	7.180E-03	1.352E-02	1.789E-05	0.000E+00	0.000E+00
Pb-210	0.000E+00	1.805E-07	1.405E-07	2.152E-07	2.483E-07	4.971E-08	1.682E-08	0.000E+00	0.000E+00
Ra-226	0.000E+00	4.945E-05	5.307E-05	3.651E-05	4.121E-05	6.105E-06	6.243E-06	0.000E+00	0.000E+00
Th-230	0.000E+00	6.631E-03	6.480E-03	7.280E-03	7.615E-03	2.183E-03	1.273E-04	0.000E+00	0.000E+00
U-234	0.000E+00	1.734E+03	1.754E+03	1.758E+03	1.758E+03	7.460E+02	1.302E+03	0.000E+00	0.000E+00
U-235	0.000E+00	9.549E+01	9.658E+01	9.683E+01	9.680E+01	4.108E+01	7.172E+01	0.000E+00	0.000E+00
U-238	0.000E+00	4.083E+02	4.130E+02	4.141E+02	4.139E+02	1.757E+02	3.067E+02	0.000E+00	0.000E+00

=====

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time. For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
 at t = 3.000E+00 years

Radio- Nuclide	Contaminat- ted Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Ac-227	5.727E-04	5.612E-04	1.325E-08	0.000E+00	0.000E+00
Pa-231	1.358E-02	1.331E-02	3.142E-07	0.000E+00	0.000E+00
Pb-210	2.129E-06	2.087E-06	4.926E-11	0.000E+00	0.000E+00
Ra-226	7.076E-05	6.935E-05	1.637E-09	0.000E+00	0.000E+00
Th-230	1.127E-01	1.105E-01	2.608E-06	0.000E+00	0.000E+00
U-234	4.173E+03	4.090E+03	9.654E-02	0.000E+00	0.000E+00
U-235	2.298E+02	2.252E+02	5.316E-03	0.000E+00	0.000E+00
U-238	9.827E+02	9.630E+02	2.273E-02	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 3.000E+00 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Ac-227	0.000E+00	2.558E-04	2.389E-04	2.951E-04	3.035E-04	7.547E-05	5.940E-06	0.000E+00	0.000E+00
Pa-231	0.000E+00	2.202E-02	2.225E-02	2.131E-02	2.167E-02	4.001E-02	4.330E-05	0.000E+00	0.000E+00
Pb-210	0.000E+00	3.886E-06	3.520E-06	4.483E-06	4.699E-06	1.138E-06	3.946E-07	0.000E+00	0.000E+00
Ra-226	0.000E+00	4.513E-04	4.619E-04	4.118E-04	4.267E-04	6.159E-05	5.808E-05	0.000E+00	0.000E+00
Th-230	0.000E+00	1.891E-02	1.912E-02	1.997E-02	2.029E-02	5.924E-03	3.132E-04	0.000E+00	0.000E+00
U-234	0.000E+00	1.710E+03	1.729E+03	1.734E+03	1.733E+03	7.356E+02	1.284E+03	0.000E+00	0.000E+00
U-235	0.000E+00	9.415E+01	9.523E+01	9.548E+01	9.545E+01	4.051E+01	7.071E+01	0.000E+00	0.000E+00
U-238	0.000E+00	4.026E+02	4.072E+02	4.083E+02	4.081E+02	1.732E+02	3.024E+02	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time. For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
 at t = 1.000E+01 years

Radio- Nuclide	Contaminat- ted Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Ac-227	4.158E-03	3.881E-03	9.162E-08	0.000E+00	0.000E+00
Pa-231	3.850E-02	3.593E-02	8.482E-07	0.000E+00	0.000E+00
Pb-210	6.761E-05	6.310E-05	1.490E-09	0.000E+00	0.000E+00
Ra-226	7.260E-04	6.776E-04	1.600E-08	0.000E+00	0.000E+00
Th-230	3.753E-01	3.503E-01	8.270E-06	0.000E+00	0.000E+00
U-234	4.165E+03	3.887E+03	9.176E-02	0.000E+00	0.000E+00
U-235	2.294E+02	2.141E+02	5.053E-03	0.000E+00	0.000E+00
U-238	9.808E+02	9.154E+02	2.161E-02	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 1.000E+01 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Ac-227	0.000E+00	1.685E-03	1.646E-03	1.830E-03	1.843E-03	2.321E-04	4.083E-05	0.000E+00	0.000E+00
Pa-231	0.000E+00	5.984E-02	6.010E-02	5.961E-02	5.983E-02	1.098E-01	1.102E-04	0.000E+00	0.000E+00
Pb-210	0.000E+00	1.094E-04	1.059E-04	1.169E-04	1.185E-04	3.225E-05	1.146E-05	0.000E+00	0.000E+00
Ra-226	0.000E+00	4.488E-03	4.519E-03	4.380E-03	4.422E-03	6.337E-04	5.819E-04	0.000E+00	0.000E+00
Th-230	0.000E+00	5.919E-02	6.057E-02	6.158E-02	6.187E-02	1.819E-02	9.227E-04	0.000E+00	0.000E+00
U-234	0.000E+00	1.625E+03	1.644E+03	1.648E+03	1.647E+03	6.992E+02	1.221E+03	0.000E+00	0.000E+00
U-235	0.000E+00	8.950E+01	9.052E+01	9.076E+01	9.073E+01	3.850E+01	6.722E+01	0.000E+00	0.000E+00
U-238	0.000E+00	3.827E+02	3.871E+02	3.881E+02	3.880E+02	1.646E+02	2.874E+02	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time. For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
 at t = 3.000E+01 years

Radio- Nuclide	Contaminat- ed Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Ac-227	1.383E-02	1.106E-02	2.612E-07	0.000E+00	0.000E+00
Pa-231	7.650E-02	6.120E-02	1.445E-06	0.000E+00	0.000E+00
Pb-210	1.211E-03	9.685E-04	2.286E-08	0.000E+00	0.000E+00
Ra-226	5.293E-03	4.235E-03	9.996E-08	0.000E+00	0.000E+00
Th-230	1.122E+00	8.978E-01	2.120E-05	0.000E+00	0.000E+00
U-234	4.141E+03	3.313E+03	7.821E-02	0.000E+00	0.000E+00
U-235	2.281E+02	1.825E+02	4.307E-03	0.000E+00	0.000E+00
U-238	9.753E+02	7.802E+02	1.842E-02	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 3.000E+01 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Ac-227	0.000E+00	4.741E-03	4.687E-03	5.055E-03	5.059E-03	4.443E-04	1.162E-04	0.000E+00	0.000E+00
Pa-231	0.000E+00	1.021E-01	1.024E-01	1.025E-01	1.025E-01	1.878E-01	1.845E-04	0.000E+00	0.000E+00
Pb-210	0.000E+00	1.643E-03	1.622E-03	1.701E-03	1.707E-03	4.844E-04	1.737E-04	0.000E+00	0.000E+00
Ra-226	0.000E+00	2.819E-02	2.825E-02	2.802E-02	2.809E-02	4.018E-03	3.662E-03	0.000E+00	0.000E+00
Th-230	0.000E+00	1.511E-01	1.552E-01	1.566E-01	1.568E-01	4.619E-02	2.313E-03	0.000E+00	0.000E+00
U-234	0.000E+00	1.385E+03	1.401E+03	1.405E+03	1.404E+03	5.960E+02	1.040E+03	0.000E+00	0.000E+00
U-235	0.000E+00	7.629E+01	7.715E+01	7.738E+01	7.734E+01	3.282E+01	5.729E+01	0.000E+00	0.000E+00
U-238	0.000E+00	3.262E+02	3.299E+02	3.309E+02	3.307E+02	1.403E+02	2.450E+02	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time. For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
 at t = 1.000E+02 years

Radio- Nuclide	Contaminat- ted Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Ac-227	2.030E-02	6.766E-03	1.597E-07	0.000E+00	0.000E+00
Pa-231	9.730E-02	3.243E-02	7.656E-07	0.000E+00	0.000E+00
Pb-210	1.432E-02	4.774E-03	1.127E-07	0.000E+00	0.000E+00
Ra-226	3.312E-02	1.104E-02	2.606E-07	0.000E+00	0.000E+00
Th-230	3.698E+00	1.233E+00	2.910E-05	0.000E+00	0.000E+00
U-234	4.060E+03	1.353E+03	3.195E-02	0.000E+00	0.000E+00
U-235	2.237E+02	7.455E+01	1.760E-03	0.000E+00	0.000E+00
U-238	9.563E+02	3.188E+02	7.525E-03	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 1.000E+02 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Ac-227	0.000E+00	2.892E-03	2.865E-03	3.077E-03	3.074E-03	2.455E-04	7.104E-05	0.000E+00	0.000E+00
Pa-231	0.000E+00	5.416E-02	5.426E-02	5.455E-02	5.449E-02	9.973E-02	9.743E-05	0.000E+00	0.000E+00
Pb-210	0.000E+00	8.043E-03	7.992E-03	8.246E-03	8.244E-03	2.373E-03	8.529E-04	0.000E+00	0.000E+00
Ra-226	0.000E+00	7.363E-02	7.366E-02	7.376E-02	7.374E-02	1.054E-02	9.575E-03	0.000E+00	0.000E+00
Th-230	0.000E+00	2.073E-01	2.131E-01	2.148E-01	2.147E-01	6.325E-02	3.151E-03	0.000E+00	0.000E+00
U-234	0.000E+00	5.661E+02	5.723E+02	5.752E+02	5.746E+02	2.436E+02	4.250E+02	0.000E+00	0.000E+00
U-235	0.000E+00	3.118E+01	3.152E+01	3.168E+01	3.165E+01	1.342E+01	2.341E+01	0.000E+00	0.000E+00
U-238	0.000E+00	1.333E+02	1.348E+02	1.355E+02	1.353E+02	5.739E+01	1.001E+02	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time. For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
 at t = 3.000E+02 years

Radio- Nuclide	Contaminat- ted Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Ac-227	1.942E-02	0.000E+00	0.000E+00	8.123E-03	1.644E-02
Pa-231	9.275E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Pb-210	6.322E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	1.203E-01	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	1.073E+01	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	3.838E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	2.115E+02	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	9.043E+02	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 3.000E+02 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Ac-227	8.122E-03	2.800E-03	1.345E-02	1.462E-02	1.463E-02	2.794E-05	4.208E-05	2.463E-01	1.642E+01
Pa-231	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Pb-210	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time. For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
 at t = 1.000E+03 years

Radio- Nuclide	Contaminat- ted Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Ac-227	1.596E-02	0.000E+00	0.000E+00	4.798E-01	9.708E-01
Pa-231	7.624E-02	0.000E+00	0.000E+00	1.917E-01	3.880E-01
Pb-210	2.123E-01	0.000E+00	0.000E+00	1.064E-02	2.152E-02
Ra-226	3.843E-01	0.000E+00	0.000E+00	1.530E-02	3.097E-02
Th-230	3.192E+01	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	3.150E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	1.738E+02	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	7.434E+02	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 1.000E+03 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Ac-227	4.798E-01	1.656E-01	7.944E-01	8.682E-01	8.683E-01	1.947E-03	2.490E-03	1.456E+01	9.703E+02
Pa-231	1.917E-01	6.641E-02	3.177E-01	3.479E-01	3.479E-01	1.662E-01	2.491E-04	3.880E+00	4.268E+01
Pb-210	1.064E-02	3.686E-03	1.763E-02	1.932E-02	1.933E-02	1.479E-03	8.297E-04	6.453E+00	2.155E+00
Ra-226	1.530E-02	5.352E-03	2.544E-02	2.778E-02	2.778E-02	2.654E-03	3.977E-03	1.548E+00	7.741E+00
Th-230	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time. For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Table of Contents

Part V: Dose from Radionuclide at Point of Action
=====

Total Dose Components Summed to Daughter	
Time = 0.000E+00 years	2
Time = 1.000E+00 years	3
Time = 3.000E+00 years	4
Time = 1.000E+01 years	5
Time = 3.000E+01 years	6
Time = 1.000E+02 years	7
Time = 3.000E+02 years	8
Time = 1.000E+03 years	9

Dose from Radionuclides @ Point of Action CE Windsor Site, Commercial Truck Farmer Scenario, Uranium
 File: TRUCKU.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 in mrem/yr at t = 0.000E+00 years

0 Radio- Nuc- lide	Water Independent Pathways						Water Dependent Pathways								
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat	Milk	ALL	
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	
Ac-227	2.10E-06	1.49E-06	0.00E+00	3.44E-06	0.00E+00	0.00E+00	6.03E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.63E-06
Pa-231	1.95E-05	2.76E-05	0.00E+00	7.01E-04	0.00E+00	0.00E+00	4.21E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.90E-04
Pb-210	5.71E-12	4.33E-12	0.00E+00	5.99E-09	0.00E+00	0.00E+00	2.50E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.25E-09
Ra-226	1.18E-06	2.09E-10	0.00E+00	3.73E-07	0.00E+00	0.00E+00	5.94E-09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.56E-06
Th-230	1.03E-06	5.53E-05	0.00E+00	3.27E-05	0.00E+00	0.00E+00	1.71E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.06E-04
U-234	7.60E-02	4.98E+00	0.00E+00	8.58E+00	0.00E+00	0.00E+00	1.96E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.56E+01
U-235	7.62E+00	2.55E-01	0.00E+00	4.46E-01	0.00E+00	0.00E+00	1.02E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.42E+00
U-238	5.48E+00	1.05E+00	0.00E+00	1.92E+00	0.00E+00	0.00E+00	4.40E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.89E+00
===== Total	1.32E+01	6.28E+00	0.00E+00	1.09E+01	0.00E+00	0.00E+00	2.51E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.29E+01

0*Sum of all water independent and dependent pathways.

Dose from Radionuclides @ Point of Action CE Windsor Site, Commercial Truck Farmer Scenario, Uranium
 File: TRUCKU.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 in mrem/yr at t = 1.000E+00 years

0 Radio- Nuc- lide	Water Independent Pathways						Water Dependent Pathways								
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat	Milk	ALL	
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	
Ac-227	1.39E-05	9.79E-06	0.00E+00	1.99E-05	0.00E+00	0.00E+00	3.97E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.75E-05
Pa-231	5.70E-05	8.07E-05	0.00E+00	2.11E-03	0.00E+00	0.00E+00	1.23E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.37E-03
Pb-210	8.39E-11	6.34E-11	0.00E+00	7.59E-08	0.00E+00	0.00E+00	3.66E-09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.97E-08
Ra-226	8.14E-06	1.44E-09	0.00E+00	2.72E-06	0.00E+00	0.00E+00	4.09E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.09E-05
Th-230	3.08E-06	1.65E-04	0.00E+00	9.27E-05	0.00E+00	0.00E+00	5.10E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.12E-04
U-234	7.60E-02	4.94E+00	0.00E+00	8.52E+00	0.00E+00	0.00E+00	1.95E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.55E+01
U-235	7.61E+00	2.54E-01	0.00E+00	4.42E-01	0.00E+00	0.00E+00	1.01E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.41E+00
U-238	5.47E+00	1.04E+00	0.00E+00	1.91E+00	0.00E+00	0.00E+00	4.37E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.86E+00
===== Total	1.32E+01	6.24E+00	0.00E+00	1.09E+01	0.00E+00	0.00E+00	2.49E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.28E+01

0*Sum of all water independent and dependent pathways.

Dose from Radionuclides @ Point of Action CE Windsor Site, Commercial Truck Farmer Scenario, Uranium
 File: TRUCKU.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 in mrem/yr at t = 3.000E+00 years

0 Radio- Nuc- lide	Water Independent Pathways						Water Dependent Pathways							
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat	Milk	ALL
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr
Ac-227	6.47E-05	4.51E-05	0.00E+00	8.56E-05	0.00E+00	0.00E+00	1.83E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.14E-04
Pa-231	1.27E-04	1.77E-04	0.00E+00	4.67E-03	0.00E+00	0.00E+00	2.70E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.25E-03
Pb-210	9.37E-10	6.99E-10	0.00E+00	7.67E-07	0.00E+00	0.00E+00	4.03E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.09E-07
Ra-226	4.19E-05	7.33E-09	0.00E+00	1.42E-05	0.00E+00	0.00E+00	2.09E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.64E-05
Th-230	7.17E-06	3.79E-04	0.00E+00	2.09E-04	0.00E+00	0.00E+00	1.17E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.13E-04
U-234	7.59E-02	4.87E+00	0.00E+00	8.40E+00	0.00E+00	0.00E+00	1.92E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.53E+01
U-235	7.59E+00	2.50E-01	0.00E+00	4.36E-01	0.00E+00	0.00E+00	9.99E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.38E+00
U-238	5.45E+00	1.03E+00	0.00E+00	1.88E+00	0.00E+00	0.00E+00	4.31E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.79E+00
===== Total	1.31E+01	6.15E+00	0.00E+00	1.07E+01	0.00E+00	0.00E+00	2.45E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.24E+01

0*Sum of all water independent and dependent pathways.

Dose from Radionuclides @ Point of Action CE Windsor Site, Commercial Truck Farmer Scenario, Uranium
 File: TRUCKU.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 in mrem/yr at t = 1.000E+01 years

0 Radio- Nuc- lide	Water Independent Pathways						Water Dependent Pathways								
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat	Milk	ALL	
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	
Ac-227	3.77E-04	2.52E-04	0.00E+00	4.62E-04	0.00E+00	0.00E+00	1.02E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.19E-03
Pa-231	3.20E-04	4.31E-04	0.00E+00	1.14E-02	0.00E+00	0.00E+00	6.57E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.28E-02
Pb-210	2.13E-08	1.52E-08	0.00E+00	1.58E-05	0.00E+00	0.00E+00	8.75E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.67E-05
Ra-226	3.41E-04	5.77E-08	0.00E+00	1.14E-04	0.00E+00	0.00E+00	1.64E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.56E-04
Th-230	2.14E-05	1.08E-03	0.00E+00	5.91E-04	0.00E+00	0.00E+00	3.35E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.03E-03
U-234	7.55E-02	4.63E+00	0.00E+00	7.98E+00	0.00E+00	0.00E+00	1.83E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.45E+01
U-235	7.52E+00	2.38E-01	0.00E+00	4.15E-01	0.00E+00	0.00E+00	9.50E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.27E+00
U-238	5.37E+00	9.75E-01	0.00E+00	1.79E+00	0.00E+00	0.00E+00	4.09E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.54E+00
===== Total	1.30E+01	5.85E+00	0.00E+00	1.02E+01	0.00E+00	0.00E+00	2.33E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.13E+01

0*Sum of all water independent and dependent pathways.

Dose from Radionuclides @ Point of Action CE Windsor Site, Commercial Truck Farmer Scenario, Uranium
 File: TRUCKU.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 in mrem/yr at t = 3.000E+01 years

0 Radio- Nuc- lide	Water Independent Pathways						Water Dependent Pathways								
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat	Milk	ALL	
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	
Ac-227	1.14E-03	6.79E-04	0.00E+00	1.23E-03	0.00E+00	0.00E+00	2.75E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.32E-03
Pa-231	5.94E-04	7.12E-04	0.00E+00	1.89E-02	0.00E+00	0.00E+00	1.09E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.13E-02
Pb-210	3.41E-07	2.11E-07	0.00E+00	2.15E-04	0.00E+00	0.00E+00	1.22E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.28E-04
Ra-226	2.20E-03	3.38E-07	0.00E+00	6.68E-04	0.00E+00	0.00E+00	9.62E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.88E-03
Th-230	6.12E-05	2.69E-03	0.00E+00	1.46E-03	0.00E+00	0.00E+00	8.31E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.04E-03
U-234	7.44E-02	3.95E+00	0.00E+00	6.80E+00	0.00E+00	0.00E+00	1.56E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.24E+01
U-235	7.27E+00	2.03E-01	0.00E+00	3.53E-01	0.00E+00	0.00E+00	8.09E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.91E+00
U-238	5.10E+00	8.31E-01	0.00E+00	1.52E+00	0.00E+00	0.00E+00	3.49E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.80E+00
===== Total	1.24E+01	4.98E+00	0.00E+00	8.69E+00	0.00E+00	0.00E+00	1.99E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.81E+01

0*Sum of all water independent and dependent pathways.

Dose from Radionuclides @ Point of Action CE Windsor Site, Commercial Truck Farmer Scenario, Uranium
 File: TRUCKU.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 in mrem/yr at t = 1.000E+02 years

0 Radio- Nuc- lide	Water Independent Pathways						Water Dependent Pathways							
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat	Milk	ALL
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr
Ac-227	1.14E-03	4.08E-04	0.00E+00	7.37E-04	0.00E+00	0.00E+00	1.65E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.45E-03
Pa-231	5.16E-04	3.72E-04	0.00E+00	9.89E-03	0.00E+00	0.00E+00	5.68E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.13E-02
Pb-210	3.21E-06	1.00E-06	0.00E+00	1.01E-03	0.00E+00	0.00E+00	5.78E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.08E-03
Ra-226	8.52E-03	8.57E-07	0.00E+00	1.70E-03	0.00E+00	0.00E+00	2.44E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.02E-02
Th-230	1.61E-04	3.62E-03	0.00E+00	1.97E-03	0.00E+00	0.00E+00	1.12E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.88E-03
U-234	6.18E-02	1.60E+00	0.00E+00	2.76E+00	0.00E+00	0.00E+00	6.32E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.06E+00
U-235	5.16E+00	8.23E-02	0.00E+00	1.44E-01	0.00E+00	0.00E+00	3.29E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.42E+00
U-238	3.39E+00	3.37E-01	0.00E+00	6.18E-01	0.00E+00	0.00E+00	1.42E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.48E+00
===== Total	8.62E+00	2.03E+00	0.00E+00	3.54E+00	0.00E+00	0.00E+00	8.09E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.50E+01

0*Sum of all water independent and dependent pathways.

Dose from Radionuclides @ Point of Action CE Windsor Site, Commercial Truck Farmer Scenario, Uranium
 File: TRUCKU.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 in mrem/yr at t = 3.000E+02 years

0 Radio- Nuc-	Water Independent Pathways							Water Dependent Pathways						
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat	Milk	ALL
lide	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr
Ac-227	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	9.52E-04	0.00E+00	0.00E+00	9.52E-04
Pa-231	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Pb-210	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ra-226	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-230	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-234	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-235	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-238	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
===== Total	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	9.52E-04	0.00E+00	0.00E+00	9.52E-04

0*Sum of all water independent and dependent pathways.

Dose from Radionuclides @ Point of Action CE Windsor Site, Commercial Truck Farmer Scenario, Uranium
 File: TRUCKU.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 in mrem/yr at t = 1.000E+03 years

0 Radio- Nuc- lide	Water Independent Pathways						Water Dependent Pathways							
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat	Milk	ALL
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr
Ac-227	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.57E-02	0.00E+00	0.00E+00	5.57E-02
Pa-231	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.60E-02	0.00E+00	0.00E+00	1.60E-02
Pb-210	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.09E-04	0.00E+00	0.00E+00	6.09E-04
Ra-226	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.61E-04	0.00E+00	0.00E+00	1.61E-04
Th-230	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-234	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-235	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-238	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
===== Total	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.24E-02	0.00E+00	0.00E+00	7.24E-02

0*Sum of all water independent and dependent pathways.

Table of Contents

Part V: Uncertainty Analysis

=====

ORESAD Uncertainty Analysis Results	
Monte Carlo Input	2
Total Dose	3
Total Risk	4
Dose vs Pathway: Ground External	5
Dose vs Pathway: Inhalation (w/o Radon)	6
Dose vs Pathway: Radon (Water Ind.)	7
Dose vs Pathway: Plant (Water Ind.)	8
Dose vs Pathway: Meat (Water Ind.)	9
Dose vs Pathway: Milk (Water Ind.)	10
Dose vs Pathway: Soil Ingestion	11
Dose vs Pathway: Water Ingestion	12
Dose vs Pathway: Fish Ingestion	13
Dose vs Pathway: Radon (Water Dep.)	14
Dose vs Pathway: Plant (Water Dep.)	15
Dose vs Pathway: Meat (Water Dep.)	16
Dose vs Pathway: Milk (Water Dep.)	17
MC Cumulative Probability Summary.....	18
Summary of dose at graphical times, reptition 1.....	19
Summary of dose at graphical times, reptition 2.....	20
Summary of dose at graphical times, reptition 3.....	21
Peak of the mean dose at graphical times.....	22
Correlation and Regression coefficients (if any).....	23

Monte Carlo Input
 Number of Sample Runs: 300

Number	Name	Distribution	Parameters			
1	DROOT	UNIFORM	.3	4		
2	H(1)	BOUNDED LOGNORMAL-N	.693	.25	1	4
3	RUNOFF	UNIFORM	.1	.8		
4	WIND	TRUNCATED LOGNORMAL-N	1.15	.1	.05	.95
5	DWIBWT	TRIANGULAR	6	10	30	
6	INHALR	TRIANGULAR	4380	8400	13100	
7	SOIL	TRIANGULAR	0	18.3	36.5	
8	H(2)	BOUNDED LOGNORMAL-N	1.386	.6	2	17
9	DCACTC(6)	LOGNORMAL-N	9.07	.53		
10	DCACTU1(6)	LOGNORMAL-N	8.1	.03		
11	DCACTU2(6)	LOGNORMAL-N	4.84	1		
12	DCACTS(6)	LOGNORMAL-N	4.84	1		
13	DCACTC(7)	LOGNORMAL-N	9.07	.53		
14	DCACTU1(7)	LOGNORMAL-N	8.1	.03		
15	DCACTU2(7)	LOGNORMAL-N	4.84	1		
16	DCACTS(7)	LOGNORMAL-N	4.84	1		
17	DCACTC(8)	LOGNORMAL-N	9.07	.53		
18	DCACTU1(8)	LOGNORMAL-N	8.1	.03		
19	DCACTU2(8)	LOGNORMAL-N	4.84	1		
20	DCACTS(8)	LOGNORMAL-N	4.84	1		
21	THICK0	TRIANGULAR	0	.075	.3	
22	DM	TRIANGULAR	0	.15	.6	
23	MLINH	CONTINUOUS LINEAR	8	0	0	
				.000008	.0151	
				.000016	.1365	
				.00003	.8119	
				.00004	.9495	
				.00006	.9937	
				.000076	.9983	
				.0001	1	
24	FOTD	TRIANGULAR	.03	.0457	.06	

0Nuclide (j)	Peak Time	Peak Dose	Monte Carlo Total Dose Summary								
			t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
U-234											
Min	0.00E+00	4.19E-01	4.19E-01	3.93E-01	3.35E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	3.40E+01	3.40E+01	3.39E+01	3.36E+01	3.27E+01	2.98E+01	1.99E+01	0.00E+00	3.52E-03	
Avg	0.00E+00	5.87E+00	5.87E+00	5.82E+00	5.73E+00	5.42E+00	4.53E+00	1.95E+00	0.00E+00	2.02E-04	
Std	0.00E+00	5.31E+00	5.31E+00	5.29E+00	5.24E+00	5.09E+00	4.64E+00	3.01E+00	0.00E+00	4.62E-04	
U-235											
Min	0.00E+00	1.57E+00	1.57E+00	1.45E+00	1.19E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	
Max	0.00E+00	1.08E+01	1.08E+01	1.08E+01	1.08E+01	1.08E+01	1.06E+01	9.76E+00	2.06E-02	2.07E-01	
Avg	0.00E+00	7.07E+00	7.07E+00	7.05E+00	6.99E+00	6.78E+00	6.06E+00	3.10E+00	6.30E-04	2.99E-02	
Std	0.00E+00	1.62E+00	1.62E+00	1.64E+00	1.69E+00	1.86E+00	2.36E+00	3.13E+00	2.14E-03	3.77E-02	
U-238											
Min	0.00E+00	1.22E+00	1.22E+00	1.13E+00	9.26E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	
Max	0.00E+00	1.44E+01	1.44E+01	1.44E+01	1.43E+01	1.40E+01	1.32E+01	1.02E+01	0.00E+00	2.48E-07	
Avg	0.00E+00	6.07E+00	6.07E+00	6.04E+00	5.98E+00	5.75E+00	5.05E+00	2.47E+00	0.00E+00	1.16E-08	
Std	0.00E+00	2.01E+00	2.01E+00	2.02E+00	2.04E+00	2.12E+00	2.36E+00	2.59E+00	0.00E+00	2.98E-08	
äALL											
Min	0.00E+00	3.28E+00	3.28E+00	3.01E+00	2.45E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	
Max	0.00E+00	5.92E+01	5.92E+01	5.91E+01	5.87E+01	5.75E+01	5.36E+01	3.98E+01	2.06E-02	2.10E-01	
Avg	0.00E+00	1.90E+01	1.90E+01	1.89E+01	1.87E+01	1.79E+01	1.56E+01	7.51E+00	6.30E-04	3.01E-02	
Std	0.00E+00	8.24E+00	8.24E+00	8.24E+00	8.25E+00	8.34E+00	8.62E+00	8.30E+00	2.14E-03	3.81E-02	

äALL is total dose summed for all nuclides.

0 Monte Carlo Risk Summary									
0Nuclide	RISK(j,t)								
(j)	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
U-234									
Min	1.80E-06	1.69E-06	1.42E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	1.56E-04	1.55E-04	1.54E-04	1.50E-04	1.37E-04	9.14E-05	0.00E+00	1.66E-08	
Avg	2.63E-05	2.61E-05	2.57E-05	2.42E-05	2.03E-05	8.77E-06	0.00E+00	9.52E-10	
Std	2.45E-05	2.44E-05	2.42E-05	2.35E-05	2.13E-05	1.37E-05	0.00E+00	2.17E-09	
U-235									
Min	1.73E-05	1.61E-05	1.34E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	1.09E-04	1.09E-04	1.09E-04	1.08E-04	1.07E-04	9.85E-05	2.39E-08	2.25E-07	
Avg	7.41E-05	7.38E-05	7.33E-05	7.10E-05	6.36E-05	3.27E-05	7.85E-10	3.26E-08	
Std	1.65E-05	1.67E-05	1.72E-05	1.90E-05	2.43E-05	3.27E-05	2.61E-09	4.11E-08	
U-238									
Min	1.75E-05	1.62E-05	1.35E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	1.50E-04	1.50E-04	1.49E-04	1.47E-04	1.40E-04	1.15E-04	0.00E+00	1.17E-12	
Avg	7.77E-05	7.73E-05	7.66E-05	7.39E-05	6.53E-05	3.25E-05	0.00E+00	5.46E-14	
Std	2.17E-05	2.18E-05	2.22E-05	2.36E-05	2.77E-05	3.32E-05	0.00E+00	1.40E-13	
äALL									
Min	3.69E-05	3.42E-05	2.84E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	4.12E-04	4.11E-04	4.09E-04	4.02E-04	3.81E-04	3.04E-04	2.39E-08	2.40E-07	
Avg	1.78E-04	1.77E-04	1.75E-04	1.69E-04	1.49E-04	7.39E-05	7.85E-10	3.36E-08	
Std	5.59E-05	5.62E-05	5.68E-05	5.94E-05	6.73E-05	7.68E-05	2.61E-09	4.26E-08	
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

äALL is total risk summed for all nuclides.

0Nuclide (j)	t=	Monte Carlo Dose vs Pathway(i): DOSE(i,j,t), mrem/yr					Ground External		
		0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03

U-234									
Min	2.90E-02	2.78E-02	2.55E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	9.71E-02	9.70E-02	9.69E-02	9.67E-02	9.86E-02	1.23E-01	0.00E+00	0.00E+00	0.00E+00
Avg	7.10E-02	7.08E-02	7.05E-02	6.92E-02	6.52E-02	4.18E-02	0.00E+00	0.00E+00	0.00E+00
Std	1.19E-02	1.21E-02	1.23E-02	1.41E-02	2.02E-02	3.96E-02	0.00E+00	0.00E+00	0.00E+00
U-235									
Min	1.55E+00	1.43E+00	1.18E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	9.86E+00	9.85E+00	9.85E+00	9.81E+00	9.70E+00	9.09E+00	0.00E+00	0.00E+00	0.00E+00
Avg	6.77E+00	6.75E+00	6.69E+00	6.49E+00	5.82E+00	2.99E+00	0.00E+00	0.00E+00	0.00E+00
Std	1.50E+00	1.52E+00	1.56E+00	1.73E+00	2.22E+00	3.00E+00	0.00E+00	0.00E+00	0.00E+00
U-238									
Min	1.12E+00	1.04E+00	8.58E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	7.35E+00	7.34E+00	7.33E+00	7.26E+00	7.10E+00	6.48E+00	0.00E+00	0.00E+00	0.00E+00
Avg	4.78E+00	4.76E+00	4.72E+00	4.56E+00	4.06E+00	2.05E+00	0.00E+00	0.00E+00	0.00E+00
Std	1.19E+00	1.20E+00	1.22E+00	1.33E+00	1.63E+00	2.07E+00	0.00E+00	0.00E+00	0.00E+00
äALL									
Min	2.70E+00	2.50E+00	2.06E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	1.73E+01	1.73E+01	1.73E+01	1.72E+01	1.69E+01	1.57E+01	0.00E+00	0.00E+00	0.00E+00
Avg	1.16E+01	1.16E+01	1.15E+01	1.11E+01	9.94E+00	5.07E+00	0.00E+00	0.00E+00	0.00E+00
Std	2.69E+00	2.72E+00	2.78E+00	3.06E+00	3.86E+00	5.11E+00	0.00E+00	0.00E+00	0.00E+00
=====									

äALL is total pathway dose summed for all nuclides.

0 Monte Carlo Dose vs Pathway(i): Inhalation (w/o Radon)									
0Nuclide	DOSE(i,j,t), mrem/yr								
(j)	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
U-234									
Min	7.21E-03	7.21E-03	7.21E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	2.77E+00	2.77E+00	2.77E+00	2.77E+00	2.66E+00	2.05E+00	0.00E+00	0.00E+00	0.00E+00
Avg	6.69E-01	6.64E-01	6.55E-01	6.24E-01	5.31E-01	2.49E-01	0.00E+00	0.00E+00	0.00E+00
Std	4.98E-01	4.98E-01	4.97E-01	4.94E-01	4.84E-01	3.93E-01	0.00E+00	0.00E+00	0.00E+00
U-235									
Min	3.70E-04	3.70E-04	3.70E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	1.42E-01	1.42E-01	1.42E-01	1.43E-01	1.39E-01	1.05E-01	0.00E+00	0.00E+00	0.00E+00
Avg	3.43E-02	3.41E-02	3.37E-02	3.21E-02	2.75E-02	1.30E-02	0.00E+00	0.00E+00	0.00E+00
Std	2.56E-02	2.55E-02	2.55E-02	2.54E-02	2.51E-02	2.06E-02	0.00E+00	0.00E+00	0.00E+00
U-238									
Min	1.52E-03	1.52E-03	1.52E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	5.83E-01	5.83E-01	5.83E-01	5.82E-01	5.60E-01	4.31E-01	0.00E+00	0.00E+00	0.00E+00
Avg	1.41E-01	1.40E-01	1.38E-01	1.31E-01	1.12E-01	5.23E-02	0.00E+00	0.00E+00	0.00E+00
Std	1.05E-01	1.05E-01	1.05E-01	1.04E-01	1.02E-01	8.27E-02	0.00E+00	0.00E+00	0.00E+00
äALL									
Min	9.10E-03	9.09E-03	9.09E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	3.49E+00	3.49E+00	3.49E+00	3.49E+00	3.36E+00	2.58E+00	0.00E+00	0.00E+00	0.00E+00
Avg	8.44E-01	8.38E-01	8.27E-01	7.87E-01	6.70E-01	3.14E-01	0.00E+00	0.00E+00	0.00E+00
Std	6.29E-01	6.28E-01	6.27E-01	6.23E-01	6.10E-01	4.97E-01	0.00E+00	0.00E+00	0.00E+00
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

äALL is total pathway dose summed for all nuclides.

0 Monte Carlo Dose vs Pathway(i): Radon (Water Ind.)									
0Nuclide	DOSE(i,j,t), mrem/yr								
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
U-234									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-235									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-238									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
äALL									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

äALL is total pathway dose summed for all nuclides.

0 Nuclide (j)	Monte Carlo t=	Dose vs Pathway(i):	Plant (Water Ind.)	DOSE(i,j,t), mrem/yr					
				1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03	
U-234									
Min	1.73E-01	1.53E-01	1.13E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	
Max	3.06E+01	3.04E+01	3.02E+01	2.92E+01	2.66E+01	1.77E+01	0.00E+00	0.00E+00	
Avg	4.60E+00	4.56E+00	4.48E+00	4.22E+00	3.50E+00	1.46E+00	0.00E+00	0.00E+00	
Std	5.00E+00	4.98E+00	4.93E+00	4.75E+00	4.26E+00	2.57E+00	0.00E+00	0.00E+00	
U-235									
Min	8.97E-03	7.95E-03	5.89E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	
Max	1.59E+00	1.59E+00	1.59E+00	1.57E+00	1.49E+00	1.05E+00	0.00E+00	0.00E+00	
Avg	2.39E-01	2.38E-01	2.36E-01	2.26E-01	1.95E-01	8.56E-02	0.00E+00	0.00E+00	
Std	2.60E-01	2.60E-01	2.59E-01	2.55E-01	2.38E-01	1.53E-01	0.00E+00	0.00E+00	
U-238									
Min	3.86E-02	3.42E-02	2.54E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	
Max	6.84E+00	6.81E+00	6.74E+00	6.53E+00	5.91E+00	3.87E+00	0.00E+00	0.00E+00	
Avg	1.03E+00	1.02E+00	1.00E+00	9.45E-01	7.84E-01	3.26E-01	0.00E+00	0.00E+00	
Std	1.12E+00	1.11E+00	1.10E+00	1.06E+00	9.53E-01	5.73E-01	0.00E+00	0.00E+00	
äALL									
Min	2.20E-01	1.95E-01	1.45E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	
Max	3.90E+01	3.88E+01	3.85E+01	3.73E+01	3.40E+01	2.26E+01	0.00E+00	0.00E+00	
Avg	5.86E+00	5.82E+00	5.72E+00	5.39E+00	4.48E+00	1.87E+00	0.00E+00	0.00E+00	
Std	6.38E+00	6.35E+00	6.29E+00	6.07E+00	5.45E+00	3.30E+00	0.00E+00	0.00E+00	

äALL is total pathway dose summed for all nuclides.

0 Monte Carlo Dose vs Pathway(i): Meat (Water Ind.)									
0Nuclide	DOSE(i,j,t), mrem/yr								
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03

U-234									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-235									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-238									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
äALL									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
=====									

äALL is total pathway dose summed for all nuclides.

0 Monte Carlo Dose vs Pathway(i): Milk (Water Ind.)									
0Nuclide	DOSE(i,j,t), mrem/yr								
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03

U-234									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-235									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-238									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
äALL									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
=====									

äALL is total pathway dose summed for all nuclides.

0 Monte Carlo Dose vs Pathway(i): Soil Ingestion									
0Nuclide	DOSE(i,j,t), mrem/yr								
(j)	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
U-234									
Min	1.83E-02	1.76E-02	1.39E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	1.91E+00	1.90E+00	1.90E+00	1.90E+00	1.73E+00	1.59E+00	0.00E+00	0.00E+00	0.00E+00
Avg	5.35E-01	5.32E-01	5.25E-01	5.00E-01	4.27E-01	2.00E-01	0.00E+00	0.00E+00	0.00E+00
Std	4.02E-01	4.02E-01	4.01E-01	4.01E-01	3.94E-01	3.17E-01	0.00E+00	0.00E+00	0.00E+00
U-235									
Min	9.52E-04	9.14E-04	7.26E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	9.91E-02	9.90E-02	9.91E-02	9.96E-02	9.20E-02	8.74E-02	0.00E+00	0.00E+00	0.00E+00
Avg	2.78E-02	2.77E-02	2.73E-02	2.62E-02	2.26E-02	1.08E-02	0.00E+00	0.00E+00	0.00E+00
Std	2.09E-02	2.09E-02	2.09E-02	2.10E-02	2.09E-02	1.72E-02	0.00E+00	0.00E+00	0.00E+00
U-238									
Min	4.10E-03	3.93E-03	3.10E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	4.27E-01	4.26E-01	4.26E-01	4.25E-01	3.88E-01	3.56E-01	0.00E+00	0.00E+00	0.00E+00
Avg	1.20E-01	1.19E-01	1.17E-01	1.12E-01	9.56E-02	4.46E-02	0.00E+00	0.00E+00	0.00E+00
Std	8.99E-02	8.99E-02	8.99E-02	8.97E-02	8.82E-02	7.09E-02	0.00E+00	0.00E+00	0.00E+00
äALL									
Min	2.34E-02	2.24E-02	1.77E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	2.43E+00	2.43E+00	2.43E+00	2.43E+00	2.21E+00	2.03E+00	0.00E+00	0.00E+00	0.00E+00
Avg	6.83E-01	6.78E-01	6.69E-01	6.38E-01	5.45E-01	2.55E-01	0.00E+00	0.00E+00	0.00E+00
Std	5.13E-01	5.12E-01	5.12E-01	5.12E-01	5.03E-01	4.05E-01	0.00E+00	0.00E+00	0.00E+00
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

äALL is total pathway dose summed for all nuclides.

0 Monte Carlo Dose vs Pathway(i): Water Ingestion									
0Nuclide	DOSE(i,j,t), mrem/yr								
(j)	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03	
U-234									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-235									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-238									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
äALL									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

äALL is total pathway dose summed for all nuclides.

0 Monte Carlo Dose vs Pathway(i): Fish Ingestion									
0Nuclide	DOSE(i,j,t), mrem/yr								
(j)	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
U-234									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-235									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-238									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
äALL									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

äALL is total pathway dose summed for all nuclides.

0 Monte Carlo Dose vs Pathway(i): Radon (Water Dep.)									
0Nuclide	DOSE(i,j,t), mrem/yr								
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03

U-234	Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-235	Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-238	Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
äALL	Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
=====									

äALL is total pathway dose summed for all nuclides.

0 Nuclide (j)	Monte Carlo t=	Dose 1.00E+00	Dose 3.00E+00	Pathway(i): DOSE(i,j,t),	Plant (Water Dep.)	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
U-234										
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.52E-03
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.02E-04
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.62E-04
U-235										
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.06E-02	2.07E-01
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.30E-04	2.99E-02
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.14E-03	3.77E-02
U-238										
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.48E-07
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.16E-08
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.98E-08
äALL										
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.06E-02	2.10E-01
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.30E-04	3.01E-02
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.14E-03	3.81E-02

äALL is total pathway dose summed for all nuclides.

0Nuclide (j)	Monte Carlo t=	Carlo	Dose	vs Pathway(i):	Meat	(Water Dep.)	DOSE(i,j,t), mrem/yr				
							1.00E+00	1.00E+01	1.00E+02	3.00E+02	1.00E+03
U-234	Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-235	Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-238	Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
äALL	Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

äALL is total pathway dose summed for all nuclides.

0Nuclide (j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Monte Carlo Dose vs Pathway(i): Milk (Water Dep.)									
DOSE(i,j,t), mrem/yr									
U-234	Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-235	Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-238	Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
äALL	Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

äALL is total pathway dose summed for all nuclides.

Summary of dose at graphical times, reptition 1								
Dose statistics at graphical times, mrem/yr								
Time Years	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	4.63E+00	4.97E+01	1.91E+01	1.79E+01	3.04E+01	3.29E+01	4.46E+01	4.97E+01
1.00E+00	4.45E+00	4.95E+01	1.90E+01	1.79E+01	3.03E+01	3.28E+01	4.44E+01	4.95E+01
1.06E+00	4.44E+00	4.95E+01	1.90E+01	1.79E+01	3.03E+01	3.28E+01	4.44E+01	4.95E+01
1.12E+00	4.43E+00	4.95E+01	1.90E+01	1.79E+01	3.03E+01	3.28E+01	4.44E+01	4.95E+01
1.19E+00	4.42E+00	4.95E+01	1.89E+01	1.79E+01	3.03E+01	3.27E+01	4.43E+01	4.95E+01
1.25E+00	4.40E+00	4.95E+01	1.89E+01	1.79E+01	3.03E+01	3.27E+01	4.43E+01	4.95E+01
1.33E+00	4.39E+00	4.95E+01	1.89E+01	1.79E+01	3.03E+01	3.27E+01	4.43E+01	4.94E+01
1.40E+00	4.38E+00	4.95E+01	1.89E+01	1.79E+01	3.03E+01	3.27E+01	4.43E+01	4.94E+01
1.49E+00	4.36E+00	4.94E+01	1.89E+01	1.79E+01	3.03E+01	3.27E+01	4.43E+01	4.94E+01
1.57E+00	4.35E+00	4.94E+01	1.89E+01	1.78E+01	3.03E+01	3.27E+01	4.43E+01	4.94E+01
1.66E+00	4.33E+00	4.94E+01	1.89E+01	1.78E+01	3.02E+01	3.27E+01	4.42E+01	4.94E+01
1.76E+00	4.31E+00	4.94E+01	1.89E+01	1.78E+01	3.02E+01	3.27E+01	4.42E+01	4.94E+01
1.86E+00	4.29E+00	4.94E+01	1.89E+01	1.78E+01	3.02E+01	3.27E+01	4.42E+01	4.94E+01
1.97E+00	4.27E+00	4.94E+01	1.89E+01	1.78E+01	3.02E+01	3.27E+01	4.42E+01	4.93E+01
2.09E+00	4.25E+00	4.93E+01	1.89E+01	1.78E+01	3.02E+01	3.27E+01	4.42E+01	4.93E+01
2.21E+00	4.23E+00	4.93E+01	1.88E+01	1.78E+01	3.02E+01	3.27E+01	4.41E+01	4.93E+01
2.34E+00	4.21E+00	4.93E+01	1.88E+01	1.78E+01	3.02E+01	3.26E+01	4.41E+01	4.93E+01
2.47E+00	4.18E+00	4.93E+01	1.88E+01	1.78E+01	3.02E+01	3.26E+01	4.41E+01	4.93E+01
2.62E+00	4.16E+00	4.93E+01	1.88E+01	1.78E+01	3.01E+01	3.26E+01	4.40E+01	4.92E+01
2.77E+00	4.13E+00	4.92E+01	1.88E+01	1.78E+01	3.01E+01	3.26E+01	4.40E+01	4.92E+01
2.93E+00	4.10E+00	4.92E+01	1.88E+01	1.78E+01	3.01E+01	3.26E+01	4.40E+01	4.92E+01
3.00E+00	4.09E+00	4.92E+01	1.88E+01	1.78E+01	3.01E+01	3.26E+01	4.40E+01	4.92E+01
3.10E+00	4.07E+00	4.92E+01	1.87E+01	1.78E+01	3.01E+01	3.26E+01	4.39E+01	4.91E+01
3.28E+00	4.03E+00	4.91E+01	1.87E+01	1.78E+01	3.01E+01	3.26E+01	4.39E+01	4.91E+01
3.48E+00	4.00E+00	4.91E+01	1.87E+01	1.78E+01	3.01E+01	3.25E+01	4.39E+01	4.91E+01
3.68E+00	3.96E+00	4.91E+01	1.87E+01	1.77E+01	3.00E+01	3.25E+01	4.38E+01	4.90E+01
3.89E+00	3.92E+00	4.90E+01	1.87E+01	1.77E+01	3.00E+01	3.25E+01	4.38E+01	4.90E+01
4.12E+00	3.88E+00	4.90E+01	1.86E+01	1.77E+01	3.00E+01	3.25E+01	4.37E+01	4.90E+01
4.36E+00	3.83E+00	4.90E+01	1.86E+01	1.77E+01	3.00E+01	3.25E+01	4.37E+01	4.89E+01
4.61E+00	3.78E+00	4.89E+01	1.86E+01	1.77E+01	2.99E+01	3.24E+01	4.36E+01	4.89E+01
4.88E+00	3.73E+00	4.89E+01	1.86E+01	1.77E+01	2.99E+01	3.24E+01	4.36E+01	4.88E+01
5.17E+00	3.68E+00	4.88E+01	1.85E+01	1.76E+01	2.99E+01	3.24E+01	4.35E+01	4.88E+01
5.47E+00	3.62E+00	4.88E+01	1.85E+01	1.76E+01	2.99E+01	3.24E+01	4.35E+01	4.87E+01
5.78E+00	3.56E+00	4.87E+01	1.85E+01	1.76E+01	2.98E+01	3.23E+01	4.34E+01	4.87E+01
6.12E+00	3.49E+00	4.87E+01	1.84E+01	1.76E+01	2.98E+01	3.23E+01	4.33E+01	4.86E+01
6.48E+00	3.42E+00	4.86E+01	1.84E+01	1.75E+01	2.98E+01	3.23E+01	4.32E+01	4.86E+01
6.86E+00	3.34E+00	4.85E+01	1.83E+01	1.75E+01	2.97E+01	3.22E+01	4.32E+01	4.85E+01
7.26E+00	3.26E+00	4.85E+01	1.83E+01	1.75E+01	2.97E+01	3.22E+01	4.31E+01	4.84E+01
7.68E+00	3.17E+00	4.84E+01	1.83E+01	1.74E+01	2.96E+01	3.22E+01	4.30E+01	4.84E+01
8.13E+00	3.08E+00	4.83E+01	1.82E+01	1.74E+01	2.96E+01	3.21E+01	4.29E+01	4.83E+01
8.60E+00	2.88E+00	4.82E+01	1.82E+01	1.73E+01	2.95E+01	3.21E+01	4.28E+01	4.82E+01
9.10E+00	2.62E+00	4.82E+01	1.81E+01	1.73E+01	2.95E+01	3.20E+01	4.27E+01	4.81E+01
9.63E+00	2.34E+00	4.81E+01	1.80E+01	1.73E+01	2.94E+01	3.20E+01	4.26E+01	4.80E+01
1.00E+01	2.14E+00	4.80E+01	1.80E+01	1.72E+01	2.94E+01	3.20E+01	4.26E+01	4.80E+01
1.02E+01	2.03E+00	4.80E+01	1.80E+01	1.72E+01	2.93E+01	3.19E+01	4.25E+01	4.79E+01
1.08E+01	1.69E+00	4.79E+01	1.79E+01	1.72E+01	2.92E+01	3.19E+01	4.24E+01	4.78E+01
1.14E+01	1.31E+00	4.78E+01	1.78E+01	1.71E+01	2.91E+01	3.18E+01	4.23E+01	4.77E+01
1.21E+01	8.89E-01	4.77E+01	1.78E+01	1.71E+01	2.90E+01	3.18E+01	4.22E+01	4.76E+01

1.28E+01	4.11E-01	4.75E+01	1.77E+01	1.70E+01	2.89E+01	3.17E+01	4.21E+01	4.75E+01
1.35E+01	3.85E-02	4.74E+01	1.76E+01	1.69E+01	2.88E+01	3.16E+01	4.20E+01	4.74E+01
1.43E+01	0.00E+00	4.73E+01	1.75E+01	1.69E+01	2.87E+01	3.16E+01	4.18E+01	4.72E+01
1.51E+01	0.00E+00	4.71E+01	1.74E+01	1.68E+01	2.85E+01	3.15E+01	4.17E+01	4.71E+01
1.60E+01	0.00E+00	4.70E+01	1.73E+01	1.67E+01	2.84E+01	3.14E+01	4.15E+01	4.70E+01
1.70E+01	0.00E+00	4.68E+01	1.72E+01	1.66E+01	2.82E+01	3.13E+01	4.14E+01	4.68E+01
1.80E+01	0.00E+00	4.67E+01	1.71E+01	1.65E+01	2.81E+01	3.12E+01	4.12E+01	4.66E+01
1.90E+01	0.00E+00	4.65E+01	1.70E+01	1.65E+01	2.79E+01	3.11E+01	4.10E+01	4.64E+01
2.01E+01	0.00E+00	4.63E+01	1.68E+01	1.64E+01	2.77E+01	3.10E+01	4.08E+01	4.63E+01
2.13E+01	0.00E+00	4.61E+01	1.67E+01	1.63E+01	2.75E+01	3.09E+01	4.06E+01	4.61E+01
2.25E+01	0.00E+00	4.59E+01	1.66E+01	1.61E+01	2.73E+01	3.08E+01	4.04E+01	4.58E+01
2.38E+01	0.00E+00	4.57E+01	1.64E+01	1.60E+01	2.71E+01	3.07E+01	4.02E+01	4.56E+01
2.52E+01	0.00E+00	4.54E+01	1.62E+01	1.59E+01	2.68E+01	3.06E+01	3.99E+01	4.54E+01
2.67E+01	0.00E+00	4.52E+01	1.61E+01	1.58E+01	2.66E+01	3.04E+01	3.97E+01	4.51E+01
2.82E+01	0.00E+00	4.49E+01	1.59E+01	1.56E+01	2.63E+01	3.03E+01	3.94E+01	4.49E+01
2.99E+01	0.00E+00	4.46E+01	1.57E+01	1.54E+01	2.61E+01	3.01E+01	3.91E+01	4.46E+01
3.00E+01	0.00E+00	4.46E+01	1.57E+01	1.54E+01	2.60E+01	3.01E+01	3.91E+01	4.46E+01
3.16E+01	0.00E+00	4.43E+01	1.55E+01	1.53E+01	2.58E+01	3.00E+01	3.88E+01	4.43E+01
3.35E+01	0.00E+00	4.40E+01	1.53E+01	1.51E+01	2.54E+01	2.98E+01	3.85E+01	4.40E+01
3.54E+01	0.00E+00	4.37E+01	1.50E+01	1.49E+01	2.51E+01	2.96E+01	3.81E+01	4.36E+01
3.75E+01	0.00E+00	4.33E+01	1.48E+01	1.45E+01	2.47E+01	2.94E+01	3.78E+01	4.33E+01
3.97E+01	0.00E+00	4.29E+01	1.45E+01	1.42E+01	2.44E+01	2.92E+01	3.74E+01	4.29E+01
4.20E+01	0.00E+00	4.25E+01	1.42E+01	1.39E+01	2.40E+01	2.90E+01	3.70E+01	4.25E+01
4.44E+01	0.00E+00	4.20E+01	1.39E+01	1.37E+01	2.36E+01	2.87E+01	3.65E+01	4.20E+01
4.70E+01	0.00E+00	4.16E+01	1.36E+01	1.35E+01	2.34E+01	2.85E+01	3.60E+01	4.15E+01
4.97E+01	0.00E+00	4.11E+01	1.32E+01	1.34E+01	2.32E+01	2.83E+01	3.55E+01	4.10E+01
5.26E+01	0.00E+00	4.05E+01	1.29E+01	1.32E+01	2.31E+01	2.81E+01	3.50E+01	4.05E+01
5.57E+01	0.00E+00	3.99E+01	1.25E+01	1.28E+01	2.30E+01	2.79E+01	3.44E+01	3.99E+01
5.90E+01	0.00E+00	3.93E+01	1.21E+01	1.21E+01	2.28E+01	2.77E+01	3.38E+01	3.93E+01
6.24E+01	0.00E+00	3.87E+01	1.17E+01	1.14E+01	2.26E+01	2.74E+01	3.32E+01	3.86E+01
6.60E+01	0.00E+00	3.80E+01	1.12E+01	1.08E+01	2.25E+01	2.72E+01	3.25E+01	3.79E+01
6.99E+01	0.00E+00	3.73E+01	1.08E+01	1.02E+01	2.23E+01	2.68E+01	3.18E+01	3.72E+01
7.39E+01	0.00E+00	3.65E+01	1.03E+01	9.49E+00	2.21E+01	2.58E+01	3.10E+01	3.64E+01
7.82E+01	0.00E+00	3.57E+01	9.77E+00	8.83E+00	2.19E+01	2.53E+01	3.01E+01	3.56E+01
8.28E+01	0.00E+00	3.48E+01	9.25E+00	8.17E+00	2.14E+01	2.48E+01	2.92E+01	3.47E+01
8.76E+01	0.00E+00	3.39E+01	8.73E+00	7.43E+00	2.10E+01	2.42E+01	2.82E+01	3.38E+01
9.27E+01	0.00E+00	3.29E+01	8.20E+00	6.57E+00	2.03E+01	2.37E+01	2.71E+01	3.28E+01
9.81E+01	0.00E+00	3.18E+01	7.66E+00	5.36E+00	1.96E+01	2.30E+01	2.62E+01	3.18E+01
1.00E+02	0.00E+00	3.14E+01	7.47E+00	4.86E+00	1.91E+01	2.28E+01	2.59E+01	3.14E+01
1.04E+02	0.00E+00	3.07E+01	7.10E+00	3.84E+00	1.86E+01	2.24E+01	2.55E+01	3.06E+01
1.10E+02	0.00E+00	2.95E+01	6.54E+00	2.34E+00	1.78E+01	2.14E+01	2.47E+01	2.94E+01
1.16E+02	0.00E+00	2.82E+01	5.97E+00	1.10E-01	1.74E+01	2.06E+01	2.39E+01	2.81E+01
1.23E+02	0.00E+00	2.68E+01	5.39E+00	5.41E-08	1.69E+01	1.99E+01	2.31E+01	2.67E+01
1.30E+02	0.00E+00	2.52E+01	4.81E+00	0.00E+00	1.63E+01	1.91E+01	2.21E+01	2.52E+01
1.38E+02	0.00E+00	2.36E+01	4.24E+00	0.00E+00	1.56E+01	1.81E+01	2.10E+01	2.36E+01
1.46E+02	0.00E+00	2.18E+01	3.69E+00	0.00E+00	1.49E+01	1.71E+01	1.99E+01	2.18E+01
1.54E+02	0.00E+00	1.99E+01	3.15E+00	0.00E+00	1.40E+01	1.61E+01	1.86E+01	1.99E+01
1.63E+02	0.00E+00	1.87E+01	2.64E+00	0.00E+00	1.30E+01	1.52E+01	1.73E+01	1.87E+01
1.73E+02	0.00E+00	1.76E+01	2.17E+00	0.00E+00	1.14E+01	1.40E+01	1.57E+01	1.76E+01
1.83E+02	0.00E+00	1.64E+01	1.74E+00	0.00E+00	9.63E+00	1.26E+01	1.42E+01	1.64E+01
1.94E+02	0.00E+00	1.50E+01	1.35E+00	0.00E+00	8.24E+00	1.05E+01	1.31E+01	1.50E+01
2.05E+02	0.00E+00	1.34E+01	9.87E-01	0.00E+00	5.94E+00	9.02E+00	1.20E+01	1.34E+01

Summary of dose at graphical times, reptition 2								
Dose statistics at graphical times, mrem/yr								
Time Years	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	3.93E+00	4.14E+01	1.89E+01	1.77E+01	2.99E+01	3.68E+01	3.87E+01	4.14E+01
1.00E+00	3.58E+00	4.13E+01	1.88E+01	1.76E+01	2.99E+01	3.67E+01	3.85E+01	4.13E+01
1.06E+00	3.56E+00	4.13E+01	1.87E+01	1.76E+01	2.99E+01	3.67E+01	3.85E+01	4.13E+01
1.12E+00	3.53E+00	4.13E+01	1.87E+01	1.76E+01	2.99E+01	3.67E+01	3.85E+01	4.12E+01
1.19E+00	3.51E+00	4.13E+01	1.87E+01	1.76E+01	2.99E+01	3.67E+01	3.85E+01	4.12E+01
1.25E+00	3.49E+00	4.13E+01	1.87E+01	1.76E+01	2.99E+01	3.67E+01	3.85E+01	4.12E+01
1.33E+00	3.46E+00	4.12E+01	1.87E+01	1.76E+01	2.99E+01	3.67E+01	3.85E+01	4.12E+01
1.40E+00	3.43E+00	4.12E+01	1.87E+01	1.76E+01	2.99E+01	3.67E+01	3.85E+01	4.12E+01
1.49E+00	3.40E+00	4.12E+01	1.87E+01	1.76E+01	2.99E+01	3.66E+01	3.85E+01	4.12E+01
1.57E+00	3.37E+00	4.12E+01	1.87E+01	1.76E+01	2.99E+01	3.66E+01	3.84E+01	4.12E+01
1.66E+00	3.34E+00	4.12E+01	1.87E+01	1.76E+01	2.98E+01	3.66E+01	3.84E+01	4.12E+01
1.76E+00	3.30E+00	4.12E+01	1.87E+01	1.76E+01	2.98E+01	3.66E+01	3.84E+01	4.12E+01
1.86E+00	3.27E+00	4.12E+01	1.87E+01	1.76E+01	2.98E+01	3.66E+01	3.84E+01	4.11E+01
1.97E+00	3.23E+00	4.12E+01	1.87E+01	1.76E+01	2.98E+01	3.66E+01	3.84E+01	4.11E+01
2.09E+00	3.18E+00	4.11E+01	1.86E+01	1.75E+01	2.98E+01	3.66E+01	3.84E+01	4.11E+01
2.21E+00	3.14E+00	4.11E+01	1.86E+01	1.75E+01	2.98E+01	3.66E+01	3.83E+01	4.11E+01
2.34E+00	3.09E+00	4.11E+01	1.86E+01	1.75E+01	2.98E+01	3.65E+01	3.83E+01	4.11E+01
2.47E+00	3.04E+00	4.11E+01	1.86E+01	1.75E+01	2.98E+01	3.65E+01	3.83E+01	4.11E+01
2.62E+00	2.98E+00	4.11E+01	1.86E+01	1.75E+01	2.98E+01	3.65E+01	3.83E+01	4.10E+01
2.77E+00	2.92E+00	4.11E+01	1.86E+01	1.75E+01	2.98E+01	3.65E+01	3.82E+01	4.10E+01
2.93E+00	2.86E+00	4.10E+01	1.86E+01	1.75E+01	2.98E+01	3.65E+01	3.82E+01	4.10E+01
3.00E+00	2.84E+00	4.10E+01	1.85E+01	1.75E+01	2.98E+01	3.65E+01	3.82E+01	4.10E+01
3.10E+00	2.80E+00	4.10E+01	1.85E+01	1.75E+01	2.98E+01	3.65E+01	3.82E+01	4.10E+01
3.28E+00	2.72E+00	4.10E+01	1.85E+01	1.75E+01	2.98E+01	3.64E+01	3.81E+01	4.10E+01
3.48E+00	2.65E+00	4.10E+01	1.85E+01	1.75E+01	2.98E+01	3.64E+01	3.81E+01	4.09E+01
3.68E+00	2.57E+00	4.09E+01	1.85E+01	1.75E+01	2.97E+01	3.64E+01	3.81E+01	4.09E+01
3.89E+00	2.48E+00	4.09E+01	1.85E+01	1.74E+01	2.97E+01	3.64E+01	3.80E+01	4.09E+01
4.12E+00	2.39E+00	4.09E+01	1.84E+01	1.74E+01	2.97E+01	3.63E+01	3.80E+01	4.08E+01
4.36E+00	2.29E+00	4.08E+01	1.84E+01	1.74E+01	2.97E+01	3.63E+01	3.80E+01	4.08E+01
4.61E+00	2.18E+00	4.08E+01	1.84E+01	1.74E+01	2.97E+01	3.63E+01	3.79E+01	4.08E+01
4.88E+00	2.06E+00	4.08E+01	1.83E+01	1.74E+01	2.97E+01	3.62E+01	3.79E+01	4.07E+01
5.17E+00	1.94E+00	4.07E+01	1.83E+01	1.74E+01	2.97E+01	3.62E+01	3.78E+01	4.07E+01
5.47E+00	1.80E+00	4.07E+01	1.83E+01	1.74E+01	2.96E+01	3.62E+01	3.78E+01	4.07E+01
5.78E+00	1.65E+00	4.06E+01	1.82E+01	1.73E+01	2.96E+01	3.61E+01	3.77E+01	4.06E+01
6.12E+00	1.49E+00	4.06E+01	1.82E+01	1.73E+01	2.96E+01	3.61E+01	3.76E+01	4.06E+01
6.48E+00	1.32E+00	4.06E+01	1.82E+01	1.73E+01	2.96E+01	3.61E+01	3.76E+01	4.05E+01
6.86E+00	1.13E+00	4.05E+01	1.81E+01	1.73E+01	2.96E+01	3.60E+01	3.75E+01	4.05E+01
7.26E+00	9.19E-01	4.04E+01	1.81E+01	1.72E+01	2.95E+01	3.60E+01	3.74E+01	4.04E+01
7.68E+00	6.88E-01	4.04E+01	1.80E+01	1.72E+01	2.95E+01	3.59E+01	3.74E+01	4.04E+01
8.13E+00	4.31E-01	4.03E+01	1.80E+01	1.71E+01	2.95E+01	3.57E+01	3.73E+01	4.03E+01
8.60E+00	1.67E-01	4.03E+01	1.79E+01	1.71E+01	2.95E+01	3.56E+01	3.72E+01	4.02E+01
9.10E+00	1.70E-02	4.02E+01	1.79E+01	1.71E+01	2.94E+01	3.55E+01	3.71E+01	4.02E+01
9.63E+00	0.00E+00	4.01E+01	1.78E+01	1.70E+01	2.94E+01	3.54E+01	3.70E+01	4.01E+01
1.00E+01	0.00E+00	4.01E+01	1.78E+01	1.70E+01	2.94E+01	3.53E+01	3.69E+01	4.00E+01
1.02E+01	0.00E+00	4.01E+01	1.78E+01	1.70E+01	2.94E+01	3.52E+01	3.69E+01	4.00E+01
1.08E+01	0.00E+00	4.00E+01	1.77E+01	1.69E+01	2.94E+01	3.51E+01	3.68E+01	3.99E+01
1.14E+01	0.00E+00	3.99E+01	1.76E+01	1.69E+01	2.93E+01	3.49E+01	3.67E+01	3.99E+01
1.21E+01	0.00E+00	3.98E+01	1.76E+01	1.68E+01	2.93E+01	3.49E+01	3.65E+01	3.98E+01

1.28E+01	0.00E+00	3.97E+01	1.75E+01	1.67E+01	2.92E+01	3.48E+01	3.64E+01	3.97E+01
1.35E+01	0.00E+00	3.96E+01	1.74E+01	1.67E+01	2.92E+01	3.48E+01	3.63E+01	3.96E+01
1.43E+01	0.00E+00	3.95E+01	1.73E+01	1.66E+01	2.91E+01	3.47E+01	3.61E+01	3.95E+01
1.51E+01	0.00E+00	3.94E+01	1.72E+01	1.66E+01	2.90E+01	3.46E+01	3.60E+01	3.94E+01
1.60E+01	0.00E+00	3.93E+01	1.71E+01	1.65E+01	2.89E+01	3.46E+01	3.58E+01	3.92E+01
1.70E+01	0.00E+00	3.91E+01	1.70E+01	1.64E+01	2.88E+01	3.45E+01	3.56E+01	3.91E+01
1.80E+01	0.00E+00	3.90E+01	1.69E+01	1.63E+01	2.87E+01	3.44E+01	3.54E+01	3.90E+01
1.90E+01	0.00E+00	3.89E+01	1.68E+01	1.62E+01	2.86E+01	3.43E+01	3.52E+01	3.88E+01
2.01E+01	0.00E+00	3.87E+01	1.67E+01	1.61E+01	2.85E+01	3.42E+01	3.50E+01	3.87E+01
2.13E+01	0.00E+00	3.85E+01	1.65E+01	1.60E+01	2.84E+01	3.41E+01	3.48E+01	3.85E+01
2.25E+01	0.00E+00	3.84E+01	1.64E+01	1.59E+01	2.82E+01	3.40E+01	3.46E+01	3.83E+01
2.38E+01	0.00E+00	3.82E+01	1.62E+01	1.58E+01	2.81E+01	3.39E+01	3.43E+01	3.82E+01
2.52E+01	0.00E+00	3.80E+01	1.61E+01	1.57E+01	2.79E+01	3.37E+01	3.41E+01	3.80E+01
2.67E+01	0.00E+00	3.78E+01	1.59E+01	1.56E+01	2.78E+01	3.35E+01	3.39E+01	3.78E+01
2.82E+01	0.00E+00	3.76E+01	1.57E+01	1.55E+01	2.76E+01	3.33E+01	3.36E+01	3.76E+01
2.99E+01	0.00E+00	3.74E+01	1.55E+01	1.54E+01	2.74E+01	3.30E+01	3.35E+01	3.73E+01
3.00E+01	0.00E+00	3.74E+01	1.55E+01	1.54E+01	2.74E+01	3.30E+01	3.35E+01	3.73E+01
3.16E+01	0.00E+00	3.71E+01	1.53E+01	1.53E+01	2.72E+01	3.27E+01	3.33E+01	3.71E+01
3.35E+01	0.00E+00	3.69E+01	1.51E+01	1.52E+01	2.70E+01	3.23E+01	3.31E+01	3.68E+01
3.54E+01	0.00E+00	3.66E+01	1.48E+01	1.50E+01	2.68E+01	3.20E+01	3.29E+01	3.66E+01
3.75E+01	0.00E+00	3.63E+01	1.46E+01	1.49E+01	2.66E+01	3.16E+01	3.27E+01	3.63E+01
3.97E+01	0.00E+00	3.60E+01	1.43E+01	1.47E+01	2.63E+01	3.11E+01	3.25E+01	3.60E+01
4.20E+01	0.00E+00	3.57E+01	1.40E+01	1.44E+01	2.58E+01	3.06E+01	3.23E+01	3.57E+01
4.44E+01	0.00E+00	3.54E+01	1.37E+01	1.42E+01	2.51E+01	3.01E+01	3.20E+01	3.53E+01
4.70E+01	0.00E+00	3.50E+01	1.34E+01	1.39E+01	2.44E+01	2.96E+01	3.18E+01	3.50E+01
4.97E+01	0.00E+00	3.46E+01	1.31E+01	1.37E+01	2.37E+01	2.90E+01	3.15E+01	3.46E+01
5.26E+01	0.00E+00	3.42E+01	1.27E+01	1.34E+01	2.33E+01	2.85E+01	3.12E+01	3.42E+01
5.57E+01	0.00E+00	3.38E+01	1.23E+01	1.32E+01	2.31E+01	2.82E+01	3.09E+01	3.38E+01
5.90E+01	0.00E+00	3.33E+01	1.19E+01	1.28E+01	2.29E+01	2.75E+01	3.06E+01	3.33E+01
6.24E+01	0.00E+00	3.28E+01	1.15E+01	1.22E+01	2.27E+01	2.69E+01	3.03E+01	3.28E+01
6.60E+01	0.00E+00	3.23E+01	1.11E+01	1.17E+01	2.26E+01	2.65E+01	2.99E+01	3.23E+01
6.99E+01	0.00E+00	3.18E+01	1.06E+01	1.12E+01	2.24E+01	2.62E+01	2.95E+01	3.18E+01
7.39E+01	0.00E+00	3.12E+01	1.01E+01	1.07E+01	2.20E+01	2.60E+01	2.91E+01	3.12E+01
7.82E+01	0.00E+00	3.06E+01	9.65E+00	1.02E+01	2.15E+01	2.57E+01	2.86E+01	3.06E+01
8.28E+01	0.00E+00	2.99E+01	9.15E+00	9.36E+00	2.09E+01	2.54E+01	2.81E+01	2.99E+01
8.76E+01	0.00E+00	2.95E+01	8.62E+00	8.36E+00	2.00E+01	2.51E+01	2.75E+01	2.95E+01
9.27E+01	0.00E+00	2.90E+01	8.08E+00	7.14E+00	1.88E+01	2.48E+01	2.68E+01	2.90E+01
9.81E+01	0.00E+00	2.86E+01	7.53E+00	5.99E+00	1.85E+01	2.44E+01	2.62E+01	2.85E+01
1.00E+02	0.00E+00	2.84E+01	7.35E+00	5.55E+00	1.84E+01	2.41E+01	2.60E+01	2.84E+01
1.04E+02	0.00E+00	2.80E+01	6.98E+00	4.17E+00	1.80E+01	2.36E+01	2.55E+01	2.80E+01
1.10E+02	0.00E+00	2.75E+01	6.43E+00	2.25E+00	1.72E+01	2.28E+01	2.48E+01	2.75E+01
1.16E+02	0.00E+00	2.69E+01	5.88E+00	6.67E-06	1.66E+01	2.19E+01	2.41E+01	2.68E+01
1.23E+02	0.00E+00	2.62E+01	5.34E+00	0.00E+00	1.62E+01	2.09E+01	2.34E+01	2.62E+01
1.30E+02	0.00E+00	2.55E+01	4.81E+00	0.00E+00	1.57E+01	1.98E+01	2.26E+01	2.55E+01
1.38E+02	0.00E+00	2.48E+01	4.29E+00	0.00E+00	1.47E+01	1.88E+01	2.17E+01	2.47E+01
1.46E+02	0.00E+00	2.40E+01	3.78E+00	0.00E+00	1.39E+01	1.81E+01	2.09E+01	2.39E+01
1.54E+02	0.00E+00	2.31E+01	3.27E+00	0.00E+00	1.31E+01	1.72E+01	2.01E+01	2.30E+01
1.63E+02	0.00E+00	2.21E+01	2.77E+00	0.00E+00	1.22E+01	1.63E+01	1.92E+01	2.21E+01
1.73E+02	0.00E+00	2.10E+01	2.30E+00	0.00E+00	1.12E+01	1.52E+01	1.81E+01	2.10E+01
1.83E+02	0.00E+00	1.98E+01	1.86E+00	0.00E+00	9.89E+00	1.37E+01	1.66E+01	1.98E+01
1.94E+02	0.00E+00	1.85E+01	1.46E+00	0.00E+00	7.50E+00	1.14E+01	1.50E+01	1.85E+01
2.05E+02	0.00E+00	1.70E+01	1.09E+00	0.00E+00	4.58E+00	9.25E+00	1.32E+01	1.69E+01

Summary of dose at graphical times, reptition 3								
Dose statistics at graphical times, mrem/yr								
Time Years	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	3.28E+00	5.92E+01	1.91E+01	1.69E+01	2.94E+01	3.96E+01	4.71E+01	5.91E+01
1.00E+00	3.01E+00	5.91E+01	1.90E+01	1.68E+01	2.93E+01	3.94E+01	4.69E+01	5.90E+01
1.06E+00	3.00E+00	5.90E+01	1.90E+01	1.68E+01	2.93E+01	3.94E+01	4.69E+01	5.90E+01
1.12E+00	2.98E+00	5.90E+01	1.90E+01	1.68E+01	2.92E+01	3.93E+01	4.69E+01	5.89E+01
1.19E+00	2.96E+00	5.90E+01	1.90E+01	1.68E+01	2.92E+01	3.93E+01	4.69E+01	5.89E+01
1.25E+00	2.95E+00	5.90E+01	1.90E+01	1.68E+01	2.92E+01	3.93E+01	4.69E+01	5.89E+01
1.33E+00	2.93E+00	5.90E+01	1.90E+01	1.68E+01	2.92E+01	3.93E+01	4.69E+01	5.89E+01
1.40E+00	2.90E+00	5.90E+01	1.90E+01	1.68E+01	2.92E+01	3.93E+01	4.69E+01	5.89E+01
1.49E+00	2.88E+00	5.90E+01	1.90E+01	1.68E+01	2.92E+01	3.93E+01	4.68E+01	5.89E+01
1.57E+00	2.86E+00	5.90E+01	1.90E+01	1.68E+01	2.92E+01	3.92E+01	4.68E+01	5.89E+01
1.66E+00	2.83E+00	5.89E+01	1.89E+01	1.68E+01	2.92E+01	3.92E+01	4.68E+01	5.89E+01
1.76E+00	2.81E+00	5.89E+01	1.89E+01	1.67E+01	2.92E+01	3.92E+01	4.68E+01	5.88E+01
1.86E+00	2.78E+00	5.89E+01	1.89E+01	1.67E+01	2.92E+01	3.92E+01	4.68E+01	5.88E+01
1.97E+00	2.75E+00	5.89E+01	1.89E+01	1.67E+01	2.92E+01	3.92E+01	4.68E+01	5.88E+01
2.09E+00	2.71E+00	5.89E+01	1.89E+01	1.67E+01	2.92E+01	3.91E+01	4.68E+01	5.88E+01
2.21E+00	2.68E+00	5.88E+01	1.89E+01	1.67E+01	2.92E+01	3.91E+01	4.67E+01	5.88E+01
2.34E+00	2.64E+00	5.88E+01	1.89E+01	1.67E+01	2.91E+01	3.91E+01	4.67E+01	5.87E+01
2.47E+00	2.60E+00	5.88E+01	1.89E+01	1.67E+01	2.91E+01	3.90E+01	4.67E+01	5.87E+01
2.62E+00	2.56E+00	5.88E+01	1.88E+01	1.66E+01	2.91E+01	3.90E+01	4.67E+01	5.87E+01
2.77E+00	2.52E+00	5.87E+01	1.88E+01	1.66E+01	2.91E+01	3.90E+01	4.66E+01	5.87E+01
2.93E+00	2.47E+00	5.87E+01	1.88E+01	1.66E+01	2.91E+01	3.89E+01	4.66E+01	5.86E+01
3.00E+00	2.45E+00	5.87E+01	1.88E+01	1.66E+01	2.91E+01	3.89E+01	4.66E+01	5.86E+01
3.10E+00	2.42E+00	5.87E+01	1.88E+01	1.66E+01	2.91E+01	3.89E+01	4.66E+01	5.86E+01
3.28E+00	2.37E+00	5.86E+01	1.88E+01	1.66E+01	2.91E+01	3.89E+01	4.66E+01	5.86E+01
3.48E+00	2.31E+00	5.86E+01	1.88E+01	1.65E+01	2.90E+01	3.88E+01	4.65E+01	5.85E+01
3.68E+00	2.25E+00	5.86E+01	1.87E+01	1.65E+01	2.90E+01	3.88E+01	4.65E+01	5.85E+01
3.89E+00	2.19E+00	5.85E+01	1.87E+01	1.65E+01	2.90E+01	3.87E+01	4.65E+01	5.85E+01
4.12E+00	2.12E+00	5.85E+01	1.87E+01	1.65E+01	2.90E+01	3.87E+01	4.64E+01	5.84E+01
4.36E+00	2.04E+00	5.85E+01	1.87E+01	1.65E+01	2.90E+01	3.86E+01	4.64E+01	5.84E+01
4.61E+00	1.96E+00	5.84E+01	1.86E+01	1.64E+01	2.89E+01	3.86E+01	4.64E+01	5.83E+01
4.88E+00	1.87E+00	5.84E+01	1.86E+01	1.64E+01	2.89E+01	3.85E+01	4.63E+01	5.83E+01
5.17E+00	1.78E+00	5.83E+01	1.86E+01	1.64E+01	2.89E+01	3.85E+01	4.63E+01	5.82E+01
5.47E+00	1.68E+00	5.83E+01	1.85E+01	1.63E+01	2.89E+01	3.84E+01	4.62E+01	5.82E+01
5.78E+00	1.57E+00	5.82E+01	1.85E+01	1.63E+01	2.88E+01	3.83E+01	4.62E+01	5.81E+01
6.12E+00	1.46E+00	5.81E+01	1.85E+01	1.63E+01	2.88E+01	3.83E+01	4.61E+01	5.81E+01
6.48E+00	1.33E+00	5.81E+01	1.84E+01	1.62E+01	2.88E+01	3.82E+01	4.61E+01	5.80E+01
6.86E+00	1.19E+00	5.80E+01	1.84E+01	1.62E+01	2.87E+01	3.81E+01	4.60E+01	5.79E+01
7.26E+00	1.04E+00	5.79E+01	1.84E+01	1.62E+01	2.87E+01	3.80E+01	4.60E+01	5.79E+01
7.68E+00	8.76E-01	5.79E+01	1.83E+01	1.61E+01	2.87E+01	3.79E+01	4.59E+01	5.78E+01
8.13E+00	6.93E-01	5.78E+01	1.83E+01	1.61E+01	2.86E+01	3.78E+01	4.58E+01	5.77E+01
8.60E+00	4.91E-01	5.77E+01	1.82E+01	1.60E+01	2.86E+01	3.77E+01	4.58E+01	5.76E+01
9.10E+00	2.65E-01	5.76E+01	1.81E+01	1.60E+01	2.85E+01	3.76E+01	4.57E+01	5.75E+01
9.63E+00	6.77E-02	5.75E+01	1.81E+01	1.59E+01	2.85E+01	3.75E+01	4.56E+01	5.74E+01
1.00E+01	6.15E-03	5.75E+01	1.80E+01	1.59E+01	2.84E+01	3.74E+01	4.56E+01	5.74E+01
1.02E+01	4.96E-06	5.74E+01	1.80E+01	1.59E+01	2.84E+01	3.74E+01	4.55E+01	5.73E+01
1.08E+01	0.00E+00	5.73E+01	1.80E+01	1.58E+01	2.84E+01	3.72E+01	4.54E+01	5.72E+01
1.14E+01	0.00E+00	5.72E+01	1.79E+01	1.58E+01	2.83E+01	3.71E+01	4.54E+01	5.71E+01
1.21E+01	0.00E+00	5.71E+01	1.78E+01	1.57E+01	2.82E+01	3.70E+01	4.53E+01	5.70E+01

1.28E+01	0.00E+00	5.69E+01	1.77E+01	1.56E+01	2.82E+01	3.68E+01	4.51E+01	5.69E+01
1.35E+01	0.00E+00	5.68E+01	1.77E+01	1.56E+01	2.81E+01	3.66E+01	4.50E+01	5.67E+01
1.43E+01	0.00E+00	5.66E+01	1.76E+01	1.55E+01	2.80E+01	3.65E+01	4.49E+01	5.66E+01
1.51E+01	0.00E+00	5.65E+01	1.75E+01	1.54E+01	2.80E+01	3.63E+01	4.48E+01	5.64E+01
1.60E+01	0.00E+00	5.63E+01	1.74E+01	1.53E+01	2.79E+01	3.61E+01	4.47E+01	5.62E+01
1.70E+01	0.00E+00	5.61E+01	1.73E+01	1.52E+01	2.78E+01	3.59E+01	4.45E+01	5.60E+01
1.80E+01	0.00E+00	5.59E+01	1.71E+01	1.51E+01	2.77E+01	3.57E+01	4.44E+01	5.58E+01
1.90E+01	0.00E+00	5.57E+01	1.70E+01	1.51E+01	2.76E+01	3.54E+01	4.42E+01	5.56E+01
2.01E+01	0.00E+00	5.55E+01	1.69E+01	1.50E+01	2.75E+01	3.52E+01	4.40E+01	5.54E+01
2.13E+01	0.00E+00	5.53E+01	1.68E+01	1.48E+01	2.74E+01	3.49E+01	4.39E+01	5.52E+01
2.25E+01	0.00E+00	5.50E+01	1.66E+01	1.47E+01	2.72E+01	3.47E+01	4.37E+01	5.50E+01
2.38E+01	0.00E+00	5.48E+01	1.65E+01	1.45E+01	2.71E+01	3.44E+01	4.35E+01	5.47E+01
2.52E+01	0.00E+00	5.45E+01	1.63E+01	1.44E+01	2.70E+01	3.42E+01	4.33E+01	5.44E+01
2.67E+01	0.00E+00	5.42E+01	1.61E+01	1.43E+01	2.68E+01	3.41E+01	4.30E+01	5.41E+01
2.82E+01	0.00E+00	5.39E+01	1.59E+01	1.42E+01	2.67E+01	3.39E+01	4.28E+01	5.38E+01
2.99E+01	0.00E+00	5.36E+01	1.58E+01	1.41E+01	2.65E+01	3.38E+01	4.25E+01	5.35E+01
3.00E+01	0.00E+00	5.36E+01	1.57E+01	1.40E+01	2.65E+01	3.37E+01	4.25E+01	5.35E+01
3.16E+01	0.00E+00	5.33E+01	1.55E+01	1.39E+01	2.63E+01	3.36E+01	4.23E+01	5.32E+01
3.35E+01	0.00E+00	5.29E+01	1.53E+01	1.38E+01	2.62E+01	3.34E+01	4.20E+01	5.28E+01
3.54E+01	0.00E+00	5.25E+01	1.51E+01	1.36E+01	2.59E+01	3.32E+01	4.17E+01	5.24E+01
3.75E+01	0.00E+00	5.21E+01	1.48E+01	1.34E+01	2.56E+01	3.30E+01	4.14E+01	5.20E+01
3.97E+01	0.00E+00	5.17E+01	1.46E+01	1.32E+01	2.53E+01	3.28E+01	4.10E+01	5.16E+01
4.20E+01	0.00E+00	5.12E+01	1.43E+01	1.30E+01	2.49E+01	3.26E+01	4.07E+01	5.11E+01
4.44E+01	0.00E+00	5.08E+01	1.40E+01	1.27E+01	2.45E+01	3.23E+01	4.03E+01	5.07E+01
4.70E+01	0.00E+00	5.03E+01	1.37E+01	1.25E+01	2.42E+01	3.21E+01	3.99E+01	5.02E+01
4.97E+01	0.00E+00	4.97E+01	1.33E+01	1.22E+01	2.40E+01	3.18E+01	3.95E+01	4.96E+01
5.26E+01	0.00E+00	4.92E+01	1.30E+01	1.19E+01	2.39E+01	3.15E+01	3.90E+01	4.91E+01
5.57E+01	0.00E+00	4.86E+01	1.26E+01	1.16E+01	2.34E+01	3.12E+01	3.85E+01	4.85E+01
5.90E+01	0.00E+00	4.79E+01	1.22E+01	1.12E+01	2.32E+01	3.09E+01	3.80E+01	4.78E+01
6.24E+01	0.00E+00	4.72E+01	1.18E+01	1.08E+01	2.31E+01	3.06E+01	3.74E+01	4.72E+01
6.60E+01	0.00E+00	4.65E+01	1.14E+01	1.04E+01	2.26E+01	3.02E+01	3.68E+01	4.64E+01
6.99E+01	0.00E+00	4.58E+01	1.09E+01	9.83E+00	2.24E+01	2.98E+01	3.61E+01	4.57E+01
7.39E+01	0.00E+00	4.50E+01	1.05E+01	9.30E+00	2.21E+01	2.92E+01	3.55E+01	4.49E+01
7.82E+01	0.00E+00	4.41E+01	9.97E+00	8.71E+00	2.16E+01	2.85E+01	3.47E+01	4.41E+01
8.28E+01	0.00E+00	4.32E+01	9.48E+00	8.22E+00	2.13E+01	2.78E+01	3.39E+01	4.32E+01
8.76E+01	0.00E+00	4.23E+01	8.97E+00	7.54E+00	2.11E+01	2.70E+01	3.31E+01	4.22E+01
9.27E+01	0.00E+00	4.13E+01	8.45E+00	6.66E+00	2.08E+01	2.61E+01	3.22E+01	4.12E+01
9.81E+01	0.00E+00	4.02E+01	7.91E+00	5.66E+00	2.04E+01	2.51E+01	3.12E+01	4.02E+01
1.00E+02	0.00E+00	3.98E+01	7.72E+00	5.29E+00	2.03E+01	2.48E+01	3.09E+01	3.98E+01
1.04E+02	0.00E+00	3.91E+01	7.35E+00	4.48E+00	1.99E+01	2.41E+01	3.02E+01	3.90E+01
1.10E+02	0.00E+00	3.79E+01	6.78E+00	2.85E+00	1.95E+01	2.29E+01	2.94E+01	3.78E+01
1.16E+02	0.00E+00	3.66E+01	6.20E+00	3.38E-01	1.90E+01	2.17E+01	2.87E+01	3.65E+01
1.23E+02	0.00E+00	3.52E+01	5.63E+00	1.64E-07	1.85E+01	2.04E+01	2.79E+01	3.52E+01
1.30E+02	0.00E+00	3.37E+01	5.05E+00	0.00E+00	1.79E+01	1.94E+01	2.70E+01	3.37E+01
1.38E+02	0.00E+00	3.22E+01	4.48E+00	0.00E+00	1.70E+01	1.86E+01	2.61E+01	3.21E+01
1.46E+02	0.00E+00	3.05E+01	3.94E+00	0.00E+00	1.47E+01	1.77E+01	2.51E+01	3.05E+01
1.54E+02	0.00E+00	2.86E+01	3.41E+00	0.00E+00	1.34E+01	1.68E+01	2.40E+01	2.86E+01
1.63E+02	0.00E+00	2.73E+01	2.90E+00	0.00E+00	1.13E+01	1.59E+01	2.24E+01	2.73E+01
1.73E+02	0.00E+00	2.61E+01	2.41E+00	0.00E+00	9.90E+00	1.51E+01	2.06E+01	2.61E+01
1.83E+02	0.00E+00	2.48E+01	1.93E+00	0.00E+00	8.46E+00	1.42E+01	1.86E+01	2.48E+01
1.94E+02	0.00E+00	2.33E+01	1.53E+00	0.00E+00	6.72E+00	1.31E+01	1.65E+01	2.33E+01
2.05E+02	0.00E+00	2.17E+01	1.17E+00	0.00E+00	3.87E+00	1.13E+01	1.44E+01	2.16E+01

Repetition	Peak of the mean dose (averaged over observations) at graphical times	
	Time of peak mean dose Years	Peak mean dose mrem/yr
1	0.000E+00	1.907E+01
2	0.000E+00	1.886E+01
3	0.000E+00	1.912E+01

Coefficients for peak of mean dose time Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 1 1 1 1

Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	2	-0.76	2	-0.55	2	-0.80	2	-0.44
Thickness of Unsaturated zone 1	21	-0.05	22	-0.02	12	0.08	14	0.03
Runoff coefficient	19	0.05	21	0.02	22	0.00	23	0.00
Wind Speed	11	-0.09	19	-0.04	17	0.01	22	0.00
Well pump intake depth	4	0.20	12	0.10	10	0.11	12	0.04
Inhalation rate	7	0.16	14	0.08	6	0.24	8	0.08
Soil ingestion	6	0.17	13	0.08	8	0.22	9	0.07
Thickness of Unsaturated zone 2	23	0.04	23	0.02	14	-0.04	17	-0.01
Kd of U-234 in Contaminated Zone	16	0.08	7	0.18	15	0.03	11	0.05
Kd of U-234 in Unsaturated Zone 1	9	0.14	3	0.39	5	0.25	3	0.42
Kd of U-234 in Unsaturated Zone 2	15	0.08	9	0.13	19	-0.01	16	-0.01
Kd of U-234 in Saturated Zone	12	0.09	10	0.12	23	0.00	21	0.00
Kd of U-235 in Contaminated Zone	17	-0.08	11	-0.11	21	-0.01	20	-0.01
Kd of U-235 in Unsaturated Zone 1	8	-0.15	5	-0.28	9	-0.21	4	-0.25
Kd of U-235 in Unsaturated Zone 2	13	-0.08	15	-0.08	16	0.02	15	0.02
Kd of U-235 in Saturated Zone	24	-0.01	24	-0.01	24	0.00	24	0.00
Kd of U-238 in Contaminated Zone	14	-0.08	8	-0.14	20	0.01	19	0.01
Kd of U-238 in Unsaturated Zone 1	5	-0.17	4	-0.32	7	-0.23	5	-0.25
Kd of U-238 in Unsaturated Zone 2	22	-0.05	17	-0.06	18	-0.01	18	-0.01
Kd of U-238 in Saturated Zone	20	-0.05	18	-0.06	13	0.06	10	0.06
Thickness of contaminated zone	1	0.82	1	0.66	1	0.93	1	0.79
Depth of soil mixing layer	18	-0.06	20	-0.03	4	-0.32	7	-0.11
Mass loading for inhalation	10	0.13	16	0.06	11	0.09	13	0.03
Outdoor time fraction	3	0.42	6	0.22	3	0.59	6	0.22
R-SQUARE		0.80		0.80		0.91		0.91

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak of mean dose time Dose				
Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	2	2	2	2
Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	2 -0.73	2 -0.51	2 -0.83	2 -0.44
Thickness of Unsaturated zone 1	16 -0.05	19 -0.02	12 -0.09	19 -0.03
Runoff coefficient	22 0.02	22 0.01	24 0.01	24 0.00
Wind Speed	23 0.02	23 0.01	15 -0.08	21 -0.02
Well pump intake depth	7 -0.18	12 -0.08	5 -0.25	13 -0.07
Inhalation rate	9 -0.13	15 -0.06	8 -0.13	18 -0.04
Soil ingestion	20 -0.04	21 -0.02	21 0.04	22 0.01
Thickness of Unsaturated zone 2	10 0.10	17 0.04	22 0.03	23 0.01
Kd of U-234 in Contaminated Zone	6 -0.20	3 -0.40	18 0.06	11 0.11
Kd of U-234 in Unsaturated Zone 1	18 -0.05	8 -0.12	17 -0.06	12 -0.10
Kd of U-234 in Unsaturated Zone 2	15 -0.06	13 -0.07	14 0.09	8 0.14
Kd of U-234 in Saturated Zone	21 0.02	20 0.02	7 0.15	3 0.25
Kd of U-235 in Contaminated Zone	5 0.20	4 0.27	23 -0.03	17 -0.04
Kd of U-235 in Unsaturated Zone 1	12 0.09	6 0.16	16 0.07	14 0.07
Kd of U-235 in Unsaturated Zone 2	14 -0.06	16 -0.05	11 -0.11	9 -0.12
Kd of U-235 in Saturated Zone	11 -0.09	14 -0.06	6 -0.18	5 -0.21
Kd of U-238 in Contaminated Zone	8 0.16	5 0.23	9 -0.12	6 -0.15
Kd of U-238 in Unsaturated Zone 1	17 0.05	11 0.08	19 0.05	15 0.05
Kd of U-238 in Unsaturated Zone 2	13 0.09	10 0.09	20 -0.04	16 -0.05
Kd of U-238 in Saturated Zone	19 0.04	18 0.03	10 -0.12	7 -0.14
Thickness of contaminated zone	1 0.83	1 0.70	1 0.94	1 0.83
Depth of soil mixing layer	4 -0.23	9 -0.10	4 -0.37	10 -0.11
Mass loading for inhalation	24 0.02	24 0.01	13 0.09	20 0.03
Outdoor time fraction	3 0.32	7 0.15	3 0.64	4 0.24
R-SQUARE	0.82	0.82	0.92	0.92

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak of mean dose time Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	2 -0.71	2 -0.45	2 -0.82	2 -0.41
Thickness of Unsaturated zone 1	20 -0.04	22 -0.02	22 0.01	22 0.00
Runoff coefficient	18 0.04	20 0.02	19 0.02	21 0.01
Wind Speed	9 0.12	10 0.06	23 0.00	23 0.00
Well pump intake depth	14 -0.06	18 -0.03	15 -0.06	19 -0.02
Inhalation rate	23 0.00	24 0.00	12 0.13	16 0.04
Soil ingestion	17 0.05	19 0.02	13 0.07	17 0.02
Thickness of Unsaturated zone 2	11 -0.10	14 -0.05	11 -0.18	14 -0.05
Kd of U-234 in Contaminated Zone	7 -0.17	3 -0.34	7 0.22	3 0.40
Kd of U-234 in Unsaturated Zone 1	22 -0.02	15 -0.04	17 0.05	12 0.08
Kd of U-234 in Unsaturated Zone 2	5 -0.21	6 -0.14	9 0.20	4 0.33
Kd of U-234 in Saturated Zone	15 0.06	16 0.04	16 -0.06	11 -0.10
Kd of U-235 in Contaminated Zone	8 0.16	4 0.22	8 -0.22	7 -0.26
Kd of U-235 in Unsaturated Zone 1	24 0.00	23 -0.01	18 -0.04	15 -0.05
Kd of U-235 in Unsaturated Zone 2	4 0.26	8 0.14	10 -0.19	9 -0.21
Kd of U-235 in Saturated Zone	13 -0.09	13 -0.05	14 0.07	13 0.07
Kd of U-238 in Contaminated Zone	10 0.11	7 0.14	5 -0.24	5 -0.29
Kd of U-238 in Unsaturated Zone 1	21 0.03	12 0.05	20 -0.02	18 -0.02
Kd of U-238 in Unsaturated Zone 2	16 0.05	17 0.04	6 -0.23	6 -0.27
Kd of U-238 in Saturated Zone	12 -0.09	11 -0.06	21 0.01	20 0.01
Thickness of contaminated zone	1 0.83	1 0.69	1 0.95	1 0.82
Depth of soil mixing layer	6 -0.18	9 -0.09	4 -0.40	10 -0.13
Mass loading for inhalation	19 0.04	21 0.02	24 0.00	24 0.00
Outdoor time fraction	3 0.38	5 0.19	3 0.66	8 0.25
R-SQUARE	0.80	0.80	0.92	0.92

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak All Pathways Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	2	-0.76	2	-0.55	2	-0.80	2	-0.44
Thickness of Unsaturated zone 1	21	-0.05	22	-0.02	12	0.08	14	0.03
Runoff coefficient	19	0.05	21	0.02	21	-0.01	23	0.00
Wind Speed	11	-0.09	19	-0.04	17	0.01	22	0.00
Well pump intake depth	4	0.20	12	0.10	10	0.11	12	0.04
Inhalation rate	7	0.16	15	0.08	6	0.24	8	0.08
Soil ingestion	6	0.17	13	0.08	8	0.22	9	0.07
Thickness of Unsaturated zone 2	23	0.04	23	0.02	14	-0.04	17	-0.01
Kd of U-234 in Contaminated Zone	16	0.08	7	0.18	15	0.03	11	0.05
Kd of U-234 in Unsaturated Zone 1	9	0.14	3	0.39	5	0.25	3	0.42
Kd of U-234 in Unsaturated Zone 2	15	0.08	9	0.13	19	-0.01	16	-0.01
Kd of U-234 in Saturated Zone	12	0.09	10	0.12	23	0.00	20	-0.01
Kd of U-235 in Contaminated Zone	17	-0.08	11	-0.11	20	-0.01	19	-0.01
Kd of U-235 in Unsaturated Zone 1	8	-0.15	5	-0.28	9	-0.21	5	-0.25
Kd of U-235 in Unsaturated Zone 2	13	-0.08	14	-0.08	16	0.02	15	0.02
Kd of U-235 in Saturated Zone	24	-0.01	24	-0.01	24	0.00	24	0.00
Kd of U-238 in Contaminated Zone	14	-0.08	8	-0.14	22	0.00	21	0.01
Kd of U-238 in Unsaturated Zone 1	5	-0.17	4	-0.32	7	-0.23	4	-0.25
Kd of U-238 in Unsaturated Zone 2	22	-0.05	17	-0.06	18	-0.01	18	-0.01
Kd of U-238 in Saturated Zone	20	-0.05	18	-0.06	13	0.06	10	0.06
Thickness of contaminated zone	1	0.82	1	0.66	1	0.93	1	0.79
Depth of soil mixing layer	18	-0.06	20	-0.03	4	-0.32	7	-0.11
Mass loading for inhalation	10	0.13	16	0.06	11	0.09	13	0.03
Outdoor time fraction	3	0.42	6	0.22	3	0.59	6	0.22
R-SQUARE		0.80		0.80		0.91		0.91

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak All Pathways Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	2	-0.73	2	-0.51	2	-0.83	2	-0.44
Thickness of Unsaturated zone 1	16	-0.05	19	-0.02	12	-0.10	19	-0.03
Runoff coefficient	22	0.02	22	0.01	24	0.01	24	0.00
Wind Speed	23	0.02	23	0.01	15	-0.08	21	-0.02
Well pump intake depth	7	-0.18	12	-0.08	5	-0.25	13	-0.07
Inhalation rate	9	-0.13	15	-0.06	9	-0.13	18	-0.04
Soil ingestion	20	-0.04	21	-0.02	21	0.04	22	0.01
Thickness of Unsaturated zone 2	10	0.10	17	0.04	23	0.03	23	0.01
Kd of U-234 in Contaminated Zone	6	-0.20	3	-0.40	18	0.06	10	0.11
Kd of U-234 in Unsaturated Zone 1	18	-0.05	8	-0.12	17	-0.06	12	-0.10
Kd of U-234 in Unsaturated Zone 2	15	-0.06	13	-0.07	14	0.08	8	0.14
Kd of U-234 in Saturated Zone	21	0.02	20	0.02	7	0.15	3	0.25
Kd of U-235 in Contaminated Zone	5	0.20	4	0.27	22	-0.03	17	-0.04
Kd of U-235 in Unsaturated Zone 1	12	0.09	6	0.16	16	0.07	14	0.07
Kd of U-235 in Unsaturated Zone 2	14	-0.06	16	-0.05	11	-0.11	9	-0.12
Kd of U-235 in Saturated Zone	11	-0.09	14	-0.06	6	-0.18	5	-0.21
Kd of U-238 in Contaminated Zone	8	0.16	5	0.23	8	-0.13	6	-0.15
Kd of U-238 in Unsaturated Zone 1	17	0.05	11	0.08	19	0.05	15	0.05
Kd of U-238 in Unsaturated Zone 2	13	0.09	10	0.09	20	-0.04	16	-0.05
Kd of U-238 in Saturated Zone	19	0.04	18	0.03	10	-0.12	7	-0.14
Thickness of contaminated zone	1	0.83	1	0.70	1	0.94	1	0.83
Depth of soil mixing layer	4	-0.23	9	-0.10	4	-0.37	11	-0.11
Mass loading for inhalation	24	0.02	24	0.01	13	0.09	20	0.03
Outdoor time fraction	3	0.32	7	0.15	3	0.64	4	0.24
R-SQUARE		0.82		0.82		0.92		0.92

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak All Pathways Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC 3		SRC 3		PRCC 3		SRRC 3	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	2	-0.71	2	-0.45	2	-0.82	2	-0.41
Thickness of Unsaturated zone 1	20	-0.04	22	-0.02	22	0.01	22	0.00
Runoff coefficient	18	0.04	20	0.02	19	0.02	21	0.01
Wind Speed	9	0.12	10	0.06	23	0.00	23	0.00
Well pump intake depth	14	-0.06	18	-0.03	15	-0.06	19	-0.02
Inhalation rate	23	0.00	24	0.00	12	0.13	16	0.04
Soil ingestion	17	0.05	19	0.02	13	0.07	17	0.02
Thickness of Unsaturated zone 2	11	-0.10	14	-0.05	11	-0.18	14	-0.05
Kd of U-234 in Contaminated Zone	7	-0.17	3	-0.34	7	0.22	3	0.40
Kd of U-234 in Unsaturated Zone 1	22	-0.02	15	-0.04	17	0.05	12	0.08
Kd of U-234 in Unsaturated Zone 2	5	-0.21	6	-0.14	9	0.20	4	0.33
Kd of U-234 in Saturated Zone	15	0.06	16	0.04	16	-0.06	11	-0.10
Kd of U-235 in Contaminated Zone	8	0.16	4	0.22	8	-0.22	7	-0.26
Kd of U-235 in Unsaturated Zone 1	24	0.00	23	0.00	18	-0.04	15	-0.05
Kd of U-235 in Unsaturated Zone 2	4	0.26	8	0.14	10	-0.19	9	-0.21
Kd of U-235 in Saturated Zone	13	-0.09	13	-0.05	14	0.07	13	0.07
Kd of U-238 in Contaminated Zone	10	0.11	7	0.14	5	-0.24	5	-0.29
Kd of U-238 in Unsaturated Zone 1	21	0.03	12	0.05	20	-0.02	18	-0.02
Kd of U-238 in Unsaturated Zone 2	16	0.05	17	0.04	6	-0.23	6	-0.27
Kd of U-238 in Saturated Zone	12	-0.09	11	-0.06	21	0.01	20	0.01
Thickness of contaminated zone	1	0.83	1	0.69	1	0.95	1	0.82
Depth of soil mixing layer	6	-0.18	9	-0.09	4	-0.40	10	-0.13
Mass loading for inhalation	19	0.04	21	0.02	24	0.00	24	0.00
Outdoor time fraction	3	0.38	5	0.19	3	0.66	8	0.25
R-SQUARE		0.80		0.80		0.92		0.92

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak External Ground Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	1	1	1	1	1	1	1	1
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	9	-0.07	15	-0.03	22	0.02	22	0.01
Thickness of Unsaturated zone 1	21	-0.02	23	-0.01	19	0.02	20	0.01
Runoff coefficient	17	0.03	21	0.01	18	-0.03	19	-0.01
Wind Speed	11	0.06	16	0.03	23	0.01	23	0.00
Well pump intake depth	5	0.12	10	0.05	4	0.18	10	0.06
Inhalation rate	19	0.02	22	0.01	20	0.02	21	0.01
Soil ingestion	13	0.04	18	0.02	10	0.06	16	0.02
Thickness of Unsaturated zone 2	4	0.12	9	0.06	14	0.05	18	0.02
Kd of U-234 in Contaminated Zone	12	-0.05	5	-0.10	5	-0.18	3	-0.32
Kd of U-234 in Unsaturated Zone 1	22	-0.01	13	-0.04	7	0.11	6	0.20
Kd of U-234 in Unsaturated Zone 2	23	-0.01	17	-0.02	21	-0.02	15	-0.03
Kd of U-234 in Saturated Zone	7	-0.09	4	-0.12	11	0.06	8	0.10
Kd of U-235 in Contaminated Zone	8	0.07	7	0.09	3	0.19	4	0.24
Kd of U-235 in Unsaturated Zone 1	18	0.02	11	0.04	8	-0.10	7	-0.13
Kd of U-235 in Unsaturated Zone 2	24	0.00	24	0.00	13	0.06	11	0.06
Kd of U-235 in Saturated Zone	6	0.10	8	0.08	17	-0.03	14	-0.04
Kd of U-238 in Contaminated Zone	10	0.06	6	0.10	6	0.17	5	0.20
Kd of U-238 in Unsaturated Zone 1	20	0.02	12	0.04	9	-0.07	9	-0.08
Kd of U-238 in Unsaturated Zone 2	14	0.03	14	0.03	16	0.04	13	0.04
Kd of U-238 in Saturated Zone	3	0.17	3	0.19	15	-0.04	12	-0.05
Thickness of contaminated zone	1	0.86	1	0.71	1	0.92	1	0.76
Depth of soil mixing layer	16	0.03	20	0.01	24	-0.01	24	0.00
Mass loading for inhalation	15	0.03	19	0.01	12	-0.06	17	-0.02
Outdoor time fraction	2	0.78	2	0.55	2	0.86	2	0.56
R-SQUARE		0.82		0.82		0.90		0.90

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak External Ground Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig Coeff		Sig Coeff		Sig Coeff		Sig Coeff	
Depth of roots	16	0.06	18	0.03	22	0.03	22	0.01
Thickness of Unsaturated zone 1	17	0.06	19	0.02	21	0.03	23	0.01
Runoff coefficient	19	0.05	20	0.02	23	-0.02	24	-0.01
Wind Speed	24	-0.01	24	0.00	8	-0.14	15	-0.04
Well pump intake depth	7	-0.18	16	-0.07	6	-0.16	14	-0.05
Inhalation rate	12	0.12	17	0.05	19	-0.04	19	-0.01
Soil ingestion	6	-0.18	15	-0.07	9	-0.11	16	-0.04
Thickness of Unsaturated zone 2	23	0.01	23	0.00	20	-0.04	20	-0.01
Kd of U-234 in Contaminated Zone	10	-0.16	3	-0.27	10	-0.11	6	-0.20
Kd of U-234 in Unsaturated Zone 1	21	-0.03	14	-0.07	12	0.08	8	0.13
Kd of U-234 in Unsaturated Zone 2	5	-0.22	4	-0.25	24	-0.01	21	-0.01
Kd of U-234 in Saturated Zone	11	0.13	10	0.11	4	0.21	3	0.36
Kd of U-235 in Contaminated Zone	9	0.18	6	0.20	7	0.15	7	0.19
Kd of U-235 in Unsaturated Zone 1	18	0.05	13	0.07	14	-0.07	10	-0.07
Kd of U-235 in Unsaturated Zone 2	13	0.12	12	0.08	17	-0.06	12	-0.06
Kd of U-235 in Saturated Zone	3	-0.28	7	-0.17	3	-0.25	4	-0.29
Kd of U-238 in Contaminated Zone	14	0.11	8	0.13	18	0.05	13	0.06
Kd of U-238 in Unsaturated Zone 1	15	0.06	11	0.09	13	-0.07	9	-0.08
Kd of U-238 in Unsaturated Zone 2	4	0.27	5	0.24	15	0.06	11	0.07
Kd of U-238 in Saturated Zone	8	-0.18	9	-0.13	5	-0.17	5	-0.20
Thickness of contaminated zone	1	0.88	1	0.73	1	0.93	1	0.75
Depth of soil mixing layer	22	-0.03	22	-0.01	16	-0.06	18	-0.02
Mass loading for inhalation	20	0.04	21	0.02	11	-0.10	17	-0.03
Outdoor time fraction	2	0.81	2	0.53	2	0.90	2	0.62
R-SQUARE	0.87		0.87		0.92		0.92	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak External Ground Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	Sig Coeff		Sig Coeff		Sig Coeff		Sig Coeff	
Depth of roots	8	0.13	15	0.05	20	0.03	23	0.01
Thickness of Unsaturated zone 1	13	0.11	18	0.04	15	0.06	19	0.02
Runoff coefficient	23	-0.02	23	-0.01	11	0.09	16	0.02
Wind Speed	18	0.06	20	0.02	8	0.16	12	0.04
Well pump intake depth	12	-0.11	17	-0.04	12	-0.09	17	-0.02
Inhalation rate	19	0.05	21	0.02	17	0.06	21	0.01
Soil ingestion	24	-0.01	24	0.00	16	-0.06	20	-0.02
Thickness of Unsaturated zone 2	3	-0.24	6	-0.09	7	-0.25	11	-0.07
Kd of U-234 in Contaminated Zone	5	-0.18	3	-0.27	23	0.02	15	0.03
Kd of U-234 in Unsaturated Zone 1	16	0.07	4	0.15	4	0.29	3	0.45
Kd of U-234 in Unsaturated Zone 2	6	-0.17	7	-0.09	13	0.08	7	0.13
Kd of U-234 in Saturated Zone	15	-0.09	16	-0.05	21	-0.02	14	-0.03
Kd of U-235 in Contaminated Zone	11	0.11	5	0.13	22	-0.02	18	-0.02
Kd of U-235 in Unsaturated Zone 1	21	-0.04	14	-0.05	6	-0.28	4	-0.29
Kd of U-235 in Unsaturated Zone 2	9	0.13	13	0.05	14	-0.08	10	-0.08
Kd of U-235 in Saturated Zone	7	0.17	9	0.07	19	0.04	13	0.04
Kd of U-238 in Contaminated Zone	14	0.09	8	0.09	10	-0.09	8	-0.11
Kd of U-238 in Unsaturated Zone 1	20	-0.04	12	-0.06	5	-0.28	5	-0.27
Kd of U-238 in Unsaturated Zone 2	22	0.03	22	0.02	9	-0.13	6	-0.13
Kd of U-238 in Saturated Zone	10	0.12	11	0.06	24	-0.01	24	-0.01
Thickness of contaminated zone	1	0.90	1	0.72	1	0.94	1	0.73
Depth of soil mixing layer	17	0.07	19	0.02	18	-0.05	22	-0.01
Mass loading for inhalation	4	-0.19	10	-0.07	3	-0.31	9	-0.09
Outdoor time fraction	2	0.84	2	0.57	2	0.91	2	0.60
R-SQUARE	0.88		0.88		0.93		0.93	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Inhalation particles Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	8	-0.12	14	-0.06	23	0.00	23	0.00
Thickness of Unsaturated zone 1	24	0.00	24	0.00	24	0.00	24	0.00
Runoff coefficient	19	-0.03	23	-0.01	19	-0.03	21	-0.01
Wind Speed	5	-0.28	7	-0.14	5	-0.37	12	-0.13
Well pump intake depth	17	0.04	22	0.02	13	-0.12	17	-0.04
Inhalation rate	4	0.42	4	0.21	4	0.64	6	0.28
Soil ingestion	7	-0.13	12	-0.06	22	-0.01	22	0.00
Thickness of Unsaturated zone 2	14	0.05	21	0.02	17	0.06	19	0.02
Kd of U-234 in Contaminated Zone	23	0.02	17	0.05	9	-0.17	5	-0.31
Kd of U-234 in Unsaturated Zone 1	11	0.08	5	0.21	21	-0.01	20	-0.02
Kd of U-234 in Unsaturated Zone 2	13	0.06	10	0.09	14	0.10	11	0.16
Kd of U-234 in Saturated Zone	18	0.04	16	0.05	8	-0.18	4	-0.33
Kd of U-235 in Contaminated Zone	22	-0.03	19	-0.04	11	0.17	8	0.21
Kd of U-235 in Unsaturated Zone 1	10	-0.08	6	-0.15	18	0.03	16	0.04
Kd of U-235 in Unsaturated Zone 2	9	-0.09	11	-0.08	16	-0.08	15	-0.08
Kd of U-235 in Saturated Zone	12	-0.07	13	-0.06	12	0.15	9	0.20
Kd of U-238 in Contaminated Zone	20	-0.03	18	-0.04	10	0.17	10	0.20
Kd of U-238 in Unsaturated Zone 1	15	-0.05	9	-0.09	20	-0.02	18	-0.02
Kd of U-238 in Unsaturated Zone 2	16	-0.04	15	-0.05	15	-0.08	14	-0.09
Kd of U-238 in Saturated Zone	21	-0.03	20	-0.03	7	0.18	7	0.22
Thickness of contaminated zone	3	0.72	3	0.47	2	0.86	2	0.56
Depth of soil mixing layer	1	-0.74	1	-0.51	1	-0.87	1	-0.58
Mass loading for inhalation	2	0.73	2	0.49	3	0.81	3	0.46
Outdoor time fraction	6	0.22	8	0.11	6	0.32	13	0.11
R-SQUARE	0.80		0.80		0.90		0.90	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Inhalation particles Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	15 -0.08	16 -0.03	22 -0.01	23 0.00
Thickness of Unsaturated zone 1	13 0.09	15 0.03	21 0.01	21 0.00
Runoff coefficient	18 -0.02	20 -0.01	11 0.10	17 0.04
Wind Speed	7 -0.19	13 -0.07	6 -0.29	11 -0.11
Well pump intake depth	19 -0.02	22 -0.01	14 0.09	19 0.03
Inhalation rate	4 0.58	4 0.28	4 0.66	4 0.30
Soil ingestion	20 -0.02	23 -0.01	23 0.00	24 0.00
Thickness of Unsaturated zone 2	14 -0.09	14 -0.03	7 -0.16	16 -0.06
Kd of U-234 in Contaminated Zone	12 -0.10	6 -0.17	18 -0.05	12 -0.10
Kd of U-234 in Unsaturated Zone 1	23 0.01	17 0.03	8 -0.12	5 -0.24
Kd of U-234 in Unsaturated Zone 2	6 -0.19	5 -0.22	13 0.09	6 0.17
Kd of U-234 in Saturated Zone	17 0.03	18 0.03	20 0.02	18 0.03
Kd of U-235 in Contaminated Zone	11 0.13	8 0.15	17 0.05	15 0.07
Kd of U-235 in Unsaturated Zone 1	21 -0.02	19 -0.03	10 0.10	8 0.13
Kd of U-235 in Unsaturated Zone 2	9 0.16	9 0.12	15 -0.06	13 -0.09
Kd of U-235 in Saturated Zone	22 -0.02	21 -0.01	16 -0.06	14 -0.07
Kd of U-238 in Contaminated Zone	16 0.06	12 0.08	24 0.00	22 0.00
Kd of U-238 in Unsaturated Zone 1	24 0.00	24 0.00	12 0.10	9 0.13
Kd of U-238 in Unsaturated Zone 2	8 0.19	7 0.17	9 -0.11	7 -0.14
Kd of U-238 in Saturated Zone	10 -0.14	10 -0.10	19 0.02	20 0.02
Thickness of contaminated zone	1 0.81	1 0.56	1 0.86	1 0.59
Depth of soil mixing layer	2 -0.81	2 -0.52	2 -0.82	2 -0.48
Mass loading for inhalation	3 0.77	3 0.48	3 0.79	3 0.44
Outdoor time fraction	5 0.24	11 0.10	5 0.31	10 0.11
R-SQUARE	0.86	0.86	0.89	0.89

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Inhalation particles Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	16 0.08	18 0.03	24 -0.08	24 -0.02
Thickness of Unsaturated zone 1	7 0.16	13 0.06	8 0.21	20 0.06
Runoff coefficient	23 -0.01	24 0.00	12 -0.16	21 -0.05
Wind Speed	6 -0.32	7 -0.13	6 -0.35	17 -0.11
Well pump intake depth	15 -0.08	17 -0.03	19 0.10	23 0.03
Inhalation rate	4 0.53	4 0.24	4 0.58	8 0.21
Soil ingestion	17 -0.07	19 -0.03	18 -0.10	22 -0.03
Thickness of Unsaturated zone 2	9 0.12	15 0.05	7 -0.27	19 -0.08
Kd of U-234 in Contaminated Zone	22 0.02	20 0.03	14 0.13	5 0.24
Kd of U-234 in Unsaturated Zone 1	19 -0.06	6 -0.13	23 -0.09	12 -0.14
Kd of U-234 in Unsaturated Zone 2	10 0.11	12 0.06	16 0.12	6 0.21
Kd of U-234 in Saturated Zone	24 -0.01	23 0.00	11 0.16	4 0.29
Kd of U-235 in Contaminated Zone	21 -0.02	21 -0.02	21 -0.10	15 -0.12
Kd of U-235 in Unsaturated Zone 1	18 0.06	10 0.10	15 0.12	13 0.14
Kd of U-235 in Unsaturated Zone 2	13 0.09	16 0.04	20 -0.10	16 -0.11
Kd of U-235 in Saturated Zone	20 -0.04	22 -0.02	10 -0.17	9 -0.20
Kd of U-238 in Contaminated Zone	11 -0.10	9 -0.10	13 -0.13	10 -0.17
Kd of U-238 in Unsaturated Zone 1	14 0.08	8 0.13	22 0.10	18 0.10
Kd of U-238 in Unsaturated Zone 2	12 -0.09	14 -0.05	17 -0.12	11 -0.14
Kd of U-238 in Saturated Zone	8 -0.15	11 -0.08	9 -0.18	7 -0.21
Thickness of contaminated zone	1 0.82	1 0.55	1 0.91	1 0.63
Depth of soil mixing layer	3 -0.74	3 -0.42	2 -0.88	2 -0.54
Mass loading for inhalation	2 0.76	2 0.44	3 0.77	3 0.36
Outdoor time fraction	5 0.52	5 0.23	5 0.42	14 0.14
R-SQUARE	0.86	0.86	0.92	0.92

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterInd.) Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	1		1		1		1	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE	0.00		0.00		0.00		0.00	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterInd.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterInd.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterInd.) Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	1	-0.78	1	-0.69	2	-0.94	2	-0.67
Thickness of Unsaturated zone 1	21	-0.05	23	-0.03	19	0.04	20	0.01
Runoff coefficient	18	0.06	19	0.03	20	0.03	21	0.01
Wind Speed	14	-0.10	16	-0.06	3	0.15	11	0.03
Well pump intake depth	4	0.18	12	0.10	15	0.07	17	0.02
Inhalation rate	7	0.14	14	0.08	10	0.09	14	0.02
Soil ingestion	13	0.10	17	0.06	11	0.08	15	0.02
Thickness of Unsaturated zone 2	24	0.00	24	0.00	9	-0.11	13	-0.03
Kd of U-234 in Contaminated Zone	11	0.10	6	0.28	13	0.07	8	0.09
Kd of U-234 in Unsaturated Zone 1	6	0.15	2	0.50	4	0.15	3	0.18
Kd of U-234 in Unsaturated Zone 2	16	0.08	10	0.15	24	0.00	23	0.00
Kd of U-234 in Saturated Zone	9	0.11	9	0.18	12	0.07	7	0.09
Kd of U-235 in Contaminated Zone	10	-0.11	8	-0.18	18	-0.04	10	-0.04
Kd of U-235 in Unsaturated Zone 1	5	-0.17	5	-0.36	8	-0.12	6	-0.10
Kd of U-235 in Unsaturated Zone 2	17	-0.08	13	-0.08	23	0.00	24	0.00
Kd of U-235 in Saturated Zone	23	-0.03	20	-0.03	7	-0.12	5	-0.11
Kd of U-238 in Contaminated Zone	8	-0.11	7	-0.23	17	-0.05	9	-0.04
Kd of U-238 in Unsaturated Zone 1	3	-0.18	4	-0.42	5	-0.14	4	-0.11
Kd of U-238 in Unsaturated Zone 2	20	-0.05	15	-0.07	22	0.01	22	0.01
Kd of U-238 in Saturated Zone	12	-0.10	11	-0.14	21	-0.02	19	-0.01
Thickness of contaminated zone	2	0.65	3	0.47	1	0.95	1	0.68
Depth of soil mixing layer	15	0.08	18	0.05	14	-0.07	16	-0.02
Mass loading for inhalation	19	0.05	21	0.03	16	-0.07	18	-0.02
Outdoor time fraction	22	0.05	22	0.03	6	-0.13	12	-0.03
R-SQUARE		0.71		0.71		0.95		0.95

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterInd.) Dose
 Coefficient =
 Repetition =

	PCC 2	SRC 2	PRCC 2	SRRC 2
Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	1 -0.76	1 -0.68	2 -0.94	1 -0.70
Thickness of Unsaturated zone 1	14 -0.07	17 -0.04	24 0.00	24 0.00
Runoff coefficient	23 0.01	23 0.00	8 0.14	16 0.03
Wind Speed	18 0.04	20 0.02	12 0.10	17 0.02
Well pump intake depth	7 -0.13	11 -0.07	6 -0.15	14 -0.04
Inhalation rate	3 -0.23	7 -0.13	18 -0.06	22 -0.01
Soil ingestion	15 -0.07	18 -0.04	13 0.09	18 0.02
Thickness of Unsaturated zone 2	9 0.12	13 0.06	17 0.07	21 0.02
Kd of U-234 in Contaminated Zone	4 -0.17	3 -0.39	22 0.03	13 0.04
Kd of U-234 in Unsaturated Zone 1	17 -0.04	8 -0.11	15 -0.08	6 -0.11
Kd of U-234 in Unsaturated Zone 2	20 0.03	16 0.05	14 0.08	7 0.11
Kd of U-234 in Saturated Zone	21 -0.01	21 -0.02	5 0.16	3 0.24
Kd of U-235 in Contaminated Zone	5 0.16	4 0.25	21 -0.04	12 -0.05
Kd of U-235 in Unsaturated Zone 1	13 0.08	6 0.16	19 0.06	11 0.05
Kd of U-235 in Unsaturated Zone 2	10 -0.12	9 -0.11	10 -0.11	10 -0.10
Kd of U-235 in Saturated Zone	24 0.00	24 0.00	3 -0.18	4 -0.18
Kd of U-238 in Contaminated Zone	6 0.14	5 0.23	11 -0.11	8 -0.11
Kd of U-238 in Unsaturated Zone 1	19 0.03	14 0.06	9 0.11	9 0.10
Kd of U-238 in Unsaturated Zone 2	22 -0.01	22 -0.01	23 -0.02	19 -0.02
Kd of U-238 in Saturated Zone	11 0.11	10 0.11	4 -0.17	5 -0.16
Thickness of contaminated zone	2 0.65	2 0.47	1 0.94	2 0.70
Depth of soil mixing layer	16 -0.05	19 -0.03	7 -0.14	15 -0.03
Mass loading for inhalation	12 -0.09	15 -0.05	16 0.08	20 0.02
Outdoor time fraction	8 -0.12	12 -0.07	20 0.05	23 0.01
R-SQUARE	0.74	0.74	0.95	0.95

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterInd.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	1 -0.72	1 -0.59	2 -0.94	2 -0.67
Thickness of Unsaturated zone 1	11 -0.08	14 -0.05	15 -0.09	16 -0.02
Runoff coefficient	15 0.05	18 0.03	19 -0.05	20 -0.01
Wind Speed	5 0.13	11 0.08	17 -0.06	18 -0.01
Well pump intake depth	18 -0.03	20 -0.02	18 -0.05	19 -0.01
Inhalation rate	17 -0.05	19 -0.03	14 0.13	15 0.03
Soil ingestion	23 -0.01	24 0.00	12 0.15	13 0.04
Thickness of Unsaturated zone 2	14 -0.06	17 -0.03	16 -0.08	17 -0.02
Kd of U-234 in Contaminated Zone	6 -0.13	3 -0.33	3 0.34	3 0.54
Kd of U-234 in Unsaturated Zone 1	20 -0.03	9 -0.09	10 -0.19	7 -0.26
Kd of U-234 in Unsaturated Zone 2	4 -0.17	6 -0.15	11 0.19	6 0.27
Kd of U-234 in Saturated Zone	13 0.08	13 0.07	21 -0.03	12 -0.04
Kd of U-235 in Contaminated Zone	7 0.13	4 0.23	4 -0.34	5 -0.35
Kd of U-235 in Unsaturated Zone 1	24 0.00	23 0.00	6 0.22	8 0.20
Kd of U-235 in Unsaturated Zone 2	3 0.22	7 0.15	8 -0.20	9 -0.19
Kd of U-235 in Saturated Zone	8 -0.13	8 -0.09	24 0.00	24 0.00
Kd of U-238 in Contaminated Zone	10 0.09	5 0.15	5 -0.33	4 -0.36
Kd of U-238 in Unsaturated Zone 1	19 0.03	12 0.07	7 0.21	11 0.18
Kd of U-238 in Unsaturated Zone 2	16 0.05	16 0.04	9 -0.20	10 -0.19
Kd of U-238 in Saturated Zone	9 -0.11	10 -0.09	23 0.00	23 0.00
Thickness of contaminated zone	2 0.66	2 0.50	1 0.95	1 0.71
Depth of soil mixing layer	12 -0.08	15 -0.05	22 -0.02	22 0.00
Mass loading for inhalation	21 0.02	21 0.01	20 -0.04	21 -0.01
Outdoor time fraction	22 -0.01	22 -0.01	13 -0.15	14 -0.04
R-SQUARE	0.69	0.69	0.95	0.95

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterInd.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 1 1 1 1

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterInd.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterInd.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterInd.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 1 1 1 1

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterInd.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterInd.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Soil Ingestion Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	14	-0.09	18	-0.04	16	0.04	20	0.01
Thickness of Unsaturated zone 1	22	0.02	24	0.01	15	0.05	19	0.02
Runoff coefficient	11	-0.12	17	-0.05	23	-0.01	24	0.00
Wind Speed	10	0.13	16	0.06	11	0.12	13	0.04
Well pump intake depth	16	-0.06	20	-0.02	12	-0.10	15	-0.03
Inhalation rate	7	-0.14	14	-0.06	14	0.06	17	0.02
Soil ingestion	1	0.80	1	0.55	3	0.84	3	0.52
Thickness of Unsaturated zone 2	19	-0.04	21	-0.02	13	-0.07	16	-0.02
Kd of U-234 in Contaminated Zone	17	-0.06	10	-0.11	9	-0.16	5	-0.30
Kd of U-234 in Unsaturated Zone 1	21	-0.04	12	-0.09	18	-0.04	11	-0.07
Kd of U-234 in Unsaturated Zone 2	13	0.11	6	0.15	6	0.19	4	0.30
Kd of U-234 in Saturated Zone	5	0.18	4	0.23	24	0.00	22	0.00
Kd of U-235 in Contaminated Zone	18	0.05	13	0.07	8	0.18	6	0.22
Kd of U-235 in Unsaturated Zone 1	24	0.01	23	0.01	19	0.03	14	0.03
Kd of U-235 in Unsaturated Zone 2	9	-0.13	11	-0.11	5	-0.20	8	-0.21
Kd of U-235 in Saturated Zone	6	-0.18	8	-0.13	17	-0.04	12	-0.05
Kd of U-238 in Contaminated Zone	20	0.04	15	0.06	7	0.18	7	0.21
Kd of U-238 in Unsaturated Zone 1	23	0.01	22	0.02	20	0.02	18	0.02
Kd of U-238 in Unsaturated Zone 2	12	-0.11	9	-0.13	10	-0.15	9	-0.17
Kd of U-238 in Saturated Zone	8	-0.14	7	-0.15	21	0.01	21	0.01
Thickness of contaminated zone	3	0.75	3	0.46	1	0.86	2	0.57
Depth of soil mixing layer	2	-0.75	2	-0.49	2	-0.86	1	-0.58
Mass loading for inhalation	15	-0.08	19	-0.04	22	-0.01	23	0.00
Outdoor time fraction	4	0.45	5	0.21	4	0.35	10	0.12
R-SQUARE		0.83		0.83		0.90		0.90

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Soil Ingestion Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	2		2		2		2	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	13	0.07	18	0.03	13	0.07	17	0.02
Thickness of Unsaturated zone 1	5	-0.15	13	-0.05	23	0.01	24	0.00
Runoff coefficient	24	0.00	24	0.00	15	-0.06	19	-0.02
Wind Speed	18	0.04	19	0.01	16	0.06	20	0.02
Well pump intake depth	6	-0.14	14	-0.05	22	0.02	22	0.00
Inhalation rate	23	-0.01	23	0.00	14	-0.06	18	-0.02
Soil ingestion	1	0.84	2	0.55	2	0.85	2	0.55
Thickness of Unsaturated zone 2	9	-0.10	15	-0.04	21	0.02	21	0.01
Kd of U-234 in Contaminated Zone	17	0.04	9	0.07	18	-0.03	12	-0.07
Kd of U-234 in Unsaturated Zone 1	11	-0.08	5	-0.16	8	-0.19	4	-0.34
Kd of U-234 in Unsaturated Zone 2	14	-0.06	11	-0.06	9	0.16	6	0.29
Kd of U-234 in Saturated Zone	10	-0.09	8	-0.07	24	0.00	23	0.00
Kd of U-235 in Contaminated Zone	19	-0.03	17	-0.03	12	0.07	11	0.10
Kd of U-235 in Unsaturated Zone 1	8	0.11	4	0.16	7	0.19	8	0.24
Kd of U-235 in Unsaturated Zone 2	21	-0.02	21	-0.01	6	-0.20	7	-0.24
Kd of U-235 in Saturated Zone	12	-0.07	16	-0.04	20	-0.02	15	-0.03
Kd of U-238 in Contaminated Zone	15	-0.05	12	-0.06	19	-0.03	14	-0.04
Kd of U-238 in Unsaturated Zone 1	16	0.05	10	0.06	5	0.23	5	0.29
Kd of U-238 in Unsaturated Zone 2	7	0.12	7	0.10	10	-0.16	9	-0.19
Kd of U-238 in Saturated Zone	20	0.02	20	0.01	17	0.04	13	0.05
Thickness of contaminated zone	3	0.83	1	0.55	1	0.89	1	0.61
Depth of soil mixing layer	2	-0.83	3	-0.53	3	-0.84	3	-0.48
Mass loading for inhalation	22	0.01	22	0.01	11	0.08	16	0.03
Outdoor time fraction	4	0.28	6	0.11	4	0.43	10	0.15
R-SQUARE	0.88		0.88		0.91		0.91	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Soil Ingestion Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	8 -0.16	13 -0.05	6 -0.26	15 -0.07
Thickness of Unsaturated zone 1	5 0.24	10 0.08	11 0.12	20 0.03
Runoff coefficient	21 0.01	23 0.00	24 0.00	24 0.00
Wind Speed	10 -0.11	15 -0.04	12 0.11	21 0.03
Well pump intake depth	15 0.08	16 0.03	19 -0.06	23 -0.02
Inhalation rate	7 -0.17	12 -0.06	15 -0.08	22 -0.02
Soil ingestion	2 0.84	2 0.50	3 0.89	3 0.53
Thickness of Unsaturated zone 2	19 0.04	19 0.01	10 -0.13	19 -0.03
Kd of U-234 in Contaminated Zone	12 -0.09	6 -0.13	21 0.05	12 0.08
Kd of U-234 in Unsaturated Zone 1	16 -0.07	5 -0.15	22 0.04	16 0.06
Kd of U-234 in Unsaturated Zone 2	6 -0.18	9 -0.09	8 0.26	4 0.42
Kd of U-234 in Saturated Zone	24 0.00	24 0.00	18 0.07	8 0.11
Kd of U-235 in Contaminated Zone	14 0.09	8 0.09	23 -0.03	18 -0.04
Kd of U-235 in Unsaturated Zone 1	23 0.00	22 0.00	17 -0.07	14 -0.07
Kd of U-235 in Unsaturated Zone 2	11 0.11	14 0.04	9 -0.24	6 -0.25
Kd of U-235 in Saturated Zone	17 0.06	17 0.02	13 -0.10	9 -0.10
Kd of U-238 in Contaminated Zone	22 0.01	21 0.01	16 -0.07	10 -0.09
Kd of U-238 in Unsaturated Zone 1	13 0.09	7 0.12	20 -0.05	17 -0.05
Kd of U-238 in Unsaturated Zone 2	9 0.15	11 0.07	7 -0.26	5 -0.28
Kd of U-238 in Saturated Zone	20 -0.02	20 -0.01	14 -0.08	11 -0.08
Thickness of contaminated zone	1 0.87	1 0.58	1 0.91	1 0.60
Depth of soil mixing layer	3 -0.82	3 -0.49	2 -0.90	2 -0.55
Mass loading for inhalation	18 -0.05	18 -0.02	5 -0.29	13 -0.08
Outdoor time fraction	4 0.43	4 0.16	4 0.38	7 0.11
R-SQUARE	0.90	0.90	0.93	0.93

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Water Ingestion Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	1		1		1		1	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE	0.00		0.00		0.00		0.00	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Water Ingestion Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Water Ingestion Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Fish Ingestion Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 1 1 1 1

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Fish Ingestion Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Fish Ingestion Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterDep.) Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	1		1		1		1	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE	0.00		0.00		0.00		0.00	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterDep.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterDep.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterDep.) Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	17	-0.07	20	-0.03	11	-0.13	19	-0.07
Thickness of Unsaturated zone 1	5	-0.29	12	-0.15	5	-0.24	14	-0.12
Runoff coefficient	2	-0.59	5	-0.35	2	-0.69	2	-0.47
Wind Speed	15	-0.09	17	-0.05	18	-0.10	22	-0.05
Well pump intake depth	3	-0.48	8	-0.27	4	-0.42	9	-0.22
Inhalation rate	22	0.03	24	0.01	24	0.04	24	0.02
Soil ingestion	21	0.04	23	0.02	12	-0.12	20	-0.06
Thickness of Unsaturated zone 2	4	-0.41	10	-0.23	3	-0.65	4	-0.40
Kd of U-234 in Contaminated Zone	7	0.17	4	0.42	23	0.04	17	0.12
Kd of U-234 in Unsaturated Zone 1	12	0.15	2	0.43	17	0.11	7	0.28
Kd of U-234 in Unsaturated Zone 2	19	-0.05	15	-0.08	10	0.14	6	0.31
Kd of U-234 in Saturated Zone	23	0.03	19	0.04	8	0.16	3	0.42
Kd of U-235 in Contaminated Zone	8	-0.17	9	-0.26	22	-0.07	16	-0.12
Kd of U-235 in Unsaturated Zone 1	9	-0.17	6	-0.32	20	-0.07	13	-0.13
Kd of U-235 in Unsaturated Zone 2	11	0.16	11	0.15	15	-0.11	12	-0.17
Kd of U-235 in Saturated Zone	20	-0.05	18	-0.04	6	-0.17	5	-0.34
Kd of U-238 in Contaminated Zone	6	-0.23	3	-0.43	21	-0.07	15	-0.12
Kd of U-238 in Unsaturated Zone 1	14	-0.14	7	-0.27	16	-0.11	11	-0.18
Kd of U-238 in Unsaturated Zone 2	24	0.02	22	0.03	7	-0.16	8	-0.27
Kd of U-238 in Saturated Zone	16	-0.08	13	-0.09	13	-0.12	10	-0.21
Thickness of contaminated zone	1	0.82	1	0.69	1	0.75	1	0.54
Depth of soil mixing layer	18	-0.07	21	-0.03	19	0.08	23	0.04
Mass loading for inhalation	13	0.14	16	0.07	14	0.12	21	0.06
Outdoor time fraction	10	-0.17	14	-0.08	9	-0.15	18	-0.07
R-SQUARE		0.78		0.78		0.78		0.78

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterDep.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	19 -0.05	20 -0.03	16 -0.06	19 -0.03
Thickness of Unsaturated zone 1	12 -0.11	17 -0.05	15 -0.07	18 -0.03
Runoff coefficient	3 -0.51	4 -0.28	2 -0.70	4 -0.43
Wind Speed	11 0.11	16 0.05	20 -0.03	22 -0.01
Well pump intake depth	2 -0.55	3 -0.30	4 -0.49	10 -0.25
Inhalation rate	18 0.06	21 0.03	23 0.00	23 0.00
Soil ingestion	7 0.21	13 0.10	18 -0.05	20 -0.02
Thickness of Unsaturated zone 2	4 -0.46	5 -0.24	3 -0.57	9 -0.30
Kd of U-234 in Contaminated Zone	23 0.02	19 0.04	14 0.08	11 0.24
Kd of U-234 in Unsaturated Zone 1	16 -0.07	7 -0.18	10 0.17	3 0.44
Kd of U-234 in Unsaturated Zone 2	10 0.13	8 0.18	21 0.02	16 0.06
Kd of U-234 in Saturated Zone	5 0.30	2 0.32	6 -0.19	2 -0.51
Kd of U-235 in Contaminated Zone	24 -0.01	24 -0.01	17 -0.05	13 -0.11
Kd of U-235 in Unsaturated Zone 1	14 0.08	10 0.14	7 -0.19	6 -0.33
Kd of U-235 in Unsaturated Zone 2	15 -0.07	14 -0.06	22 -0.02	17 -0.04
Kd of U-235 in Saturated Zone	9 -0.15	12 -0.11	5 0.24	5 0.42
Kd of U-238 in Contaminated Zone	21 0.04	15 0.06	13 -0.09	12 -0.16
Kd of U-238 in Unsaturated Zone 1	17 0.07	11 0.12	9 -0.18	8 -0.31
Kd of U-238 in Unsaturated Zone 2	8 -0.16	9 -0.17	24 0.00	24 0.00
Kd of U-238 in Saturated Zone	6 -0.24	6 -0.21	8 0.18	7 0.32
Thickness of contaminated zone	1 0.82	1 0.68	1 0.81	1 0.60
Depth of soil mixing layer	13 0.10	18 0.05	12 0.15	15 0.07
Mass loading for inhalation	20 -0.04	22 -0.02	19 0.04	21 0.02
Outdoor time fraction	22 0.03	23 0.01	11 -0.16	14 -0.07
R-SQUARE	0.80	0.80	0.82	0.82

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterDep.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	15 0.05	18 0.03	20 0.05	22 0.03
Thickness of Unsaturated zone 1	7 -0.10	11 -0.06	6 -0.13	17 -0.07
Runoff coefficient	3 -0.55	3 -0.37	1 -0.68	1 -0.47
Wind Speed	18 0.03	20 0.02	22 0.04	23 0.02
Well pump intake depth	4 -0.52	4 -0.34	4 -0.45	6 -0.26
Inhalation rate	9 0.09	12 0.05	5 0.15	15 0.08
Soil ingestion	21 -0.02	24 -0.01	9 -0.11	19 -0.06
Thickness of Unsaturated zone 2	2 -0.55	2 -0.38	2 -0.66	2 -0.45
Kd of U-234 in Contaminated Zone	8 0.09	6 0.22	8 -0.11	4 -0.37
Kd of U-234 in Unsaturated Zone 1	24 0.00	23 0.01	24 -0.02	18 -0.06
Kd of U-234 in Unsaturated Zone 2	5 0.15	7 0.13	7 0.12	5 0.36
Kd of U-234 in Saturated Zone	11 -0.07	10 -0.06	17 -0.07	8 -0.21
Kd of U-235 in Contaminated Zone	6 -0.14	5 -0.25	13 0.09	10 0.19
Kd of U-235 in Unsaturated Zone 1	22 -0.02	15 -0.04	16 0.07	13 0.14
Kd of U-235 in Unsaturated Zone 2	12 -0.06	13 -0.04	14 -0.09	11 -0.17
Kd of U-235 in Saturated Zone	10 0.09	9 0.06	19 0.06	14 0.12
Kd of U-238 in Contaminated Zone	14 -0.05	8 -0.08	12 0.09	9 0.20
Kd of U-238 in Unsaturated Zone 1	23 0.02	16 0.03	21 0.04	16 0.07
Kd of U-238 in Unsaturated Zone 2	16 0.05	14 0.04	10 -0.11	7 -0.22
Kd of U-238 in Saturated Zone	20 0.02	22 0.02	15 0.07	12 0.15
Thickness of contaminated zone	1 0.74	1 0.61	3 0.65	3 0.44
Depth of soil mixing layer	13 0.06	17 0.03	18 0.07	21 0.03
Mass loading for inhalation	19 -0.03	21 -0.02	23 -0.02	24 -0.01
Outdoor time fraction	17 -0.04	19 -0.02	11 0.10	20 0.05
R-SQUARE	0.70	0.70	0.75	0.75

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterDep.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 1 1 1 1

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterDep.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterDep.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterDep.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 1 1 1 1

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterDep.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterDep.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-234 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-235 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of U-238 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak U-234 Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	1	1	1	1	1	1	1	1
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	1	-0.78	1	-0.66	2	-0.89	2	-0.57
Thickness of Unsaturated zone 1	23	-0.04	23	-0.02	18	0.05	23	0.01
Runoff coefficient	21	0.05	22	0.03	7	-0.13	16	-0.04
Wind Speed	11	-0.11	18	-0.06	16	0.06	22	0.02
Well pump intake depth	4	0.18	12	0.10	9	0.08	20	0.02
Inhalation rate	6	0.17	15	0.09	5	0.27	7	0.08
Soil ingestion	7	0.17	14	0.09	4	0.28	5	0.08
Thickness of Unsaturated zone 2	24	0.01	24	0.00	11	-0.08	21	-0.02
Kd of U-234 in Contaminated Zone	15	0.10	6	0.26	20	-0.04	12	-0.06
Kd of U-234 in Unsaturated Zone 1	8	0.15	3	0.49	15	0.07	4	0.10
Kd of U-234 in Unsaturated Zone 2	17	0.09	10	0.16	21	0.03	14	0.04
Kd of U-234 in Saturated Zone	10	0.12	8	0.19	24	0.00	24	0.00
Kd of U-235 in Contaminated Zone	14	-0.10	9	-0.17	10	0.08	6	0.08
Kd of U-235 in Unsaturated Zone 1	5	-0.17	5	-0.36	22	-0.03	17	-0.03
Kd of U-235 in Unsaturated Zone 2	18	-0.09	13	-0.09	17	-0.06	13	-0.05
Kd of U-235 in Saturated Zone	22	-0.05	20	-0.04	23	-0.02	19	-0.03
Kd of U-238 in Contaminated Zone	12	-0.11	7	-0.22	13	0.07	9	0.07
Kd of U-238 in Unsaturated Zone 1	3	-0.19	4	-0.41	12	-0.07	11	-0.06
Kd of U-238 in Unsaturated Zone 2	20	-0.06	16	-0.08	19	-0.04	15	-0.04
Kd of U-238 in Saturated Zone	13	-0.11	11	-0.14	14	0.07	10	0.06
Thickness of contaminated zone	2	0.71	2	0.53	1	0.94	1	0.73
Depth of soil mixing layer	19	-0.08	21	-0.04	3	-0.60	3	-0.20
Mass loading for inhalation	9	0.13	17	0.07	6	0.26	8	0.07
Outdoor time fraction	16	0.10	19	0.05	8	0.11	18	0.03
R-SQUARE		0.74		0.74		0.93		0.93

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak U-234 Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	1 -0.76	1 -0.64	2 -0.90	2 -0.59
Thickness of Unsaturated zone 1	14 -0.07	16 -0.04	16 -0.08	20 -0.02
Runoff coefficient	22 0.01	23 0.00	15 0.08	19 0.02
Wind Speed	17 0.02	20 0.01	22 -0.03	22 -0.01
Well pump intake depth	8 -0.14	12 -0.07	6 -0.18	17 -0.05
Inhalation rate	4 -0.18	11 -0.09	23 0.02	24 0.01
Soil ingestion	18 0.02	21 0.01	4 0.25	12 0.07
Thickness of Unsaturated zone 2	10 0.10	14 0.05	17 0.06	21 0.02
Kd of U-234 in Contaminated Zone	5 -0.17	3 -0.38	21 0.04	14 0.07
Kd of U-234 in Unsaturated Zone 1	15 -0.04	8 -0.12	8 -0.13	3 -0.20
Kd of U-234 in Unsaturated Zone 2	20 0.01	18 0.02	20 0.05	11 0.08
Kd of U-234 in Saturated Zone	19 -0.02	17 -0.02	13 0.10	5 0.15
Kd of U-235 in Contaminated Zone	6 0.16	4 0.25	19 -0.06	13 -0.07
Kd of U-235 in Unsaturated Zone 1	12 0.08	6 0.16	12 0.11	9 0.11
Kd of U-235 in Unsaturated Zone 2	9 -0.10	9 -0.10	18 -0.06	16 -0.06
Kd of U-235 in Saturated Zone	23 -0.01	22 0.00	10 -0.12	7 -0.13
Kd of U-238 in Contaminated Zone	7 0.14	5 0.22	11 -0.12	8 -0.13
Kd of U-238 in Unsaturated Zone 1	16 0.03	13 0.06	9 0.12	6 0.13
Kd of U-238 in Unsaturated Zone 2	21 0.01	19 0.01	24 -0.01	23 -0.01
Kd of U-238 in Saturated Zone	11 0.10	10 0.09	14 -0.09	10 -0.09
Thickness of contaminated zone	2 0.72	2 0.55	1 0.94	1 0.74
Depth of soil mixing layer	3 -0.24	7 -0.12	3 -0.56	4 -0.18
Mass loading for inhalation	24 0.01	24 0.00	5 0.24	15 0.07
Outdoor time fraction	13 -0.08	15 -0.04	7 0.14	18 0.04
R-SQUARE	0.76	0.76	0.93	0.93

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak U-234 Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		3		3		3		3	
Repetition =									
Description of Probabilistic Variable		Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots		1	-0.72	2	-0.56	2	-0.91	2	-0.57
Thickness of Unsaturated zone 1		14	-0.06	17	-0.03	24	0.00	24	0.00
Runoff coefficient		16	0.05	19	0.03	22	-0.02	22	-0.01
Wind Speed		10	0.11	14	0.06	13	-0.18	17	-0.05
Well pump intake depth		21	-0.04	22	-0.02	23	-0.01	23	0.00
Inhalation rate		23	-0.01	24	-0.01	9	0.23	15	0.06
Soil ingestion		15	0.05	18	0.03	8	0.24	14	0.06
Thickness of Unsaturated zone 2		18	-0.05	21	-0.03	17	-0.11	20	-0.03
Kd of U-234 in Contaminated Zone		6	-0.13	3	-0.31	5	0.31	3	0.52
Kd of U-234 in Unsaturated Zone 1		22	-0.03	9	-0.11	16	-0.13	9	-0.19
Kd of U-234 in Unsaturated Zone 2		5	-0.17	6	-0.14	11	0.20	6	0.31
Kd of U-234 in Saturated Zone		13	0.08	13	0.06	21	0.03	18	0.04
Kd of U-235 in Contaminated Zone		7	0.13	4	0.22	6	-0.29	5	-0.32
Kd of U-235 in Unsaturated Zone 1		24	0.01	23	0.01	15	0.17	11	0.17
Kd of U-235 in Unsaturated Zone 2		3	0.23	5	0.14	12	-0.19	8	-0.19
Kd of U-235 in Saturated Zone		8	-0.13	11	-0.09	20	-0.04	19	-0.04
Kd of U-238 in Contaminated Zone		12	0.09	7	0.13	4	-0.31	4	-0.36
Kd of U-238 in Unsaturated Zone 1		20	0.04	12	0.08	14	0.17	12	0.16
Kd of U-238 in Unsaturated Zone 2		19	0.05	16	0.04	7	-0.24	7	-0.25
Kd of U-238 in Saturated Zone		9	-0.12	10	-0.09	19	-0.08	13	-0.08
Thickness of contaminated zone		2	0.72	1	0.56	1	0.95	1	0.77
Depth of soil mixing layer		4	-0.20	8	-0.11	3	-0.55	10	-0.17
Mass loading for inhalation		11	0.09	15	0.05	10	0.20	16	0.05
Outdoor time fraction		17	0.05	20	0.03	18	0.09	21	0.02
R-SQUARE			0.72		0.72		0.94		0.94

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak U-235 Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	1	1	1	1	1	1	1	1
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	9	0.10	15	0.03	3	0.21	12	0.07
Thickness of Unsaturated zone 1	14	0.05	18	0.01	22	-0.01	24	0.00
Runoff coefficient	4	0.22	6	0.06	20	0.04	21	0.01
Wind Speed	19	-0.02	20	-0.01	16	0.06	17	0.02
Well pump intake depth	7	0.12	14	0.03	4	0.20	13	0.06
Inhalation rate	20	-0.02	21	-0.01	8	0.10	15	0.03
Soil ingestion	24	0.00	24	0.00	17	0.05	18	0.02
Thickness of Unsaturated zone 2	8	0.11	13	0.03	18	0.05	19	0.01
Kd of U-234 in Contaminated Zone	18	-0.03	10	-0.04	13	-0.08	6	-0.12
Kd of U-234 in Unsaturated Zone 1	5	-0.22	3	-0.33	21	0.02	14	0.04
Kd of U-234 in Unsaturated Zone 2	22	0.01	19	0.01	6	-0.11	4	-0.15
Kd of U-234 in Saturated Zone	15	-0.05	11	-0.03	11	0.08	5	0.13
Kd of U-235 in Contaminated Zone	16	-0.04	12	-0.03	15	0.07	11	0.08
Kd of U-235 in Unsaturated Zone 1	3	0.24	4	0.24	23	-0.01	22	-0.01
Kd of U-235 in Unsaturated Zone 2	17	0.03	17	0.02	5	0.19	3	0.18
Kd of U-235 in Saturated Zone	21	0.01	22	0.00	14	-0.07	9	-0.09
Kd of U-238 in Contaminated Zone	13	0.05	9	0.05	10	0.09	8	0.10
Kd of U-238 in Unsaturated Zone 1	6	0.21	5	0.22	24	0.00	23	0.00
Kd of U-238 in Unsaturated Zone 2	12	-0.07	8	-0.05	7	0.10	7	0.11
Kd of U-238 in Saturated Zone	11	0.08	7	0.05	12	-0.08	10	-0.08
Thickness of contaminated zone	1	0.96	1	0.80	1	0.93	1	0.76
Depth of soil mixing layer	10	-0.10	16	-0.02	9	-0.10	16	-0.03
Mass loading for inhalation	23	0.00	23	0.00	19	-0.05	20	-0.01
Outdoor time fraction	2	0.90	2	0.54	2	0.89	2	0.57
R-SQUARE		0.94		0.94		0.91		0.91

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak U-235 Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig Coeff		Sig Coeff		Sig Coeff		Sig Coeff	
Depth of roots	21	0.02	23	0.00	22	-0.02	22	-0.01
Thickness of Unsaturated zone 1	24	0.00	24	0.00	24	-0.02	24	-0.01
Runoff coefficient	3	0.27	9	0.08	15	-0.10	20	-0.02
Wind Speed	17	-0.04	18	-0.01	9	-0.16	17	-0.04
Well pump intake depth	19	0.04	21	0.01	13	-0.13	19	-0.03
Inhalation rate	6	-0.20	11	-0.05	23	0.02	23	0.01
Soil ingestion	18	0.04	19	0.01	6	-0.19	15	-0.05
Thickness of Unsaturated zone 2	10	0.13	13	0.03	21	-0.04	21	-0.01
Kd of U-234 in Contaminated Zone	23	-0.01	16	-0.01	14	0.13	4	0.21
Kd of U-234 in Unsaturated Zone 1	8	-0.17	3	-0.26	20	0.05	13	0.07
Kd of U-234 in Unsaturated Zone 2	13	0.08	10	0.06	12	0.13	8	0.19
Kd of U-234 in Saturated Zone	5	-0.23	5	-0.14	7	0.17	3	0.26
Kd of U-235 in Contaminated Zone	22	0.01	20	0.01	16	-0.09	10	-0.11
Kd of U-235 in Unsaturated Zone 1	9	0.14	4	0.14	17	-0.08	11	-0.08
Kd of U-235 in Unsaturated Zone 2	7	-0.19	8	-0.09	3	-0.20	5	-0.20
Kd of U-235 in Saturated Zone	20	0.02	22	0.01	4	-0.20	6	-0.20
Kd of U-238 in Contaminated Zone	14	-0.05	12	-0.04	11	-0.13	9	-0.14
Kd of U-238 in Unsaturated Zone 1	11	0.13	6	0.13	19	-0.06	14	-0.06
Kd of U-238 in Unsaturated Zone 2	16	-0.05	15	-0.03	18	-0.08	12	-0.08
Kd of U-238 in Saturated Zone	4	0.25	7	0.12	5	-0.19	7	-0.19
Thickness of contaminated zone	1	0.94	1	0.78	1	0.94	1	0.71
Depth of soil mixing layer	15	0.05	17	0.01	10	0.15	18	0.04
Mass loading for inhalation	12	0.12	14	0.03	8	-0.17	16	-0.04
Outdoor time fraction	2	0.90	2	0.56	2	0.93	2	0.67
R-SQUARE	0.94		0.94		0.94		0.94	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak U-235 Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	Sig Coeff		Sig Coeff		Sig Coeff		Sig Coeff	
Depth of roots	11	0.06	15	0.02	21	0.01	22	0.00
Thickness of Unsaturated zone 1	19	0.02	22	0.01	24	0.00	24	0.00
Runoff coefficient	3	0.41	5	0.13	3	0.26	7	0.07
Wind Speed	9	-0.10	11	-0.03	9	0.13	15	0.03
Well pump intake depth	22	0.01	23	0.00	16	-0.04	19	-0.01
Inhalation rate	7	-0.11	10	-0.03	18	-0.04	20	-0.01
Soil ingestion	10	0.08	12	0.02	10	-0.12	16	-0.03
Thickness of Unsaturated zone 2	12	-0.05	16	-0.02	5	-0.21	12	-0.05
Kd of U-234 in Contaminated Zone	5	-0.15	3	-0.18	13	-0.06	6	-0.09
Kd of U-234 in Unsaturated Zone 1	23	-0.01	14	-0.02	8	0.18	3	0.26
Kd of U-234 in Unsaturated Zone 2	14	-0.05	13	-0.02	15	-0.05	8	-0.07
Kd of U-234 in Saturated Zone	21	0.02	21	0.01	20	-0.01	17	-0.02
Kd of U-235 in Contaminated Zone	4	0.16	4	0.14	12	0.06	10	0.06
Kd of U-235 in Unsaturated Zone 1	17	0.04	8	0.05	7	-0.18	5	-0.18
Kd of U-235 in Unsaturated Zone 2	18	-0.03	20	-0.01	19	-0.01	18	-0.01
Kd of U-235 in Saturated Zone	8	-0.10	9	-0.04	22	0.01	21	0.01
Kd of U-238 in Contaminated Zone	6	0.12	6	0.09	14	0.05	13	0.05
Kd of U-238 in Unsaturated Zone 1	16	-0.04	7	-0.05	6	-0.20	4	-0.19
Kd of U-238 in Unsaturated Zone 2	20	0.02	19	0.01	17	0.04	14	0.04
Kd of U-238 in Saturated Zone	24	0.01	24	0.00	11	-0.06	9	-0.06
Thickness of contaminated zone	1	0.94	1	0.75	1	0.94	1	0.68
Depth of soil mixing layer	13	-0.05	17	-0.02	23	0.00	23	0.00
Mass loading for inhalation	15	-0.05	18	-0.01	4	-0.21	11	-0.06
Outdoor time fraction	2	0.90	2	0.57	2	0.93	2	0.67
R-SQUARE	0.93		0.93		0.94		0.94	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak U-238 Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	8	-0.12	14	-0.06	23	0.00	23	0.00
Thickness of Unsaturated zone 1	24	0.00	24	0.00	24	0.00	24	0.00
Runoff coefficient	19	-0.03	23	-0.02	19	-0.03	21	-0.01
Wind Speed	5	-0.28	7	-0.14	5	-0.37	12	-0.13
Well pump intake depth	17	0.04	22	0.02	13	-0.12	17	-0.04
Inhalation rate	4	0.42	4	0.21	4	0.64	6	0.28
Soil ingestion	7	-0.13	12	-0.06	22	-0.01	22	0.00
Thickness of Unsaturated zone 2	14	0.05	21	0.02	17	0.06	19	0.02
Kd of U-234 in Contaminated Zone	23	0.02	17	0.05	9	-0.17	5	-0.31
Kd of U-234 in Unsaturated Zone 1	11	0.08	5	0.21	21	-0.01	20	-0.02
Kd of U-234 in Unsaturated Zone 2	13	0.06	10	0.09	14	0.10	11	0.16
Kd of U-234 in Saturated Zone	18	0.04	16	0.05	8	-0.18	4	-0.33
Kd of U-235 in Contaminated Zone	22	-0.03	19	-0.04	11	0.17	8	0.21
Kd of U-235 in Unsaturated Zone 1	10	-0.08	6	-0.15	18	0.03	16	0.04
Kd of U-235 in Unsaturated Zone 2	9	-0.09	11	-0.08	16	-0.08	15	-0.08
Kd of U-235 in Saturated Zone	12	-0.07	13	-0.06	12	0.15	9	0.20
Kd of U-238 in Contaminated Zone	20	-0.03	18	-0.04	10	0.17	10	0.20
Kd of U-238 in Unsaturated Zone 1	15	-0.05	9	-0.09	20	-0.02	18	-0.02
Kd of U-238 in Unsaturated Zone 2	16	-0.04	15	-0.05	15	-0.08	14	-0.09
Kd of U-238 in Saturated Zone	21	-0.03	20	-0.03	7	0.18	7	0.22
Thickness of contaminated zone	3	0.72	3	0.47	2	0.86	2	0.56
Depth of soil mixing layer	1	-0.74	1	-0.51	1	-0.87	1	-0.58
Mass loading for inhalation	2	0.73	2	0.49	3	0.81	3	0.46
Outdoor time fraction	6	0.22	8	0.11	6	0.32	13	0.11
R-SQUARE	0.80		0.80		0.90		0.90	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak U-238 Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		2		2		2		2	
Repetition =									
Description of Probabilistic Variable		Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots		15	-0.08	16	-0.03	22	-0.01	22	0.00
Thickness of Unsaturated zone 1		13	0.09	15	0.03	21	0.01	21	0.00
Runoff coefficient		18	-0.02	20	-0.01	11	0.10	17	0.04
Wind Speed		7	-0.19	13	-0.07	6	-0.29	11	-0.11
Well pump intake depth		19	-0.02	22	-0.01	14	0.09	19	0.03
Inhalation rate		4	0.58	4	0.28	4	0.66	4	0.30
Soil ingestion		20	-0.02	23	-0.01	23	0.00	23	0.00
Thickness of Unsaturated zone 2		14	-0.09	14	-0.03	7	-0.16	16	-0.06
Kd of U-234 in Contaminated Zone		12	-0.10	6	-0.17	18	-0.05	12	-0.10
Kd of U-234 in Unsaturated Zone 1		23	0.01	17	0.03	8	-0.12	5	-0.24
Kd of U-234 in Unsaturated Zone 2		6	-0.19	5	-0.22	13	0.09	6	0.17
Kd of U-234 in Saturated Zone		17	0.03	18	0.03	20	0.02	18	0.03
Kd of U-235 in Contaminated Zone		11	0.13	8	0.15	17	0.05	14	0.07
Kd of U-235 in Unsaturated Zone 1		21	-0.02	19	-0.02	10	0.10	8	0.13
Kd of U-235 in Unsaturated Zone 2		9	0.16	9	0.12	15	-0.06	13	-0.09
Kd of U-235 in Saturated Zone		22	-0.02	21	-0.01	16	-0.05	15	-0.07
Kd of U-238 in Contaminated Zone		16	0.06	12	0.08	24	0.00	24	0.00
Kd of U-238 in Unsaturated Zone 1		24	0.00	24	0.00	12	0.10	9	0.13
Kd of U-238 in Unsaturated Zone 2		8	0.19	7	0.17	9	-0.11	7	-0.14
Kd of U-238 in Saturated Zone		10	-0.14	10	-0.10	19	0.02	20	0.03
Thickness of contaminated zone		1	0.81	1	0.56	1	0.86	1	0.59
Depth of soil mixing layer		2	-0.81	2	-0.52	2	-0.82	2	-0.48
Mass loading for inhalation		3	0.77	3	0.48	3	0.79	3	0.44
Outdoor time fraction		5	0.24	11	0.10	5	0.31	10	0.11
R-SQUARE		0.86		0.86		0.89		0.89	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak U-238 Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	16 0.08	18 0.03	24 -0.08	24 -0.02
Thickness of Unsaturated zone 1	7 0.16	13 0.06	8 0.21	20 0.06
Runoff coefficient	23 -0.01	24 0.00	12 -0.16	21 -0.05
Wind Speed	6 -0.32	7 -0.13	6 -0.35	17 -0.11
Well pump intake depth	15 -0.08	17 -0.03	19 0.10	23 0.03
Inhalation rate	4 0.53	4 0.24	4 0.58	8 0.21
Soil ingestion	17 -0.07	19 -0.03	18 -0.10	22 -0.03
Thickness of Unsaturated zone 2	9 0.12	15 0.05	7 -0.27	19 -0.08
Kd of U-234 in Contaminated Zone	22 0.02	20 0.03	14 0.13	5 0.24
Kd of U-234 in Unsaturated Zone 1	19 -0.06	6 -0.13	23 -0.09	12 -0.14
Kd of U-234 in Unsaturated Zone 2	10 0.11	12 0.06	16 0.12	6 0.21
Kd of U-234 in Saturated Zone	24 -0.01	23 0.00	11 0.16	4 0.29
Kd of U-235 in Contaminated Zone	21 -0.02	21 -0.02	21 -0.10	15 -0.12
Kd of U-235 in Unsaturated Zone 1	18 0.06	10 0.10	15 0.12	13 0.14
Kd of U-235 in Unsaturated Zone 2	13 0.09	16 0.04	20 -0.10	16 -0.11
Kd of U-235 in Saturated Zone	20 -0.04	22 -0.02	10 -0.17	9 -0.20
Kd of U-238 in Contaminated Zone	11 -0.10	9 -0.10	13 -0.13	10 -0.17
Kd of U-238 in Unsaturated Zone 1	14 0.08	8 0.13	22 0.10	18 0.10
Kd of U-238 in Unsaturated Zone 2	12 -0.09	14 -0.05	17 -0.12	11 -0.14
Kd of U-238 in Saturated Zone	8 -0.15	11 -0.08	9 -0.18	7 -0.21
Thickness of contaminated zone	1 0.82	1 0.55	1 0.91	1 0.63
Depth of soil mixing layer	3 -0.74	3 -0.42	2 -0.88	2 -0.54
Mass loading for inhalation	2 0.76	2 0.44	3 0.77	3 0.36
Outdoor time fraction	5 0.52	5 0.23	5 0.42	14 0.14
R-SQUARE	0.86	0.86	0.92	0.92

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

=====

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	3
Summary of Pathway Selections	7
Contaminated Zone and Total Dose Summary	8
Total Dose Components	
Time = 0.000E+00	9
Time = 1.000E+00	10
Time = 3.000E+00	11
Time = 1.000E+01	12
Time = 3.000E+01	13
Time = 1.000E+02	14
Time = 3.000E+02	15
Time = 1.000E+03	16
Dose/Source Ratios Summed Over All Pathways	17
Single Radionuclide Soil Guidelines	17
Dose Per Nuclide Summed Over All Pathways	18
Soil Concentration Per Nuclide	18

Dose Conversion Factor (and Related) Parameter Summary
 File: Default.LIB

Menu	Parameter	Current Value	Default	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Co-60	2.190E-04	2.190E-04	DCF2(1)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Co-60	2.690E-05	2.690E-05	DCF3(1)
D-34	Food transfer factors:			
D-34	Co-60 , plant/soil concentration ratio, dimensionless	8.000E-02	8.000E-02	RTF(1,1)
D-34	Co-60 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-02	2.000E-02	RTF(1,2)
D-34	Co-60 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-03	2.000E-03	RTF(1,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Co-60 , fish	3.000E+02	3.000E+02	BIOFAC(1,1)
D-5	Co-60 , crustacea and mollusks	2.000E+02	2.000E+02	BIOFAC(1,2)

Site-Specific Parameter Summary					
0	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	2.023E+06	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.500E-01	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.000E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	1.900E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Co-60	3.960E+01	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): Co-60	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.500E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.000E-03	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	4.000E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	3.160E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	5.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.120E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	2.000E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.500E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	4.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	2.000E-01	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E+02	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	2.000E-02	2.000E-02	---	HGWT
R014	Saturated zone b parameter	5.300E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.000E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.500E+02	2.500E+02	---	UW
R015	Number of unsaturated zone strata	2	1	---	NS

Site-Specific Parameter Summary (continued)

0	Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
	R015	Unsat. zone 1, thickness (m)	2.000E+00	4.000E+00	---	H (1)
	R015	Unsat. zone 1, soil density (g/cm**3)	1.500E+00	1.500E+00	---	DENSUZ (1)
	R015	Unsat. zone 1, total porosity	4.000E-01	4.000E-01	---	TPUZ (1)
	R015	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	EPUZ (1)
	R015	Unsat. zone 1, field capacity	2.000E-01	2.000E-01	---	FCUZ (1)
	R015	Unsat. zone 1, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ (1)
	R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCUZ (1)
	R015	Unsat. zone 2, thickness (m)	4.000E+00	0.000E+00	---	H (2)
	R015	Unsat. zone 2, soil density (g/cm**3)	1.500E+00	1.500E+00	---	DENSUZ (2)
	R015	Unsat. zone 2, total porosity	4.000E-01	4.000E-01	---	TPUZ (2)
	R015	Unsat. zone 2, effective porosity	2.000E-01	2.000E-01	---	EPUZ (2)
	R015	Unsat. zone 2, field capacity	2.000E-01	2.000E-01	---	FCUZ (2)
	R015	Unsat. zone 2, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ (2)
	R015	Unsat. zone 2, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCUZ (2)
	R016	Distribution coefficients for Co-60				
	R016	Contaminated zone (cm**3/g)	1.000E+03	1.000E+03	---	DCNUCC (1)
	R016	Unsat. zone 1 (cm**3/g)	1.000E+03	1.000E+03	---	DCNUCU (1,1)
	R016	Unsat. zone 2 (cm**3/g)	1.000E+03	1.000E+03	---	DCNUCU (1,2)
	R016	Saturated zone (cm**3/g)	1.000E+03	1.000E+03	---	DCNUCS (1)
	R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.435E-03	ALEACH (1)
	R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (1)
	R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
	R017	Mass loading for inhalation (g/m**3)	1.000E-04	1.000E-04	---	MLINH
	R017	Exposure duration	3.000E+01	3.000E+01	---	ED
	R017	Shielding factor, inhalation	4.000E-01	4.000E-01	---	SHF3
	R017	Shielding factor, external gamma	7.000E-01	7.000E-01	---	SHF1
	R017	Fraction of time spent indoors	0.000E+00	5.000E-01	---	FIND
	R017	Fraction of time spent outdoors (on site)	4.570E-02	2.500E-01	---	FOTD
	R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
	R017	Radii of shape factor array (used if FS = -1):				
	R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE (1)
	R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE (2)
	R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE (3)
	R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE (4)
	R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE (5)
	R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE (6)
	R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE (7)
	R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE (8)
	R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE (9)
	R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE (10)
	R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE (11)
	R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE (12)

Site-Specific Parameter Summary (continued)

0	Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
	R017	Fractions of annular areas within AREA:				
	R017	Ring 1	not used	1.000E+00	---	FRACA(1)
	R017	Ring 2	not used	2.732E-01	---	FRACA(2)
	R017	Ring 3	not used	0.000E+00	---	FRACA(3)
	R017	Ring 4	not used	0.000E+00	---	FRACA(4)
	R017	Ring 5	not used	0.000E+00	---	FRACA(5)
	R017	Ring 6	not used	0.000E+00	---	FRACA(6)
	R017	Ring 7	not used	0.000E+00	---	FRACA(7)
	R017	Ring 8	not used	0.000E+00	---	FRACA(8)
	R017	Ring 9	not used	0.000E+00	---	FRACA(9)
	R017	Ring 10	not used	0.000E+00	---	FRACA(10)
	R017	Ring 11	not used	0.000E+00	---	FRACA(11)
	R017	Ring 12	not used	0.000E+00	---	FRACA(12)
	R018	Fruits, vegetables and grain consumption (kg/yr)	1.600E+02	1.600E+02	---	DIET(1)
	R018	Leafy vegetable consumption (kg/yr)	1.400E+01	1.400E+01	---	DIET(2)
	R018	Milk consumption (L/yr)	not used	9.200E+01	---	DIET(3)
	R018	Meat and poultry consumption (kg/yr)	not used	6.300E+01	---	DIET(4)
	R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET(5)
	R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET(6)
	R018	Soil ingestion rate (g/yr)	3.650E+01	3.650E+01	---	SOIL
	R018	Drinking water intake (L/yr)	not used	5.100E+02	---	DWI
	R018	Contamination fraction of drinking water	not used	1.000E+00	---	FDW
	R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
	R018	Contamination fraction of livestock water	not used	1.000E+00	---	FLW
	R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
	R018	Contamination fraction of aquatic food	not used	5.000E-01	---	FR9
	R018	Contamination fraction of plant food	1.000E-01	-1	---	FPLANT
	R018	Contamination fraction of meat	not used	-1	---	FMEAT
	R018	Contamination fraction of milk	not used	-1	---	FMILK
	R019	Livestock fodder intake for meat (kg/day)	not used	6.800E+01	---	LFIS
	R019	Livestock fodder intake for milk (kg/day)	not used	5.500E+01	---	LFI6
	R019	Livestock water intake for meat (L/day)	not used	5.000E+01	---	LWI5
	R019	Livestock water intake for milk (L/day)	not used	1.600E+02	---	LWI6
	R019	Livestock soil intake (kg/day)	not used	5.000E-01	---	LSI
	R019	Mass loading for foliar deposition (g/m**3)	1.000E-04	1.000E-04	---	MLFD
	R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
	R019	Depth of roots (m)	9.000E-01	9.000E-01	---	DROOT
	R019	Drinking water fraction from ground water	not used	1.000E+00	---	FGWDW
	R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
	R019	Livestock water fraction from ground water	not used	1.000E+00	---	FGWLW
	R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
	R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	7.000E-01	7.000E-01	---	YV(1)
	R19B	Wet weight crop yield for Leafy (kg/m**2)	1.500E+00	1.500E+00	---	YV(2)
	R19B	Wet weight crop yield for Fodder (kg/m**2)	not used	1.100E+00	---	YV(3)
	R19B	Growing Season for Non-Leafy (years)	1.700E-01	1.700E-01	---	TE(1)
	R19B	Growing Season for Leafy (years)	2.500E-01	2.500E-01	---	TE(2)
	R19B	Growing Season for Fodder (years)	not used	8.000E-02	---	TE(3)

Site-Specific Parameter Summary (continued)

0	Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
	R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
	R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
	R19B	Translocation Factor for Fodder	not used	1.000E+00	---	TIV(3)
	R19B	Dry Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RDRY(1)
	R19B	Dry Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RDRY(2)
	R19B	Dry Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RDRY(3)
	R19B	Wet Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RWET(1)
	R19B	Wet Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RWET(2)
	R19B	Wet Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RWET(3)
	R19B	Weathering Removal Constant for Vegetation	2.000E+01	2.000E+01	---	WLAM
	C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
	C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
	C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
	C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
	C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
	C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
	C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
	C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
	C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
	C14	DCF correction factor for gaseous forms of C14	not used	1.234E+02	---	CO2F
	STOR	Storage times of contaminated foodstuffs (days):				
	STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
	STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
	STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
	STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
	STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
	STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
	STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
	STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
	STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
	R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
	R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
	R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
	R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
	R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
	R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
	R021	Diffusion coefficient for radon gas (m/sec):				
	R021	in cover material	not used	2.000E-06	---	DIFCV
	R021	in foundation material	not used	3.000E-07	---	DIFFL
	R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
	R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
	R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
	R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
	R021	Building interior area factor	not used	0.000E+00	---	FAI
	R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
	R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
	R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
TITL	Number of graphical time points	128	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	suppressed
5 -- milk ingestion	suppressed
6 -- aquatic foods	suppressed
7 -- drinking water	suppressed
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	active

Contaminated Zone Dimensions

Initial Soil Concentrations, pCi/g

 Area:2023400.00 square meters
 Thickness: 0.15 meters
 Cover Depth: 0.00 meters

 Co-60 3.960E+01

0

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 19 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

 t (years): 0.000E+00 1.000E+00 3.000E+00 1.000E+01 3.000E+01 1.000E+02 3.000E+02 1.000E+03
 TDOSE(t): 2.329E+01 2.033E+01 1.548E+01 5.956E+00 3.848E-01 2.034E-05 0.000E+00 0.000E+00
 M(t): 1.226E+00 1.070E+00 8.146E-01 3.135E-01 2.025E-02 1.071E-06 0.000E+00 0.000E+00
 0Maximum TDOSE(t): 2.329E+01 mrem/yr at t = 0.000E+00 years

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

0
 0 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	2.306E+01	0.9900	7.332E-05	0.0000	0.000E+00	0.0000	2.306E-01	0.0099	0.000E+00	0.0000	0.000E+00	0.0000	1.658E-03	0.0001
Total	2.306E+01	0.9900	7.332E-05	0.0000	0.000E+00	0.0000	2.306E-01	0.0099	0.000E+00	0.0000	0.000E+00	0.0000	1.658E-03	0.0001

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

0
 0 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.329E+01	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.329E+01	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

0
 0 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	2.012E+01	0.9901	6.370E-05	0.0000	0.000E+00	0.0000	2.004E-01	0.0099	0.000E+00	0.0000	0.000E+00	0.0000	1.440E-03	0.0001
Total	2.012E+01	0.9901	6.370E-05	0.0000	0.000E+00	0.0000	2.004E-01	0.0099	0.000E+00	0.0000	0.000E+00	0.0000	1.440E-03	0.0001

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

0
 0 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.033E+01	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.033E+01	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

0
 0 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	1.532E+01	0.9902	4.807E-05	0.0000	0.000E+00	0.0000	1.512E-01	0.0098	0.000E+00	0.0000	0.000E+00	0.0000	1.087E-03	0.0001
Total	1.532E+01	0.9902	4.807E-05	0.0000	0.000E+00	0.0000	1.512E-01	0.0098	0.000E+00	0.0000	0.000E+00	0.0000	1.087E-03	0.0001

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

0
 0 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.548E+01	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.548E+01	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

0
 0 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	5.899E+00	0.9905	1.792E-05	0.0000	0.000E+00	0.0000	5.639E-02	0.0095	0.000E+00	0.0000	0.000E+00	0.0000	4.053E-04	0.0001
Total	5.899E+00	0.9905	1.792E-05	0.0000	0.000E+00	0.0000	5.639E-02	0.0095	0.000E+00	0.0000	0.000E+00	0.0000	4.053E-04	0.0001

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

0
 0 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.956E+00	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.956E+00	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

0
 0 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	3.815E-01	0.9913	1.054E-06	0.0000	0.000E+00	0.0000	3.316E-03	0.0086	0.000E+00	0.0000	0.000E+00	0.0000	2.383E-05	0.0001
Total	3.815E-01	0.9913	1.054E-06	0.0000	0.000E+00	0.0000	3.316E-03	0.0086	0.000E+00	0.0000	0.000E+00	0.0000	2.383E-05	0.0001

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

0
 0 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.848E-01	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.848E-01	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

0
 0 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	2.022E-05	0.9942	3.702E-11	0.0000	0.000E+00	0.0000	1.165E-07	0.0057	0.000E+00	0.0000	0.000E+00	0.0000	8.369E-10	0.0000
Total	2.022E-05	0.9942	3.702E-11	0.0000	0.000E+00	0.0000	1.165E-07	0.0057	0.000E+00	0.0000	0.000E+00	0.0000	8.369E-10	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

0
 0 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.034E-05	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.034E-05	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

0
 0 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

0
 0 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

0
 0 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

0
 0 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

0*Sum of all water independent and dependent pathways.

Dose/Source Ratios Summed Over All Pathways

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	DSR(j,t) (mrem/yr)/(pCi/g)							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	5.882E-01	5.133E-01	3.908E-01	1.504E-01	9.718E-03	5.137E-07	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 Basic Radiation Dose Limit = 19 mrem/yr

ONuclide (i)	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	3.230E+01	3.702E+01	4.862E+01	1.263E+02	1.955E+03	3.699E+07	*1.131E+15	*1.131E+15

*At specific activity limit

0

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
 and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 at tmin = time of minimum single radionuclide soil guideline
 and at tmax = time of maximum total dose = 0.000E+00 years

ONuclide (i)	Initial pCi/g	tmin (years)	DSR(i,tmin)	G(i,tmin) (pCi/g)	DSR(i,tmax)	G(i,tmax) (pCi/g)
Co-60	3.960E+01	0.000E+00	5.882E-01	3.230E+01	5.882E-01	3.230E+01

Individual Nuclide Dose Summed Over All Pathways
 Parent Nuclide and Branch Fraction Indicated

ONuclide (j)	Parent (i)	BRF(i)	DOSE(j,t), mrem/yr							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	2.329E+01	2.033E+01	1.548E+01	5.956E+00	3.848E-01	2.034E-05	0.000E+00	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.

Individual Nuclide Soil Concentration
 Parent Nuclide and Branch Fraction Indicated

ONuclide (j)	Parent (i)	BRF(i)	S(j,t), pCi/g							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	3.960E+01	3.464E+01	2.650E+01	1.038E+01	7.123E-01	6.038E-05	1.404E-16	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.

ORESMAIN5.EXE execution time = 17.29 seconds

Table of Contents

Part II: Source Terms, Factors, and Parameters for Individual Pathways

=====

Source Factors for Ingrowth and Decay	
Radioactivity Only	3
Combined Radioactivity and Leaching	3
Ground Pathway	
Source Term Parameters	4
Time Dependence of Source Geometry	4
Occupancy, Cover/Depth, and Area Factors	5
Dose Conversion and Environmental Transport Factors .	5
Dose/Source Ratios	5
Inhalation Pathway (radon excluded)	
Dose/Source Ratios	6
Pathway Factors	6
Dose Conversion and Environmental Transport Factors .	6
Groundwater and Surface Water Pathway Segments	
Transport Time Parameters for Unsaturated Zone Strata	7
Dilution Factor and Rise Time Parameters for	
Nondispersion (ND) Model	8
Primary Parameters Used to Calculate Ratios	8
Water/Soil Concentration Ratios	9

Table of Contents (cont.)

Part II: Source Terms, Factors, and Parameters for Individual Pathways
 =====

Food Pathways	
Storage Times for Contaminated Foodstuffs	10
Storage Time Ingrowth and Decay Factors	10
Storage Correction Factors	
Drinking Water	11
Irrigation Water	11
Livestock Water	12
Plants	12
Livestock Fodder	13
Meat and Milk	13
Fish and Crustacea	14
Area and Depth Factors	15
Dose Conversion and Environmental Transport Factors	
Plant	17
Meat	18
Milk	19
Fish	20
Drinking Water	20
Dose/Source Ratios	
Plant	21
Plant Total	22
Meat	23
Meat Total	24
Milk	25
Milk Total	26
Fish	27
Drinking Water	28
Concentration Ratios	
Plant/Air and Plant/Water	29
Plant/Soil	29
Meat/Fodder, Fodder/Air, Fodder/Water	31
Fodder/Soil	32
Meat/Soil	33
Milk/Soil	34
Soil Ingestion Pathway	
Dose/Source Ratios.....	35
Dose Conversion and Environmental Transport Factors .	35

Source Factors for Ingrowth and Decay
 Radioactivity Factors Only

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	1.000E+00	8.768E-01	6.740E-01	2.685E-01	1.935E-02	1.945E-06	7.359E-18	0.000E+00	

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 0

Source Factors for Ingrowth and Decay
 Combined Radioactivity and Leaching Factors

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	1.000E+00	8.746E-01	6.691E-01	2.620E-01	1.799E-02	1.525E-06	3.545E-18	0.000E+00	

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The effect of volatilization was also considered when computing the source factors for H-3 and C-14.

Parameters Used for Calculating Cover Depth and Contaminated Zone Thicknesses

0 Cover Erosion rate (vcv): 0.001000 m/yr
 Contaminated Zone Erosion rate (vcz): 0.001000 m/yr
 Water Table Drop rate (vwt): 0.001000 m/yr
 Precipitation rate (Pr): 1.120000 m/yr
 Cover Removal Time (Tc): 0.000E+00 yr
 Overhead irrigation rate (Irr): 0.200 m/yr Runoff coefficient (Cr): 0.200
 Evapotranspiration coeff. (Ce): 0.500 Infiltration rate (In): 0.548 m/yr
 Bulk soil density (rhob): 1.500 g/cm**3 Effective porosity (pe): 0.000

Radio-nuclide (i)	Distribution Coefficient Kd(i), cm**3/g	Leaching Ratio q(i)
Co-60	1.000000E+03	2.153E-04

0 Time Dependence of Source Geometry

Time Dependence of Cover Depth [Cd(i,t)]

Nuclide (i)	t=	Cd(i,t) (meters)							
		0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60		0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00

0 Time Dependence of Contaminated Zone Thicknesses [T(i,t)]

Nuclide (i)	t=	T(i,t) (meters)							
		0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60		1.5000E-01	1.4900E-01	1.4700E-01	1.4000E-01	1.2000E-01	5.0000E-02	0.0000E+00	0.0000E+00

Occupancy, Cover/Depth, and Area Factors for Ground Pathway

Occupancy Factor (FO1): 0.046
 Area (A): 2023400. sq. meters
 Initial cover depth (Cd): 0.000 meters
 Initial contaminated zone thickness (T): 0.150 meters

Time Dependence of Cover/Depth Factor [FCTR_COV_DEPTH(i,t)]

Nuclide (i)	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60		8.413E-01	8.394E-01	8.356E-01	8.215E-01	7.743E-01	4.864E-01	0.000E+00	0.000E+00

0

Time Dependence of Area Factor [FCTR_AREA(i,t)]

Nuclide (i)	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

0

Dose Conversion and Environmental Transport Factors for the Ground Pathway (p=1)

Parent (i)	Product (j)	DCF(j,1)*	ETF(j,1,t) (dimensionless)
			t= 0.000E+00 1.000E+00 3.000E+00 1.000E+01 3.000E+01 1.000E+02 3.000E+02 1.000E+03
Co-60	Co-60	1.620E+01	3.845E-02 3.836E-02 3.819E-02 3.754E-02 3.538E-02 2.223E-02 0.000E+00 0.000E+00

* - The dose conversion factor units are (mrem/yr)/(pCi/g) at infinite depth and area.

0

Dose/Source Ratios for External Radiation from the Ground (p=1)
 Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	DSR(j,1,t) (mrem/yr)/(pCi/g)
			t= 0.000E+00 1.000E+00 3.000E+00 1.000E+01 3.000E+01 1.000E+02 3.000E+02 1.000E+03
Co-60	Co-60	1.000E+00	5.823E-01 5.082E-01 3.870E-01 1.490E-01 9.634E-03 5.107E-07 0.000E+00 0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life > 0.5 yr) daughters.

Dose/Source Ratios for Inhalation Pathway, Excluding Radon (p=2)
 Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		1.851E-06	1.608E-06	1.214E-06	4.526E-07	2.662E-08	9.348E-13	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Pathway Factors for the Inhalation Pathway (radon excluded)

Area (A): 2.0234E+06 m**2 Occupancy Factor (FO2): 4.5700E-02
 Area Factor (FA2): 2.3607E-01 Annual Air Intake (F12): 8.4000E+03 m**3/yr
 Cover Depth [Cd(0)]: 0.0000E+00 m Mass Loading (ASR2): 1.0000E-04 g/m**3
 Contaminated Zone Thickness [T(0)]: 1.5000E-01 m FA2 * FO2 * F12 * ASR2: 9.0621E-03 g/yr

Nuclide (i)	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60		1.0000E+00	9.9333E-01	9.8000E-01	9.3333E-01	8.0000E-01	3.3333E-01	0.0000E+00	0.0000E+00

0

Dose Conversion and Environmental Transport Factors for the Inhalation Pathway, Excluding Radon (p=2)

Parent (i)	Product (j)	DCF(j,2)*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.190E-04		9.062E-03	9.002E-03	8.881E-03	8.458E-03	7.250E-03	3.021E-03	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Transport Time Parameters for Unsaturated Zone Stratum No. 1

Stratum thickness [h(1)]: 2.000000 m
 Bulk soil material density [rhob(1)]: 1.500000 g/cm**3
 Effective porosity [peuz(1)]: 0.200000
 Hydraulic conductivity [Khuz(1)]: 10.000000 m/yr
 Total porosity [ptuz(1)]: 0.400000
 Soil specific b parameter [buz(1)]: 5.300000
 Saturation ratio [sruz(1)]: 0.807725

Radio-nuclide (i)	Distribution Coefficient Kduz(i,1), cm**3/g	Retardation Factor Rduz(i,1)	Transport Time Dtuz(i,1), yr
Co-60	1.0000E+03	4.6437E+03	2.7378E+03

0

Transport Time Parameters for Unsaturated Zone Stratum No. 2

Stratum thickness [h(2)]: 4.000000 m
 Bulk soil material density [rhob(2)]: 1.500000 g/cm**3
 Effective porosity [peuz(2)]: 0.200000
 Hydraulic conductivity [Khuz(2)]: 10.000000 m/yr
 Total porosity [ptuz(2)]: 0.400000
 Soil specific b parameter [buz(2)]: 5.300000
 Saturation ratio [sruz(2)]: 0.807725

Radio-nuclide (i)	Distribution Coefficient Kduz(i,2), cm**3/g	Retardation Factor Rduz(i,2)	Transport Time Dtuz(i,2), yr
Co-60	1.0000E+03	4.6437E+03	5.4756E+03

0

Transport Time Parameters for Unsaturated Zone created by the Falling Water Table

Water table drop rate [vwt]: 0.001000 m/yr
 Bulk soil material density [rhobaq]: 1.500000 g/cm**3
 Effective porosity [peaq]: 0.200000
 Hydraulic conductivity [Khaq]: 100.000000 m/yr
 Total porosity [ptaq]: 0.400000
 Soil specific b parameter [baq]: 5.300000
 Saturation ratio [sruaq]: 0.681921

Radio-nuclide (i)	Distribution Coefficient Kdaq(i), cm**3/g	Retardation Factor Rduaq(i)	Minimum Transport Time Dtuaq(i), yr
Co-60	1.0000E+03	5.5002E+03	Infinite

Dilution Factor and Rise Time Parameters for Nondispersion (ND) Model

0	Aquifer contamination depth at well (z): 2.74000E+01 m					
	Depth of water intake below water table (dw): 1.00000E+01 m					
	Infiltration rate (In): 5.48000E-01 m/yr					
	Aquifer water flow rate (Vwfr): 2.00000E+00 m/yr					
	Hydraulic gradient (J): 2.00000E-02					
	Hydraulic conductivity of aquifer (Kszh): 1.00000E+02 m/yr					
	Contaminated zone extent parallel to gradient (l): 1.00000E+02 m					
	Distance below contaminated zone to water table (h): 0.60000E+01 m					
	Initial thickness of uncontaminated cover (Cd): 0.00000E+00 m					
	Initial thickness of contaminated zone (T): 0.15000E+00 m					
	Effective porosity of saturated zone (pesz): 0.20000E+00					
0 Radio-	Dilution	Retardation	Horizontal Transport Time	Rise	Decay Time	
nuclide	Factor	Factor	Onsite	Time	Parameter	
(i)	f(i)	Rdsz(i)	Tauh(i), yr	dt(i), yr	1/lamda(i),yr	
-----	-----	-----	-----	-----	-----	-----
Co-60	1.000E+00	3.751E+03	3.751E+04	1.369E+04	7.604E+00	
=====	=====	=====	=====	=====	=====	=====

Primary Parameters Used for Calculating Water/Soil
 Concentration Ratios for Groundwater Pathway Segment

0	Model used: Nondispersion (ND)				
	Bulk soil density in contaminated zone (rhob): 1.500 g/cm**3				
0 Radio-	Dilution	Retardation	Breakthrough Time	Rise	
nuclide	Factor	Factor	Chain	Time	
(i)	f(i)	Rdcz(i)	year	Dt(i), yr	dt(i), yr
-----	-----	-----	-----	-----	-----
Co-60	1.000E+00	4.644E+03	Infinite	Infinite	1.369E+04
=====	=====	=====	=====	=====	=====

Storage Times For Contaminated Foodstuffs

k	Food Item	STOR_T(k), days
1	non-leafy plants	14.
2	leafy plants	1.
3	milk	1.
4	meat	20.
5	fish	7.
6	crustacea	7.
7	well water	1.
8	surface water	1.
9	livestock fodder	45.

0

Storage Time Ingrowth and Decay Factors
 Storage Time for k'th Foodstuff: $t = \text{STOR_T}(k)$, days

Parent (i)	Product (j)	Branch Fraction	STOR_ID(i, j, t) = CONCE(i, j, t) / CONCE(i, i, 0)										
-----	-----	-----	t=	1.400E+01	1.000E+00	1.000E+00	2.000E+01	7.000E+00	7.000E+00	1.000E+00	1.000E+00	4.500E+01	-----
Co-60	Co-60	1.000E+00		9.950E-01	9.996E-01	9.996E-01	9.928E-01	9.975E-01	9.975E-01	9.996E-01	9.996E-01	9.839E-01	-----
=====	=====	=====		=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

CONCE(i, j, t) / CONCE(i, i, 0) is the concentration ratio of Product(j) at time t to Parent(i) at start of storage time.

Storage Time Correction Factors
 Drinking Water from Well and/or Surface
 Harvest Time = t - 2.74E-03 yr; Consumption Time = t yr

Parent (i)	Product (j)	Branch Fraction*	CFWW(j,t,1)#							
Co-60	Co-60	1.000E+00	1.000E+00	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors
 Irrigation Water for Nonleafy Plants from Well and/or Surface
 Harvest Time = t - 4.11E-02 yr; Consumption Time = t - 3.83E-02 yr

Parent (i)	Product (j)	Branch Fraction*	CFWW(j,t,2)#							
Co-60	Co-60	1.000E+00	1.000E+00	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors
 Irrigation Water for Leafy Plants from Well and/or Surface
 Harvest Time = t - 5.48E-03 yr; Consumption Time = t - 2.74E-03 yr

Parent (i)	Product (j)	Branch Fraction*	CFWW(j,t,3)#							
Co-60	Co-60	1.000E+00	1.000E+00	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors
 Irrigation Water for Livestock (Milk) Fodder from Well and/or Surface
 Harvest Time = t - 1.29E-01 yr; Consumption Time = t - 1.26E-01 yr

Parent (i)	Product (j)	Branch Fraction*	CFWW(j,t,5)#							
Co-60	Co-60	1.000E+00	1.000E+00	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors
 Irrigation Water for Livestock (Meat) Fodder from Well and/or Surface
 Harvest Time = t - 1.81E-01 yr; Consumption Time = t - 1.78E-01 yr

Parent (i)	Product (j)	Branch	Fraction*	t = 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	1.000E+00	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors
 Livestock (Milk) Water from Well and/or Surface
 Harvest Time = t - 5.48E-03 yr; Consumption Time = t - 2.74E-03 yr

Parent (i)	Product (j)	Branch	Fraction*	t = 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	1.000E+00	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors
 Livestock (Meat) Water from Well and/or Surface
 Harvest Time = t - 5.75E-02 yr; Consumption Time = t - 5.48E-02 yr

Parent (i)	Product (j)	Branch	Fraction*	t = 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	1.000E+00	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Nonleafy Plants
 Harvest Time = t - 3.83E-02 yr; Consumption Time = t yr

Parent (i)	Product (j)	Branch	Fraction*	t = 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	1.000E+00	9.950E-01	9.950E-01	9.950E-01	9.950E-01	9.950E-01	9.950E-01	9.950E-01	9.950E-01

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Leafy Plants
 Harvest Time = t - 2.74E-03 yr; Consumption Time = t yr

OParent (i)	Product (j)	Branch Fraction*	CF3(j,2,t)#							
-----	-----	-----	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Co-60	Co-60	1.000E+00	1.000E+00	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Livestock (Meat) Fodder
 Harvest Time = t - 1.78E-01 yr; Consumption Time = t - 5.48E-02 yr

OParent (i)	Product (j)	Branch Fraction*	CFLF(j,1,t)#							
-----	-----	-----	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Co-60	Co-60	1.000E+00	1.000E+00	9.839E-01	9.839E-01	9.839E-01	9.839E-01	9.839E-01	9.839E-01	9.839E-01
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Livestock (Milk) Fodder
 Harvest Time = t - 1.26E-01 yr; Consumption Time = t - 2.74E-03 yr

OParent (i)	Product (j)	Branch Fraction*	CFLF(j,2,t)#							
-----	-----	-----	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Co-60	Co-60	1.000E+00	1.000E+00	9.839E-01	9.839E-01	9.839E-01	9.839E-01	9.839E-01	9.839E-01	9.839E-01
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Meat
 Harvest Time = t - 5.48E-02 yr; Consumption Time = t yr

OParent (i)	Product (j)	Branch Fraction*	CF45(j,1,t)#							
-----	-----	-----	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Co-60	Co-60	1.000E+00	1.000E+00	9.928E-01	9.928E-01	9.928E-01	9.928E-01	9.928E-01	9.928E-01	9.928E-01
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Milk
 Harvest Time = t - 2.74E-03 yr; Consumption Time = t yr

Parent (i)	Product (j)	Branch Fraction*	CF45(j,2,t)#							
Co-60	Co-60	1.000E+00	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Fish & Crustacea
 Harvest Time = t - 1.92E-02 yr; Consumption Time = t yr

Parent (i)	Product (j)	Branch Fraction*	CFF(j,1,t)#							
Co-60	Co-60	1.000E+00	1.000E+00	9.975E-01	9.975E-01	9.975E-01	9.975E-01	9.975E-01	9.975E-01	9.975E-01

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Area and Depth Factors for Plant (p=3), Meat (p=4), and Milk (p=5) Pathways
Overhead Irrigation (q=4)

Area Factor for Plant Foods [FA(3)] = 0.10

The Depth Factor Value
FD(i,p,q,t) = 1.0000E+00

is applicable for all radionuclides(i) and times(t).

0

Area and Depth Factors for Meat (p=4) and Milk (p=5) Pathways
Transfer from Livestock Water (q=5) and Soil (q=6) Intake

Area Factor for Meat and Milk [FA(p),p=4,5] = 1.00

The livestock water subpathway (q=5) and livestock soil intake subpathway (q=6)
occur only for the meat (p=4) and milk (p=5) pathways.

0

Area and Depth Factors for Meat (p=4) and Milk (p=5) Pathways
Transfer from Livestock Water (q=5) and Soil (q=6) Intake

Area Factor for Meat and Milk [FA(p),p=4,5] = 1.00

The livestock water subpathway (q=5) and livestock soil intake subpathway (q=6)
occur only for the meat (p=4) and milk (p=5) pathways.

Dose Conversion and Environmental Transport Factors for the Plant Food Pathway (p=3)
 Subpathway: Root Uptake from Contaminated Soil (q=1)

Parent Product (i)	Product (j)	DCF(j,3)*	ETF(j,3,1,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	2.320E+02	2.016E+02	1.522E+02	5.675E+01	3.340E+00	1.180E-04	0.000E+00	0.000E+00	

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Plant Food Pathway (p=3)
 Subpathway: Foliar Uptake from Contaminated Dust (q=2)

Parent Product (i)	Product (j)	DCF(j,3)*	ETF(j,3,2,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	2.925E-02	2.542E-02	1.918E-02	7.154E-03	4.210E-04	1.487E-08	0.000E+00	0.000E+00	

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Plant Food Pathway (p=3)
 Subpathway: Ditch Irrigation (q=3)

Parent Product (i)	Product (j)	DCF(j,3)*	ETF(j,3,3,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Plant Food Pathway (p=3)
 Subpathway: Overhead Irrigation (q=4)

Parent Product (i)	Product (j)	DCF(j,3)*	ETF(j,3,4,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Meat Pathway (p=4)
 Subpathway: Fodder Root Uptake from Contaminated Soil (q=1)

Parent Product (i)	Product (j)	DCF(j,4)*	ETF(j,4,1,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Meat Pathway (p=4)
 Subpathway: Fodder Foliar Uptake from Contaminated Dust (q=2)

Parent Product (i)	Product (j)	DCF(j,4)*	ETF(j,4,2,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Meat Pathway (p=4)
 Subpathway: Ditch Irrigation (q=3)

Parent Product (i)	Product (j)	DCF(j,4)*	ETF(j,4,3,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Meat Pathway (p=4)
 Subpathway: Overhead Irrigation (q=4)

Parent Product (i)	Product (j)	DCF(j,4)*	ETF(j,4,4,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Meat Pathway (p=4)
 Subpathway: Livestock Water (q=5)

Parent Product (i)	Product (j)	DCF(j,4)*	ETF(j,4,5,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Milk Pathway (p=5)
 Subpathway: Fodder Root Uptake from Contaminated Soil (q=1)

Parent Product (i)	Product (j)	DCF(j,5)*	ETF(j,5,1,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Milk Pathway (p=5)
 Subpathway: Fodder Foliar Uptake from Contaminated Dust (q=2)

Parent Product (i)	Product (j)	DCF(j,5)*	ETF(j,5,2,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Milk Pathway (p=5)
 Subpathway: Ditch Irrigation (q=3)

Parent Product (i)	Product (j)	DCF(j,5)*	ETF(j,5,3,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Milk Pathway (p=5)
 Subpathway: Overhead Irrigation (q=4)

Parent Product (i)	Product (j)	DCF(j,5)*	ETF(j,5,4,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Milk Pathway (p=5)
 Subpathway: Livestock Water (q=5)

Parent Product (i)	Product (j)	DCF(j,5)*	ETF(j,5,5,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Fish Pathway (p=6)

Parent (i)	Product (j)	DCF(j,6)*	ETF(j,6,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Drinking Water Pathway (p=7)

Parent (i)	Product (j)	DCF(j,7)*	ETF(j,7,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose/Source Ratios for Internal Radiation from Ingestion of Plant Foods (p=3)
 Subpathway: Root Uptake from Contaminated Soil (q=1)

Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		5.824E-03	5.060E-03	3.819E-03	1.424E-03	8.374E-05	2.942E-09	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Plant Foods (p=3)
 Subpathway: Foliar Uptake from Contaminated Dust (q=2)

Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		7.341E-07	6.378E-07	4.813E-07	1.795E-07	1.056E-08	3.708E-13	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Plant Foods (p=3)
 Subpathway: Ditch Irrigation (q=3)

Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Plant Foods (p=3)
 Subpathway: Overhead Irrigation (q=4)

Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Plant Foods (p=3)
 Total for All Subpathways

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		5.824E-03	5.060E-03	3.819E-03	1.424E-03	8.375E-05	2.942E-09	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: $CUMBRF(j) = BRF(1)*BRF(2)* \dots BRF(j)$.
 The DSR includes contributions from associated (half-life \leq 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Meat (p=4)

Subpathway: Fodder Root Uptake from Contaminated Soil (q=1)

Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Meat (p=4)

Subpathway: Fodder Foliar Uptake from Contaminated Dust (q=2)

Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Meat (p=4)

Subpathway: Ditch Irrigation (q=3)

Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Meat (p=4)

Subpathway: Overhead Irrigation (q=4)

Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Meat (p=4)

Subpathway: Livestock Water (q=5)

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: $CUMBRF(j) = BRF(1)*BRF(2)* \dots BRF(j)$.
 The DSR includes contributions from associated (half-life δ 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Meat (p=4)

Total for All Subpathways

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: $CUMBRF(j) = BRF(1)*BRF(2)* \dots BRF(j)$.
 The DSR includes contributions from associated (half-life δ 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Milk (p=5)

Subpathway: Fodder Root Uptake from Contaminated Soil (q=1)

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch	Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Milk (p=5)

Subpathway: Fodder Foliar Uptake from Contaminated Dust (q=2)

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch	Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Milk (p=5)

Subpathway: Ditch Irrigation (q=3)

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch	Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Milk (p=5)

Subpathway: Overhead Irrigation (q=4)

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch	Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Milk (p=5)
 Subpathway: Livestock Water (q=5)

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: $CUMBRF(j) = BRF(1)*BRF(2)* \dots BRF(j)$.
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Milk (p=5)
 Total for All Subpathways

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: $CUMBRF(j) = BRF(1)*BRF(2)* \dots BRF(j)$.
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from the Ingestion of Fish (p=6)
 Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: $CUMBRF(j) = BRF(1)*BRF(2)* \dots BRF(j)$.
 The DSR includes contributions from associated (half-life \leq 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from the Ingestion of Drinking Water (p=7)

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: $CUMBRF(j) = BRF(1)*BRF(2)* \dots BRF(j)$.
 The DSR includes contributions from associated (half-life \leq 0.5 yr) daughters.

Plant/Air and Plant/Water Concentration Ratios

0 Mass loading [ASR(3)]: 1.000E-04 g/m**3
 Area Factor for Mass Loading [FA(2)]: 2.361E-01

0Nuclide (i)	FAR(i,3,2,1) m**3/g	FAR(i,3,2,2) m**3/g	FWR(i,3,3,1) L/g	FWR(i,3,3,2) L/g	FWR(i,3,4,1) L/g	FWR(i,3,4,2) L/g
Co-60	5.4545E-02	2.6156E-01	9.0653E-06	1.3329E-05	3.4522E-04	1.6554E-03

FAR(i,p,q,k) is the plant/air concentration ratio for airborne contaminated dust, and FWR(i,p,q,k) is the plant/water concentration ratio. See groundwater displays for water/soil concentration ratios.

0 Plant/Soil Concentration Ratios, FSR(i,3,q,k,t)
 0 Root Uptake (q=1) and Foliar Dust Deposition (q=2)
 0 Nonleafy (k=1) and/or Leafy (k=2) Vegetables

0Nuclide (i)	Parent Product	FSR(i,3,1,k)	FSR(i,3,2,1)	FSR(i,3,2,2)
Co-60	Co-60	8.0000E-02	1.2876E-06	6.1745E-06

0 Plant/Soil Concentration Ratio, FSR(j,3,q,k,t)
 Ditch Irrigation (q=3)

0Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

0 Plant/Soil Concentration Ratio, FSR(j,3,q,k,t)
 Overhead Irrigation (q=4) and Nonleafy Vegetables (k=1)

0Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

0 Plant/Soil Concentration Ratio, FSR(j,3,q,k,t)
 Overhead Irrigation (q=4) and Leafy Vegetables (k=2)

0Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
				0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03

Meat/Fodder, Milk/Fodder, Fodder/Air and Fodder/Water Concentration Ratios

0	FI(4,q):	68.0 kg/day	FI(5,q):	55.0 kg/day	q=1,2,3,4
	FI(4,q):	50.0 L/day	FI(5,q):	160.0 L/day	q=5
	FI(4,q):	0.5 kg/day	FI(5,q):		
0Nuclide	FQR(i,4)	FQR(i,5)	FAR(i,3,2,3)	FWR(i,3,3,3)	FWR(i,3,4,3)
(i)	d/kg	d/kg	m**3/g	L/g	L/g
-----	-----	-----	-----	-----	-----
Co-60	2.0000E-02	2.0000E-03	2.8659E-01	4.2663E-06	1.8139E-03
=====	=====	=====	=====	=====	=====

FI(p,q) are the fodder (q=1,2,3,4), livestock water (q=5) and soil (q=6) intake rates;
 FQR(i,p) are the transfer coefficients from contaminated fodder of livestock
 water to meat (p=4) or milk (p=5). FAR(i,3,2,3) are the fodder/air
 concentration ratios, and FWR(i,3,3,3) and FWR(i,3,4,3) are the fodder/
 water concentration ratios for ditch and overhead irrigation, respectively.

Fodder/Soil Concentration Ratios, $QSR(i,p,q,t)$, for Meat and Milk Pathways
 Root Uptake (q=1) and Foliar Dust Deposition (q=2)

Nuclide(i)			
Parent	Product	$QSR(i,p,1)$	$QSR(i,p,2)$
Co-60	Co-60	8.0000E-02	6.7655E-06

0

Fodder/Soil Concentration Ratio, $QSR(j,p,q,t)$, for Meat and Milk Pathways
 Ditch Irrigation (q=3)

Parent (i)	Product (j)	Branch Fraction*	t=	$QSR(j,p,3,t) * SF(j,t)$								
Co-60	Co-60	1.000E+00		0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03	0.000E+00

0

Fodder/Soil Concentration Ratio, $QSR(j,p,q,t)$, for Meat and Milk Pathways
 Overhead Irrigation (q=4)

Parent (i)	Product (j)	Branch Fraction*	t=	$QSR(j,p,4,t) * SF(j,t)$								
Co-60	Co-60	1.000E+00		0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03	0.000E+00

0

Fodder/Soil Concentration Ratio, $QSR(j,p,q,t)$, for Meat and Milk Pathways
 Livestock Water (q=5)

Parent (i)	Product (j)	Branch Fraction*	t=	$QSR(j,p,5,t) * SF(j,t)$								
Co-60	Co-60	1.000E+00		0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03	0.000E+00

Meat/Soil Concentration Ratios, FSR(i,4,q,t)
 Root Uptake (q=1) and Foliar Dust Deposition (q=2)

Nuclide(i)		FSR(i,4,1)	FSR(i,4,2)
Parent	Product		
Co-60	Co-60	1.8133E-02	9.2011E-06

0

Meat/Soil Concentration Ratio, FSR(j,4,q,t)
 Ditch Irrigation (q=3)

Parent (i)	Product (j)	Branch Fraction*	t=	FSR(j,4,3,t) * SF(j,t)
Co-60	Co-60	1.000E+00	0.000E+00	1.000E+00 3.000E+00 1.000E+01 3.000E+01 1.000E+02 3.000E+02 1.000E+03

0

Meat/Soil Concentration Ratio, FSR(j,4,q,t)
 Overhead Irrigation (q=4)

Parent (i)	Product (j)	Branch Fraction*	t=	FSR(j,4,4,t) * SF(j,t)
Co-60	Co-60	1.000E+00	0.000E+00	1.000E+00 3.000E+00 1.000E+01 3.000E+01 1.000E+02 3.000E+02 1.000E+03

0

Meat/Soil Concentration Ratio, FSR(j,4,q,t)
 Livestock Water (q=5)

Parent (i)	Product (j)	Branch Fraction*	t=	FSR(j,4,5,t) * SF(j,t)
Co-60	Co-60	1.000E+00	0.000E+00	1.000E+00 3.000E+00 1.000E+01 3.000E+01 1.000E+02 3.000E+02 1.000E+03

Milk/Soil Concentration Ratios, FSR(i,5,q,t)
 Root Uptake (q=1) and Foliar Dust Deposition (q=2)

Nuclide(i)		FSR(i,5,1)	FSR(i,5,2)
Parent	Product		
Co-60	Co-60	1.4667E-03	7.4420E-07

0

Milk/Soil Concentration Ratio, FSR(j,5,q,t)
 Ditch Irrigation (q=3)

Parent (i)	Product (j)	Branch Fraction*	t=	FSR(j,5,3,t) * SF(j,t)
Co-60	Co-60	1.000E+00	0.000E+00	1.000E+00 3.000E+00 1.000E+01 3.000E+01 1.000E+02 3.000E+02 1.000E+03

0

Milk/Soil Concentration Ratio, FSR(j,5,q,t)
 Overhead Irrigation (q=4)

Parent (i)	Product (j)	Branch Fraction*	t=	FSR(j,5,4,t) * SF(j,t)
Co-60	Co-60	1.000E+00	0.000E+00	1.000E+00 3.000E+00 1.000E+01 3.000E+01 1.000E+02 3.000E+02 1.000E+03

0

Milk/Soil Concentration Ratio, FSR(j,5,q,t)
 Livestock Water (q=5)

Parent (i)	Product (j)	Branch Fraction*	t=	FSR(j,5,5,t) * SF(j,t)
Co-60	Co-60	1.000E+00	0.000E+00	1.000E+00 3.000E+00 1.000E+01 3.000E+01 1.000E+02 3.000E+02 1.000E+03

Dose/Source Ratios for Soil Ingestion Pathway (p=8)

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	DSR(j,8,t) (mrem/yr) / (pCi/g)							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	4.186E-05	3.637E-05	2.745E-05	1.023E-05	6.018E-07	2.113E-11	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life > 0.5 yr) daughters.

0

Dose Conversion and Environmental Transport Factors for the Soil Ingestion Pathway (p=8)

Parent (i)	Product (j)	DCF(j,8)*	ETF(j,8,t) (g/yr)							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	1.668E+00	1.657E+00	1.635E+00	1.557E+00	1.334E+00	5.560E-01	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Table of Contents

Part III: Intake Quantities and Health Risk Factors

=====
Cancer Risk Slope Factors 2
Amount of Intake Quantities and Excess Cancer Risks
Time= 0.000E+00 3
Time= 1.000E+00 5
Time= 3.000E+00 7
Time= 1.000E+01 9
Time= 3.000E+01 11
Time= 1.000E+02 13
Time= 3.000E+02 15
Time= 1.000E+03 17

Cancer Risk Slope Factors Summary Table
 File: Default.LIB

Menu	Parameter	Current Value	Default	Parameter Name
Sf-1	Ground external radiation slope factors, 1/yr per (pCi/g):			
Sf-1	Co-60	9.80E-06	9.80E-06	SLPF(1,1)
Sf-2	Inhalation, slope factors, 1/(pCi):			
Sf-2	Co-60	6.90E-11	6.90E-11	SLPF(1,2)
Sf-3	Ingestion, slope factors, 1/(pCi):			
Sf-3	Co-60	1.90E-11	1.90E-11	SLPF(1,3)

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As pCi/yr at t= 0.000E+00 years

Radio- Nuclide	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total Ingestion*
	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	
Co-60	3.589E-01	9.188E+03	0.000E+00	0.000E+00	6.605E+01	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	9.254E+03

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil
 and water-dependent water, fish, plant, meat, milk pathways

0

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 0.000E+00 years

Radio- Nuclide	Ground		Inhalation		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	4.476E-04	0.9884	7.428E-10	0.0000	5.237E-06	0.0116	0.000E+00	0.0000	0.000E+00	0.0000	3.765E-08	0.0001
Total	4.476E-04	0.9884	7.428E-10	0.0000	5.237E-06	0.0116	0.000E+00	0.0000	0.000E+00	0.0000	3.765E-08	0.0001

0

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 0.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Plant		Meat		Milk		All Pathways**	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.529E-04	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.529E-04	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
 and water dependent water, fish, plant, meat, milk pathways

0

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 0.000E+00 years

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	4.476E-04	0.9884	7.428E-10	0.0000	0.000E+00	0.0000	5.237E-06	0.0116	0.000E+00	0.0000	0.000E+00	0.0000	3.765E-08	0.0001
Total	4.476E-04	0.9884	7.428E-10	0.0000	0.000E+00	0.0000	5.237E-06	0.0116	0.000E+00	0.0000	0.000E+00	0.0000	3.765E-08	0.0001

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 0.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.529E-04	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.529E-04	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As pCi/yr at t= 1.000E+00 years

Radio- Nuclide	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total Ingestion*
	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	
Co-60	3.118E-01	7.986E+03	0.000E+00	0.000E+00	5.739E+01	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	8.043E+03

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil
 and water-dependent water, fish, plant, meat, milk pathways

0
 Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+00 years

Radio- Nuclide	Ground		Inhalation		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	3.906E-04	0.9884	6.454E-10	0.0000	4.552E-06	0.0115	0.000E+00	0.0000	0.000E+00	0.0000	3.271E-08	0.0001
Total	3.906E-04	0.9884	6.454E-10	0.0000	4.552E-06	0.0115	0.000E+00	0.0000	0.000E+00	0.0000	3.271E-08	0.0001

0
 Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+00 years

Radio- Nuclide	Water		Fish		Plant		Meat		Milk		All Pathways**	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.952E-04	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.952E-04	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
 and water dependent water, fish, plant, meat, milk pathways

0
 Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+00 years

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	3.906E-04	0.9884	6.454E-10	0.0000	0.000E+00	0.0000	4.552E-06	0.0115	0.000E+00	0.0000	0.000E+00	0.0000	3.271E-08	0.0001
Total	3.906E-04	0.9884	6.454E-10	0.0000	0.000E+00	0.0000	4.552E-06	0.0115	0.000E+00	0.0000	0.000E+00	0.0000	3.271E-08	0.0001

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.952E-04	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.952E-04	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As pCi/yr at t= 3.000E+00 years

Radio- Nuclide	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total Ingestion*
	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	
Co-60	2.353E-01	6.027E+03	0.000E+00	0.000E+00	4.331E+01	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	6.070E+03

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil
 and water-dependent water, fish, plant, meat, milk pathways

0
 Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+00 years

Radio- Nuclide	Ground		Inhalation		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	2.975E-04	0.9885	4.871E-10	0.0000	3.435E-06	0.0114	0.000E+00	0.0000	0.000E+00	0.0000	2.469E-08	0.0001
Total	2.975E-04	0.9885	4.871E-10	0.0000	3.435E-06	0.0114	0.000E+00	0.0000	0.000E+00	0.0000	2.469E-08	0.0001

0
 Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+00 years

Radio- Nuclide	Water		Fish		Plant		Meat		Milk		All Pathways**	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.009E-04	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.009E-04	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
 and water dependent water, fish, plant, meat, milk pathways

0
 Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+00 years

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	2.975E-04	0.9885	4.871E-10	0.0000	0.000E+00	0.0000	3.435E-06	0.0114	0.000E+00	0.0000	0.000E+00	0.0000	2.469E-08	0.0001
Total	2.975E-04	0.9885	4.871E-10	0.0000	0.000E+00	0.0000	3.435E-06	0.0114	0.000E+00	0.0000	0.000E+00	0.0000	2.469E-08	0.0001

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.009E-04	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.009E-04	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As pCi/yr at t= 1.000E+01 years

Radio- Nuclide	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total Ingestion*
	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	
Co-60	8.776E-02	2.248E+03	0.000E+00	0.000E+00	1.615E+01	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.264E+03

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil
 and water-dependent water, fish, plant, meat, milk pathways

0

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+01 years

0

Radio- Nuclide	Ground		Inhalation		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	1.145E-04	0.9889	1.817E-10	0.0000	1.281E-06	0.0111	0.000E+00	0.0000	0.000E+00	0.0000	9.207E-09	0.0001
Total	1.145E-04	0.9889	1.817E-10	0.0000	1.281E-06	0.0111	0.000E+00	0.0000	0.000E+00	0.0000	9.207E-09	0.0001

0

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Plant		Meat		Milk		All Pathways**	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.158E-04	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.158E-04	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
 and water dependent water, fish, plant, meat, milk pathways

0

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+01 years

0

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	1.145E-04	0.9889	1.817E-10	0.0000	0.000E+00	0.0000	1.281E-06	0.0111	0.000E+00	0.0000	0.000E+00	0.0000	9.207E-09	0.0001
Total	1.145E-04	0.9889	1.817E-10	0.0000	0.000E+00	0.0000	1.281E-06	0.0111	0.000E+00	0.0000	0.000E+00	0.0000	9.207E-09	0.0001

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.158E-04	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.158E-04	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As pCi/yr at t= 3.000E+01 years

Radio- Nuclide	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total Ingestion*
	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	
Co-60	5.164E-03	1.323E+02	0.000E+00	0.000E+00	9.505E-01	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.332E+02

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil
 and water-dependent water, fish, plant, meat, milk pathways

0

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+01 years

Radio- Nuclide	Ground		Inhalation		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	7.410E-06	0.9899	1.069E-11	0.0000	7.539E-08	0.0101	0.000E+00	0.0000	0.000E+00	0.0000	5.418E-10	0.0001
Total	7.410E-06	0.9899	1.069E-11	0.0000	7.539E-08	0.0101	0.000E+00	0.0000	0.000E+00	0.0000	5.418E-10	0.0001

0

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+01 years

Radio- Nuclide	Water		Fish		Plant		Meat		Milk		All Pathways**	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.486E-06	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.486E-06	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
 and water dependent water, fish, plant, meat, milk pathways

0

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+01 years

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	7.410E-06	0.9899	1.069E-11	0.0000	0.000E+00	0.0000	7.539E-08	0.0101	0.000E+00	0.0000	0.000E+00	0.0000	5.418E-10	0.0001
Total	7.410E-06	0.9899	1.069E-11	0.0000	0.000E+00	0.0000	7.539E-08	0.0101	0.000E+00	0.0000	0.000E+00	0.0000	5.418E-10	0.0001

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.486E-06	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.486E-06	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As pCi/yr at t= 1.000E+02 years

Radio- Nuclide	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total Ingestion*
	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	
Co-60	1.824E-07	4.674E-03	0.000E+00	0.000E+00	3.357E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.707E-03

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil
 and water-dependent water, fish, plant, meat, milk pathways

0

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+02 years

Radio- Nuclide	Ground		Inhalation		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	3.946E-10	0.9932	3.775E-16	0.0000	2.664E-12	0.0067	0.000E+00	0.0000	0.000E+00	0.0000	1.914E-14	0.0000
Total	3.946E-10	0.9932	3.775E-16	0.0000	2.664E-12	0.0067	0.000E+00	0.0000	0.000E+00	0.0000	1.914E-14	0.0000

0

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Plant		Meat		Milk		All Pathways**	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.973E-10	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.973E-10	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
 and water dependent water, fish, plant, meat, milk pathways

0

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+02 years

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	3.946E-10	0.9932	3.775E-16	0.0000	0.000E+00	0.0000	2.664E-12	0.0067	0.000E+00	0.0000	0.000E+00	0.0000	1.914E-14	0.0000
Total	3.946E-10	0.9932	3.775E-16	0.0000	0.000E+00	0.0000	2.664E-12	0.0067	0.000E+00	0.0000	0.000E+00	0.0000	1.914E-14	0.0000

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.973E-10	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.973E-10	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+03 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Table of Contents

Part IV: Concentration of Radionuclides
=====

Concentration of radionuclides in different media

Time= 0.000E+00	2
Time= 1.000E+00	3
Time= 3.000E+00	4
Time= 1.000E+01	5
Time= 3.000E+01	6
Time= 1.000E+02	7
Time= 3.000E+02	8
Time= 1.000E+03	9

Concentration of radionuclides in environmental media
 at t = 0.000E+00 years

Radio- Nuclide	Contaminat- ed Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Co-60	3.960E+01	3.960E+01	9.348E-04	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 0.000E+00 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Co-60	0.000E+00	5.281E+02	5.282E+02	5.283E+02	5.283E+02	1.114E+03	9.771E+01	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time. For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
 at t = 1.000E+00 years

Radio- Nuclide	Contaminat- ed Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Co-60	3.464E+01	3.441E+01	8.122E-04	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 1.000E+00 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Co-60	0.000E+00	4.589E+02	4.590E+02	4.630E+02	4.597E+02	9.694E+02	8.495E+01	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time. For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
 at t = 3.000E+00 years

Radio- Nuclide	Contaminat- ed Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Co-60	2.650E+01	2.597E+01	6.130E-04	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 3.000E+00 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Co-60	0.000E+00	3.464E+02	3.464E+02	3.495E+02	3.469E+02	7.317E+02	6.412E+01	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time. For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
 at t = 1.000E+01 years

Radio- Nuclide	Contaminat- ed Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Co-60	1.038E+01	9.684E+00	2.286E-04	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 1.000E+01 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Co-60	0.000E+00	1.292E+02	1.292E+02	1.303E+02	1.294E+02	2.729E+02	2.391E+01	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time. For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
 at t = 3.000E+01 years

Radio- Nuclide	Contaminat- ed Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Co-60	7.123E-01	5.698E-01	1.345E-05	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 3.000E+01 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Co-60	0.000E+00	7.602E+00	7.601E+00	7.671E+00	7.615E+00	1.606E+01	1.407E+00	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time. For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
 at t = 1.000E+02 years

Radio- Nuclide	Contaminat- ed Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Co-60	6.038E-05	2.013E-05	4.751E-10	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 1.000E+02 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Co-60	0.000E+00	2.686E-04	2.685E-04	2.715E-04	2.693E-04	5.681E-04	4.974E-05	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time. For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
 at t = 3.000E+02 years

Radio- Nuclide	Contaminat- ed Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Co-60	1.404E-16	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 3.000E+02 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Co-60	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time. For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
 at t = 1.000E+03 years

Radio- Nuclide	Contaminat- ed Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Co-60	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 1.000E+03 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Co-60	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time. For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Table of Contents

Part V: Dose from Radionuclide at Point of Action
=====

Total Dose Components Summed to Daughter	
Time = 0.000E+00 years	2
Time = 1.000E+00 years	3
Time = 3.000E+00 years	4
Time = 1.000E+01 years	5
Time = 3.000E+01 years	6
Time = 1.000E+02 years	7
Time = 3.000E+02 years	8
Time = 1.000E+03 years	9

Dose from Radionuclides @ Point of Action CE Windsor Site, Commercial Truck Farmer Scenario, Byproduct
File: TRUCKB.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
in mrem/yr at t = 0.000E+00 years

Radio- Nuc- lide	Water Independent Pathways						Water Dependent Pathways						ALL	
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat		Milk
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr
Co-60	2.31E+01	7.33E-05	0.00E+00	2.31E-01	0.00E+00	0.00E+00	1.66E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.33E+01
Total	2.31E+01	7.33E-05	0.00E+00	2.31E-01	0.00E+00	0.00E+00	1.66E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.33E+01

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
in mrem/yr at t = 1.000E+00 years

Radio- Nuc- lide	Water Independent Pathways						Water Dependent Pathways						ALL	
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat		Milk
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr
Co-60	2.01E+01	6.37E-05	0.00E+00	2.00E-01	0.00E+00	0.00E+00	1.44E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.03E+01
Total	2.01E+01	6.37E-05	0.00E+00	2.00E-01	0.00E+00	0.00E+00	1.44E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.03E+01

0*Sum of all water independent and dependent pathways.

Dose from Radionuclides @ Point of Action CE Windsor Site, Commercial Truck Farmer Scenario, Byproduct
File: TRUCKB.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
in mrem/yr at t = 3.000E+00 years

Radio- Nuc- lide	Water Independent Pathways						Water Dependent Pathways						ALL		
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat		Milk	
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	
Co-60	1.53E+01	4.81E-05	0.00E+00	1.51E-01	0.00E+00	0.00E+00	1.09E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.55E+01
Total	1.53E+01	4.81E-05	0.00E+00	1.51E-01	0.00E+00	0.00E+00	1.09E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.55E+01

0*Sum of all water independent and dependent pathways.

Dose from Radionuclides @ Point of Action CE Windsor Site, Commercial Truck Farmer Scenario, Byproduct

File: TRUCKB.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
in mrem/yr at t = 1.000E+01 years

0 Radio- Nuc- lide	Water Independent Pathways						Water Dependent Pathways						ALL	
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat		Milk
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr
Co-60	5.90E+00	1.79E-05	0.00E+00	5.64E-02	0.00E+00	0.00E+00	4.05E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.96E+00
Total	5.90E+00	1.79E-05	0.00E+00	5.64E-02	0.00E+00	0.00E+00	4.05E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.96E+00

0*Sum of all water independent and dependent pathways.

Dose from Radionuclides @ Point of Action CE Windsor Site, Commercial Truck Farmer Scenario, Byproduct
File: TRUCKB.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
in mrem/yr at t = 3.000E+01 years

Radio- Nuc- lide	Water Independent Pathways						Water Dependent Pathways						ALL	
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat		Milk
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr
Co-60	3.81E-01	1.05E-06	0.00E+00	3.32E-03	0.00E+00	0.00E+00	2.38E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.85E-01
Total	3.81E-01	1.05E-06	0.00E+00	3.32E-03	0.00E+00	0.00E+00	2.38E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.85E-01

0*Sum of all water independent and dependent pathways.

Dose from Radionuclides @ Point of Action CE Windsor Site, Commercial Truck Farmer Scenario, Byproduct
File: TRUCKB.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
in mrem/yr at t = 1.000E+02 years

Radio- Nuc- lide	Water Independent Pathways						Water Dependent Pathways						ALL	
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat		Milk
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr
Co-60	2.02E-05	3.70E-11	0.00E+00	1.17E-07	0.00E+00	0.00E+00	8.37E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.03E-05
Total	2.02E-05	3.70E-11	0.00E+00	1.17E-07	0.00E+00	0.00E+00	8.37E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.03E-05

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 in mrem/yr at t = 3.000E+02 years

0 Radio- Nuc- lide	Water Independent Pathways						Water Dependent Pathways						ALL	
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat		Milk
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr
Co-60	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 in mrem/yr at t = 1.000E+03 years

0 Radio- Nuc- lide	Water Independent Pathways						Water Dependent Pathways						ALL	
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat		Milk
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr
Co-60	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

0*Sum of all water independent and dependent pathways.

Table of Contents

Part V: Uncertainty Analysis
=====

ORESAD Uncertainty Analysis Results

Monte Carlo Input	2
Total Dose	3
Total Risk	4
Dose vs Pathway: Ground External	5
Dose vs Pathway: Inhalation (w/o Radon)	6
Dose vs Pathway: Radon (Water Ind.)	7
Dose vs Pathway: Plant (Water Ind.)	8
Dose vs Pathway: Meat (Water Ind.)	9
Dose vs Pathway: Milk (Water Ind.)	10
Dose vs Pathway: Soil Ingestion	11
Dose vs Pathway: Water Ingestion	12
Dose vs Pathway: Fish Ingestion	13
Dose vs Pathway: Radon (Water Dep.)	14
Dose vs Pathway: Plant (Water Dep.)	15
Dose vs Pathway: Meat (Water Dep.)	16
Dose vs Pathway: Milk (Water Dep.)	17
MC Cumulative Probability Summary.....	18
Summary of dose at graphical times, reptition 1.....	19
Summary of dose at graphical times, reptition 2.....	20
Summary of dose at graphical times, reptition 3.....	21
Peak of the mean dose at graphical times.....	22
Correlation and Regression coefficients (if any).....	23

Monte Carlo Total Dose Summary											
0Nuclide (j)	Peak Time	Peak Dose	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
DOSE(j, t), mrem/yr											
Co-60											
Min	0.00E+00	1.64E-01	1.64E-01	1.64E-14	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	3.21E+01	3.21E+01	2.81E+01	2.16E+01	8.54E+00	6.02E-01	5.32E-05	7.55E-19	0.00E+00	0.00E+00
Avg	0.00E+00	1.90E+01	1.90E+01	1.57E+01	1.11E+01	3.73E+00	1.98E-01	7.51E-06	4.61E-21	0.00E+00	0.00E+00
Std	0.00E+00	6.02E+00	6.02E+00	5.80E+00	4.94E+00	2.22E+00	1.65E-01	1.25E-05	4.68E-20	0.00E+00	0.00E+00
äALL											
Min	0.00E+00	1.64E-01	1.64E-01	1.64E-14	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	3.21E+01	3.21E+01	2.81E+01	2.16E+01	8.54E+00	6.02E-01	5.32E-05	7.55E-19	0.00E+00	0.00E+00
Avg	0.00E+00	1.90E+01	1.90E+01	1.57E+01	1.11E+01	3.73E+00	1.98E-01	7.51E-06	4.61E-21	0.00E+00	0.00E+00
Std	0.00E+00	6.02E+00	6.02E+00	5.80E+00	4.94E+00	2.22E+00	1.65E-01	1.25E-05	4.68E-20	0.00E+00	0.00E+00

äALL is total dose summed for all nuclides.

Monte Carlo Risk Summary									
0Nuclide (j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
RISK(j,t)									

Co-60									
Min		2.90E-05	8.82E-18	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		6.25E-04	5.47E-04	4.20E-04	1.66E-04	1.17E-05	1.03E-09	1.71E-23	0.00E+00
Avg		3.86E-04	3.13E-04	2.20E-04	7.29E-05	3.86E-06	1.47E-10	1.04E-25	0.00E+00
Std		1.09E-04	1.09E-04	9.40E-05	4.29E-05	3.20E-06	2.43E-10	0.00E+00	0.00E+00
äALL									
Min		2.90E-05	8.82E-18	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		6.25E-04	5.47E-04	4.20E-04	1.66E-04	1.17E-05	1.03E-09	1.71E-23	0.00E+00
Avg		3.86E-04	3.13E-04	2.20E-04	7.29E-05	3.86E-06	1.47E-10	1.04E-25	0.00E+00
Std		1.09E-04	1.09E-04	9.40E-05	4.29E-05	3.20E-06	2.43E-10	0.00E+00	0.00E+00
=====									

äALL is total risk summed for all nuclides.

0		Monte Carlo Dose vs Pathway(i):							Ground	External
0Nuclide	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03	
(j)										
Co-60	Min	1.63E-01	1.63E-14	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	
	Max	3.13E+01	2.75E+01	2.11E+01	8.34E+00	5.89E-01	5.24E-05	0.00E+00	0.00E+00	
	Avg	1.89E+01	1.56E+01	1.11E+01	3.70E+00	1.97E-01	7.48E-06	0.00E+00	0.00E+00	
	Std	5.97E+00	5.76E+00	4.90E+00	2.21E+00	1.64E-01	1.24E-05	0.00E+00	0.00E+00	
äALL	Min	1.63E-01	1.63E-14	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	
	Max	3.13E+01	2.75E+01	2.11E+01	8.34E+00	5.89E-01	5.24E-05	0.00E+00	0.00E+00	
	Avg	1.89E+01	1.56E+01	1.11E+01	3.70E+00	1.97E-01	7.48E-06	0.00E+00	0.00E+00	
	Std	5.97E+00	5.76E+00	4.90E+00	2.21E+00	1.64E-01	1.24E-05	0.00E+00	0.00E+00	

äALL is total pathway dose summed for all nuclides.

0 Monte Carlo Dose vs Pathway(i): Inhalation (w/o Radon)									
0Nuclide	DOSE(i,j,t), mrem/yr								
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Co-60									
Min		5.76E-08	3.55E-21	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		5.29E-05	4.58E-05	3.43E-05	1.35E-05	9.64E-07	4.23E-11	0.00E+00	0.00E+00
Avg		9.77E-06	8.12E-06	5.77E-06	1.93E-06	9.91E-08	3.20E-12	0.00E+00	0.00E+00
Std		8.50E-06	7.36E-06	5.59E-06	2.14E-06	1.35E-07	6.78E-12	0.00E+00	0.00E+00
äALL									
Min		5.76E-08	3.55E-21	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		5.29E-05	4.58E-05	3.43E-05	1.35E-05	9.64E-07	4.23E-11	0.00E+00	0.00E+00
Avg		9.77E-06	8.12E-06	5.77E-06	1.93E-06	9.91E-08	3.20E-12	0.00E+00	0.00E+00
Std		8.50E-06	7.36E-06	5.59E-06	2.14E-06	1.35E-07	6.78E-12	0.00E+00	0.00E+00
=====		=====	=====	=====	=====	=====	=====	=====	=====

äALL is total pathway dose summed for all nuclides.

0		Monte Carlo Dose vs Pathway(i): Radon (Water Ind.)							
0Nuclide	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
(j)		DOSE(i,j,t), mrem/yr							
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Co-60									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
äALL									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

äALL is total pathway dose summed for all nuclides.

0 Nuclide (j)	Monte Carlo t=	Dose vs Pathway(i):	Plant (Water Ind.)	DOSE(i,j,t), mrem/yr							
				0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60											
Min	9.22E-05	1.50E-16	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	8.36E-01	7.27E-01	5.54E-01	2.13E-01	1.37E-02	8.63E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	1.18E-01	9.67E-02	6.80E-02	2.22E-02	1.12E-03	3.78E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	1.29E-01	1.10E-01	8.16E-02	3.04E-02	1.87E-03	9.82E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
äALL											
Min	9.22E-05	1.50E-16	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	8.36E-01	7.27E-01	5.54E-01	2.13E-01	1.37E-02	8.63E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	1.18E-01	9.67E-02	6.80E-02	2.22E-02	1.12E-03	3.78E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	1.29E-01	1.10E-01	8.16E-02	3.04E-02	1.87E-03	9.82E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

äALL is total pathway dose summed for all nuclides.

0 Nuclide (j)	Monte Carlo t=	Dose vs Pathway(i):	Meat (Water Ind.)	DOSE(i,j,t), mrem/yr						
				1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60										
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
äALL										
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

äALL is total pathway dose summed for all nuclides.

0		Monte Carlo Dose vs Pathway(i): Milk (Water Ind.)							
0Nuclide	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
(j)		DOSE(i,j,t), mrem/yr							
-----		-----	-----	-----	-----	-----	-----	-----	-----
Co-60									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
äALL									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
=====		=====	=====	=====	=====	=====	=====	=====	=====

äALL is total pathway dose summed for all nuclides.

0		Monte Carlo Dose vs Pathway(i): Soil Ingestion							
0Nuclide	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
(j)									
Co-60	Min	2.20E-06	9.93E-20	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Max	1.54E-03	1.35E-03	1.03E-03	4.09E-04	2.88E-05	2.31E-09	0.00E+00	0.00E+00
	Avg	4.38E-04	3.62E-04	2.56E-04	8.45E-05	4.30E-06	1.48E-10	0.00E+00	0.00E+00
	Std	3.22E-04	2.79E-04	2.11E-04	8.03E-05	5.13E-06	3.22E-10	0.00E+00	0.00E+00
äALL	Min	2.20E-06	9.93E-20	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Max	1.54E-03	1.35E-03	1.03E-03	4.09E-04	2.88E-05	2.31E-09	0.00E+00	0.00E+00
	Avg	4.38E-04	3.62E-04	2.56E-04	8.45E-05	4.30E-06	1.48E-10	0.00E+00	0.00E+00
	Std	3.22E-04	2.79E-04	2.11E-04	8.03E-05	5.13E-06	3.22E-10	0.00E+00	0.00E+00

äALL is total pathway dose summed for all nuclides.

0 Monte Carlo Dose vs Pathway(i): Water Ingestion									
0Nuclide	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
(j)									

Co-60									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
äALL									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
=====									

äALL is total pathway dose summed for all nuclides.

```

0
0Nuclide      Monte Carlo Dose vs Pathway(i):  Fish Ingestion
(j)           t= 0.00E+00  1.00E+00  3.00E+00  1.00E+01  3.00E+01  1.00E+02  3.00E+02  1.00E+03
-----
Co-60
  Min         0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00
  Max         0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00
  Avg         0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00
  Std         0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00
äALL
  Min         0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00
  Max         0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00
  Avg         0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00
  Std         0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00
=====

```

äALL is total pathway dose summed for all nuclides.

0		Monte Carlo Dose vs Pathway(i): Radon (Water Dep.)							
0Nuclide	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
(j)		DOSE(i,j,t), mrem/yr							
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Co-60									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
äALL									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

äALL is total pathway dose summed for all nuclides.

0 Nuclide (j)	Monte Carlo t=	Dose vs Pathway(i):	Plant (Water Dep.)	DOSE(i,j,t), mrem/yr							
				0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60											
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.40E-08	7.55E-19	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.38E-10	4.61E-21	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.14E-09	4.68E-20	0.00E+00
äALL											
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.40E-08	7.55E-19	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.38E-10	4.61E-21	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.14E-09	4.68E-20	0.00E+00

äALL is total pathway dose summed for all nuclides.

0 Nuclide (j)	Monte Carlo	Dose vs Pathway(i):	Meat (Water Dep.)	DOSE(i,j,t), mrem/yr					
t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03	
Co-60									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	
äALL									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	

äALL is total pathway dose summed for all nuclides.

0 Nuclide (j)	Monte Carlo t=	Dose vs Pathway(i): Milk (Water Dep.)	DOSE(i,j,t), mrem/yr	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60										
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
äALL										
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

äALL is total pathway dose summed for all nuclides.

Summary of dose at graphical times, reptition 1								
Time Years	Dose statistics at graphical times, mrem/yr							
	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	7.24E-01	3.00E+01	1.92E+01	1.97E+01	2.66E+01	2.84E+01	2.96E+01	3.00E+01
1.00E+00	6.52E-06	2.62E+01	1.58E+01	1.60E+01	2.28E+01	2.48E+01	2.59E+01	2.62E+01
1.06E+00	3.31E-06	2.60E+01	1.56E+01	1.59E+01	2.26E+01	2.46E+01	2.57E+01	2.60E+01
1.12E+00	1.62E-06	2.58E+01	1.54E+01	1.58E+01	2.24E+01	2.44E+01	2.55E+01	2.58E+01
1.19E+00	7.59E-07	2.56E+01	1.53E+01	1.56E+01	2.22E+01	2.42E+01	2.53E+01	2.56E+01
1.25E+00	3.40E-07	2.54E+01	1.51E+01	1.54E+01	2.20E+01	2.40E+01	2.50E+01	2.54E+01
1.33E+00	1.46E-07	2.51E+01	1.49E+01	1.52E+01	2.18E+01	2.37E+01	2.48E+01	2.51E+01
1.40E+00	5.93E-08	2.49E+01	1.47E+01	1.50E+01	2.16E+01	2.35E+01	2.45E+01	2.49E+01
1.49E+00	2.29E-08	2.46E+01	1.45E+01	1.48E+01	2.14E+01	2.32E+01	2.42E+01	2.46E+01
1.57E+00	8.38E-09	2.43E+01	1.42E+01	1.45E+01	2.11E+01	2.30E+01	2.40E+01	2.43E+01
1.66E+00	2.89E-09	2.40E+01	1.40E+01	1.43E+01	2.08E+01	2.27E+01	2.37E+01	2.40E+01
1.76E+00	9.36E-10	2.37E+01	1.38E+01	1.40E+01	2.05E+01	2.24E+01	2.34E+01	2.37E+01
1.86E+00	2.84E-10	2.34E+01	1.35E+01	1.37E+01	2.01E+01	2.21E+01	2.30E+01	2.34E+01
1.97E+00	8.04E-11	2.30E+01	1.33E+01	1.35E+01	1.98E+01	2.17E+01	2.27E+01	2.30E+01
2.09E+00	2.12E-11	2.27E+01	1.30E+01	1.32E+01	1.94E+01	2.14E+01	2.24E+01	2.27E+01
2.21E+00	5.15E-12	2.23E+01	1.27E+01	1.29E+01	1.91E+01	2.11E+01	2.20E+01	2.23E+01
2.34E+00	1.15E-12	2.19E+01	1.24E+01	1.27E+01	1.87E+01	2.07E+01	2.16E+01	2.19E+01
2.47E+00	2.37E-13	2.15E+01	1.22E+01	1.24E+01	1.83E+01	2.03E+01	2.12E+01	2.15E+01
2.62E+00	4.44E-14	2.11E+01	1.19E+01	1.21E+01	1.79E+01	1.99E+01	2.08E+01	2.11E+01
2.77E+00	7.55E-15	2.07E+01	1.16E+01	1.19E+01	1.75E+01	1.95E+01	2.04E+01	2.07E+01
2.93E+00	1.16E-15	2.02E+01	1.13E+01	1.15E+01	1.71E+01	1.91E+01	2.00E+01	2.02E+01
3.00E+00	5.27E-16	2.01E+01	1.11E+01	1.13E+01	1.70E+01	1.89E+01	1.98E+01	2.01E+01
3.10E+00	1.59E-16	1.98E+01	1.09E+01	1.12E+01	1.67E+01	1.87E+01	1.95E+01	1.98E+01
3.28E+00	1.94E-17	1.93E+01	1.06E+01	1.09E+01	1.63E+01	1.82E+01	1.90E+01	1.93E+01
3.48E+00	2.10E-18	1.88E+01	1.03E+01	1.06E+01	1.59E+01	1.77E+01	1.86E+01	1.88E+01
3.68E+00	2.00E-19	1.83E+01	9.95E+00	1.03E+01	1.55E+01	1.73E+01	1.81E+01	1.83E+01
3.89E+00	1.66E-20	1.78E+01	9.60E+00	9.92E+00	1.50E+01	1.68E+01	1.75E+01	1.78E+01
4.12E+00	1.19E-21	1.73E+01	9.26E+00	9.54E+00	1.46E+01	1.62E+01	1.70E+01	1.73E+01
4.36E+00	7.32E-23	1.67E+01	8.90E+00	9.15E+00	1.41E+01	1.57E+01	1.65E+01	1.67E+01
4.61E+00	3.83E-24	1.62E+01	8.55E+00	8.77E+00	1.37E+01	1.51E+01	1.59E+01	1.62E+01
4.88E+00	1.68E-25	1.56E+01	8.18E+00	8.43E+00	1.32E+01	1.46E+01	1.54E+01	1.56E+01
5.17E+00	6.16E-27	1.50E+01	7.82E+00	8.09E+00	1.27E+01	1.40E+01	1.48E+01	1.50E+01
5.47E+00	1.87E-28	1.44E+01	7.46E+00	7.74E+00	1.22E+01	1.34E+01	1.42E+01	1.44E+01
5.78E+00	0.00E+00	1.38E+01	7.09E+00	7.38E+00	1.17E+01	1.28E+01	1.36E+01	1.38E+01
6.12E+00	0.00E+00	1.32E+01	6.72E+00	7.03E+00	1.12E+01	1.22E+01	1.30E+01	1.32E+01
6.48E+00	0.00E+00	1.26E+01	6.36E+00	6.67E+00	1.06E+01	1.16E+01	1.24E+01	1.26E+01
6.86E+00	0.00E+00	1.20E+01	5.99E+00	6.30E+00	1.01E+01	1.10E+01	1.18E+01	1.20E+01
7.26E+00	0.00E+00	1.13E+01	5.63E+00	5.90E+00	9.58E+00	1.04E+01	1.12E+01	1.13E+01
7.68E+00	0.00E+00	1.07E+01	5.28E+00	5.50E+00	9.05E+00	9.79E+00	1.05E+01	1.07E+01
8.13E+00	0.00E+00	1.01E+01	4.92E+00	5.11E+00	8.53E+00	9.19E+00	9.92E+00	1.01E+01
8.60E+00	0.00E+00	9.46E+00	4.58E+00	4.75E+00	8.00E+00	8.62E+00	9.31E+00	9.46E+00
9.10E+00	0.00E+00	8.84E+00	4.24E+00	4.41E+00	7.48E+00	8.06E+00	8.70E+00	8.84E+00
9.63E+00	0.00E+00	8.24E+00	3.91E+00	4.05E+00	6.97E+00	7.51E+00	8.10E+00	8.24E+00
1.00E+01	0.00E+00	7.84E+00	3.70E+00	3.82E+00	6.63E+00	7.15E+00	7.71E+00	7.84E+00
1.02E+01	0.00E+00	7.64E+00	3.59E+00	3.71E+00	6.46E+00	6.97E+00	7.51E+00	7.64E+00
1.08E+01	0.00E+00	7.06E+00	3.28E+00	3.39E+00	5.96E+00	6.44E+00	6.93E+00	7.06E+00
1.14E+01	0.00E+00	6.49E+00	2.99E+00	3.08E+00	5.48E+00	5.92E+00	6.37E+00	6.49E+00

1.21E+01	0.00E+00	5.95E+00	2.70E+00	2.80E+00	5.01E+00	5.42E+00	5.82E+00	5.95E+00
1.28E+01	0.00E+00	5.42E+00	2.43E+00	2.53E+00	4.56E+00	4.94E+00	5.29E+00	5.42E+00
1.35E+01	0.00E+00	4.91E+00	2.17E+00	2.27E+00	4.12E+00	4.47E+00	4.78E+00	4.91E+00
1.43E+01	0.00E+00	4.42E+00	1.93E+00	2.03E+00	3.71E+00	4.03E+00	4.29E+00	4.42E+00
1.51E+01	0.00E+00	3.96E+00	1.71E+00	1.80E+00	3.32E+00	3.61E+00	3.83E+00	3.96E+00
1.60E+01	0.00E+00	3.53E+00	1.50E+00	1.58E+00	2.94E+00	3.21E+00	3.40E+00	3.53E+00
1.70E+01	0.00E+00	3.12E+00	1.31E+00	1.39E+00	2.59E+00	2.83E+00	3.00E+00	3.12E+00
1.80E+01	0.00E+00	2.73E+00	1.13E+00	1.20E+00	2.25E+00	2.49E+00	2.62E+00	2.73E+00
1.90E+01	0.00E+00	2.38E+00	9.68E-01	1.02E+00	1.94E+00	2.16E+00	2.27E+00	2.38E+00
2.01E+01	0.00E+00	2.06E+00	8.23E-01	8.61E-01	1.66E+00	1.86E+00	1.96E+00	2.06E+00
2.13E+01	0.00E+00	1.76E+00	6.94E-01	7.26E-01	1.40E+00	1.59E+00	1.67E+00	1.76E+00
2.25E+01	0.00E+00	1.49E+00	5.79E-01	6.06E-01	1.18E+00	1.34E+00	1.41E+00	1.49E+00
2.38E+01	0.00E+00	1.26E+00	4.78E-01	5.01E-01	9.76E-01	1.12E+00	1.18E+00	1.26E+00
2.52E+01	0.00E+00	1.05E+00	3.91E-01	4.09E-01	8.01E-01	9.30E-01	9.80E-01	1.05E+00
2.67E+01	0.00E+00	8.61E-01	3.15E-01	3.27E-01	6.51E-01	7.62E-01	8.05E-01	8.60E-01
2.82E+01	0.00E+00	7.01E-01	2.52E-01	2.59E-01	5.29E-01	6.17E-01	6.54E-01	7.00E-01
2.99E+01	0.00E+00	5.63E-01	1.98E-01	2.02E-01	4.20E-01	4.94E-01	5.25E-01	5.63E-01
3.00E+01	0.00E+00	5.55E-01	1.95E-01	1.99E-01	4.13E-01	4.86E-01	5.17E-01	5.54E-01
3.16E+01	0.00E+00	4.47E-01	1.54E-01	1.55E-01	3.29E-01	3.90E-01	4.16E-01	4.47E-01
3.35E+01	0.00E+00	3.51E-01	1.18E-01	1.17E-01	2.56E-01	3.04E-01	3.25E-01	3.50E-01
3.54E+01	0.00E+00	2.71E-01	8.92E-02	8.65E-02	1.97E-01	2.33E-01	2.50E-01	2.71E-01
3.75E+01	0.00E+00	2.06E-01	6.63E-02	6.29E-02	1.49E-01	1.75E-01	1.90E-01	2.06E-01
3.97E+01	0.00E+00	1.54E-01	4.84E-02	4.48E-02	1.11E-01	1.30E-01	1.42E-01	1.54E-01
4.20E+01	0.00E+00	1.14E-01	3.47E-02	3.11E-02	8.11E-02	9.46E-02	1.04E-01	1.13E-01
4.44E+01	0.00E+00	8.21E-02	2.44E-02	2.11E-02	5.82E-02	6.79E-02	7.49E-02	8.21E-02
4.70E+01	0.00E+00	5.83E-02	1.68E-02	1.37E-02	4.10E-02	4.79E-02	5.30E-02	5.82E-02
4.97E+01	0.00E+00	4.05E-02	1.13E-02	8.68E-03	2.83E-02	3.31E-02	3.67E-02	4.05E-02
5.26E+01	0.00E+00	2.76E-02	7.45E-03	5.39E-03	1.91E-02	2.24E-02	2.49E-02	2.76E-02
5.57E+01	0.00E+00	1.84E-02	4.79E-03	3.23E-03	1.26E-02	1.48E-02	1.65E-02	1.84E-02
5.90E+01	0.00E+00	1.19E-02	3.00E-03	1.86E-03	8.11E-03	9.52E-03	1.06E-02	1.19E-02
6.24E+01	0.00E+00	7.57E-03	1.82E-03	1.02E-03	5.08E-03	5.97E-03	6.71E-03	7.56E-03
6.60E+01	0.00E+00	4.67E-03	1.08E-03	4.67E-04	3.10E-03	3.64E-03	4.11E-03	4.67E-03
6.99E+01	0.00E+00	2.80E-03	6.14E-04	1.80E-04	1.83E-03	2.16E-03	2.45E-03	2.80E-03
7.39E+01	0.00E+00	1.63E-03	3.39E-04	7.46E-05	1.05E-03	1.24E-03	1.41E-03	1.63E-03
7.82E+01	0.00E+00	9.21E-04	1.81E-04	2.44E-05	5.87E-04	6.87E-04	7.90E-04	9.19E-04
8.28E+01	0.00E+00	5.02E-04	9.29E-05	2.50E-06	3.18E-04	3.68E-04	4.27E-04	5.01E-04
8.76E+01	0.00E+00	2.64E-04	4.61E-05	5.36E-07	1.66E-04	1.89E-04	2.22E-04	2.64E-04
9.27E+01	0.00E+00	1.34E-04	2.19E-05	4.55E-08	8.36E-05	9.38E-05	1.11E-04	1.34E-04
9.81E+01	0.00E+00	6.51E-05	9.95E-06	5.36E-10	3.99E-05	4.51E-05	5.33E-05	6.50E-05
1.00E+02	0.00E+00	5.08E-05	7.58E-06	3.26E-10	3.08E-05	3.50E-05	4.13E-05	5.07E-05
1.04E+02	0.00E+00	3.04E-05	4.33E-06	7.62E-14	1.80E-05	2.08E-05	2.45E-05	3.03E-05
1.10E+02	0.00E+00	1.35E-05	1.78E-06	1.52E-15	7.73E-06	9.10E-06	1.07E-05	1.35E-05
1.16E+02	0.00E+00	5.75E-06	6.89E-07	0.00E+00	3.15E-06	3.79E-06	4.48E-06	5.74E-06
1.23E+02	0.00E+00	2.32E-06	2.57E-07	0.00E+00	1.21E-06	1.50E-06	1.78E-06	2.32E-06
1.30E+02	0.00E+00	8.88E-07	9.00E-08	0.00E+00	4.40E-07	5.57E-07	6.67E-07	8.86E-07
1.38E+02	0.00E+00	3.20E-07	2.97E-08	0.00E+00	1.45E-07	1.95E-07	2.35E-07	3.19E-07
1.46E+02	0.00E+00	1.09E-07	9.07E-09	0.00E+00	4.23E-08	6.32E-08	7.75E-08	1.08E-07
1.54E+02	0.00E+00	3.44E-08	2.62E-09	0.00E+00	1.13E-08	1.90E-08	2.37E-08	3.43E-08
1.63E+02	0.00E+00	1.02E-08	6.81E-10	0.00E+00	2.96E-09	5.31E-09	6.70E-09	1.01E-08
1.73E+02	0.00E+00	2.79E-09	1.55E-10	0.00E+00	7.37E-10	1.34E-09	1.73E-09	2.77E-09
1.83E+02	0.00E+00	7.01E-10	3.34E-11	0.00E+00	1.59E-10	2.89E-10	3.98E-10	6.98E-10

Summary of dose at graphical times, reptition 2								
Dose statistics at graphical times, mrem/yr								
Time Years	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	5.53E-01	3.04E+01	1.90E+01	1.97E+01	2.63E+01	2.83E+01	3.01E+01	3.04E+01
1.00E+00	1.64E-14	2.65E+01	1.57E+01	1.62E+01	2.26E+01	2.46E+01	2.59E+01	2.65E+01
1.06E+00	2.67E-15	2.63E+01	1.56E+01	1.60E+01	2.24E+01	2.44E+01	2.56E+01	2.63E+01
1.12E+00	3.92E-16	2.61E+01	1.54E+01	1.57E+01	2.22E+01	2.42E+01	2.54E+01	2.61E+01
1.19E+00	5.13E-17	2.59E+01	1.52E+01	1.55E+01	2.20E+01	2.40E+01	2.51E+01	2.58E+01
1.25E+00	5.97E-18	2.56E+01	1.50E+01	1.54E+01	2.18E+01	2.37E+01	2.48E+01	2.56E+01
1.33E+00	6.13E-19	2.54E+01	1.48E+01	1.52E+01	2.16E+01	2.35E+01	2.46E+01	2.54E+01
1.40E+00	5.52E-20	2.51E+01	1.46E+01	1.51E+01	2.14E+01	2.32E+01	2.43E+01	2.51E+01
1.49E+00	4.31E-21	2.48E+01	1.44E+01	1.49E+01	2.11E+01	2.30E+01	2.40E+01	2.48E+01
1.57E+00	2.90E-22	2.46E+01	1.42E+01	1.47E+01	2.09E+01	2.27E+01	2.37E+01	2.46E+01
1.66E+00	1.67E-23	2.43E+01	1.40E+01	1.44E+01	2.06E+01	2.24E+01	2.35E+01	2.43E+01
1.76E+00	8.15E-25	2.40E+01	1.38E+01	1.42E+01	2.04E+01	2.21E+01	2.31E+01	2.39E+01
1.86E+00	3.33E-26	2.36E+01	1.35E+01	1.39E+01	2.01E+01	2.18E+01	2.28E+01	2.36E+01
1.97E+00	1.12E-27	2.33E+01	1.33E+01	1.36E+01	1.98E+01	2.14E+01	2.25E+01	2.33E+01
2.09E+00	0.00E+00	2.29E+01	1.30E+01	1.34E+01	1.95E+01	2.11E+01	2.21E+01	2.29E+01
2.21E+00	0.00E+00	2.26E+01	1.28E+01	1.32E+01	1.91E+01	2.07E+01	2.18E+01	2.26E+01
2.34E+00	0.00E+00	2.22E+01	1.25E+01	1.29E+01	1.88E+01	2.04E+01	2.14E+01	2.22E+01
2.47E+00	0.00E+00	2.18E+01	1.22E+01	1.27E+01	1.85E+01	2.00E+01	2.10E+01	2.18E+01
2.62E+00	0.00E+00	2.14E+01	1.19E+01	1.24E+01	1.81E+01	1.96E+01	2.06E+01	2.14E+01
2.77E+00	0.00E+00	2.10E+01	1.16E+01	1.22E+01	1.77E+01	1.92E+01	2.02E+01	2.10E+01
2.93E+00	0.00E+00	2.05E+01	1.13E+01	1.19E+01	1.73E+01	1.88E+01	1.98E+01	2.05E+01
3.00E+00	0.00E+00	2.03E+01	1.12E+01	1.18E+01	1.72E+01	1.86E+01	1.96E+01	2.03E+01
3.10E+00	0.00E+00	2.01E+01	1.10E+01	1.16E+01	1.69E+01	1.83E+01	1.93E+01	2.00E+01
3.28E+00	0.00E+00	1.96E+01	1.07E+01	1.13E+01	1.65E+01	1.79E+01	1.88E+01	1.96E+01
3.48E+00	0.00E+00	1.91E+01	1.03E+01	1.10E+01	1.61E+01	1.74E+01	1.84E+01	1.91E+01
3.68E+00	0.00E+00	1.86E+01	1.00E+01	1.07E+01	1.56E+01	1.69E+01	1.79E+01	1.86E+01
3.89E+00	0.00E+00	1.81E+01	9.66E+00	1.03E+01	1.52E+01	1.64E+01	1.74E+01	1.81E+01
4.12E+00	0.00E+00	1.75E+01	9.32E+00	1.00E+01	1.47E+01	1.59E+01	1.68E+01	1.75E+01
4.36E+00	0.00E+00	1.70E+01	8.96E+00	9.67E+00	1.42E+01	1.54E+01	1.63E+01	1.70E+01
4.61E+00	0.00E+00	1.64E+01	8.61E+00	9.33E+00	1.37E+01	1.49E+01	1.57E+01	1.64E+01
4.88E+00	0.00E+00	1.58E+01	8.24E+00	8.98E+00	1.32E+01	1.43E+01	1.52E+01	1.58E+01
5.17E+00	0.00E+00	1.53E+01	7.88E+00	8.63E+00	1.27E+01	1.38E+01	1.46E+01	1.53E+01
5.47E+00	0.00E+00	1.47E+01	7.51E+00	8.23E+00	1.21E+01	1.32E+01	1.40E+01	1.47E+01
5.78E+00	0.00E+00	1.41E+01	7.15E+00	7.80E+00	1.16E+01	1.27E+01	1.34E+01	1.41E+01
6.12E+00	0.00E+00	1.34E+01	6.78E+00	7.37E+00	1.11E+01	1.21E+01	1.28E+01	1.34E+01
6.48E+00	0.00E+00	1.28E+01	6.41E+00	6.98E+00	1.05E+01	1.15E+01	1.22E+01	1.28E+01
6.86E+00	0.00E+00	1.22E+01	6.05E+00	6.61E+00	9.98E+00	1.09E+01	1.16E+01	1.22E+01
7.26E+00	0.00E+00	1.16E+01	5.68E+00	6.25E+00	9.43E+00	1.03E+01	1.10E+01	1.16E+01
7.68E+00	0.00E+00	1.09E+01	5.32E+00	5.88E+00	8.91E+00	9.75E+00	1.04E+01	1.09E+01
8.13E+00	0.00E+00	1.03E+01	4.97E+00	5.50E+00	8.39E+00	9.17E+00	9.80E+00	1.03E+01
8.60E+00	0.00E+00	9.69E+00	4.62E+00	5.12E+00	7.87E+00	8.59E+00	9.19E+00	9.68E+00
9.10E+00	0.00E+00	9.06E+00	4.28E+00	4.74E+00	7.36E+00	8.02E+00	8.59E+00	9.06E+00
9.63E+00	0.00E+00	8.45E+00	3.95E+00	4.38E+00	6.86E+00	7.45E+00	7.99E+00	8.44E+00
1.00E+01	0.00E+00	8.04E+00	3.74E+00	4.14E+00	6.53E+00	7.08E+00	7.60E+00	8.04E+00
1.02E+01	0.00E+00	7.84E+00	3.63E+00	4.02E+00	6.36E+00	6.90E+00	7.41E+00	7.84E+00
1.08E+01	0.00E+00	7.25E+00	3.32E+00	3.67E+00	5.86E+00	6.36E+00	6.84E+00	7.25E+00
1.14E+01	0.00E+00	6.67E+00	3.02E+00	3.34E+00	5.38E+00	5.83E+00	6.28E+00	6.67E+00

1.21E+01	0.00E+00	6.11E+00	2.73E+00	3.04E+00	4.90E+00	5.32E+00	5.74E+00	6.11E+00
1.28E+01	0.00E+00	5.57E+00	2.46E+00	2.75E+00	4.45E+00	4.83E+00	5.22E+00	5.56E+00
1.35E+01	0.00E+00	5.04E+00	2.20E+00	2.46E+00	4.02E+00	4.36E+00	4.72E+00	5.04E+00
1.43E+01	0.00E+00	4.54E+00	1.96E+00	2.17E+00	3.60E+00	3.91E+00	4.24E+00	4.54E+00
1.51E+01	0.00E+00	4.07E+00	1.73E+00	1.92E+00	3.21E+00	3.49E+00	3.79E+00	4.07E+00
1.60E+01	0.00E+00	3.62E+00	1.52E+00	1.68E+00	2.85E+00	3.10E+00	3.36E+00	3.62E+00
1.70E+01	0.00E+00	3.20E+00	1.33E+00	1.46E+00	2.52E+00	2.73E+00	2.96E+00	3.20E+00
1.80E+01	0.00E+00	2.80E+00	1.15E+00	1.26E+00	2.20E+00	2.39E+00	2.59E+00	2.80E+00
1.90E+01	0.00E+00	2.44E+00	9.83E-01	1.08E+00	1.91E+00	2.08E+00	2.25E+00	2.44E+00
2.01E+01	0.00E+00	2.11E+00	8.36E-01	9.13E-01	1.64E+00	1.79E+00	1.93E+00	2.11E+00
2.13E+01	0.00E+00	1.81E+00	7.05E-01	7.58E-01	1.39E+00	1.53E+00	1.65E+00	1.80E+00
2.25E+01	0.00E+00	1.53E+00	5.89E-01	6.21E-01	1.17E+00	1.29E+00	1.40E+00	1.53E+00
2.38E+01	0.00E+00	1.29E+00	4.87E-01	5.03E-01	9.69E-01	1.08E+00	1.17E+00	1.29E+00
2.52E+01	0.00E+00	1.07E+00	3.98E-01	4.03E-01	8.02E-01	8.99E-01	9.68E-01	1.07E+00
2.67E+01	0.00E+00	8.81E-01	3.22E-01	3.22E-01	6.59E-01	7.39E-01	7.93E-01	8.81E-01
2.82E+01	0.00E+00	7.17E-01	2.57E-01	2.54E-01	5.35E-01	6.01E-01	6.42E-01	7.16E-01
2.99E+01	0.00E+00	5.76E-01	2.02E-01	1.99E-01	4.30E-01	4.83E-01	5.14E-01	5.76E-01
3.00E+01	0.00E+00	5.67E-01	1.99E-01	1.96E-01	4.23E-01	4.76E-01	5.06E-01	5.67E-01
3.16E+01	0.00E+00	4.57E-01	1.57E-01	1.54E-01	3.41E-01	3.83E-01	4.06E-01	4.57E-01
3.35E+01	0.00E+00	3.58E-01	1.21E-01	1.17E-01	2.67E-01	2.99E-01	3.17E-01	3.58E-01
3.54E+01	0.00E+00	2.76E-01	9.10E-02	8.73E-02	2.05E-01	2.28E-01	2.44E-01	2.76E-01
3.75E+01	0.00E+00	2.10E-01	6.76E-02	6.40E-02	1.56E-01	1.72E-01	1.86E-01	2.10E-01
3.97E+01	0.00E+00	1.57E-01	4.93E-02	4.59E-02	1.17E-01	1.27E-01	1.39E-01	1.57E-01
4.20E+01	0.00E+00	1.16E-01	3.53E-02	3.21E-02	8.49E-02	9.25E-02	1.02E-01	1.16E-01
4.44E+01	0.00E+00	8.36E-02	2.48E-02	2.23E-02	6.13E-02	6.60E-02	7.35E-02	8.36E-02
4.70E+01	0.00E+00	5.93E-02	1.71E-02	1.49E-02	4.34E-02	4.63E-02	5.21E-02	5.92E-02
4.97E+01	0.00E+00	4.12E-02	1.15E-02	9.54E-03	3.01E-02	3.20E-02	3.61E-02	4.11E-02
5.26E+01	0.00E+00	2.80E-02	7.57E-03	6.02E-03	2.04E-02	2.17E-02	2.45E-02	2.80E-02
5.57E+01	0.00E+00	1.86E-02	4.86E-03	3.69E-03	1.34E-02	1.43E-02	1.63E-02	1.86E-02
5.90E+01	0.00E+00	1.21E-02	3.03E-03	2.05E-03	8.57E-03	9.25E-03	1.05E-02	1.21E-02
6.24E+01	0.00E+00	7.65E-03	1.84E-03	1.08E-03	5.33E-03	5.82E-03	6.65E-03	7.64E-03
6.60E+01	0.00E+00	4.71E-03	1.08E-03	5.62E-04	3.23E-03	3.57E-03	4.09E-03	4.71E-03
6.99E+01	0.00E+00	2.82E-03	6.15E-04	2.87E-04	1.89E-03	2.12E-03	2.44E-03	2.82E-03
7.39E+01	0.00E+00	1.64E-03	3.39E-04	1.24E-04	1.08E-03	1.22E-03	1.41E-03	1.64E-03
7.82E+01	0.00E+00	9.21E-04	1.81E-04	3.41E-05	5.92E-04	6.85E-04	7.91E-04	9.20E-04
8.28E+01	0.00E+00	5.01E-04	9.28E-05	1.41E-05	3.14E-04	3.73E-04	4.28E-04	5.00E-04
8.76E+01	0.00E+00	2.63E-04	4.58E-05	1.57E-06	1.60E-04	1.96E-04	2.23E-04	2.62E-04
9.27E+01	0.00E+00	1.32E-04	2.17E-05	6.48E-08	7.83E-05	9.71E-05	1.12E-04	1.32E-04
9.81E+01	0.00E+00	6.42E-05	9.88E-06	2.88E-09	3.68E-05	4.62E-05	5.39E-05	6.41E-05
1.00E+02	0.00E+00	4.99E-05	7.53E-06	5.18E-10	2.84E-05	3.56E-05	4.19E-05	4.98E-05
1.04E+02	0.00E+00	2.98E-05	4.30E-06	1.28E-10	1.66E-05	2.09E-05	2.48E-05	2.97E-05
1.10E+02	0.00E+00	1.32E-05	1.75E-06	2.33E-12	7.15E-06	9.07E-06	1.09E-05	1.31E-05
1.16E+02	0.00E+00	5.55E-06	6.81E-07	5.65E-18	2.92E-06	3.78E-06	4.54E-06	5.54E-06
1.23E+02	0.00E+00	2.22E-06	2.50E-07	0.00E+00	1.12E-06	1.50E-06	1.79E-06	2.21E-06
1.30E+02	0.00E+00	8.38E-07	8.82E-08	0.00E+00	4.05E-07	5.60E-07	6.64E-07	8.37E-07
1.38E+02	0.00E+00	2.98E-07	2.94E-08	0.00E+00	1.39E-07	1.97E-07	2.35E-07	2.97E-07
1.46E+02	0.00E+00	9.93E-08	8.98E-09	0.00E+00	4.35E-08	6.50E-08	7.83E-08	9.91E-08
1.54E+02	0.00E+00	3.08E-08	2.52E-09	0.00E+00	1.25E-08	2.00E-08	2.43E-08	3.07E-08
1.63E+02	0.00E+00	8.84E-09	6.47E-10	0.00E+00	3.29E-09	5.30E-09	6.96E-09	8.82E-09
1.73E+02	0.00E+00	2.33E-09	1.54E-10	0.00E+00	7.31E-10	1.22E-09	1.83E-09	2.32E-09
1.83E+02	0.00E+00	5.56E-10	3.09E-11	0.00E+00	1.26E-10	2.51E-10	4.35E-10	5.55E-10

Summary of dose at graphical times, reptition 3								
Time Years	Dose statistics at graphical times, mrem/yr							
	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	1.64E-01	3.21E+01	1.90E+01	1.97E+01	2.69E+01	2.86E+01	2.96E+01	3.21E+01
1.00E+00	7.44E-06	2.81E+01	1.57E+01	1.62E+01	2.29E+01	2.47E+01	2.59E+01	2.81E+01
1.06E+00	4.05E-06	2.79E+01	1.55E+01	1.61E+01	2.27E+01	2.44E+01	2.57E+01	2.79E+01
1.12E+00	2.12E-06	2.77E+01	1.53E+01	1.59E+01	2.25E+01	2.42E+01	2.55E+01	2.77E+01
1.19E+00	1.06E-06	2.74E+01	1.51E+01	1.57E+01	2.23E+01	2.39E+01	2.53E+01	2.74E+01
1.25E+00	5.02E-07	2.72E+01	1.50E+01	1.55E+01	2.20E+01	2.36E+01	2.50E+01	2.72E+01
1.33E+00	2.25E-07	2.69E+01	1.48E+01	1.53E+01	2.18E+01	2.33E+01	2.48E+01	2.69E+01
1.40E+00	9.42E-08	2.67E+01	1.46E+01	1.51E+01	2.16E+01	2.30E+01	2.45E+01	2.66E+01
1.49E+00	3.64E-08	2.64E+01	1.44E+01	1.49E+01	2.13E+01	2.28E+01	2.43E+01	2.64E+01
1.57E+00	1.26E-08	2.61E+01	1.41E+01	1.47E+01	2.10E+01	2.25E+01	2.40E+01	2.61E+01
1.66E+00	3.76E-09	2.58E+01	1.39E+01	1.45E+01	2.08E+01	2.22E+01	2.37E+01	2.57E+01
1.76E+00	8.60E-10	2.54E+01	1.37E+01	1.43E+01	2.05E+01	2.19E+01	2.34E+01	2.54E+01
1.86E+00	1.07E-10	2.51E+01	1.35E+01	1.41E+01	2.02E+01	2.16E+01	2.31E+01	2.51E+01
1.97E+00	3.51E-15	2.47E+01	1.32E+01	1.38E+01	1.99E+01	2.13E+01	2.28E+01	2.47E+01
2.09E+00	2.22E-16	2.44E+01	1.30E+01	1.35E+01	1.96E+01	2.10E+01	2.24E+01	2.43E+01
2.21E+00	0.00E+00	2.40E+01	1.27E+01	1.32E+01	1.92E+01	2.07E+01	2.21E+01	2.39E+01
2.34E+00	0.00E+00	2.36E+01	1.24E+01	1.29E+01	1.89E+01	2.03E+01	2.17E+01	2.35E+01
2.47E+00	0.00E+00	2.31E+01	1.21E+01	1.26E+01	1.86E+01	1.99E+01	2.13E+01	2.31E+01
2.62E+00	0.00E+00	2.27E+01	1.19E+01	1.23E+01	1.82E+01	1.96E+01	2.09E+01	2.27E+01
2.77E+00	0.00E+00	2.22E+01	1.16E+01	1.19E+01	1.78E+01	1.92E+01	2.05E+01	2.22E+01
2.93E+00	0.00E+00	2.18E+01	1.13E+01	1.17E+01	1.74E+01	1.87E+01	2.00E+01	2.18E+01
3.00E+00	0.00E+00	2.16E+01	1.11E+01	1.16E+01	1.73E+01	1.86E+01	1.99E+01	2.16E+01
3.10E+00	0.00E+00	2.13E+01	1.09E+01	1.14E+01	1.70E+01	1.83E+01	1.96E+01	2.13E+01
3.28E+00	0.00E+00	2.08E+01	1.06E+01	1.11E+01	1.66E+01	1.79E+01	1.91E+01	2.08E+01
3.48E+00	0.00E+00	2.03E+01	1.03E+01	1.08E+01	1.61E+01	1.74E+01	1.86E+01	2.03E+01
3.68E+00	0.00E+00	1.97E+01	9.96E+00	1.05E+01	1.56E+01	1.70E+01	1.81E+01	1.97E+01
3.89E+00	0.00E+00	1.92E+01	9.63E+00	1.02E+01	1.50E+01	1.65E+01	1.76E+01	1.92E+01
4.12E+00	0.00E+00	1.86E+01	9.28E+00	9.83E+00	1.46E+01	1.60E+01	1.71E+01	1.86E+01
4.36E+00	0.00E+00	1.80E+01	8.93E+00	9.41E+00	1.41E+01	1.55E+01	1.66E+01	1.80E+01
4.61E+00	0.00E+00	1.74E+01	8.58E+00	9.07E+00	1.36E+01	1.50E+01	1.60E+01	1.74E+01
4.88E+00	0.00E+00	1.68E+01	8.22E+00	8.72E+00	1.32E+01	1.44E+01	1.55E+01	1.68E+01
5.17E+00	0.00E+00	1.62E+01	7.86E+00	8.37E+00	1.27E+01	1.39E+01	1.49E+01	1.62E+01
5.47E+00	0.00E+00	1.56E+01	7.50E+00	8.02E+00	1.22E+01	1.33E+01	1.43E+01	1.56E+01
5.78E+00	0.00E+00	1.49E+01	7.13E+00	7.66E+00	1.17E+01	1.28E+01	1.37E+01	1.49E+01
6.12E+00	0.00E+00	1.43E+01	6.77E+00	7.29E+00	1.11E+01	1.22E+01	1.31E+01	1.43E+01
6.48E+00	0.00E+00	1.36E+01	6.41E+00	6.93E+00	1.06E+01	1.16E+01	1.25E+01	1.36E+01
6.86E+00	0.00E+00	1.30E+01	6.04E+00	6.56E+00	1.01E+01	1.11E+01	1.19E+01	1.29E+01
7.26E+00	0.00E+00	1.23E+01	5.68E+00	6.19E+00	9.57E+00	1.05E+01	1.13E+01	1.23E+01
7.68E+00	0.00E+00	1.16E+01	5.33E+00	5.83E+00	9.04E+00	9.92E+00	1.07E+01	1.16E+01
8.13E+00	0.00E+00	1.09E+01	4.97E+00	5.46E+00	8.52E+00	9.35E+00	1.01E+01	1.09E+01
8.60E+00	0.00E+00	1.03E+01	4.63E+00	5.10E+00	7.99E+00	8.77E+00	9.44E+00	1.03E+01
9.10E+00	0.00E+00	9.62E+00	4.29E+00	4.70E+00	7.47E+00	8.21E+00	8.83E+00	9.61E+00
9.63E+00	0.00E+00	8.97E+00	3.96E+00	4.31E+00	6.96E+00	7.65E+00	8.23E+00	8.96E+00
1.00E+01	0.00E+00	8.54E+00	3.74E+00	4.08E+00	6.62E+00	7.28E+00	7.84E+00	8.53E+00
1.02E+01	0.00E+00	8.33E+00	3.64E+00	3.96E+00	6.45E+00	7.09E+00	7.64E+00	8.32E+00
1.08E+01	0.00E+00	7.70E+00	3.33E+00	3.62E+00	5.96E+00	6.55E+00	7.06E+00	7.69E+00
1.14E+01	0.00E+00	7.08E+00	3.03E+00	3.30E+00	5.48E+00	6.03E+00	6.49E+00	7.08E+00

1.21E+01	0.00E+00	6.48E+00	2.74E+00	3.00E+00	5.01E+00	5.51E+00	5.95E+00	6.48E+00
1.28E+01	0.00E+00	5.91E+00	2.47E+00	2.70E+00	4.56E+00	5.02E+00	5.41E+00	5.90E+00
1.35E+01	0.00E+00	5.35E+00	2.21E+00	2.41E+00	4.12E+00	4.54E+00	4.90E+00	5.35E+00
1.43E+01	0.00E+00	4.82E+00	1.97E+00	2.15E+00	3.71E+00	4.09E+00	4.42E+00	4.82E+00
1.51E+01	0.00E+00	4.32E+00	1.74E+00	1.89E+00	3.32E+00	3.66E+00	3.95E+00	4.31E+00
1.60E+01	0.00E+00	3.84E+00	1.53E+00	1.64E+00	2.95E+00	3.25E+00	3.52E+00	3.84E+00
1.70E+01	0.00E+00	3.39E+00	1.33E+00	1.42E+00	2.60E+00	2.87E+00	3.10E+00	3.39E+00
1.80E+01	0.00E+00	2.98E+00	1.15E+00	1.23E+00	2.28E+00	2.52E+00	2.72E+00	2.97E+00
1.90E+01	0.00E+00	2.59E+00	9.86E-01	1.05E+00	1.98E+00	2.19E+00	2.37E+00	2.59E+00
2.01E+01	0.00E+00	2.24E+00	8.39E-01	8.95E-01	1.71E+00	1.89E+00	2.04E+00	2.24E+00
2.13E+01	0.00E+00	1.92E+00	7.07E-01	7.50E-01	1.46E+00	1.61E+00	1.75E+00	1.91E+00
2.25E+01	0.00E+00	1.63E+00	5.90E-01	6.15E-01	1.23E+00	1.37E+00	1.48E+00	1.62E+00
2.38E+01	0.00E+00	1.37E+00	4.87E-01	4.98E-01	1.03E+00	1.15E+00	1.25E+00	1.36E+00
2.52E+01	0.00E+00	1.14E+00	3.98E-01	4.05E-01	8.57E-01	9.53E-01	1.04E+00	1.14E+00
2.67E+01	0.00E+00	9.35E-01	3.22E-01	3.24E-01	7.00E-01	7.83E-01	8.52E-01	9.34E-01
2.82E+01	0.00E+00	7.61E-01	2.57E-01	2.55E-01	5.66E-01	6.36E-01	6.92E-01	7.60E-01
2.99E+01	0.00E+00	6.12E-01	2.02E-01	1.97E-01	4.51E-01	5.10E-01	5.56E-01	6.11E-01
3.00E+01	0.00E+00	6.02E-01	1.99E-01	1.93E-01	4.44E-01	5.02E-01	5.48E-01	6.02E-01
3.16E+01	0.00E+00	4.85E-01	1.57E-01	1.50E-01	3.55E-01	4.04E-01	4.41E-01	4.85E-01
3.35E+01	0.00E+00	3.80E-01	1.21E-01	1.13E-01	2.76E-01	3.16E-01	3.45E-01	3.80E-01
3.54E+01	0.00E+00	2.93E-01	9.10E-02	8.38E-02	2.11E-01	2.43E-01	2.66E-01	2.93E-01
3.75E+01	0.00E+00	2.23E-01	6.75E-02	6.14E-02	1.59E-01	1.84E-01	2.02E-01	2.23E-01
3.97E+01	0.00E+00	1.67E-01	4.93E-02	4.38E-02	1.17E-01	1.38E-01	1.51E-01	1.67E-01
4.20E+01	0.00E+00	1.23E-01	3.53E-02	3.04E-02	8.54E-02	1.01E-01	1.11E-01	1.23E-01
4.44E+01	0.00E+00	8.87E-02	2.48E-02	2.06E-02	6.09E-02	7.27E-02	8.01E-02	8.87E-02
4.70E+01	0.00E+00	6.29E-02	1.71E-02	1.37E-02	4.26E-02	5.14E-02	5.67E-02	6.29E-02
4.97E+01	0.00E+00	4.37E-02	1.15E-02	8.83E-03	2.92E-02	3.56E-02	3.94E-02	4.37E-02
5.26E+01	0.00E+00	2.97E-02	7.58E-03	5.55E-03	1.98E-02	2.41E-02	2.67E-02	2.97E-02
5.57E+01	0.00E+00	1.98E-02	4.87E-03	3.39E-03	1.31E-02	1.60E-02	1.77E-02	1.98E-02
5.90E+01	0.00E+00	1.28E-02	3.04E-03	1.94E-03	8.47E-03	1.03E-02	1.15E-02	1.28E-02
6.24E+01	0.00E+00	8.12E-03	1.84E-03	1.03E-03	5.33E-03	6.49E-03	7.27E-03	8.12E-03
6.60E+01	0.00E+00	5.00E-03	1.08E-03	5.53E-04	3.27E-03	3.98E-03	4.48E-03	5.00E-03
6.99E+01	0.00E+00	3.00E-03	6.15E-04	2.57E-04	1.94E-03	2.37E-03	2.69E-03	3.00E-03
7.39E+01	0.00E+00	1.74E-03	3.39E-04	1.16E-04	1.12E-03	1.37E-03	1.56E-03	1.74E-03
7.82E+01	0.00E+00	9.80E-04	1.80E-04	4.17E-05	6.26E-04	7.64E-04	8.80E-04	9.79E-04
8.28E+01	0.00E+00	5.33E-04	9.23E-05	1.38E-05	3.38E-04	4.12E-04	4.79E-04	5.33E-04
8.76E+01	0.00E+00	2.80E-04	4.55E-05	5.45E-07	1.76E-04	2.14E-04	2.52E-04	2.79E-04
9.27E+01	0.00E+00	1.41E-04	2.16E-05	5.09E-08	8.65E-05	1.07E-04	1.27E-04	1.41E-04
9.81E+01	0.00E+00	6.84E-05	9.79E-06	1.23E-08	4.04E-05	5.13E-05	6.19E-05	6.84E-05
1.00E+02	0.00E+00	5.32E-05	7.43E-06	8.10E-09	3.10E-05	3.97E-05	4.82E-05	5.32E-05
1.04E+02	0.00E+00	3.18E-05	4.24E-06	3.81E-10	1.80E-05	2.35E-05	2.88E-05	3.17E-05
1.10E+02	0.00E+00	1.41E-05	1.75E-06	1.42E-13	7.57E-06	1.03E-05	1.28E-05	1.41E-05
1.16E+02	0.00E+00	5.94E-06	6.94E-07	2.28E-21	3.00E-06	4.26E-06	5.44E-06	5.94E-06
1.23E+02	0.00E+00	2.38E-06	2.59E-07	0.00E+00	1.11E-06	1.67E-06	2.19E-06	2.38E-06
1.30E+02	0.00E+00	9.01E-07	9.04E-08	0.00E+00	3.79E-07	6.17E-07	8.35E-07	9.01E-07
1.38E+02	0.00E+00	3.24E-07	2.97E-08	0.00E+00	1.17E-07	2.12E-07	3.00E-07	3.24E-07
1.46E+02	0.00E+00	1.10E-07	9.07E-09	0.00E+00	3.19E-08	6.70E-08	1.01E-07	1.10E-07
1.54E+02	0.00E+00	3.47E-08	2.56E-09	0.00E+00	7.53E-09	1.94E-08	3.16E-08	3.47E-08
1.63E+02	0.00E+00	1.02E-08	6.63E-10	0.00E+00	1.47E-09	5.34E-09	9.23E-09	1.02E-08
1.73E+02	0.00E+00	2.79E-09	1.61E-10	0.00E+00	3.56E-10	1.35E-09	2.49E-09	2.79E-09
1.83E+02	0.00E+00	7.00E-10	3.59E-11	0.00E+00	7.85E-11	2.98E-10	6.15E-10	6.99E-10

Repetition	Peak of the mean dose (averaged over observations) at graphical times	
	Time of peak mean dose Years	Peak mean dose mrem/yr
1	0.000E+00	1.916E+01
2	0.000E+00	1.902E+01
3	0.000E+00	1.896E+01

Coefficients for peak of mean dose time Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		1		1		1		1	
Repetition =		1		1		1		1	
Description of Probabilistic Variable		Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots		9	-0.08	11	-0.03	11	-0.04	11	-0.01
Thickness of Unsaturated zone 1		3	-0.18	3	-0.08	4	-0.21	7	-0.07
Runoff coefficient		16	0.01	16	0.00	9	0.06	9	0.02
Wind Speed		4	-0.15	5	-0.06	14	-0.03	14	-0.01
Well pump intake depth		14	-0.02	14	-0.01	16	0.02	16	0.00
Inhalation rate		12	-0.03	13	-0.01	12	0.04	12	0.01
Soil ingestion		15	-0.01	15	0.00	15	0.02	15	0.01
Thickness of Unsaturated zone 2		7	0.09	9	0.04	8	0.07	8	0.02
Thickness of contaminated zone		1	0.87	1	0.75	1	0.92	1	0.76
Depth of soil mixing layer		11	0.03	12	0.01	10	0.05	10	0.02
Mass loading for inhalation		5	0.14	6	0.06	13	-0.04	13	-0.01
Kd of Co-60 in Contaminated Zone		13	-0.03	10	-0.04	7	-0.11	4	-0.19
Kd of Co-60 in Unsaturated Zone 1		8	0.09	7	0.05	3	0.22	3	0.20
Kd of Co-60 in Unsaturated Zone 2		10	0.03	8	0.04	6	0.20	5	0.19
Kd of Co-60 in Saturated Zone		6	0.10	4	0.07	5	0.21	6	0.18
Outdoor time fraction		2	0.76	2	0.49	2	0.84	2	0.50
R-SQUARE		0.83		0.83		0.90		0.90	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak of mean dose time Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		2		2		2		2	
Repetition =									
Description of Probabilistic Variable		Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots		10	-0.06	10	-0.03	9	-0.08	10	-0.02
Thickness of Unsaturated zone 1		11	-0.06	11	-0.03	14	-0.06	14	-0.02
Runoff coefficient		9	0.07	9	0.03	10	0.08	9	0.02
Wind Speed		4	-0.11	4	-0.05	11	-0.08	11	-0.02
Well pump intake depth		13	0.03	15	0.01	13	0.06	13	0.02
Inhalation rate		15	0.02	16	0.01	16	-0.04	16	-0.01
Soil ingestion		12	0.05	12	0.03	8	0.09	8	0.03
Thickness of Unsaturated zone 2		8	-0.09	8	-0.04	12	-0.08	12	-0.02
Thickness of contaminated zone		1	0.86	1	0.81	1	0.94	1	0.82
Depth of soil mixing layer		3	-0.12	3	-0.06	3	-0.28	7	-0.09
Mass loading for inhalation		6	-0.11	7	-0.05	15	-0.05	15	-0.02
Kd of Co-60 in Contaminated Zone		16	0.02	14	0.02	7	-0.11	5	-0.17
Kd of Co-60 in Unsaturated Zone 1		14	0.02	13	0.03	5	0.21	6	0.16
Kd of Co-60 in Unsaturated Zone 2		7	0.10	6	0.05	6	0.20	4	0.18
Kd of Co-60 in Saturated Zone		5	0.11	5	0.05	4	0.26	3	0.22
Outdoor time fraction		2	0.58	2	0.34	2	0.81	2	0.42
R-SQUARE		0.77		0.77		0.91		0.91	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak of mean dose time Dose

	PCC 3		SRC 3		PRCC 3		SRRC 3	
Coefficient =								
Repetition =								
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	16	0.00	16	0.00	9	0.11	10	0.04
Thickness of Unsaturated zone 1	3	-0.16	3	-0.08	15	-0.03	15	-0.01
Runoff coefficient	6	0.08	8	0.04	12	0.07	12	0.02
Wind Speed	13	-0.02	13	-0.01	11	-0.10	11	-0.03
Well pump intake depth	4	0.13	4	0.07	10	0.11	9	0.04
Inhalation rate	15	0.00	15	0.00	16	0.01	16	0.00
Soil ingestion	11	0.02	11	0.01	13	-0.07	13	-0.02
Thickness of Unsaturated zone 2	10	-0.03	10	-0.02	7	-0.14	7	-0.04
Thickness of contaminated zone	1	0.85	1	0.80	1	0.93	1	0.83
Depth of soil mixing layer	8	0.05	9	0.03	14	-0.06	14	-0.02
Mass loading for inhalation	12	0.02	12	0.01	8	0.12	8	0.04
Kd of Co-60 in Contaminated Zone	9	-0.05	7	-0.04	6	-0.21	3	-0.37
Kd of Co-60 in Unsaturated Zone 1	7	0.07	5	0.06	3	0.33	4	0.30
Kd of Co-60 in Unsaturated Zone 2	14	0.00	14	0.00	4	0.31	5	0.29
Kd of Co-60 in Saturated Zone	5	0.09	6	0.05	5	0.28	6	0.28
Outdoor time fraction	2	0.56	2	0.34	2	0.80	2	0.42
R-SQUARE	0.76		0.76		0.90		0.90	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak All Pathways Dose
 Coefficient =
 Repetition =

	PCC 1	SRC 1	PRCC 1	SRRC 1
Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	9 -0.08	11 -0.03	11 -0.04	11 -0.01
Thickness of Unsaturated zone 1	3 -0.18	3 -0.08	4 -0.21	7 -0.07
Runoff coefficient	16 0.01	16 0.00	9 0.07	9 0.02
Wind Speed	4 -0.15	5 -0.06	14 -0.03	14 -0.01
Well pump intake depth	14 -0.02	14 -0.01	16 0.02	16 0.01
Inhalation rate	12 -0.03	13 -0.01	12 0.04	12 0.01
Soil ingestion	15 -0.01	15 0.00	15 0.02	15 0.01
Thickness of Unsaturated zone 2	7 0.09	9 0.04	8 0.07	8 0.02
Thickness of contaminated zone	1 0.87	1 0.75	1 0.92	1 0.76
Depth of soil mixing layer	11 0.03	12 0.01	10 0.05	10 0.02
Mass loading for inhalation	5 0.14	6 0.06	13 -0.04	13 -0.01
Kd of Co-60 in Contaminated Zone	13 -0.03	10 -0.04	7 -0.11	4 -0.19
Kd of Co-60 in Unsaturated Zone 1	8 0.09	7 0.05	3 0.22	3 0.20
Kd of Co-60 in Unsaturated Zone 2	10 0.03	8 0.04	6 0.20	5 0.19
Kd of Co-60 in Saturated Zone	6 0.10	4 0.07	5 0.21	6 0.18
Outdoor time fraction	2 0.76	2 0.49	2 0.84	2 0.50
R-SQUARE	0.83	0.83	0.90	0.90

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak All Pathways Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	10 -0.06	10 -0.03	9 -0.08	9 -0.02
Thickness of Unsaturated zone 1	11 -0.06	11 -0.03	14 -0.06	14 -0.02
Runoff coefficient	9 0.07	9 0.03	11 0.08	11 0.02
Wind Speed	4 -0.11	4 -0.05	10 -0.08	10 -0.02
Well pump intake depth	13 0.03	15 0.01	13 0.06	13 0.02
Inhalation rate	16 0.02	16 0.01	16 -0.04	16 -0.01
Soil ingestion	12 0.05	12 0.03	8 0.09	8 0.03
Thickness of Unsaturated zone 2	8 -0.09	8 -0.04	12 -0.07	12 -0.02
Thickness of contaminated zone	1 0.86	1 0.81	1 0.94	1 0.82
Depth of soil mixing layer	3 -0.12	3 -0.06	3 -0.28	7 -0.09
Mass loading for inhalation	6 -0.11	7 -0.05	15 -0.05	15 -0.02
Kd of Co-60 in Contaminated Zone	15 0.02	14 0.02	7 -0.11	5 -0.17
Kd of Co-60 in Unsaturated Zone 1	14 0.02	13 0.03	5 0.21	6 0.17
Kd of Co-60 in Unsaturated Zone 2	7 0.10	6 0.05	6 0.20	4 0.18
Kd of Co-60 in Saturated Zone	5 0.11	5 0.05	4 0.26	3 0.22
Outdoor time fraction	2 0.58	2 0.34	2 0.81	2 0.42
R-SQUARE	0.77	0.77	0.91	0.91

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak All Pathways Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	16 0.00	16 0.00	9 0.11	9 0.04
Thickness of Unsaturated zone 1	3 -0.16	3 -0.08	15 -0.03	15 -0.01
Runoff coefficient	6 0.08	8 0.04	12 0.07	12 0.02
Wind Speed	13 -0.02	13 -0.01	11 -0.10	11 -0.03
Well pump intake depth	4 0.13	4 0.07	10 0.11	10 0.04
Inhalation rate	15 0.00	15 0.00	16 0.01	16 0.00
Soil ingestion	11 0.02	11 0.01	13 -0.06	13 -0.02
Thickness of Unsaturated zone 2	10 -0.03	10 -0.02	7 -0.14	7 -0.04
Thickness of contaminated zone	1 0.85	1 0.80	1 0.93	1 0.83
Depth of soil mixing layer	8 0.05	9 0.03	14 -0.05	14 -0.02
Mass loading for inhalation	12 0.02	12 0.01	8 0.12	8 0.04
Kd of Co-60 in Contaminated Zone	9 -0.05	7 -0.04	6 -0.22	3 -0.38
Kd of Co-60 in Unsaturated Zone 1	7 0.07	5 0.06	3 0.33	4 0.30
Kd of Co-60 in Unsaturated Zone 2	14 0.00	14 0.00	4 0.31	5 0.30
Kd of Co-60 in Saturated Zone	5 0.09	6 0.05	5 0.28	6 0.28
Outdoor time fraction	2 0.56	2 0.34	2 0.80	2 0.42
R-SQUARE	0.76	0.76	0.90	0.90

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak External Ground Dose				
Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	1	1	1	1
Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	9 -0.05	11 -0.02	16 -0.01	16 0.00
Thickness of Unsaturated zone 1	3 -0.19	3 -0.08	4 -0.22	7 -0.07
Runoff coefficient	16 0.01	16 0.00	8 0.07	8 0.02
Wind Speed	4 -0.15	6 -0.06	13 -0.02	13 -0.01
Well pump intake depth	14 -0.02	14 -0.01	15 0.01	15 0.00
Inhalation rate	13 -0.03	13 -0.01	11 0.04	11 0.01
Soil ingestion	15 -0.01	15 -0.01	14 0.02	14 0.01
Thickness of Unsaturated zone 2	7 0.09	10 0.04	9 0.07	9 0.02
Thickness of contaminated zone	1 0.87	1 0.74	1 0.92	1 0.76
Depth of soil mixing layer	12 0.03	12 0.01	10 0.05	10 0.01
Mass loading for inhalation	5 0.15	5 0.06	12 -0.04	12 -0.01
Kd of Co-60 in Contaminated Zone	11 -0.03	9 -0.04	7 -0.13	4 -0.21
Kd of Co-60 in Unsaturated Zone 1	8 0.09	8 0.05	3 0.23	3 0.21
Kd of Co-60 in Unsaturated Zone 2	10 0.04	7 0.05	6 0.21	5 0.20
Kd of Co-60 in Saturated Zone	6 0.10	4 0.07	5 0.22	6 0.19
Outdoor time fraction	2 0.77	2 0.49	2 0.84	2 0.51
R-SQUARE	0.83	0.83	0.90	0.90

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak External Ground Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		2		2		2		2	
Repetition =									
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff	
Depth of roots	12	-0.04	14	-0.02	12	-0.06	12	-0.02	
Thickness of Unsaturated zone 1	11	-0.06	10	-0.03	14	-0.05	14	-0.02	
Runoff coefficient	9	0.07	9	0.03	10	0.08	10	0.02	
Wind Speed	5	-0.11	6	-0.05	9	-0.08	9	-0.03	
Well pump intake depth	13	0.03	15	0.01	13	0.06	13	0.02	
Inhalation rate	16	0.02	16	0.01	16	-0.03	16	-0.01	
Soil ingestion	10	0.06	11	0.03	8	0.09	8	0.03	
Thickness of Unsaturated zone 2	8	-0.08	8	-0.04	11	-0.08	11	-0.02	
Thickness of contaminated zone	1	0.85	1	0.80	1	0.94	1	0.82	
Depth of soil mixing layer	3	-0.12	3	-0.06	3	-0.27	7	-0.09	
Mass loading for inhalation	7	-0.10	7	-0.05	15	-0.04	15	-0.01	
Kd of Co-60 in Contaminated Zone	15	0.02	13	0.02	7	-0.11	5	-0.17	
Kd of Co-60 in Unsaturated Zone 1	14	0.02	12	0.03	5	0.21	6	0.17	
Kd of Co-60 in Unsaturated Zone 2	6	0.10	5	0.05	6	0.19	4	0.18	
Kd of Co-60 in Saturated Zone	4	0.11	4	0.05	4	0.25	3	0.22	
Outdoor time fraction	2	0.58	2	0.34	2	0.81	2	0.42	
R-SQUARE		0.77		0.77		0.91		0.91	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak External Ground Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		3		3		3		3	
Repetition =									
Description of Probabilistic Variable		Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots		12	0.03	12	0.01	7	0.16	7	0.05
Thickness of Unsaturated zone 1		3	-0.17	3	-0.09	14	-0.05	14	-0.02
Runoff coefficient		7	0.07	8	0.04	13	0.06	13	0.02
Wind Speed		14	-0.02	14	-0.01	11	-0.10	11	-0.03
Well pump intake depth		4	0.13	4	0.07	10	0.11	10	0.04
Inhalation rate		15	0.00	15	0.00	16	0.02	16	0.01
Soil ingestion		11	0.03	11	0.01	15	-0.05	15	-0.01
Thickness of Unsaturated zone 2		10	-0.03	10	-0.02	8	-0.15	8	-0.05
Thickness of contaminated zone		1	0.85	1	0.79	1	0.93	1	0.82
Depth of soil mixing layer		9	0.05	9	0.03	12	-0.06	12	-0.02
Mass loading for inhalation		13	0.02	13	0.01	9	0.13	9	0.04
Kd of Co-60 in Contaminated Zone		8	-0.06	6	-0.05	6	-0.22	3	-0.40
Kd of Co-60 in Unsaturated Zone 1		6	0.08	5	0.06	3	0.34	4	0.31
Kd of Co-60 in Unsaturated Zone 2		16	0.00	16	0.00	4	0.31	5	0.30
Kd of Co-60 in Saturated Zone		5	0.09	7	0.04	5	0.29	6	0.29
Outdoor time fraction		2	0.57	2	0.35	2	0.80	2	0.43
R-SQUARE		0.76		0.76		0.90		0.90	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Inhalation particles Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		1		1		1		1	
Repetition =		1		1		1		1	
Description of Probabilistic Variable		Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots		15	0.04	15	0.02	11	0.19	11	0.06
Thickness of Unsaturated zone 1		12	-0.14	12	-0.06	12	-0.14	12	-0.04
Runoff coefficient		14	-0.05	14	-0.02	14	0.05	14	0.02
Wind Speed		6	-0.32	8	-0.14	6	-0.46	10	-0.15
Well pump intake depth		13	-0.07	13	-0.03	16	0.01	16	0.00
Inhalation rate		4	0.51	6	0.25	4	0.62	8	0.23
Soil ingestion		16	-0.02	16	-0.01	13	-0.09	13	-0.03
Thickness of Unsaturated zone 2		10	0.18	11	0.08	15	0.05	15	0.01
Thickness of contaminated zone		2	0.73	2	0.46	1	0.87	2	0.50
Depth of soil mixing layer		3	-0.72	3	-0.45	2	-0.87	3	-0.49
Mass loading for inhalation		1	0.76	1	0.50	3	0.85	4	0.47
Kd of Co-60 in Contaminated Zone		7	-0.23	4	-0.37	9	-0.33	1	-0.51
Kd of Co-60 in Unsaturated Zone 1		8	0.21	9	0.12	8	0.34	6	0.29
Kd of Co-60 in Unsaturated Zone 2		9	0.20	5	0.28	7	0.36	5	0.31
Kd of Co-60 in Saturated Zone		11	0.17	10	0.12	10	0.32	7	0.26
Outdoor time fraction		5	0.42	7	0.19	5	0.57	9	0.20
R-SQUARE		0.83		0.83		0.92		0.92	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Inhalation particles Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		2		2		2		2	
Repetition =									
Description of Probabilistic Variable		Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots		7	0.20	8	0.08	13	0.07	15	0.03
Thickness of Unsaturted zone 1		9	-0.14	10	-0.06	9	0.11	11	0.05
Runoff coefficient		12	-0.10	12	-0.04	7	0.16	8	0.07
Wind Speed		5	-0.38	6	-0.17	5	-0.31	5	-0.13
Well pump intake depth		15	-0.02	15	-0.01	12	-0.08	13	-0.03
Inhalation rate		4	0.59	4	0.30	4	0.39	4	0.17
Soil ingestion		14	0.02	14	0.01	8	0.12	10	0.05
Thickness of Unsaturated zone 2		6	-0.20	9	-0.08	11	-0.09	12	-0.04
Thickness of contaminated zone		2	0.75	2	0.46	1	0.83	1	0.59
Depth of soil mixing layer		3	-0.68	3	-0.38	2	-0.77	2	-0.50
Mass loading for inhalation		1	0.81	1	0.57	3	0.71	3	0.41
Kd of Co-60 in Contaminated Zone		11	-0.12	7	-0.11	15	0.02	14	0.03
Kd of Co-60 in Unsaturated Zone 1		8	0.20	5	0.19	16	0.00	16	0.00
Kd of Co-60 in Unsaturated Zone 2		13	0.05	13	0.02	14	0.05	9	0.06
Kd of Co-60 in Saturated Zone		16	0.00	16	0.00	10	0.10	7	0.11
Outdoor time fraction		10	0.13	11	0.06	6	0.30	6	0.13
R-SQUARE		0.84		0.84		0.84		0.84	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Inhalation particles Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		3		3		3		3	
Repetition =									
Description of Probabilistic Variable		Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots		12	-0.04	11	-0.02	8	-0.12	11	-0.04
Thickness of Unsaturated zone 1		6	-0.17	6	-0.08	12	-0.07	13	-0.02
Runoff coefficient		10	0.06	10	0.03	16	0.02	16	0.01
Wind Speed		7	-0.17	7	-0.08	6	-0.32	7	-0.12
Well pump intake depth		14	0.01	14	0.00	15	0.04	15	0.01
Inhalation rate		4	0.47	4	0.24	4	0.57	4	0.23
Soil ingestion		11	-0.04	12	-0.02	14	-0.04	14	-0.01
Thickness of Unsaturated zone 2		9	-0.10	9	-0.05	10	-0.10	12	-0.03
Thickness of contaminated zone		3	0.65	3	0.39	1	0.87	1	0.59
Depth of soil mixing layer		2	-0.73	2	-0.47	3	-0.80	3	-0.45
Mass loading for inhalation		1	0.79	1	0.58	2	0.80	2	0.46
Kd of Co-60 in Contaminated Zone		13	0.01	13	0.01	13	-0.06	8	-0.11
Kd of Co-60 in Unsaturated Zone 1		16	0.00	16	0.00	7	0.18	6	0.17
Kd of Co-60 in Unsaturated Zone 2		15	0.00	15	0.00	9	0.10	9	0.10
Kd of Co-60 in Saturated Zone		8	-0.13	8	-0.06	11	0.09	10	0.09
Outdoor time fraction		5	0.31	5	0.15	5	0.48	5	0.18
R-SQUARE		0.81		0.81		0.89		0.89	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterInd.) Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		1		1		1		1	
Repetition =									
Description of Probabilistic Variable		Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1		0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient		0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed		0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth		0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate		0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone		0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer		0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Contaminated Zone		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 1		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 2		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Saturated Zone		0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction		0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterInd.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig Coeff		Sig Coeff		Sig Coeff		Sig Coeff	
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE	0.00		0.00		0.00		0.00	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterInd.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterInd.) Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	1	-0.77	1	-0.68	1	-0.94	1	-0.70
Thickness of Unsaturated zone 1	12	0.06	12	0.03	3	-0.17	3	-0.05
Runoff coefficient	13	0.05	13	0.03	12	0.04	15	0.01
Wind Speed	14	0.04	14	0.02	13	-0.04	14	-0.01
Well pump intake depth	15	-0.02	16	-0.01	11	0.04	13	0.01
Inhalation rate	11	-0.06	11	-0.04	7	0.06	11	0.02
Soil ingestion	7	0.10	8	0.06	15	-0.03	16	-0.01
Thickness of Unsaturated zone 2	8	0.09	9	0.06	6	0.09	10	0.02
Thickness of contaminated zone	2	0.61	2	0.43	2	0.92	2	0.63
Depth of soil mixing layer	10	0.06	10	0.04	10	-0.05	12	-0.01
Mass loading for inhalation	4	-0.14	5	-0.08	4	-0.15	6	-0.04
Kd of Co-60 in Contaminated Zone	5	0.14	3	0.28	16	-0.02	9	-0.02
Kd of Co-60 in Unsaturated Zone 1	16	-0.02	15	-0.01	9	0.05	5	0.04
Kd of Co-60 in Unsaturated Zone 2	3	-0.15	4	-0.27	8	0.06	4	0.04
Kd of Co-60 in Saturated Zone	9	-0.07	7	-0.06	14	0.03	8	0.02
Outdoor time fraction	6	-0.13	6	-0.07	5	-0.13	7	-0.03
R-SQUARE		0.70		0.70		0.93		0.93

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterInd.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	1 -0.74	1 -0.66	1 -0.93	1 -0.70
Thickness of Unsaturated zone 1	13 -0.01	14 0.00	6 0.08	6 0.02
Runoff coefficient	10 0.02	10 0.01	5 0.08	5 0.02
Wind Speed	3 -0.20	3 -0.12	3 -0.23	3 -0.06
Well pump intake depth	11 0.01	11 0.01	4 -0.10	4 -0.03
Inhalation rate	16 0.00	16 0.00	8 0.06	9 0.02
Soil ingestion	6 -0.09	7 -0.05	7 0.06	8 0.02
Thickness of Unsaturated zone 2	5 -0.09	6 -0.05	11 0.03	14 0.01
Thickness of contaminated zone	2 0.62	2 0.47	2 0.92	2 0.66
Depth of soil mixing layer	14 0.00	15 0.00	9 0.05	11 0.01
Mass loading for inhalation	4 -0.11	4 -0.07	10 -0.04	12 -0.01
Kd of Co-60 in Contaminated Zone	9 -0.04	5 -0.06	14 0.01	7 0.02
Kd of Co-60 in Unsaturated Zone 1	15 0.00	13 -0.01	15 0.01	13 0.01
Kd of Co-60 in Unsaturated Zone 2	12 -0.01	12 -0.01	13 0.02	10 0.02
Kd of Co-60 in Saturated Zone	8 -0.06	8 -0.03	16 0.01	16 0.00
Outdoor time fraction	7 -0.06	9 -0.03	12 0.02	15 0.01
R-SQUARE	0.66	0.66	0.92	0.92

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterInd.) Dose

Coefficient =

PCC SRC PRCC SRRC

Repetition =

3 3 3 3

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	1 -0.72	1 -0.53	2 -0.92	2 -0.64
Thickness of Unsaturated zone 1	4 0.26	4 0.14	11 -0.08	11 -0.02
Runoff coefficient	6 0.17	7 0.09	6 -0.12	8 -0.03
Wind Speed	11 -0.05	11 -0.02	12 0.08	12 0.02
Well pump intake depth	9 -0.11	9 -0.06	13 0.07	13 0.02
Inhalation rate	15 0.01	15 0.00	9 -0.09	10 -0.03
Soil ingestion	5 -0.26	6 -0.14	5 0.12	7 0.04
Thickness of Unsaturated zone 2	8 0.13	8 0.07	8 -0.10	9 -0.03
Thickness of contaminated zone	2 0.67	2 0.46	1 0.93	1 0.71
Depth of soil mixing layer	13 -0.01	13 -0.01	14 0.06	14 0.02
Mass loading for inhalation	14 -0.01	14 -0.01	15 -0.03	15 -0.01
Kd of Co-60 in Contaminated Zone	3 0.43	3 0.41	10 -0.09	4 -0.14
Kd of Co-60 in Unsaturated Zone 1	7 -0.16	5 -0.14	7 0.10	6 0.08
Kd of Co-60 in Unsaturated Zone 2	12 0.02	12 0.01	3 0.16	5 0.13
Kd of Co-60 in Saturated Zone	10 0.07	10 0.04	4 0.16	3 0.14
Outdoor time fraction	16 -0.01	16 0.00	16 -0.01	16 0.00
R-SQUARE	0.75	0.75	0.92	0.92

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterInd.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 1 1 1 1

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterInd.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterInd.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterInd.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 1 1 1 1

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterInd.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig Coeff		Sig Coeff		Sig Coeff		Sig Coeff	
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE	0.00		0.00		0.00		0.00	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterInd.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Soil Ingestion Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	15	0.01	15	0.00	14	0.08	14	0.03
Thickness of Unsaturated zone 1	5	-0.20	5	-0.09	6	-0.22	9	-0.08
Runoff coefficient	9	0.04	10	0.02	11	0.08	11	0.03
Wind Speed	14	-0.01	14	-0.01	16	0.03	16	0.01
Well pump intake depth	7	-0.06	8	-0.03	10	-0.13	10	-0.05
Inhalation rate	10	-0.03	11	-0.01	12	0.08	12	0.03
Soil ingestion	1	0.79	1	0.57	1	0.82	1	0.55
Thickness of Unsaturated zone 2	6	0.10	7	0.05	15	-0.07	15	-0.03
Thickness of contaminated zone	3	0.72	3	0.46	3	0.79	3	0.49
Depth of soil mixing layer	2	-0.73	2	-0.47	2	-0.79	2	-0.49
Mass loading for inhalation	13	0.01	13	0.01	13	-0.08	13	-0.03
Kd of Co-60 in Contaminated Zone	8	0.06	6	0.09	9	-0.16	4	-0.33
Kd of Co-60 in Unsaturated Zone 1	16	0.00	16	0.00	7	0.21	6	0.23
Kd of Co-60 in Unsaturated Zone 2	12	-0.01	9	-0.02	5	0.22	5	0.25
Kd of Co-60 in Saturated Zone	11	-0.02	12	-0.01	8	0.19	8	0.20
Outdoor time fraction	4	0.34	4	0.16	4	0.46	7	0.20
R-SQUARE	0.81		0.81		0.86		0.86	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Soil Ingestion Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		2		2		2		2	
Repetition =									
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig
Depth of roots	9	0.09	9	0.04	15	0.00	16	0.00	
Thickness of Unsaturated zone 1	11	0.08	10	0.03	12	0.07	14	0.02	
Runoff coefficient	8	-0.12	8	-0.05	11	0.07	13	0.02	
Wind Speed	6	-0.17	6	-0.08	10	-0.08	12	-0.02	
Well pump intake depth	13	-0.04	15	-0.02	9	-0.08	11	-0.03	
Inhalation rate	7	0.13	7	0.06	6	0.13	8	0.04	
Soil ingestion	1	0.79	1	0.56	1	0.88	1	0.57	
Thickness of Unsaturated zone 2	5	-0.21	5	-0.09	5	-0.23	6	-0.08	
Thickness of contaminated zone	2	0.76	2	0.51	2	0.86	2	0.54	
Depth of soil mixing layer	3	-0.71	3	-0.45	3	-0.83	3	-0.47	
Mass loading for inhalation	10	-0.08	11	-0.03	8	-0.10	9	-0.03	
Kd of Co-60 in Contaminated Zone	14	0.03	14	0.03	14	-0.02	10	-0.03	
Kd of Co-60 in Unsaturated Zone 1	15	-0.03	13	-0.03	16	0.00	15	0.00	
Kd of Co-60 in Unsaturated Zone 2	12	0.07	12	0.03	13	0.05	7	0.05	
Kd of Co-60 in Saturated Zone	16	0.02	16	0.01	7	0.13	5	0.11	
Outdoor time fraction	4	0.32	4	0.15	4	0.50	4	0.18	
R-SQUARE		0.82		0.82		0.90		0.90	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Soil Ingestion Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	16	0.00	16	0.00	13	0.04	15	0.01
Thickness of Unsaturated zone 1	7	-0.10	7	-0.04	10	-0.12	12	-0.04
Runoff coefficient	15	0.01	15	0.01	12	0.06	13	0.02
Wind Speed	8	0.08	8	0.04	8	0.13	9	0.04
Well pump intake depth	11	-0.05	12	-0.02	14	0.03	16	0.01
Inhalation rate	6	0.11	6	0.05	9	0.12	11	0.04
Soil ingestion	2	0.76	2	0.50	3	0.83	3	0.50
Thickness of Unsaturated zone 2	5	-0.15	5	-0.07	6	-0.15	8	-0.05
Thickness of contaminated zone	1	0.78	1	0.54	1	0.86	1	0.56
Depth of soil mixing layer	3	-0.73	3	-0.47	2	-0.85	2	-0.52
Mass loading for inhalation	9	0.07	9	0.03	5	0.15	7	0.05
Kd of Co-60 in Contaminated Zone	13	-0.02	13	-0.02	15	-0.02	10	-0.04
Kd of Co-60 in Unsaturated Zone 1	12	0.04	10	0.03	7	0.13	5	0.12
Kd of Co-60 in Unsaturated Zone 2	14	-0.02	14	-0.01	11	0.11	6	0.10
Kd of Co-60 in Saturated Zone	10	0.06	11	0.03	16	0.02	14	0.02
Outdoor time fraction	4	0.32	4	0.15	4	0.44	4	0.16
R-SQUARE	0.82		0.82		0.90		0.90	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Water Ingestion Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		1		1		1		1	
Repetition =		1		1		1		1	
Description of Probabilistic Variable		Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1		0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient		0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed		0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth		0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate		0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone		0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer		0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Contaminated Zone		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 1		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 2		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Saturated Zone		0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction		0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Water Ingestion Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		2		2		2		2	
Repetition =									
Description of Probabilistic Variable		Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1		0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient		0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed		0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth		0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate		0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone		0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer		0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Contaminated Zone		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 1		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 2		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Saturated Zone		0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction		0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Water Ingestion Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		3		3		3		3	
Repetition =									
Description of Probabilistic Variable		Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1		0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient		0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed		0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth		0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate		0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone		0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer		0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Contaminated Zone		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 1		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 2		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Saturated Zone		0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction		0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Fish Ingestion Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Fish Ingestion Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig Coeff		Sig Coeff		Sig Coeff		Sig Coeff	
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE	0.00		0.00		0.00		0.00	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Fish Ingestion Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterDep.) Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterDep.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterDep.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterDep.) Dose
 Coefficient =
 Repetition =

	PCC	SRC	PRCC	SRRC
	1	1	1	1
Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	12 0.07	12 0.06	7 0.13	7 0.11
Thickness of Unsaturated zone 1	14 -0.03	14 -0.03	12 -0.06	12 -0.05
Runoff coefficient	5 0.13	7 0.12	10 -0.08	10 -0.07
Wind Speed	9 0.08	10 0.07	9 0.10	9 0.08
Well pump intake depth	11 0.07	11 0.06	16 0.00	16 0.00
Inhalation rate	1 0.21	3 0.20	14 0.04	14 0.03
Soil ingestion	15 0.03	15 0.02	13 0.04	13 0.03
Thickness of Unsaturated zone 2	2 0.18	4 0.18	5 0.17	5 0.14
Thickness of contaminated zone	3 -0.16	5 -0.15	6 0.15	6 0.13
Depth of soil mixing layer	6 -0.09	8 -0.08	11 -0.07	11 -0.06
Mass loading for inhalation	4 -0.15	6 -0.15	15 0.00	15 0.00
Kd of Co-60 in Contaminated Zone	10 -0.07	2 -0.24	4 0.35	1 1.59
Kd of Co-60 in Unsaturated Zone 1	16 0.02	16 0.02	3 -0.39	3 -1.02
Kd of Co-60 in Unsaturated Zone 2	7 0.08	1 0.25	1 -0.40	2 -1.04
Kd of Co-60 in Saturated Zone	13 0.03	13 0.05	2 -0.40	4 -0.97
Outdoor time fraction	8 -0.08	9 -0.07	8 -0.11	8 -0.09
R-SQUARE	0.15	0.15	0.33	0.33

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterDep.) Dose						
Coefficient =		PCC	SRC	PRCC	SRRC	
Repetition =		2	2	2	2	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	2	-0.13	2	-0.13	2	-0.20
Thickness of Unsaturated zone 1	1	0.16	1	0.16	12	0.05
Runoff coefficient	15	-0.01	16	-0.01	4	-0.16
Wind Speed	13	-0.02	13	-0.02	9	0.10
Well pump intake depth	11	-0.03	11	-0.03	15	0.03
Inhalation rate	6	0.07	7	0.07	11	0.07
Soil ingestion	9	-0.04	9	-0.04	16	0.01
Thickness of Unsaturated zone 2	3	-0.11	4	-0.11	10	-0.08
Thickness of contaminated zone	8	-0.05	8	-0.04	6	-0.12
Depth of soil mixing layer	10	0.03	10	0.03	8	0.11
Mass loading for inhalation	5	-0.09	6	-0.09	14	-0.04
Kd of Co-60 in Contaminated Zone	16	0.01	14	0.02	7	0.11
Kd of Co-60 in Unsaturated Zone 1	7	-0.05	3	-0.12	1	-0.21
Kd of Co-60 in Unsaturated Zone 2	14	-0.02	15	-0.02	3	-0.19
Kd of Co-60 in Saturated Zone	12	-0.02	12	-0.02	5	-0.13
Outdoor time fraction	4	0.10	5	0.10	13	0.05
R-SQUARE		0.08		0.08		0.27

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterDep.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	2 -0.18	2 -0.17	10 -0.09	10 -0.07
Thickness of Unsaturated zone 1	8 -0.07	8 -0.06	12 0.06	12 0.05
Runoff coefficient	12 0.03	13 0.03	15 0.02	15 0.02
Wind Speed	9 0.06	9 0.06	6 -0.20	6 -0.16
Well pump intake depth	5 -0.08	5 -0.07	5 -0.22	5 -0.18
Inhalation rate	7 0.08	7 0.07	11 0.07	11 0.06
Soil ingestion	3 -0.13	3 -0.13	9 0.11	9 0.09
Thickness of Unsaturated zone 2	4 -0.12	4 -0.11	14 0.03	14 0.02
Thickness of contaminated zone	14 0.02	15 0.02	13 0.04	13 0.03
Depth of soil mixing layer	1 0.25	1 0.24	16 0.00	16 0.00
Mass loading for inhalation	11 -0.03	12 -0.03	8 -0.11	8 -0.09
Kd of Co-60 in Contaminated Zone	16 -0.01	16 -0.02	4 0.36	1 1.67
Kd of Co-60 in Unsaturated Zone 1	15 0.02	11 0.03	2 -0.41	4 -0.96
Kd of Co-60 in Unsaturated Zone 2	10 -0.06	10 -0.05	1 -0.44	2 -1.14
Kd of Co-60 in Saturated Zone	13 -0.03	14 -0.03	3 -0.39	3 -1.03
Outdoor time fraction	6 -0.08	6 -0.07	7 -0.15	7 -0.12
R-SQUARE	0.14	0.14	0.37	0.37

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterDep.) Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterDep.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterDep.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterDep.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 1 1 1 1

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterDep.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterDep.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.