

Appendix E

Suburban Resident Scenario

RESRAD 6.0 Output File Reports

➤ **Uranium DCGL**

- Deterministic Module Summary Report (Part I)
- Detailed Pathway Calculations Report (Part II)
- Intake Quantities & Health Risk Factors (Part III)
- Concentrations of Radionuclide Report (Part IV)
- Dose from Radionuclides at Point of Action (Part V)
- Probabilistic (Uncertainty) Analysis Report (Part V)

➤ **Byproduct (Co-60) DCGL**

- Deterministic Module Summary Report (Part I)
- Detailed Pathway Calculations Report (Part II)
- Intake Quantities & Health Risk Factors (Part III)
- Concentrations of Radionuclide Report (Part IV)
- Dose from Radionuclides at Point of Action (Part V)
- Probabilistic (Uncertainty) Analysis Report (Part V)

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines
=====

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	4
Summary of Pathway Selections	9
Contaminated Zone and Total Dose Summary	10
Total Dose Components	
Time = 0.000E+00	11
Time = 1.000E+00	12
Time = 3.000E+00	13
Time = 1.000E+01	14
Time = 3.000E+01	15
Time = 1.000E+02	16
Time = 3.000E+02	17
Time = 1.000E+03	18
Dose/Source Ratios Summed Over All Pathways	19
Single Radionuclide Soil Guidelines	19
Dose Per Nuclide Summed Over All Pathways	20
Soil Concentration Per Nuclide	21

Dose Conversion Factor (and Related) Parameter Summary
 File: Default.LIB

0	Menu	Parameter	Current Value	Default	Parameter Name
	B-1	Dose conversion factors for inhalation, mrem/pCi:			
	B-1	Ac-227+D	6.720E+00	6.720E+00	DCF2(1)
	B-1	Pa-231	1.280E+00	1.280E+00	DCF2(2)
	B-1	Pb-210+D	2.320E-02	2.320E-02	DCF2(3)
	B-1	Ra-226+D	8.600E-03	8.600E-03	DCF2(4)
	B-1	Th-230	3.260E-01	3.260E-01	DCF2(5)
	B-1	U-234	1.320E-01	1.320E-01	DCF2(6)
	B-1	U-235+D	1.230E-01	1.230E-01	DCF2(7)
	B-1	U-238+D	1.180E-01	1.180E-01	DCF2(8)
	D-1	Dose conversion factors for ingestion, mrem/pCi:			
	D-1	Ac-227+D	1.480E-02	1.480E-02	DCF3(1)
	D-1	Pa-231	1.060E-02	1.060E-02	DCF3(2)
	D-1	Pb-210+D	7.270E-03	7.270E-03	DCF3(3)
	D-1	Ra-226+D	1.330E-03	1.330E-03	DCF3(4)
	D-1	Th-230	5.480E-04	5.480E-04	DCF3(5)
	D-1	U-234	2.830E-04	2.830E-04	DCF3(6)
	D-1	U-235+D	2.670E-04	2.670E-04	DCF3(7)
	D-1	U-238+D	2.690E-04	2.690E-04	DCF3(8)
	D-34	Food transfer factors:			
	D-34	Ac-227+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(1,1)
	D-34	Ac-227+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-05	2.000E-05	RTF(1,2)
	D-34	Ac-227+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-05	2.000E-05	RTF(1,3)
	D-34	Pa-231 , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF(2,1)
	D-34	Pa-231 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-03	5.000E-03	RTF(2,2)
	D-34	Pa-231 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(2,3)
	D-34	Pb-210+D , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF(3,1)
	D-34	Pb-210+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	8.000E-04	RTF(3,2)
	D-34	Pb-210+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.000E-04	3.000E-04	RTF(3,3)
	D-34	Ra-226+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(4,1)
	D-34	Ra-226+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(4,2)
	D-34	Ra-226+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF(4,3)
	D-34	Th-230 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(5,1)
	D-34	Th-230 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(5,2)
	D-34	Th-230 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(5,3)
	D-34	U-234 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(6,1)
	D-34	U-234 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(6,2)
	D-34	U-234 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(6,3)
	D-34	U-235+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(7,1)
	D-34	U-235+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(7,2)
	D-34	U-235+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(7,3)

Dose Conversion Factor (and Related) Parameter Summary (continued)
 File: Default.LIB

0 Menu	Parameter	Current Value	Default	Parameter Name
D-34	U-238+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(8,1)
D-34	U-238+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(8,2)
D-34	U-238+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(8,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Ac-227+D , fish	1.500E+01	1.500E+01	BIOFAC(1,1)
D-5	Ac-227+D , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(1,2)
D-5	Pa-231 , fish	1.000E+01	1.000E+01	BIOFAC(2,1)
D-5	Pa-231 , crustacea and mollusks	1.100E+02	1.100E+02	BIOFAC(2,2)
D-5	Pb-210+D , fish	3.000E+02	3.000E+02	BIOFAC(3,1)
D-5	Pb-210+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(3,2)
D-5	Ra-226+D , fish	5.000E+01	5.000E+01	BIOFAC(4,1)
D-5	Ra-226+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC(4,2)
D-5	Th-230 , fish	1.000E+02	1.000E+02	BIOFAC(5,1)
D-5	Th-230 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(5,2)
D-5	U-234 , fish	1.000E+01	1.000E+01	BIOFAC(6,1)
D-5	U-234 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(6,2)
D-5	U-235+D , fish	1.000E+01	1.000E+01	BIOFAC(7,1)
D-5	U-235+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(7,2)
D-5	U-238+D , fish	1.000E+01	1.000E+01	BIOFAC(8,1)
D-5	U-238+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(8,2)

Site-Specific Parameter Summary						
0	Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
	R011	Area of contaminated zone (m**2)	2.023E+06	1.000E+04	---	AREA
	R011	Thickness of contaminated zone (m)	1.500E-01	2.000E+00	---	THICK0
	R011	Length parallel to aquifer flow (m)	1.000E+02	1.000E+02	---	LCZPAQ
	R011	Basic radiation dose limit (mrem/yr)	1.900E+01	2.500E+01	---	BRDL
	R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
	R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
	R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
	R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
	R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
	R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
	R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
	R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
	R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
	R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
	R012	Initial principal radionuclide (pCi/g): U-234	7.904E+02	0.000E+00	---	S1(6)
	R012	Initial principal radionuclide (pCi/g): U-235	4.350E+01	0.000E+00	---	S1(7)
	R012	Initial principal radionuclide (pCi/g): U-238	1.861E+02	0.000E+00	---	S1(8)
	R012	Concentration in groundwater (pCi/L): U-234	not used	0.000E+00	---	W1(6)
	R012	Concentration in groundwater (pCi/L): U-235	not used	0.000E+00	---	W1(7)
	R012	Concentration in groundwater (pCi/L): U-238	not used	0.000E+00	---	W1(8)
	R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
	R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
	R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
	R013	Density of contaminated zone (g/cm**3)	1.500E+00	1.500E+00	---	DENSCZ
	R013	Contaminated zone erosion rate (m/yr)	1.000E-03	1.000E-03	---	VCZ
	R013	Contaminated zone total porosity	4.000E-01	4.000E-01	---	TPCZ
	R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
	R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ
	R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ
	R013	Average annual wind speed (m/sec)	3.160E+00	2.000E+00	---	WIND
	R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
	R013	Evapotranspiration coefficient	5.000E-01	5.000E-01	---	EVAPTR
	R013	Precipitation (m/yr)	1.120E+00	1.000E+00	---	PRECIP
	R013	Irrigation (m/yr)	2.000E-01	2.000E-01	---	RI
	R013	Irrigation mode	overhead	overhead	---	IDITCH
	R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
	R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
	R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
	R014	Density of saturated zone (g/cm**3)	1.500E+00	1.500E+00	---	DENSAQ
	R014	Saturated zone total porosity	4.000E-01	4.000E-01	---	TPSZ
	R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	EPSZ
	R014	Saturated zone field capacity	2.000E-01	2.000E-01	---	FCSZ
	R014	Saturated zone hydraulic conductivity (m/yr)	1.000E+02	1.000E+02	---	HCSZ
	R014	Saturated zone hydraulic gradient	2.000E-02	2.000E-02	---	HGWT
	R014	Saturated zone b parameter	5.300E+00	5.300E+00	---	BSZ
	R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
	R014	Well pump intake depth (m below water table)	1.000E+01	1.000E+01	---	DWIBWT
	R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL

Site-Specific Parameter Summary (continued)

0	Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
	R014	Well pumping rate (m**3/yr)	2.500E+02	2.500E+02	---	UW
	R015	Number of unsaturated zone strata	2	1	---	NS
	R015	Unsat. zone 1, thickness (m)	2.000E+00	4.000E+00	---	H (1)
	R015	Unsat. zone 1, soil density (g/cm**3)	1.500E+00	1.500E+00	---	DENSUZ (1)
	R015	Unsat. zone 1, total porosity	4.000E-01	4.000E-01	---	TPUZ (1)
	R015	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	EPUZ (1)
	R015	Unsat. zone 1, field capacity	2.000E-01	2.000E-01	---	FCUZ (1)
	R015	Unsat. zone 1, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ (1)
	R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCUZ (1)
	R015	Unsat. zone 2, thickness (m)	4.000E+00	0.000E+00	---	H (2)
	R015	Unsat. zone 2, soil density (g/cm**3)	1.500E+00	1.500E+00	---	DENSUZ (2)
	R015	Unsat. zone 2, total porosity	4.000E-01	4.000E-01	---	TPUZ (2)
	R015	Unsat. zone 2, effective porosity	2.000E-01	2.000E-01	---	EPUZ (2)
	R015	Unsat. zone 2, field capacity	2.000E-01	2.000E-01	---	FCUZ (2)
	R015	Unsat. zone 2, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ (2)
	R015	Unsat. zone 2, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCUZ (2)
	R016	Distribution coefficients for U-234				
	R016	Contaminated zone (cm**3/g)	8.700E+03	5.000E+01	---	DCNUCC (6)
	R016	Unsat. zone 1 (cm**3/g)	3.300E+03	5.000E+01	---	DCNUCU (6,1)
	R016	Unsat. zone 2 (cm**3/g)	1.250E+02	5.000E+01	---	DCNUCU (6,2)
	R016	Saturated zone (cm**3/g)	1.250E+02	5.000E+01	---	DCNUCS (6)
	R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.799E-04	ALEACH (6)
	R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (6)
	R016	Distribution coefficients for U-235				
	R016	Contaminated zone (cm**3/g)	8.700E+03	5.000E+01	---	DCNUCC (7)
	R016	Unsat. zone 1 (cm**3/g)	3.300E+03	5.000E+01	---	DCNUCU (7,1)
	R016	Unsat. zone 2 (cm**3/g)	1.250E+02	5.000E+01	---	DCNUCU (7,2)
	R016	Saturated zone (cm**3/g)	1.250E+02	5.000E+01	---	DCNUCS (7)
	R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.799E-04	ALEACH (7)
	R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (7)
	R016	Distribution coefficients for U-238				
	R016	Contaminated zone (cm**3/g)	8.700E+03	5.000E+01	---	DCNUCC (8)
	R016	Unsat. zone 1 (cm**3/g)	3.300E+03	5.000E+01	---	DCNUCU (8,1)
	R016	Unsat. zone 2 (cm**3/g)	1.250E+02	5.000E+01	---	DCNUCU (8,2)
	R016	Saturated zone (cm**3/g)	1.250E+02	5.000E+01	---	DCNUCS (8)
	R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.799E-04	ALEACH (8)
	R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (8)
	R016	Distribution coefficients for daughter Ac-227				
	R016	Contaminated zone (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCC (1)
	R016	Unsat. zone 1 (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCU (1,1)
	R016	Unsat. zone 2 (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCU (1,2)
	R016	Saturated zone (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCS (1)
	R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.205E-01	ALEACH (1)
	R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (1)

Site-Specific Parameter Summary (continued)

0	Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
	R016	Distribution coefficients for daughter Pa-231				
	R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC (2)
	R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU (2,1)
	R016	Unsaturated zone 2 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU (2,2)
	R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS (2)
	R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.850E-02	ALEACH (2)
	R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (2)
	R016	Distribution coefficients for daughter Pb-210				
	R016	Contaminated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCC (3)
	R016	Unsaturated zone 1 (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCU (3,1)
	R016	Unsaturated zone 2 (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCU (3,2)
	R016	Saturated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCS (3)
	R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.430E-02	ALEACH (3)
	R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (3)
	R016	Distribution coefficients for daughter Ra-226				
	R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC (4)
	R016	Unsaturated zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU (4,1)
	R016	Unsaturated zone 2 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU (4,2)
	R016	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS (4)
	R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.469E-02	ALEACH (4)
	R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (4)
	R016	Distribution coefficients for daughter Th-230				
	R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC (5)
	R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU (5,1)
	R016	Unsaturated zone 2 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU (5,2)
	R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS (5)
	R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.059E-05	ALEACH (5)
	R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (5)
	R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
	R017	Mass loading for inhalation (g/m**3)	1.000E-04	1.000E-04	---	MLINH
	R017	Exposure duration	3.000E+01	3.000E+01	---	ED
	R017	Shielding factor, inhalation	4.000E-01	4.000E-01	---	SHF3
	R017	Shielding factor, external gamma	7.000E-01	7.000E-01	---	SHF1
	R017	Fraction of time spent indoors	8.048E-01	5.000E-01	---	FIND
	R017	Fraction of time spent outdoors (on site)	3.420E-02	2.500E-01	---	FOTD
	R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS

Site-Specific Parameter Summary (continued)					
0	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE (1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE (2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE (3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE (4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE (5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE (6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE (7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE (8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE (9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE (10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE (11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE (12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA (1)
R017	Ring 2	not used	2.732E-01	---	FRACA (2)
R017	Ring 3	not used	0.000E+00	---	FRACA (3)
R017	Ring 4	not used	0.000E+00	---	FRACA (4)
R017	Ring 5	not used	0.000E+00	---	FRACA (5)
R017	Ring 6	not used	0.000E+00	---	FRACA (6)
R017	Ring 7	not used	0.000E+00	---	FRACA (7)
R017	Ring 8	not used	0.000E+00	---	FRACA (8)
R017	Ring 9	not used	0.000E+00	---	FRACA (9)
R017	Ring 10	not used	0.000E+00	---	FRACA (10)
R017	Ring 11	not used	0.000E+00	---	FRACA (11)
R017	Ring 12	not used	0.000E+00	---	FRACA (12)
R018	Fruits, vegetables and grain consumption (kg/yr)	1.600E+02	1.600E+02	---	DIET (1)
R018	Leafy vegetable consumption (kg/yr)	1.400E+01	1.400E+01	---	DIET (2)
R018	Milk consumption (L/yr)	not used	9.200E+01	---	DIET (3)
R018	Meat and poultry consumption (kg/yr)	not used	6.300E+01	---	DIET (4)
R018	Fish consumption (kg/yr)	5.400E+00	5.400E+00	---	DIET (5)
R018	Other seafood consumption (kg/yr)	0.000E+00	9.000E-01	---	DIET (6)
R018	Soil ingestion rate (g/yr)	3.650E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	5.840E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	not used	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	5.000E-01	5.000E-01	---	FR9
R018	Contamination fraction of plant food	4.300E-02	-1	---	FPLANT
R018	Contamination fraction of meat	not used	-1	---	FMEAT
R018	Contamination fraction of milk	not used	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	not used	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	not used	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	not used	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	not used	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	not used	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	1.000E-04	1.000E-04	---	MLFD

Site-Specific Parameter Summary (continued)

0	Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
	R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
	R019	Depth of roots (m)	9.000E-01	9.000E-01	---	DROOT
	R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
	R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
	R019	Livestock water fraction from ground water	not used	1.000E+00	---	FGWLW
	R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
	R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	7.000E-01	7.000E-01	---	YV(1)
	R19B	Wet weight crop yield for Leafy (kg/m**2)	1.500E+00	1.500E+00	---	YV(2)
	R19B	Wet weight crop yield for Fodder (kg/m**2)	not used	1.100E+00	---	YV(3)
	R19B	Growing Season for Non-Leafy (years)	1.700E-01	1.700E-01	---	TE(1)
	R19B	Growing Season for Leafy (years)	2.500E-01	2.500E-01	---	TE(2)
	R19B	Growing Season for Fodder (years)	not used	8.000E-02	---	TE(3)
	R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
	R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
	R19B	Translocation Factor for Fodder	not used	1.000E+00	---	TIV(3)
	R19B	Dry Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RDRY(1)
	R19B	Dry Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RDRY(2)
	R19B	Dry Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RDRY(3)
	R19B	Wet Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RWET(1)
	R19B	Wet Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RWET(2)
	R19B	Wet Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RWET(3)
	R19B	Weathering Removal Constant for Vegetation	2.000E+01	2.000E+01	---	WLAM
	C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
	C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
	C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
	C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
	C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
	C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
	C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
	C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
	C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
	C14	DCF correction factor for gaseous forms of C14	not used	1.234E+02	---	CO2F
	STOR	Storage times of contaminated foodstuffs (days):				
	STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
	STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
	STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
	STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
	STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
	STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
	STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
	STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
	STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
	R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
	R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
	R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
	R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
	R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV

Site-Specific Parameter Summary (continued)

0	Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
	R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
	R021	Diffusion coefficient for radon gas (m/sec):				
	R021	in cover material	not used	2.000E-06	---	DIFCV
	R021	in foundation material	not used	3.000E-07	---	DIFFL
	R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
	R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
	R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
	R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
	R021	Building interior area factor	not used	0.000E+00	---	FAI
	R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
	R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA (1)
	R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA (2)
	TITL	Number of graphical time points	128	---	---	NPTS
	TITL	Maximum number of integration points for dose	17	---	---	LYMAX
	TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	suppressed
5 -- milk ingestion	suppressed
6 -- aquatic foods	active
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	active

Contaminated Zone Dimensions	Initial Soil Concentrations, pCi/g	
-----	-----	
Area:2023400.00 square meters	U-234	7.904E+02
Thickness: 0.15 meters	U-235	4.350E+01
Cover Depth: 0.00 meters	U-238	1.861E+02

Total Dose TDOSE(t), mrem/yr
 Basic Radiation Dose Limit = 19 mrem/yr
 Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

-----	-----							
t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	5.146E+01	5.128E+01	5.092E+01	4.964E+01	4.575E+01	2.740E+01	1.538E-02	1.182E+00
M(t):	2.709E+00	2.699E+00	2.680E+00	2.612E+00	2.408E+00	1.442E+00	8.094E-04	6.219E-02

0Maximum TDOSE(t): 5.146E+01 mrem/yr at t = 0.000E+00 years

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	1.881E-01	0.0037	7.342E+00	0.1427	0.000E+00	0.0000	6.979E-01	0.0136	0.000E+00	0.0000	0.000E+00	0.0000	6.826E+00	0.1326
U-235	1.885E+01	0.3662	3.766E-01	0.0073	0.000E+00	0.0000	3.629E-02	0.0007	0.000E+00	0.0000	0.000E+00	0.0000	3.546E-01	0.0069
U-238	1.357E+01	0.2636	1.545E+00	0.0300	0.000E+00	0.0000	1.562E-01	0.0030	0.000E+00	0.0000	0.000E+00	0.0000	1.528E+00	0.0297
Total	3.260E+01	0.6335	9.264E+00	0.1800	0.000E+00	0.0000	8.903E-01	0.0173	0.000E+00	0.0000	0.000E+00	0.0000	8.709E+00	0.1692

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.505E+01	0.2925
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.961E+01	0.3811
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.680E+01	0.3264
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.146E+01	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

0
 0
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	1.880E-01	0.0037	7.291E+00	0.1422	0.000E+00	0.0000	6.930E-01	0.0135	0.000E+00	0.0000	0.000E+00	0.0000	6.779E+00	0.1322
U-235	1.882E+01	0.3671	3.740E-01	0.0073	0.000E+00	0.0000	3.616E-02	0.0007	0.000E+00	0.0000	0.000E+00	0.0000	3.524E-01	0.0069
U-238	1.354E+01	0.2640	1.535E+00	0.0299	0.000E+00	0.0000	1.551E-01	0.0030	0.000E+00	0.0000	0.000E+00	0.0000	1.517E+00	0.0296
===== Total	3.255E+01	0.6347	9.200E+00	0.1794	0.000E+00	0.0000	8.843E-01	0.0172	0.000E+00	0.0000	0.000E+00	0.0000	8.648E+00	0.1686

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

0
 0
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.495E+01	0.2915
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.959E+01	0.3819
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.675E+01	0.3265
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.128E+01	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

0
 0 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	1.879E-01	0.0037	7.189E+00	0.1412	0.000E+00	0.0000	6.833E-01	0.0134	0.000E+00	0.0000	0.000E+00	0.0000	6.684E+00	0.1313
U-235	1.878E+01	0.3688	3.690E-01	0.0072	0.000E+00	0.0000	3.587E-02	0.0007	0.000E+00	0.0000	0.000E+00	0.0000	3.480E-01	0.0068
U-238	1.349E+01	0.2648	1.513E+00	0.0297	0.000E+00	0.0000	1.529E-01	0.0030	0.000E+00	0.0000	0.000E+00	0.0000	1.496E+00	0.0294
===== Total	3.245E+01	0.6373	9.071E+00	0.1781	0.000E+00	0.0000	8.721E-01	0.0171	0.000E+00	0.0000	0.000E+00	0.0000	8.528E+00	0.1675

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

0
 0 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.474E+01	0.2895
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.953E+01	0.3835
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.665E+01	0.3269
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.092E+01	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	1.878E-01	0.0038	6.833E+00	0.1377	0.000E+00	0.0000	6.494E-01	0.0131	0.000E+00	0.0000	0.000E+00	0.0000	6.353E+00	0.1280
U-235	1.861E+01	0.3748	3.514E-01	0.0071	0.000E+00	0.0000	3.469E-02	0.0007	0.000E+00	0.0000	0.000E+00	0.0000	3.324E-01	0.0067
U-238	1.328E+01	0.2676	1.438E+00	0.0290	0.000E+00	0.0000	1.453E-01	0.0029	0.000E+00	0.0000	0.000E+00	0.0000	1.422E+00	0.0286
Total	3.208E+01	0.6462	8.623E+00	0.1737	0.000E+00	0.0000	8.295E-01	0.0167	0.000E+00	0.0000	0.000E+00	0.0000	8.107E+00	0.1633

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.402E+01	0.2825
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.932E+01	0.3893
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.629E+01	0.3282
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.964E+01	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

0
 0 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	1.896E-01	0.0041	5.823E+00	0.1273	0.000E+00	0.0000	5.534E-01	0.0121	0.000E+00	0.0000	0.000E+00	0.0000	5.413E+00	0.1183
U-235	1.799E+01	0.3932	3.005E-01	0.0066	0.000E+00	0.0000	3.036E-02	0.0007	0.000E+00	0.0000	0.000E+00	0.0000	2.857E-01	0.0062
U-238	1.261E+01	0.2756	1.225E+00	0.0268	0.000E+00	0.0000	1.238E-01	0.0027	0.000E+00	0.0000	0.000E+00	0.0000	1.211E+00	0.0265
Total	3.078E+01	0.6729	7.349E+00	0.1606	0.000E+00	0.0000	7.075E-01	0.0155	0.000E+00	0.0000	0.000E+00	0.0000	6.910E+00	0.1510

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

0
 0 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.198E+01	0.2618
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.860E+01	0.4066
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.517E+01	0.3315
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.575E+01	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Radio- Nuclide	Water Independent Pathways (Inhalation excludes radon)													
	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	1.744E-01	0.0064	2.369E+00	0.0864	0.000E+00	0.0000	2.251E-01	0.0082	0.000E+00	0.0000	0.000E+00	0.0000	2.201E+00	0.0803
U-235	1.276E+01	0.4656	1.224E-01	0.0045	0.000E+00	0.0000	1.254E-02	0.0005	0.000E+00	0.0000	0.000E+00	0.0000	1.167E-01	0.0043
U-238	8.381E+00	0.3059	4.977E-01	0.0182	0.000E+00	0.0000	5.033E-02	0.0018	0.000E+00	0.0000	0.000E+00	0.0000	4.920E-01	0.0180
Total	2.131E+01	0.7778	2.989E+00	0.1091	0.000E+00	0.0000	2.880E-01	0.0105	0.000E+00	0.0000	0.000E+00	0.0000	2.810E+00	0.1026

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Radio- Nuclide	Water Dependent Pathways													
	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.969E+00	0.1814
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.301E+01	0.4748
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.421E+00	0.3439
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.740E+01	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

0
 0
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

0
 0
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	1.342E-02	0.8726	1.881E-03	0.1223	0.000E+00	0.0000	7.741E-05	0.0050	0.000E+00	0.0000	0.000E+00	0.0000	1.538E-02	1.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
===== Total	1.342E-02	0.8726	1.881E-03	0.1223	0.000E+00	0.0000	7.741E-05	0.0050	0.000E+00	0.0000	0.000E+00	0.0000	1.538E-02	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

0
 0
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

0
 0
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	1.080E-02	0.0091	2.504E-02	0.0212	0.000E+00	0.0000	6.266E-05	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	3.591E-02	0.0304
U-235	1.009E+00	0.8538	1.310E-01	0.1109	0.000E+00	0.0000	5.829E-03	0.0049	0.000E+00	0.0000	0.000E+00	0.0000	1.146E+00	0.9696
U-238	5.036E-07	0.0000	1.159E-06	0.0000	0.000E+00	0.0000	2.918E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.666E-06	0.0000
===== Total	1.020E+00	0.8629	1.561E-01	0.1321	0.000E+00	0.0000	5.891E-03	0.0050	0.000E+00	0.0000	0.000E+00	0.0000	1.182E+00	1.0000

0*Sum of all water independent and dependent pathways.

Dose/Source Ratios Summed Over All Pathways
 Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		1.905E-02	1.892E-02	1.865E-02	1.774E-02	1.514E-02	6.248E-03	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		1.849E-07	5.509E-07	1.268E-06	3.620E-06	9.004E-06	1.239E-05	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		3.751E-09	2.596E-08	1.336E-07	1.086E-06	7.005E-06	2.695E-05	0.000E+00	4.197E-06
U-234	Pb-210	1.000E+00		1.741E-12	2.426E-11	2.604E-10	5.561E-09	7.711E-08	3.704E-07	0.000E+00	4.124E-05
U-234	äDSR(j)			1.905E-02	1.892E-02	1.865E-02	1.774E-02	1.516E-02	6.287E-03	0.000E+00	4.543E-05
OU-235	U-235	1.000E+00		4.509E-01	4.503E-01	4.489E-01	4.441E-01	4.274E-01	2.988E-01	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		6.717E-06	1.973E-05	4.351E-05	1.066E-04	1.799E-04	1.057E-04	0.000E+00	5.674E-03
U-235	Ac-227	1.000E+00		2.247E-07	1.477E-06	6.825E-06	3.898E-05	1.121E-04	9.336E-05	3.535E-04	2.066E-02
U-235	äDSR(j)			4.509E-01	4.503E-01	4.490E-01	4.442E-01	4.277E-01	2.990E-01	3.535E-04	2.634E-02
OU-238	U-238	1.000E+00		9.025E-02	8.999E-02	8.945E-02	8.752E-02	8.150E-02	5.062E-02	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		2.697E-08	8.040E-08	1.851E-07	5.280E-07	1.309E-06	1.780E-06	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		1.748E-12	1.215E-12	6.333E-12	5.391E-11	3.889E-10	1.759E-09	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		2.662E-15	3.958E-14	4.523E-13	1.111E-11	2.183E-10	3.108E-09	0.000E+00	8.552E-10
U-238	Pb-210	1.000E+00		1.009E-18	2.900E-17	6.743E-16	4.354E-14	1.892E-12	3.659E-11	0.000E+00	8.095E-09
U-238	äDSR(j)			9.025E-02	8.999E-02	8.945E-02	8.752E-02	8.150E-02	5.062E-02	0.000E+00	8.951E-09

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 Basic Radiation Dose Limit = 19 mrem/yr

ONuclide (i)	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	9.976E+02	1.004E+03	1.019E+03	1.071E+03	1.254E+03	3.022E+03	*6.245E+09	4.182E+05	
U-235	4.214E+01	4.220E+01	4.232E+01	4.277E+01	4.443E+01	6.354E+01	5.375E+04	7.214E+02	
U-238	2.105E+02	2.111E+02	2.124E+02	2.171E+02	2.331E+02	3.753E+02	*3.360E+05	*3.360E+05	

*At specific activity limit

0

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
 and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 at tmin = time of minimum single radionuclide soil guideline
 and at tmax = time of maximum total dose = 0.000E+00 years

ONuclide (i)	Initial pCi/g	tmin (years)	DSR(i,tmin)	G(i,tmin) (pCi/g)	DSR(i,tmax)	G(i,tmax) (pCi/g)
U-234	7.904E+02	0.000E+00	1.905E-02	9.976E+02	1.905E-02	9.976E+02
U-235	4.350E+01	0.000E+00	4.509E-01	4.214E+01	4.509E-01	4.214E+01
U-238	1.861E+02	0.000E+00	9.025E-02	2.105E+02	9.025E-02	2.105E+02

Individual Nuclide Dose Summed Over All Pathways
 Parent Nuclide and Branch Fraction Indicated

ONuclide (j)	Parent (i)	BRF(i)	DOSE(j,t), mrem/yr							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	1.505E+01	1.495E+01	1.474E+01	1.402E+01	1.197E+01	4.938E+00	0.000E+00	0.000E+00
U-234	U-238	1.000E+00	5.019E-06	1.496E-05	3.444E-05	9.825E-05	2.436E-04	3.313E-04	0.000E+00	0.000E+00
U-234	äDOSE(j):		1.505E+01	1.495E+01	1.474E+01	1.402E+01	1.197E+01	4.938E+00	0.000E+00	0.000E+00
0Th-230	U-234	1.000E+00	1.462E-04	4.354E-04	1.002E-03	2.862E-03	7.117E-03	9.796E-03	0.000E+00	0.000E+00
Th-230	U-238	1.000E+00	3.253E-11	2.261E-10	1.179E-09	1.003E-08	7.237E-08	3.273E-07	0.000E+00	0.000E+00
Th-230	äDOSE(j):		1.462E-04	4.354E-04	1.002E-03	2.862E-03	7.117E-03	9.797E-03	0.000E+00	0.000E+00
0Ra-226	U-234	1.000E+00	2.965E-06	2.052E-05	1.056E-04	8.587E-04	5.537E-03	2.130E-02	0.000E+00	3.317E-03
Ra-226	U-238	1.000E+00	4.954E-13	7.367E-12	8.417E-11	2.068E-09	4.063E-08	5.784E-07	0.000E+00	1.592E-07
Ra-226	äDOSE(j):		2.965E-06	2.052E-05	1.056E-04	8.587E-04	5.537E-03	2.130E-02	0.000E+00	3.318E-03
0Pb-210	U-234	1.000E+00	1.376E-09	1.917E-08	2.058E-07	4.396E-06	6.095E-05	2.928E-04	0.000E+00	3.259E-02
Pb-210	U-238	1.000E+00	1.877E-16	5.396E-15	1.255E-13	8.103E-12	3.521E-10	6.809E-09	0.000E+00	1.507E-06
Pb-210	äDOSE(j):		1.376E-09	1.917E-08	2.058E-07	4.396E-06	6.095E-05	2.928E-04	0.000E+00	3.259E-02
0U-235	U-235	1.000E+00	1.961E+01	1.959E+01	1.953E+01	1.932E+01	1.859E+01	1.300E+01	0.000E+00	0.000E+00
0Pa-231	U-235	1.000E+00	2.922E-04	8.583E-04	1.893E-03	4.638E-03	7.824E-03	4.600E-03	0.000E+00	2.468E-01
0Ac-227	U-235	1.000E+00	9.773E-06	6.423E-05	2.969E-04	1.696E-03	4.874E-03	4.061E-03	1.538E-02	8.989E-01
0U-238	U-238	1.000E+00	1.680E+01	1.675E+01	1.665E+01	1.629E+01	1.517E+01	9.421E+00	0.000E+00	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.

			Individual Nuclide Soil Concentration								
			Parent Nuclide and Branch Fraction Indicated								
ONuclide	Parent	BRF(i)	S(j,t), pCi/g								
(j)	(i)		t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		7.904E+02	7.902E+02	7.897E+02	7.882E+02	7.837E+02	7.684E+02	7.261E+02	5.957E+02
U-234	U-238	1.000E+00		0.000E+00	5.274E-04	1.581E-03	5.261E-03	1.569E-02	5.129E-02	1.455E-01	3.982E-01
U-234	äS(j):			7.904E+02	7.902E+02	7.897E+02	7.882E+02	7.837E+02	7.684E+02	7.263E+02	5.961E+02
0Th-230	U-234	1.000E+00		0.000E+00	7.114E-03	2.133E-02	7.103E-02	2.124E-01	6.998E-01	2.031E+00	6.039E+00
Th-230	U-238	1.000E+00		0.000E+00	2.374E-09	2.136E-08	2.370E-07	2.124E-06	2.327E-05	2.011E-04	1.939E-03
Th-230	äS(j):			0.000E+00	7.114E-03	2.133E-02	7.103E-02	2.124E-01	6.998E-01	2.031E+00	6.041E+00
0Ra-226	U-234	1.000E+00		0.000E+00	1.523E-06	1.339E-05	1.374E-04	1.002E-03	6.267E-03	2.277E-02	7.270E-02
Ra-226	U-238	1.000E+00		0.000E+00	3.399E-13	9.016E-12	3.143E-10	7.221E-09	1.692E-07	2.064E-06	2.272E-05
Ra-226	äS(j):			0.000E+00	1.523E-06	1.339E-05	1.374E-04	1.002E-03	6.267E-03	2.277E-02	7.272E-02
0Pb-210	U-234	1.000E+00		0.000E+00	1.561E-08	4.029E-07	1.280E-05	2.291E-04	2.711E-03	1.196E-02	4.016E-02
Pb-210	U-238	1.000E+00		0.000E+00	2.617E-15	2.044E-13	2.230E-11	1.298E-09	6.263E-08	1.019E-06	1.233E-05
Pb-210	äS(j):			0.000E+00	1.561E-08	4.029E-07	1.280E-05	2.291E-04	2.711E-03	1.196E-02	4.017E-02
0U-235	U-235	1.000E+00		4.350E+01	4.349E+01	4.346E+01	4.338E+01	4.314E+01	4.230E+01	4.000E+01	3.288E+01
0Pa-231	U-235	1.000E+00		0.000E+00	8.983E-04	2.568E-03	7.281E-03	1.447E-02	1.840E-02	1.754E-02	1.442E-02
0Ac-227	U-235	1.000E+00		0.000E+00	1.371E-05	1.083E-04	7.865E-04	2.616E-03	3.839E-03	3.673E-03	3.019E-03
0U-238	U-238	1.000E+00		1.861E+02	1.860E+02	1.859E+02	1.856E+02	1.845E+02	1.810E+02	1.711E+02	1.407E+02

BRF(i) is the branch fraction of the parent nuclide.
 ORESMAIN5.EXE execution time = 364.44 seconds

Table of Contents

Part II: Source Terms, Factors, and Parameters for Individual Pathways

=====

Iteration Logs	
Maximum U-234 Dose/Source Ratio	3
Source Factors for Ingrowth and Decay	
Radioactivity Only	4
Combined Radioactivity and Leaching	4
Ground Pathway	
Source Term Parameters	5
Time Dependence of Source Geometry	5
Occupancy, Cover/Depth, and Area Factors	7
Dose Conversion and Environmental Transport Factors .	8
Dose/Source Ratios	8
Inhalation Pathway (radon excluded)	
Dose/Source Ratios	9
Pathway Factors	9
Dose Conversion and Environmental Transport Factors .	10
Radon Pathway	
Flux and Parameters	11
Concentration and Parameters	12
Working Levels	13
Dose/Source Ratios	14
Groundwater and Surface Water Pathway Segments	
Transport Time Parameters for Unsaturated Zone Strata	15
Dilution Factor and Rise Time Parameters for	
Nondispersion (ND) Model	17
Primary Parameters Used to Calculate Ratios	17
Water/Soil Concentration Ratios	18

Table of Contents (cont.)

Part II: Source Terms, Factors, and Parameters for Individual Pathways
=====

Food Pathways	
Storage Times for Contaminated Foodstuffs	19
Storage Time Ingrowth and Decay Factors	19
Storage Correction Factors	
Drinking Water	20
Irrigation Water	20
Livestock Water	22
Plants	23
Livestock Fodder	24
Meat and Milk	25
Fish and Crustacea	26
Area and Depth Factors	27
Dose Conversion and Environmental Transport Factors	
Plant	30
Meat	32
Milk	35
Fish	38
Drinking Water	38
Dose/Source Ratios	
Plant	39
Plant Total	41
Meat	42
Meat Total	44
Milk	45
Milk Total	47
Fish	48
Drinking Water	49
Concentration Ratios	
Plant/Air and Plant/Water	50
Plant/Soil	50
Meat/Fodder, Fodder/Air, Fodder/Water	53
Fodder/Soil	54
Meat/Soil	56
Milk/Soil	58
Soil Ingestion Pathway	
Dose/Source Ratios.....	60
Dose Conversion and Environmental Transport Factors .	60

Iteration Log for Computation of the Time of Maximum U-234 Dose/Source Ratio

Pathway: Ground

0 Tolerance for tmax = 1.0E-03 (fractional accuracy)

0 Iteration Number	t (years)	DSR(t) (mrem/yr)/(pCi/g)	Step Size (years)	Step Type
0	5.57060E+01	2.42251E-04		
1	5.42686E+01	2.42263E-04	-1.43737E+00	parabolic
2	5.43229E+01	2.42263E-04	6.24918E-03	parabolic
3	5.43772E+01	2.42263E-04	5.43229E-02	parabolic
4	5.43229E+01	2.42263E-04	0.00000E+00	direct

Notes:

- 1) Step size always from t with current largest DSR(t) .
- 2) Parabolic step based on parabola maximum through the current best triplet.
- 3) Golden section step, $0.5 \cdot (3 - \sqrt{5})$ of larger interval bracketing maximum, taken only if trial parabolic step fails.
- 4) Direct step to a previous t only on last iteration and only if prior iteration met convergence test but DSR(t) was smaller than the previous value.

Source Factors for Ingrowth and Decay
 Radioactivity Factors Only

Parent and Progeny Principal Radionuclide Contributions Indicated

ID(j,t) = CUMBRF(j)*S1(j,t)/S1(i,0)

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01	9.997E-01	9.991E-01	9.972E-01
U-234	Th-230	1.000E+00		0.000E+00	9.002E-06	2.701E-05	9.001E-05	2.700E-04	8.997E-04	2.696E-03	8.949E-03
U-234	Ra-226	1.000E+00		0.000E+00	1.950E-09	1.754E-08	1.947E-07	1.747E-06	1.921E-05	1.679E-04	1.689E-03
U-234	Pb-210	1.000E+00		0.000E+00	2.004E-11	5.328E-10	1.870E-08	4.373E-07	1.068E-05	1.363E-04	1.591E-03
OU-235	U-235	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	2.116E-05	6.347E-05	2.116E-04	6.345E-04	2.114E-03	6.327E-03	2.094E-02
U-235	Ac-227	1.000E+00		0.000E+00	3.332E-07	2.937E-06	3.037E-05	2.258E-04	1.477E-03	5.667E-03	2.028E-02
OU-238	U-238	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00		0.000E+00	2.835E-06	8.505E-06	2.835E-05	8.505E-05	2.835E-04	8.501E-04	2.831E-03
U-238	Th-230	1.000E+00		0.000E+00	1.276E-11	1.148E-10	1.276E-09	1.148E-08	1.275E-07	1.147E-06	1.271E-05
U-238	Ra-226	1.000E+00		0.000E+00	1.842E-15	4.973E-14	1.841E-12	4.959E-11	1.822E-09	4.813E-08	1.654E-06
U-238	Pb-210	1.000E+00		0.000E+00	1.423E-17	1.138E-15	1.346E-13	9.704E-12	8.486E-10	3.570E-08	1.509E-06

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).

0

Source Factors for Ingrowth and Decay
 Combined Radioactivity and Leaching Factors

Parent and Progeny Principal Radionuclide Contributions Indicated

SF(j,t) = CUMBRF(j)*S1(j,t)/S1(i,0)

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		1.000E+00	9.997E-01	9.992E-01	9.972E-01	9.916E-01	9.721E-01	9.187E-01	7.537E-01
U-234	Th-230	1.000E+00		0.000E+00	9.000E-06	2.699E-05	8.987E-05	2.687E-04	8.854E-04	2.570E-03	7.641E-03
U-234	Ra-226	1.000E+00		0.000E+00	1.927E-09	1.694E-08	1.738E-07	1.267E-06	7.929E-06	2.881E-05	9.198E-05
U-234	Pb-210	1.000E+00		0.000E+00	1.975E-11	5.098E-10	1.619E-08	2.899E-07	3.429E-06	1.514E-05	5.081E-05
OU-235	U-235	1.000E+00		1.000E+00	9.997E-01	9.992E-01	9.972E-01	9.916E-01	9.724E-01	9.194E-01	7.558E-01
U-235	Pa-231	1.000E+00		0.000E+00	2.065E-05	5.905E-05	1.674E-04	3.326E-04	4.230E-04	4.032E-04	3.315E-04
U-235	Ac-227	1.000E+00		0.000E+00	3.151E-07	2.490E-06	1.808E-05	6.013E-05	8.825E-05	8.444E-05	6.941E-05
OU-238	U-238	1.000E+00		1.000E+00	9.997E-01	9.992E-01	9.972E-01	9.916E-01	9.724E-01	9.194E-01	7.558E-01
U-238	U-234	1.000E+00		0.000E+00	2.834E-06	8.498E-06	2.827E-05	8.433E-05	2.756E-04	7.816E-04	2.140E-03
U-238	Th-230	1.000E+00		0.000E+00	1.276E-11	1.148E-10	1.273E-09	1.141E-08	1.250E-07	1.080E-06	1.042E-05
U-238	Ra-226	1.000E+00		0.000E+00	1.826E-15	4.845E-14	1.689E-12	3.880E-11	9.094E-10	1.109E-08	1.221E-07
U-238	Pb-210	1.000E+00		0.000E+00	1.406E-17	1.099E-15	1.198E-13	6.973E-12	3.365E-10	5.476E-09	6.625E-08

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).

The effect of volatilization was also considered when computing the source factors for H-3 and C-14.

Dose Conversion and Environmental Transport Factors for the Ground Pathway (p=1)

Parent (i)	Product (j)	DCF(j,1)*	ETF(j,1,t) (dimensionless)							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	4.020E-04	5.921E-01	5.919E-01	5.916E-01	5.902E-01	5.844E-01	4.967E-01	0.000E+00	0.000E+00
U-234	Th-230	1.210E-03	5.899E-01	5.897E-01	5.892E-01	5.874E-01	5.798E-01	4.707E-01	0.000E+00	0.000E+00
U-234	Ra-226	1.120E+01	5.117E-01	5.106E-01	5.084E-01	5.004E-01	4.730E-01	3.002E-01	0.000E+00	0.000E+00
U-234	Pb-210	6.120E-03	5.888E-01	5.886E-01	5.881E-01	5.862E-01	5.784E-01	4.769E-01	0.000E+00	0.000E+00
OU-235	U-235	7.570E-01	5.727E-01	5.722E-01	5.711E-01	5.670E-01	5.513E-01	4.004E-01	0.000E+00	0.000E+00
U-235	Pa-231	1.910E-01	5.567E-01	5.560E-01	5.545E-01	5.489E-01	5.287E-01	3.647E-01	0.000E+00	0.000E+00
U-235	Ac-227	2.010E+00	5.579E-01	5.572E-01	5.558E-01	5.503E-01	5.304E-01	3.682E-01	0.000E+00	0.000E+00
OU-238	U-238	1.370E-01	5.326E-01	5.317E-01	5.299E-01	5.230E-01	4.994E-01	3.399E-01	0.000E+00	0.000E+00
U-238	U-234	4.020E-04	5.921E-01	5.919E-01	5.916E-01	5.902E-01	5.844E-01	4.967E-01	0.000E+00	0.000E+00
U-238	Th-230	1.210E-03	5.899E-01	5.897E-01	5.892E-01	5.874E-01	5.798E-01	4.707E-01	0.000E+00	0.000E+00
U-238	Ra-226	1.120E+01	5.117E-01	5.106E-01	5.084E-01	5.004E-01	4.730E-01	3.002E-01	0.000E+00	0.000E+00
U-238	Pb-210	6.120E-03	5.888E-01	5.886E-01	5.881E-01	5.862E-01	5.784E-01	4.769E-01	0.000E+00	0.000E+00

* - The dose conversion factor units are (mrem/yr)/(pCi/g) at infinite depth and area.

0

Dose/Source Ratios for External Radiation from the Ground (p=1)
 Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	DSR(j,1,t) (mrem/yr)/(pCi/g)							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	2.379E-04	2.378E-04	2.375E-04	2.365E-04	2.328E-04	1.935E-04	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00	3.211E-09	9.630E-09	2.244E-08	6.705E-08	1.915E-07	5.048E-07	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00	3.686E-09	2.550E-08	1.312E-07	1.067E-06	6.894E-06	2.667E-05	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00	1.787E-14	2.628E-13	2.935E-12	6.661E-11	1.067E-09	1.006E-08	0.000E+00	0.000E+00
U-234	äDSR(j)		2.380E-04	2.378E-04	2.377E-04	2.377E-04	2.399E-04	2.207E-04	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00	4.333E-01	4.327E-01	4.317E-01	4.277E-01	4.134E-01	2.932E-01	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00	1.106E-06	3.243E-06	7.201E-06	1.820E-05	3.379E-05	2.931E-05	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00	1.197E-07	7.908E-07	3.679E-06	2.141E-05	6.479E-05	6.496E-05	0.000E+00	0.000E+00
U-235	äDSR(j)		4.333E-01	4.327E-01	4.317E-01	4.277E-01	4.135E-01	2.932E-01	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00	7.290E-02	7.276E-02	7.246E-02	7.138E-02	6.774E-02	4.503E-02	0.000E+00	0.000E+00
U-238	U-234	1.000E+00	3.373E-10	1.011E-09	2.357E-09	7.041E-09	2.013E-08	5.514E-08	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00	3.035E-15	2.123E-14	1.121E-13	9.982E-13	8.272E-12	7.164E-11	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00	2.617E-15	3.889E-14	4.442E-13	1.092E-11	2.148E-10	3.076E-09	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00	1.016E-20	3.100E-19	7.542E-18	5.200E-16	2.616E-14	9.930E-13	0.000E+00	0.000E+00
U-238	äDSR(j)		7.290E-02	7.276E-02	7.246E-02	7.138E-02	6.774E-02	4.503E-02	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Dose/Source Ratios for Inhalation Pathway, Excluding Radon (p=2)
 Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		9.289E-03	9.224E-03	9.095E-03	8.643E-03	7.362E-03	2.990E-03	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		1.031E-07	3.075E-07	7.079E-07	2.020E-06	5.010E-06	6.759E-06	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		3.893E-13	2.682E-12	1.368E-11	1.077E-10	6.307E-10	1.600E-09	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		8.083E-15	1.182E-13	1.304E-12	2.829E-11	3.938E-10	1.869E-09	0.000E+00	0.000E+00
U-234	äDSR(j)			9.289E-03	9.225E-03	9.096E-03	8.645E-03	7.367E-03	2.997E-03	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00		8.656E-03	8.595E-03	8.475E-03	8.054E-03	6.861E-03	2.787E-03	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		9.367E-07	2.734E-06	6.005E-06	1.461E-05	2.412E-05	1.262E-05	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		5.043E-08	3.317E-07	1.527E-06	8.548E-06	2.300E-05	1.382E-05	0.000E+00	0.000E+00
U-235	äDSR(j)			8.657E-03	8.599E-03	8.482E-03	8.077E-03	6.908E-03	2.813E-03	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00		8.304E-03	8.246E-03	8.130E-03	7.727E-03	6.582E-03	2.674E-03	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		1.315E-08	3.921E-08	9.023E-08	2.573E-07	6.366E-07	8.520E-07	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		9.741E-14	6.779E-13	3.535E-12	3.007E-11	2.164E-10	9.592E-10	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		2.763E-19	4.090E-18	4.631E-17	1.102E-15	1.965E-14	1.845E-13	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		4.595E-21	1.395E-19	3.352E-18	2.209E-16	9.649E-15	1.846E-13	0.000E+00	0.000E+00
U-238	äDSR(j)			8.304E-03	8.246E-03	8.131E-03	7.727E-03	6.583E-03	2.674E-03	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Pathway Factors for the Inhalation Pathway (radon excluded)

Area (A): 2.0234E+06 m**2 Occupancy Factor (FO2): 3.5612E-01
 Area Factor (FA2): 2.3607E-01 Annual Air Intake (F12): 8.4000E+03 m**3/yr
 Cover Depth [Cd(0)]: 0.0000E+00 m Mass Loading (ASR2): 1.0000E-04 g/m**3
 Contaminated Zone Thickness [T(0)]: 1.5000E-01 m FA2 * FO2 * F12 * ASR2: 7.0617E-02 g/yr

Nuclide (i)	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234		1.0000E+00	9.9333E-01	9.8000E-01	9.3333E-01	8.0000E-01	3.3333E-01	0.0000E+00	0.0000E+00
U-235 +D		1.0000E+00	9.9333E-01	9.8000E-01	9.3333E-01	8.0000E-01	3.3333E-01	0.0000E+00	0.0000E+00
U-238 +D		1.0000E+00	9.9333E-01	9.8000E-01	9.3333E-01	8.0000E-01	3.3333E-01	0.0000E+00	0.0000E+00

Dose Conversion and Environmental Transport Factors for the Inhalation Pathway, Excluding Radon (p=2)

Parent (i)	Product (j)	DCF(j,2)*	ETF(j,2,t) (g/yr)							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.320E-01	7.062E-02	7.015E-02	6.920E-02	6.591E-02	5.649E-02	2.354E-02	0.000E+00	0.000E+00
U-234	Th-230	3.260E-01	7.062E-02	7.015E-02	6.920E-02	6.591E-02	5.649E-02	2.354E-02	0.000E+00	0.000E+00
U-234	Ra-226	8.600E-03	7.062E-02	7.015E-02	6.920E-02	6.591E-02	5.649E-02	2.354E-02	0.000E+00	0.000E+00
U-234	Pb-210	2.320E-02	7.062E-02	7.015E-02	6.920E-02	6.591E-02	5.649E-02	2.354E-02	0.000E+00	0.000E+00
U-235	U-235	1.230E-01	7.062E-02	7.015E-02	6.920E-02	6.591E-02	5.649E-02	2.354E-02	0.000E+00	0.000E+00
U-235	Pa-231	1.280E+00	7.062E-02	7.015E-02	6.920E-02	6.591E-02	5.649E-02	2.354E-02	0.000E+00	0.000E+00
U-235	Ac-227	6.720E+00	7.062E-02	7.015E-02	6.920E-02	6.591E-02	5.649E-02	2.354E-02	0.000E+00	0.000E+00
U-238	U-238	1.180E-01	7.062E-02	7.015E-02	6.920E-02	6.591E-02	5.649E-02	2.354E-02	0.000E+00	0.000E+00
U-238	U-234	1.320E-01	7.062E-02	7.015E-02	6.920E-02	6.591E-02	5.649E-02	2.354E-02	0.000E+00	0.000E+00
U-238	Th-230	3.260E-01	7.062E-02	7.015E-02	6.920E-02	6.591E-02	5.649E-02	2.354E-02	0.000E+00	0.000E+00
U-238	Ra-226	8.600E-03	7.062E-02	7.015E-02	6.920E-02	6.591E-02	5.649E-02	2.354E-02	0.000E+00	0.000E+00
U-238	Pb-210	2.320E-02	7.062E-02	7.015E-02	6.920E-02	6.591E-02	5.649E-02	2.354E-02	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Outdoor Working Levels of Radon [WLOTD(i,t)]

0Nuclide (i)	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234		0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
U-238		0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00

Indoor Working Levels of Radon [WLIND(i,t)]

0Nuclide (i)	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234		0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
U-238		0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00

0
 0 Fraction of Time Spent Outdoors (FOTD): 3.420E-02
 Fraction of Time Spent Indoors (FIND): 8.048E-01

Dose/Source Ratios for Radon Pathway (p=9)
 Subpathway: Outdoor and Indoor Radon Flux

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Radon Pathway (p=9)
 Subpathway: Indoor Radon from Water Usage

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Transport Time Parameters for Unsaturated Zone Stratum No. 1

Stratum thickness [h(1)]: 2.000000 m
 Bulk soil material density [rhob(1)]: 1.500000 g/cm**3
 Effective porosity [peuz(1)]: 0.200000
 Hydraulic conductivity [Khuz(1)]: 10.000000 m/yr
 Total porosity [ptuz(1)]: 0.400000
 Soil specific b parameter [buz(1)]: 5.300000
 Saturation ratio [sruz(1)]: 0.807725

Radio-nuclide (i)	Distribution Coefficient Kduz(i,1), cm**3/g	Retardation Factor Rduz(i,1)	Transport Time Dtuz(i,1), yr
Ac-227	2.0000E+01	9.3853E+01	5.5334E+01
Pa-231	5.0000E+01	2.3313E+02	1.3745E+02
Pb-210	1.0000E+02	4.6527E+02	2.7431E+02
Ra-226	7.0000E+01	3.2599E+02	1.9220E+02
Th-230	6.0000E+04	2.7856E+05	1.6423E+05
U-234	3.3000E+03	1.5322E+04	9.0334E+03
U-235	3.3000E+03	1.5322E+04	9.0334E+03
U-238	3.3000E+03	1.5322E+04	9.0334E+03

0

Transport Time Parameters for Unsaturated Zone Stratum No. 2

Stratum thickness [h(2)]: 4.000000 m
 Bulk soil material density [rhob(2)]: 1.500000 g/cm**3
 Effective porosity [peuz(2)]: 0.200000
 Hydraulic conductivity [Khuz(2)]: 10.000000 m/yr
 Total porosity [ptuz(2)]: 0.400000
 Soil specific b parameter [buz(2)]: 5.300000
 Saturation ratio [sruz(2)]: 0.807725

Radio-nuclide (i)	Distribution Coefficient Kduz(i,2), cm**3/g	Retardation Factor Rduz(i,2)	Transport Time Dtuz(i,2), yr
Ac-227	2.0000E+01	9.3853E+01	1.1067E+02
Pa-231	5.0000E+01	2.3313E+02	2.7490E+02
Pb-210	1.0000E+02	4.6527E+02	5.4862E+02
Ra-226	7.0000E+01	3.2599E+02	3.8439E+02
Th-230	6.0000E+04	2.7856E+05	3.2847E+05
U-234	1.2500E+02	5.8133E+02	6.8549E+02
U-235	1.2500E+02	5.8133E+02	6.8549E+02
U-238	1.2500E+02	5.8133E+02	6.8549E+02

Transport Time Parameters for Unsaturated Zone created by the Falling Water Table

Water table drop rate [vwt]: 0.001000 m/yr
 Bulk soil material density [rhobaq]: 1.500000 g/cm**3
 Effective porosity [peaq]: 0.200000
 Hydraulic conductivity [Khaq]: 100.000000 m/yr
 Total porosity [ptaq]: 0.400000
 Soil specific b parameter [baq]: 5.300000
 Saturation ratio [sruaq]: 0.681921

Radio-nuclide	Distribution Coefficient	Retardation Factor	Minimum Transport Time
(i)	Kdaq(i), cm**3/g	Rduaq(i)	Dtuaq(i), yr
Ac-227	2.0000E+01	1.1098E+02	4.7154E+00
Pa-231	5.0000E+01	2.7596E+02	3.0409E+01
Pb-210	1.0000E+02	5.5092E+02	1.3076E+02
Ra-226	7.0000E+01	3.8594E+02	6.1267E+01
Th-230	6.0000E+04	3.2995E+05	Infinite
U-234	1.2500E+02	6.8840E+02	2.0094E+03
U-235	1.2500E+02	6.8840E+02	2.0094E+03
U-238	1.2500E+02	6.8840E+02	2.0094E+03

=====

Dilution Factor and Rise Time Parameters for Nondispersion (ND) Model

0 Aquifer contamination depth at well (z): 2.74000E+01 m
 Depth of water intake below water table (dw): 1.00000E+01 m
 Infiltration rate (In): 5.48000E-01 m/yr
 Aquifer water flow rate (Vwfr): 2.00000E+00 m/yr
 Hydraulic gradient (J): 2.00000E-02
 Hydraulic conductivity of aquifer (Kszh): 1.00000E+02 m/yr
 Contaminated zone extent parallel to gradient (l): 1.00000E+02 m
 Distance below contaminated zone to water table (h): 0.60000E+01 m
 Initial thickness of uncontaminated cover (Cd): 0.00000E+00 m
 Initial thickness of contaminated zone (T): 0.15000E+00 m
 Effective porosity of saturated zone (pesz): 0.20000E+00

0 Radio-nuclide (i)	Dilution Factor f(i)	Retardation Factor Rdsz(i)	Horizontal Transport Time Onsite Tauh(i), yr	Rise Time dt(i), yr	Decay Time Parameter 1/lamda(i),yr
Ac-227	1.000E+00	7.600E+01	7.600E+02	2.774E+02	3.141E+01
Pa-231	1.000E+00	1.885E+02	1.885E+03	6.880E+02	4.726E+04
Pb-210	1.000E+00	3.760E+02	3.760E+03	1.372E+03	3.217E+01
Ra-226	1.000E+00	2.635E+02	2.635E+03	9.617E+02	2.308E+03
Th-230	1.000E+00	2.250E+05	2.250E+06	8.212E+05	1.111E+05
U-234	1.000E+00	4.698E+02	4.698E+03	1.714E+03	3.527E+05
U-235	1.000E+00	4.698E+02	4.698E+03	1.714E+03	1.015E+09
U-238	1.000E+00	4.698E+02	4.698E+03	1.714E+03	6.446E+09

Primary Parameters Used for Calculating Water/Soil Concentration Ratios for Groundwater Pathway Segment

0 Model used: Nondispersion (ND)
 Bulk soil density in contaminated zone (rhob): 1.500 g/cm**3

0 Radio-nuclide (i)	Dilution Factor f(i)	Retardation Factor Rdcz(i)	Breakthrough Time Chain year	Single Nuclide Dt(i), yr	Rise Time dt(i), yr
Ac-227	1.000E+00	9.385E+01	1.707E+02	1.707E+02	2.774E+02
Pa-231	1.000E+00	2.331E+02	4.428E+02	4.428E+02	6.880E+02
Pb-210	1.000E+00	4.653E+02	6.379E+02	9.537E+02	1.372E+03
Ra-226	1.000E+00	3.260E+02	6.379E+02	6.379E+02	9.617E+02
Th-230	1.000E+00	2.786E+05	1.173E+04	Infinite	8.212E+05
U-234	1.000E+00	4.039E+04	1.173E+04	1.173E+04	1.714E+03
U-235	1.000E+00	4.039E+04	1.173E+04	1.173E+04	1.714E+03
U-238	1.000E+00	4.039E+04	1.173E+04	1.173E+04	1.714E+03

Storage Times For Contaminated Foodstuffs

k	Food Item	STOR_T(k), days
1	non-leafy plants	14.
2	leafy plants	1.
3	milk	1.
4	meat	20.
5	fish	7.
6	crustacea	7.
7	well water	1.
8	surface water	1.
9	livestock fodder	45.

0

Storage Time Ingrowth and Decay Factors
 Storage Time for k'th Foodstuff: $t = \text{STOR_T}(k)$, days

Parent (i)	Product (j)	Branch Fraction	STOR_ID(i,j,t) = CONCE(i,j,t)/CONCE(i,i,0)									
			t=	1.400E+01	1.000E+00	1.000E+00	2.000E+01	7.000E+00	7.000E+00	1.000E+00	1.000E+00	4.500E+01
Ac-227	Ac-227	1.000E+00	9.988E-01	9.999E-01	9.999E-01	9.983E-01	9.994E-01	9.994E-01	9.999E-01	9.999E-01	9.961E-01	
Pa-231	Pa-231	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	
Pa-231	Ac-227	1.000E+00	1.219E-03	8.716E-05	8.716E-05	1.742E-03	6.099E-04	6.099E-04	8.716E-05	8.716E-05	3.915E-03	
Pb-210	Pb-210	1.000E+00	9.988E-01	9.999E-01	9.999E-01	9.983E-01	9.994E-01	9.994E-01	9.999E-01	9.999E-01	9.962E-01	
Ra-226	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01	
Ra-226	Pb-210	1.000E+00	1.191E-03	8.510E-05	8.510E-05	1.701E-03	5.955E-04	5.955E-04	8.510E-05	8.510E-05	3.822E-03	
Th-230	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	
Th-230	Ra-226	1.000E+00	1.661E-05	1.186E-06	1.186E-06	2.372E-05	8.303E-06	8.303E-06	1.186E-06	1.186E-06	5.337E-05	
Th-230	Pb-210	1.000E+00	9.888E-09	5.047E-11	5.047E-11	2.018E-08	2.472E-09	2.472E-09	5.047E-11	5.047E-11	1.021E-07	
U-234	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	
U-234	Th-230	1.000E+00	3.450E-07	2.465E-08	2.465E-08	4.929E-07	1.725E-07	1.725E-07	2.465E-08	2.465E-08	1.109E-06	
U-234	Ra-226	1.000E+00	2.865E-12	1.462E-14	1.462E-14	5.846E-12	7.162E-13	7.162E-13	1.462E-14	1.462E-14	2.960E-11	
U-234	Pb-210	1.000E+00	1.137E-15	4.146E-19	4.146E-19	3.315E-15	1.422E-16	1.422E-16	4.146E-19	4.146E-19	3.774E-14	
U-235	U-235	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	
U-235	Pa-231	1.000E+00	8.110E-07	5.793E-08	5.793E-08	1.159E-06	4.055E-07	4.055E-07	5.793E-08	5.793E-08	2.607E-06	
U-235	Ac-227	1.000E+00	4.946E-10	2.524E-12	2.524E-12	1.009E-09	1.237E-10	1.237E-10	2.524E-12	2.524E-12	5.105E-09	
U-238	U-238	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	
U-238	U-234	1.000E+00	1.087E-07	7.762E-09	7.762E-09	1.552E-07	5.433E-08	5.433E-08	7.762E-09	7.762E-09	3.493E-07	
U-238	Th-230	1.000E+00	1.875E-14	9.565E-17	9.565E-17	3.826E-14	4.687E-15	4.687E-15	9.565E-17	9.565E-17	1.937E-13	
U-238	Ra-226	1.000E+00	1.038E-19	3.782E-23	3.782E-23	3.025E-19	1.297E-20	1.297E-20	3.782E-23	3.782E-23	3.446E-18	
U-238	Pb-210	1.000E+00	3.090E-23	8.045E-28	8.045E-28	1.287E-22	1.931E-24	1.931E-24	8.045E-28	8.045E-28	3.296E-21	

CONCE(i,j,t)/CONCE(i,i,0) is the concentration ratio of Product(j) at time t to Parent(i) at start of storage time.

Storage Time Correction Factors
 Drinking Water from Well and/or Surface
 Harvest Time = t - 2.74E-03 yr; Consumption Time = t yr

Parent (i)	Product (j)	Branch Fraction*	CFWW(j,t,1) #	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
OU-235	U-235	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Ac-227	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01	9.999E-01
OU-238	U-238	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).

#Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors
 Irrigation Water for Nonleafy Plants from Well and/or Surface
 Harvest Time = t - 4.11E-02 yr; Consumption Time = t - 3.83E-02 yr

Parent (i)	Product (j)	Branch Fraction*	CFWW(j,t,2) #	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
OU-235	U-235	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Ac-227	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01	9.999E-01
OU-238	U-238	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).

#Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors
 Irrigation Water for Leafy Plants from Well and/or Surface
 Harvest Time = t - 5.48E-03 yr; Consumption Time = t - 2.74E-03 yr

Parent (i)	Product (j)	Branch	Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
OU-235	U-235	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Ac-227	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01	9.999E-01
OU-238	U-238	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors
 Irrigation Water for Livestock (Milk) Fodder from Well and/or Surface
 Harvest Time = t - 1.29E-01 yr; Consumption Time = t - 1.26E-01 yr

Parent (i)	Product (j)	Branch	Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
OU-235	U-235	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Ac-227	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01	9.999E-01
OU-238	U-238	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors
 Irrigation Water for Livestock (Meat) Fodder from Well and/or Surface
 Harvest Time = t - 1.81E-01 yr; Consumption Time = t - 1.78E-01 yr

Parent (i)	Product (j)	Branch	Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
OU-235	U-235	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Ac-227	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01	9.999E-01
OU-238	U-238	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors
 Livestock (Milk) Water from Well and/or Surface
 Harvest Time = t - 5.48E-03 yr; Consumption Time = t - 2.74E-03 yr

Parent (i)	Product (j)	Branch	Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
OU-235	U-235	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Ac-227	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01	9.999E-01
OU-238	U-238	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors
 Livestock (Meat) Water from Well and/or Surface
 Harvest Time = t - 5.75E-02 yr; Consumption Time = t - 5.48E-02 yr

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Th-230	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Ra-226	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Pb-210	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
OU-235	U-235	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Ac-227	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01	9.999E-01
OU-238	U-238	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Th-230	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Ra-226	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Pb-210	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Nonleafy Plants
 Harvest Time = t - 3.83E-02 yr; Consumption Time = t yr

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Th-230	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Ra-226	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Pb-210	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.001E+00
OU-235	U-235	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Ac-227	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.988E-01	9.993E-01
OU-238	U-238	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Th-230	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Ra-226	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Pb-210	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.001E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Leafy Plants
 Harvest Time = t - 2.74E-03 yr; Consumption Time = t yr

Parent (i)	Product (j)	Branch Fraction*	CF3(j,2,t)#							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
0U-235	U-235	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Ac-227	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01	9.999E-01
0U-238	U-238	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Th-230	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Ra-226	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Pb-210	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Livestock (Meat) Fodder
 Harvest Time = t - 1.78E-01 yr; Consumption Time = t - 5.48E-02 yr

Parent (i)	Product (j)	Branch Fraction*	CFLF(j,1,t)#							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Th-230	1.000E+00	1.000E+00	1.366E+00	1.107E+00	1.031E+00	1.010E+00	1.003E+00	1.000E+00	1.000E+00
U-234	Ra-226	1.000E+00	1.000E+00	1.009E+00	1.002E+00	1.001E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01
U-234	Pb-210	1.000E+00	1.000E+00	2.809E+00	1.534E+00	1.163E+00	1.063E+00	1.031E+00	1.000E+00	1.002E+00
0U-235	U-235	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00	1.000E+00	1.039E+00	1.012E+00	1.004E+00	1.002E+00	1.002E+00	1.000E+00	1.000E+00
U-235	Ac-227	1.000E+00	1.000E+00	2.244E+00	1.386E+00	1.141E+00	1.082E+00	1.070E+00	9.961E-01	9.977E-01
0U-238	U-238	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00	1.000E+00	1.150E+00	1.044E+00	1.013E+00	1.004E+00	1.001E+00	1.000E+00	1.000E+00
U-238	Th-230	1.000E+00	1.000E+00	1.787E+00	1.218E+00	1.062E+00	1.020E+00	1.006E+00	1.000E+00	1.000E+00
U-238	Ra-226	1.000E+00	1.000E+00	1.016E+00	1.004E+00	1.001E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01
U-238	Pb-210	1.000E+00	1.000E+00	3.417E+00	1.711E+00	1.215E+00	1.081E+00	1.037E+00	1.000E+00	1.002E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Livestock (Milk) Fodder
 Harvest Time = t - 1.26E-01 yr; Consumption Time = t - 2.74E-03 yr

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Th-230	1.000E+00		1.000E+00	1.344E+00	1.105E+00	1.030E+00	1.010E+00	1.003E+00	1.000E+00	1.000E+00
U-234	Ra-226	1.000E+00		1.000E+00	1.009E+00	1.002E+00	1.001E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01
U-234	Pb-210	1.000E+00		1.000E+00	2.702E+00	1.525E+00	1.162E+00	1.063E+00	1.031E+00	1.000E+00	1.002E+00
OU-235	U-235	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00		1.000E+00	1.036E+00	1.012E+00	1.004E+00	1.002E+00	1.002E+00	1.000E+00	1.000E+00
U-235	Ac-227	1.000E+00		1.000E+00	2.171E+00	1.379E+00	1.141E+00	1.082E+00	1.070E+00	9.961E-01	9.977E-01
OU-238	U-238	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00		1.000E+00	1.141E+00	1.043E+00	1.012E+00	1.004E+00	1.001E+00	1.000E+00	1.000E+00
U-238	Th-230	1.000E+00		1.000E+00	1.737E+00	1.214E+00	1.061E+00	1.020E+00	1.006E+00	1.000E+00	1.000E+00
U-238	Ra-226	1.000E+00		1.000E+00	1.015E+00	1.004E+00	1.001E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01
U-238	Pb-210	1.000E+00		1.000E+00	3.274E+00	1.698E+00	1.214E+00	1.081E+00	1.037E+00	1.000E+00	1.002E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Meat
 Harvest Time = t - 5.48E-02 yr; Consumption Time = t yr

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Th-230	1.000E+00		1.000E+00	1.203E+00	1.065E+00	1.019E+00	1.006E+00	1.002E+00	1.000E+00	1.000E+00
U-234	Ra-226	1.000E+00		1.000E+00	1.008E+00	1.002E+00	1.001E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Pb-210	1.000E+00		1.000E+00	1.261E+00	1.099E+00	1.033E+00	1.013E+00	1.006E+00	1.000E+00	1.001E+00
OU-235	U-235	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00		1.000E+00	1.004E+00	1.001E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Ac-227	1.000E+00		1.000E+00	3.413E+01	1.294E+01	5.660E+00	3.784E+00	3.413E+00	9.983E-01	1.173E+00
OU-238	U-238	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00		1.000E+00	1.058E+00	1.019E+00	1.006E+00	1.002E+00	1.001E+00	1.000E+00	1.000E+00
U-238	Th-230	1.000E+00		1.000E+00	1.415E+00	1.131E+00	1.039E+00	1.013E+00	1.004E+00	1.000E+00	1.000E+00
U-238	Ra-226	1.000E+00		1.000E+00	1.014E+00	1.003E+00	1.001E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Pb-210	1.000E+00		1.000E+00	1.325E+00	1.128E+00	1.043E+00	1.016E+00	1.007E+00	1.000E+00	1.002E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Milk
 Harvest Time = t - 2.74E-03 yr; Consumption Time = t yr

Parent (i)	Product (j)	Branch Fraction*	CF45(j,2,t) #	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Th-230	1.000E+00		1.000E+00	1.337E+00	1.112E+00	1.034E+00	1.011E+00	1.003E+00	1.000E+00	1.000E+00
U-234	Ra-226	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Pb-210	1.000E+00		1.000E+00	1.033E+00	1.013E+00	1.004E+00	1.002E+00	1.001E+00	1.000E+00	1.000E+00
OU-235	U-235	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00		1.000E+00	1.302E+00	1.104E+00	1.037E+00	1.018E+00	1.014E+00	1.000E+00	1.000E+00
U-235	Ac-227	1.000E+00		1.000E+00	1.002E+00	1.001E+00	1.000E+00	1.000E+00	1.000E+00	9.999E-01	9.999E-01
OU-238	U-238	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00		1.000E+00	1.003E+00	1.001E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Th-230	1.000E+00		1.000E+00	1.673E+00	1.225E+00	1.067E+00	1.022E+00	1.007E+00	1.000E+00	1.000E+00
U-238	Ra-226	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Pb-210	1.000E+00		1.000E+00	1.041E+00	1.016E+00	1.006E+00	1.002E+00	1.001E+00	1.000E+00	1.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Fish & Crustacea
 Harvest Time = t - 1.92E-02 yr; Consumption Time = t yr

Parent (i)	Product (j)	Branch Fraction*	CFF(j,1,t) #	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Th-230	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Ra-226	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-234	Pb-210	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.995E-01
OU-235	U-235	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Pa-231	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-235	Ac-227	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.994E-01	9.996E-01
OU-238	U-238	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	U-234	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Th-230	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Ra-226	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00
U-238	Pb-210	1.000E+00		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	9.996E-01

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Area and Depth Factors for Plant (p=3), Meat (p=4), and Milk (p=5) Pathways
 Root Uptake from Contaminated Soil (q=1)

Area Factor for Plant Foods [FA(3)] = 0.04

Nuclide (i)	t=	Depth Factor FD(i,1,t) (dimensionless)							
		0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Ac-227	1.6667E-01	1.6556E-01	1.6333E-01	1.5556E-01	1.3333E-01	5.5556E-02	0.0000E+00	0.0000E+00	
Pa-231	1.6667E-01	1.6556E-01	1.6333E-01	1.5556E-01	1.3333E-01	5.5556E-02	0.0000E+00	0.0000E+00	
Pb-210	1.6667E-01	1.6556E-01	1.6333E-01	1.5556E-01	1.3333E-01	5.5556E-02	0.0000E+00	0.0000E+00	
Ra-226	1.6667E-01	1.6556E-01	1.6333E-01	1.5556E-01	1.3333E-01	5.5556E-02	0.0000E+00	0.0000E+00	
Th-230	1.6667E-01	1.6556E-01	1.6333E-01	1.5556E-01	1.3333E-01	5.5556E-02	0.0000E+00	0.0000E+00	
U-234	1.6667E-01	1.6556E-01	1.6333E-01	1.5556E-01	1.3333E-01	5.5556E-02	0.0000E+00	0.0000E+00	
U-235	1.6667E-01	1.6556E-01	1.6333E-01	1.5556E-01	1.3333E-01	5.5556E-02	0.0000E+00	0.0000E+00	
U-238	1.6667E-01	1.6556E-01	1.6333E-01	1.5556E-01	1.3333E-01	5.5556E-02	0.0000E+00	0.0000E+00	

0

Area and Depth Factors for Plant (p=3), Meat (p=4), and Milk (p=5) Pathways
 Foliar Uptake from Contaminated Dust (q=2)

Area Factor for Plant Foods [FA(3)] = 0.04

Nuclide (i)	t=	Depth Factor FD(i,2,t) (dimensionless)							
		0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Ac-227	1.0000E+00	9.9333E-01	9.8000E-01	9.3333E-01	8.0000E-01	3.3333E-01	0.0000E+00	0.0000E+00	
Pa-231	1.0000E+00	9.9333E-01	9.8000E-01	9.3333E-01	8.0000E-01	3.3333E-01	0.0000E+00	0.0000E+00	
Pb-210	1.0000E+00	9.9333E-01	9.8000E-01	9.3333E-01	8.0000E-01	3.3333E-01	0.0000E+00	0.0000E+00	
Ra-226	1.0000E+00	9.9333E-01	9.8000E-01	9.3333E-01	8.0000E-01	3.3333E-01	0.0000E+00	0.0000E+00	
Th-230	1.0000E+00	9.9333E-01	9.8000E-01	9.3333E-01	8.0000E-01	3.3333E-01	0.0000E+00	0.0000E+00	
U-234	1.0000E+00	9.9333E-01	9.8000E-01	9.3333E-01	8.0000E-01	3.3333E-01	0.0000E+00	0.0000E+00	
U-235	1.0000E+00	9.9333E-01	9.8000E-01	9.3333E-01	8.0000E-01	3.3333E-01	0.0000E+00	0.0000E+00	
U-238	1.0000E+00	9.9333E-01	9.8000E-01	9.3333E-01	8.0000E-01	3.3333E-01	0.0000E+00	0.0000E+00	

Area and Depth Factors for Plant (p=3), Meat (p=4), and Milk (p=5) Pathways
 Ditch Irrigation (q=3)

Area Factor for Plant Foods [FA(3)] = 0.04

Nuclide (i)	t=	Depth Factor FD(i,3,t) (dimensionless)							
		0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Ac-227	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00
Pa-231	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00
Pb-210	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00
Ra-226	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00
Th-230	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00
U-234	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00
U-235	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00
U-238	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00	1.0000E+00

0

Area and Depth Factors for Plant (p=3), Meat (p=4), and Milk (p=5) Pathways
 Overhead Irrigation (q=4)

Area Factor for Plant Foods [FA(3)] = 0.04

The Depth Factor Value
 $FD(i,p,q,t) = 1.0000E+00$

is applicable for all radionuclides(i) and times(t).

0

Area and Depth Factors for Meat (p=4) and Milk (p=5) Pathways
 Transfer from Livestock Water (q=5) and Soil (q=6) Intake

Area Factor for Meat and Milk [FA(p),p=4,5] = 1.00

The livestock water subpathway (q=5) and livestock soil intake subpathway (q=6)
 occur only for the meat (p=4) and milk (p=5) pathways.

Area and Depth Factors for Meat (p=4) and Milk (p=5) Pathways
Transfer from Livestock Water (q=5) and Soil (q=6) Intake

Area Factor for Meat and Milk [FA(p),p=4,5] = 1.00

The livestock water subpathway (q=5) and livestock soil intake subpathway (q=6)
occur only for the meat (p=4) and milk (p=5) pathways.

Dose Conversion and Environmental Transport Factors for the Plant Food Pathway (p=3)

Subpathway: Root Uptake from Contaminated Soil (q=1)

Parent (i)	Product (j)	DCF(j,3)*	ETF(j,3,1,t) (g/yr)							
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02
U-234	U-234	2.830E-04	3.118E+00	3.097E+00	3.053E+00	2.902E+00	2.474E+00	1.011E+00	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	1.174E-05	3.358E-05	1.052E-04	2.686E-04	3.685E-04	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	8.909E-08	8.098E-07	8.042E-06	5.049E-05	1.319E-04	0.000E+00	0.000E+00
U-234	Pb-210	7.270E-03	0.000E+00	3.173E-10	6.902E-09	1.953E-07	2.937E-06	1.439E-05	0.000E+00	0.000E+00
OU-235	U-235	2.670E-04	3.118E+00	3.097E+00	3.053E+00	2.902E+00	2.474E+00	1.011E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	2.493E-04	7.161E-04	1.945E-03	3.319E-03	1.760E-03	0.000E+00	0.000E+00
U-235	Ac-227	1.480E-02	0.000E+00	1.189E-06	8.245E-06	5.449E-05	1.535E-04	9.365E-05	0.000E+00	0.000E+00
OU-238	U-238	2.690E-04	3.118E+00	3.097E+00	3.053E+00	2.902E+00	2.474E+00	1.011E+00	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	8.779E-06	2.597E-05	8.228E-05	2.104E-04	2.866E-04	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	1.746E-11	1.452E-10	1.498E-09	1.143E-08	5.206E-08	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	8.158E-14	2.289E-12	7.786E-11	1.544E-09	1.512E-08	0.000E+00	0.000E+00
U-238	Pb-210	7.270E-03	0.000E+00	2.400E-16	1.531E-14	1.461E-12	7.091E-11	1.414E-09	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Plant Food Pathway (p=3)

Subpathway: Foliar Uptake from Contaminated Dust (q=2)

Parent (i)	Product (j)	DCF(j,3)*	ETF(j,3,2,t) (g/yr)							
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02
U-234	U-234	2.830E-04	1.258E-02	1.249E-02	1.232E-02	1.171E-02	9.978E-03	4.077E-03	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	1.125E-07	3.327E-07	1.055E-06	2.704E-06	3.714E-06	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	2.410E-11	2.091E-10	2.043E-09	1.277E-08	3.329E-08	0.000E+00	0.000E+00
U-234	Pb-210	7.270E-03	0.000E+00	2.471E-13	6.289E-12	1.902E-10	2.919E-09	1.439E-08	0.000E+00	0.000E+00
OU-235	U-235	2.670E-04	1.258E-02	1.249E-02	1.232E-02	1.171E-02	9.979E-03	4.079E-03	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	2.584E-07	7.288E-07	1.968E-06	3.352E-06	1.777E-06	0.000E+00	0.000E+00
U-235	Ac-227	1.480E-02	0.000E+00	3.951E-09	3.080E-08	2.130E-07	6.072E-07	3.714E-07	0.000E+00	0.000E+00
OU-238	U-238	2.690E-04	1.258E-02	1.249E-02	1.232E-02	1.171E-02	9.979E-03	4.079E-03	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	3.541E-08	1.048E-07	3.319E-07	8.487E-07	1.156E-06	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	1.594E-13	1.415E-12	1.495E-11	1.149E-10	5.244E-10	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	2.285E-17	5.978E-16	1.985E-14	3.908E-13	3.818E-12	0.000E+00	0.000E+00
U-238	Pb-210	7.270E-03	0.000E+00	1.760E-19	1.355E-17	1.408E-15	7.021E-14	1.412E-12	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Plant Food Pathway (p=3)

Subpathway: Ditch Irrigation (q=3)

Parent (i)	Product (j)	DCF(j,3)*	ETF(j,3,3,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.286E-07
U-234	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.247E-08
OU-235	U-235	2.670E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	7.305E-06
U-235	Ac-227	1.480E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	7.672E-08	4.543E-06
OU-238	U-238	2.690E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.616E-11
U-238	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.350E-12
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Plant Food Pathway (p=3)

Subpathway: Overhead Irrigation (q=4)

Parent (i)	Product (j)	DCF(j,3)*	ETF(j,3,4,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.235E-05
U-234	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	8.589E-06
OU-235	U-235	2.670E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.811E-03
U-235	Ac-227	1.480E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.189E-04	7.030E-03
OU-238	U-238	2.690E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.518E-09
U-238	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.666E-09
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Meat Pathway (p=4)

Subpathway: Fodder Root Uptake from Contaminated Soil (q=1)

Parent (i)	Product (j)	DCF(j,4)*	ETF(j,4,1,t) (g/yr)							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	2.670E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.480E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	2.690E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Meat Pathway (p=4)

Subpathway: Fodder Foliar Uptake from Contaminated Dust (q=2)

Parent (i)	Product (j)	DCF(j,4)*	ETF(j,4,2,t) (g/yr)							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	2.670E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.480E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	2.690E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Meat Pathway (p=4)
 Subpathway: Ditch Irrigation (q=3)

Parent (i)	Product (j)	DCF(j,4)*	ETF(j,4,3,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	U-235	2.670E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.480E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-238	2.690E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Meat Pathway (p=4)
 Subpathway: Overhead Irrigation (q=4)

Parent (i)	Product (j)	DCF(j,4)*	ETF(j,4,4,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	U-235	2.670E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.480E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-238	2.690E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Meat Pathway (p=4)

Subpathway: Livestock Water (q=5)

Parent (i)	Product (j)	DCF(j,4)*	ETF(j,4,5,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	U-235	2.670E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.480E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-238	2.690E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Milk Pathway (p=5)

Subpathway: Fodder Root Uptake from Contaminated Soil (q=1)

Parent (i)	Product (j)	DCF(j,5)*	ETF(j,5,1,t) (g/yr)									
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03	
U-234	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	U-235	2.670E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.480E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-238	2.690E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Milk Pathway (p=5)

Subpathway: Fodder Foliar Uptake from Contaminated Dust (q=2)

Parent (i)	Product (j)	DCF(j,5)*	ETF(j,5,2,t) (g/yr)									
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03	
U-234	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	U-235	2.670E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.480E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-238	2.690E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Milk Pathway (p=5)

Subpathway: Ditch Irrigation (q=3)

Parent (i)	Product (j)	DCF(j,5)*	ETF(j,5,3,t) * SF(j,t) (g/yr)							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	U-235	2.670E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.480E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-238	2.690E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Milk Pathway (p=5)

Subpathway: Overhead Irrigation (q=4)

Parent (i)	Product (j)	DCF(j,5)*	ETF(j,5,4,t) * SF(j,t) (g/yr)							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	U-235	2.670E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.480E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-238	2.690E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Milk Pathway (p=5)

Subpathway: Livestock Water (q=5)

Parent (i)	Product (j)	DCF(j,5)*	ETF(j,5,5,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	U-235	2.670E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.480E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-238	2.690E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Fish Pathway (p=6)

Parent (i)	Product (j)	DCF(j,6)*	ETF(j,6,t) * SF(j,t) (g/yr)									
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03		
U-234	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.001E-03
U-234	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.172E-03
OU-235	U-235	2.670E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.554E-02
U-235	Ac-227	1.480E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.891E-03	1.709E-01
OU-238	U-238	2.690E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.046E-07
U-238	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	8.114E-07

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Drinking Water Pathway (p=7)

Parent (i)	Product (j)	DCF(j,7)*	ETF(j,7,t) * SF(j,t) (g/yr)									
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03		
U-234	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.140E-03
U-234	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.487E-03
OU-235	U-235	2.670E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.869E-01
U-235	Ac-227	1.480E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.062E-02	1.218E+00
OU-238	U-238	2.690E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.395E-07
U-238	Pb-210	7.270E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.910E-07

* - The dose conversion factor units are mrem/pCi.

Dose/Source Ratios for Internal Radiation from Ingestion of Plant Foods (p=3)

Subpathway: Root Uptake from Contaminated Soil (q=1)

Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		8.794E-04	8.733E-04	8.610E-04	8.183E-04	6.970E-04	2.832E-04	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		3.341E-09	9.455E-09	2.134E-08	6.028E-08	1.490E-07	2.009E-07	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		3.840E-11	2.804E-10	1.466E-09	1.169E-08	6.878E-08	1.748E-07	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		6.162E-13	7.803E-12	7.885E-11	1.620E-09	2.212E-08	1.044E-07	0.000E+00	0.000E+00
U-234	äDSR(j)			8.794E-04	8.733E-04	8.611E-04	8.184E-04	6.973E-04	2.837E-04	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00		8.297E-04	8.239E-04	8.124E-04	7.720E-04	6.577E-04	2.673E-04	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		1.309E-06	3.932E-06	8.727E-06	2.133E-05	3.529E-05	1.848E-05	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		6.408E-09	3.701E-08	1.594E-07	8.600E-07	2.288E-06	1.372E-06	0.000E+00	0.000E+00
U-235	äDSR(j)			8.310E-04	8.279E-04	8.212E-04	7.942E-04	6.953E-04	2.871E-04	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00		8.359E-04	8.301E-04	8.184E-04	7.778E-04	6.626E-04	2.693E-04	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		1.245E-09	3.712E-09	8.542E-09	2.436E-08	6.027E-08	8.070E-08	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		3.331E-15	2.149E-14	1.081E-13	9.020E-13	6.447E-12	2.852E-11	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		2.631E-17	4.190E-16	4.915E-15	1.192E-13	2.141E-12	2.015E-11	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		3.693E-19	9.588E-18	2.077E-16	1.277E-14	5.442E-13	1.032E-11	0.000E+00	0.000E+00
U-238	äDSR(j)			8.359E-04	8.301E-04	8.185E-04	7.778E-04	6.627E-04	2.693E-04	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Plant Foods (p=3)

Subpathway: Foliar Uptake from Contaminated Dust (q=2)

Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		3.547E-06	3.523E-06	3.473E-06	3.301E-06	2.812E-06	1.142E-06	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		3.088E-11	9.209E-11	2.119E-10	6.048E-10	1.500E-09	2.025E-09	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		1.074E-14	7.396E-14	3.772E-13	2.970E-12	1.739E-11	4.412E-11	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		4.520E-16	6.606E-15	7.286E-14	1.580E-12	2.199E-11	1.044E-10	0.000E+00	0.000E+00
U-234	äDSR(j)			3.547E-06	3.523E-06	3.473E-06	3.301E-06	2.813E-06	1.144E-06	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00		3.347E-06	3.323E-06	3.277E-06	3.114E-06	2.653E-06	1.078E-06	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		1.383E-09	4.038E-09	8.870E-09	2.157E-08	3.563E-08	1.865E-08	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		1.986E-11	1.306E-10	6.011E-10	3.364E-09	9.053E-09	5.442E-09	0.000E+00	0.000E+00
U-235	äDSR(j)			3.348E-06	3.328E-06	3.286E-06	3.139E-06	2.698E-06	1.102E-06	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00		3.372E-06	3.348E-06	3.301E-06	3.138E-06	2.673E-06	1.086E-06	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		5.022E-12	1.497E-11	3.446E-11	9.825E-11	2.431E-10	3.255E-10	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		2.918E-17	2.030E-16	1.058E-15	9.005E-15	6.478E-14	2.873E-13	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		7.627E-21	1.128E-19	1.277E-18	3.038E-17	5.419E-16	5.089E-15	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		2.572E-22	7.793E-21	1.872E-19	1.234E-17	5.390E-16	1.031E-14	0.000E+00	0.000E+00
U-238	äDSR(j)			3.372E-06	3.348E-06	3.301E-06	3.138E-06	2.673E-06	1.086E-06	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Plant Foods (p=3)
Subpathway: Ditch Irrigation (q=3)

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.711E-10
U-234	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.635E-10
U-234	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.347E-10
OU-235	U-235	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	7.745E-08
U-235	Ac-227	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.148E-09	6.725E-08
U-235	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.148E-09	1.447E-07
OU-238	U-238	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.490E-14
U-238	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.207E-14
U-238	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	6.697E-14

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Plant Foods (p=3)
Subpathway: Overhead Irrigation (q=4)

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.644E-08
U-234	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	6.250E-08
U-234	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	7.894E-08
OU-235	U-235	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.980E-05
U-235	Ac-227	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.778E-06	1.040E-04
U-235	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.778E-06	1.338E-04
OU-238	U-238	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.352E-12
U-238	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.226E-11
U-238	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.561E-11

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Plant Foods (p=3)
 Total for All Subpathways

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		8.829E-04	8.768E-04	8.645E-04	8.216E-04	6.999E-04	2.843E-04	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		3.372E-09	9.547E-09	2.155E-08	6.088E-08	1.505E-07	2.029E-07	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		3.841E-11	2.804E-10	1.467E-09	1.170E-08	6.880E-08	1.748E-07	0.000E+00	1.662E-08
U-234	Pb-210	1.000E+00		6.167E-13	7.810E-12	7.893E-11	1.622E-09	2.215E-08	1.045E-07	0.000E+00	6.266E-08
U-234	äDSR(j)			8.829E-04	8.768E-04	8.645E-04	8.217E-04	7.001E-04	2.848E-04	0.000E+00	7.927E-08
0U-235	U-235	1.000E+00		8.330E-04	8.272E-04	8.156E-04	7.752E-04	6.603E-04	2.683E-04	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		1.310E-06	3.936E-06	8.735E-06	2.135E-05	3.532E-05	1.849E-05	0.000E+00	2.988E-05
U-235	Ac-227	1.000E+00		6.427E-09	3.714E-08	1.600E-07	8.634E-07	2.297E-06	1.378E-06	1.780E-06	1.041E-04
U-235	äDSR(j)			8.343E-04	8.312E-04	8.245E-04	7.974E-04	6.980E-04	2.882E-04	1.780E-06	1.340E-04
0U-238	U-238	1.000E+00		8.392E-04	8.334E-04	8.217E-04	7.810E-04	6.653E-04	2.703E-04	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		1.250E-09	3.727E-09	8.577E-09	2.445E-08	6.051E-08	8.102E-08	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		3.360E-15	2.169E-14	1.092E-13	9.110E-13	6.511E-12	2.881E-11	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		2.632E-17	4.191E-16	4.916E-15	1.193E-13	2.141E-12	2.016E-11	0.000E+00	3.387E-12
U-238	Pb-210	1.000E+00		3.695E-19	9.596E-18	2.079E-16	1.279E-14	5.448E-13	1.033E-11	0.000E+00	1.229E-11
U-238	äDSR(j)			8.392E-04	8.334E-04	8.218E-04	7.810E-04	6.653E-04	2.704E-04	0.000E+00	1.568E-11

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life > 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Meat (p=4)

Subpathway: Fodder Root Uptake from Contaminated Soil (q=1)

Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Meat (p=4)

Subpathway: Fodder Foliar Uptake from Contaminated Dust (q=2)

Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Meat (p=4)
 Subpathway: Ditch Irrigation (q=3)

Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Meat (p=4)
 Subpathway: Overhead Irrigation (q=4)

Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Meat (p=4)
 Subpathway: Livestock Water (q=5)

Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Meat (p=4)
 Total for All Subpathways

Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Milk (p=5)

Subpathway: Fodder Root Uptake from Contaminated Soil (q=1)

Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Milk (p=5)

Subpathway: Fodder Foliar Uptake from Contaminated Dust (q=2)

Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Milk (p=5)

Subpathway: Ditch Irrigation (q=3)

Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Milk (p=5)

Subpathway: Overhead Irrigation (q=4)

Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Milk (p=5)

Subpathway: Livestock Water (q=5)

Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Milk (p=5)

Total for All Subpathways

Parent and Progeny Principal Radionuclide Contributions Indicated

OParent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	äDSR (j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from the Ingestion of Fish (p=6)
 Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.332E-06
U-234	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.035E-05
U-234	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.168E-05
OU-235	U-235	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.828E-04
U-235	Ac-227	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.325E-05	2.529E-03
U-235	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.325E-05	3.012E-03
OU-238	U-238	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.716E-10
U-238	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	5.957E-09
U-238	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	6.229E-09

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from the Ingestion of Drinking Water (p=7)

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.848E-06
U-234	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.082E-05
U-234	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.367E-05
0U-235	U-235	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	5.162E-03
U-235	Ac-227	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.085E-04	1.803E-02
U-235	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.085E-04	2.319E-02
0U-238	U-238	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	5.803E-10
U-238	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.126E-09
U-238	äDSR(j)			0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.706E-09

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Plant/Air and Plant/Water Concentration Ratios

0 Mass loading [ASR(3)]: 1.000E-04 g/m**3

Area Factor for Mass Loading [FA(2)]: 2.361E-01

0Nuclide (i)	FAR(i,3,2,1) m**3/g	FAR(i,3,2,2) m**3/g	FWR(i,3,3,1) L/g	FWR(i,3,3,2) L/g	FWR(i,3,4,1) L/g	FWR(i,3,4,2) L/g
Ac-227	5.4545E-02	2.6156E-01	2.8045E-07	4.1045E-07	3.4522E-04	1.6554E-03
Pa-231	5.4545E-02	2.6156E-01	1.1287E-06	1.6566E-06	3.4522E-04	1.6554E-03
Pb-210	5.4545E-02	2.6156E-01	1.1310E-06	1.6616E-06	3.4522E-04	1.6554E-03
Ra-226	5.4545E-02	2.6156E-01	4.5200E-06	6.6378E-06	3.4522E-04	1.6554E-03
Th-230	5.4545E-02	2.6156E-01	1.1355E-07	1.6642E-07	3.4522E-04	1.6554E-03
U-234	5.4545E-02	2.6156E-01	2.8318E-07	4.1661E-07	3.4522E-04	1.6554E-03
U-235	5.4545E-02	2.6156E-01	2.8318E-07	4.1661E-07	3.4522E-04	1.6554E-03
U-238	5.4545E-02	2.6156E-01	2.8318E-07	4.1661E-07	3.4522E-04	1.6554E-03

=====

FAR(i,p,q,k) is the plant/air concentration ratio for airborne contaminated dust, and FWR(i,p,q,k) is the plant/water concentration ratio. See groundwater displays for water/soil concentration ratios.

0 Plant/Soil Concentration Ratios, FSR(i,3,q,k,t)

0 Root Uptake (q=1) and Foliar Dust Deposition (q=2)

0 Nonleafy (k=1) and/or Leafy (k=2) Vegetables

0 Nuclide (i)

Parent	Product	FSR(i,3,1,k)	FSR(i,3,2,1)	FSR(i,3,2,2)
U-234	U-234	2.5000E-03	1.2876E-06	6.1745E-06
U-234	Th-230	1.0000E-03	1.2876E-06	6.1745E-06
U-234	Ra-226	4.0000E-02	1.2876E-06	6.1745E-06
U-234	Pb-210	1.0000E-02	1.2876E-06	6.1745E-06
U-235	U-235	2.5000E-03	1.2876E-06	6.1745E-06
U-235	Pa-231	1.0000E-02	1.2876E-06	6.1745E-06
U-235	Ac-227	2.5000E-03	1.2876E-06	6.1745E-06
U-238	U-238	2.5000E-03	1.2876E-06	6.1745E-06
U-238	U-234	2.5000E-03	1.2876E-06	6.1745E-06
U-238	Th-230	1.0000E-03	1.2876E-06	6.1745E-06
U-238	Ra-226	4.0000E-02	1.2876E-06	6.1745E-06
U-238	Pb-210	1.0000E-02	1.2876E-06	6.1745E-06

=====

Meat/Fodder, Milk/Fodder, Fodder/Air and Fodder/Water Concentration Ratios

0 FI(4,q): 68.0 kg/day FI(5,q): 55.0 kg/day q=1,2,3,4
 FI(4,q): 50.0 L/day FI(5,q): 160.0 L/day q=5
 FI(4,q): 0.5 kg/day FI(5,q):

ONuclide (i)	FQR(i,4) d/kg	FQR(i,5) d/kg	FAR(i,3,2,3) m**3/g	FWR(i,3,3,3) L/g	FWR(i,3,4,3) L/g
Ac-227	2.0000E-05	2.0000E-05	2.8659E-01	1.3269E-07	1.8139E-03
Pa-231	5.0000E-03	5.0000E-06	2.8659E-01	5.3230E-07	1.8139E-03
Pb-210	8.0000E-04	3.0000E-04	2.8659E-01	5.3282E-07	1.8139E-03
Ra-226	1.0000E-03	1.0000E-03	2.8659E-01	2.1304E-06	1.8139E-03
Th-230	1.0000E-04	5.0000E-06	2.8659E-01	5.2861E-08	1.8139E-03
U-234	3.4000E-04	6.0000E-04	2.8659E-01	1.3343E-07	1.8139E-03
U-235	3.4000E-04	6.0000E-04	2.8659E-01	1.3343E-07	1.8139E-03
U-238	3.4000E-04	6.0000E-04	2.8659E-01	1.3343E-07	1.8139E-03

FI(p,q) are the fodder (q=1,2,3,4), livestock water (q=5) and soil (q=6) intake rates;
 FQR(i,p) are the transfer coefficients from contaminated fodder of livestock
 water to meat (p=4) or milk (p=5). FAR(i,3,2,3) are the fodder/air
 concentration ratios, and FWR(i,3,3,3) and FWR(i,3,4,3) are the fodder/
 water concentration ratios for ditch and overhead irrigation, respectively.

Dose/Source Ratios for Soil Ingestion Pathway (p=8)
 Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	DSR(j,8,t) (mrem/yr) / (pCi/g)							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	1.000E+00	8.636E-03	8.576E-03	8.456E-03	8.036E-03	6.845E-03	2.780E-03	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00	7.519E-08	2.242E-07	5.160E-07	1.473E-06	3.652E-06	4.927E-06	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00	2.611E-11	1.799E-10	9.175E-10	7.223E-09	4.229E-08	1.073E-07	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00	1.098E-12	1.607E-11	1.773E-10	3.845E-09	5.351E-08	2.540E-07	0.000E+00	0.000E+00
U-234	äDSR(j)		8.636E-03	8.576E-03	8.456E-03	8.037E-03	6.849E-03	2.785E-03	0.000E+00	0.000E+00
OU-235	U-235	1.000E+00	8.148E-03	8.091E-03	7.978E-03	7.582E-03	6.459E-03	2.623E-03	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00	3.364E-06	9.818E-06	2.157E-05	5.246E-05	8.663E-05	4.532E-05	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00	4.816E-08	3.168E-07	1.458E-06	8.164E-06	2.197E-05	1.320E-05	0.000E+00	0.000E+00
U-235	äDSR(j)		8.151E-03	8.101E-03	8.001E-03	7.642E-03	6.567E-03	2.682E-03	0.000E+00	0.000E+00
OU-238	U-238	1.000E+00	8.209E-03	8.152E-03	8.038E-03	7.639E-03	6.507E-03	2.643E-03	0.000E+00	0.000E+00
U-238	U-234	1.000E+00	1.223E-08	3.646E-08	8.389E-08	2.392E-07	5.919E-07	7.921E-07	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00	7.101E-14	4.941E-13	2.577E-12	2.192E-11	1.577E-10	6.992E-10	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00	1.853E-17	2.743E-16	3.106E-15	7.388E-14	1.318E-12	1.237E-11	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00	6.245E-19	1.895E-17	4.555E-16	3.002E-14	1.311E-12	2.508E-11	0.000E+00	0.000E+00
U-238	äDSR(j)		8.209E-03	8.152E-03	8.038E-03	7.639E-03	6.508E-03	2.644E-03	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose Conversion and Environmental Transport Factors for the Soil Ingestion Pathway (p=8)

Parent (i)	Product (j)	DCF(j,8)*	ETF(j,8,t) (g/yr)							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
U-234	U-234	2.830E-04	3.062E+01	3.042E+01	3.001E+01	2.858E+01	2.450E+01	1.021E+01	0.000E+00	0.000E+00
U-234	Th-230	5.480E-04	3.062E+01	3.042E+01	3.001E+01	2.858E+01	2.450E+01	1.021E+01	0.000E+00	0.000E+00
U-234	Ra-226	1.330E-03	3.062E+01	3.042E+01	3.001E+01	2.858E+01	2.450E+01	1.021E+01	0.000E+00	0.000E+00
U-234	Pb-210	7.270E-03	3.062E+01	3.042E+01	3.001E+01	2.858E+01	2.450E+01	1.021E+01	0.000E+00	0.000E+00
OU-235	U-235	2.670E-04	3.062E+01	3.042E+01	3.001E+01	2.858E+01	2.450E+01	1.021E+01	0.000E+00	0.000E+00
U-235	Pa-231	1.060E-02	3.062E+01	3.042E+01	3.001E+01	2.858E+01	2.450E+01	1.021E+01	0.000E+00	0.000E+00
U-235	Ac-227	1.480E-02	3.062E+01	3.042E+01	3.001E+01	2.858E+01	2.450E+01	1.021E+01	0.000E+00	0.000E+00
OU-238	U-238	2.690E-04	3.062E+01	3.042E+01	3.001E+01	2.858E+01	2.450E+01	1.021E+01	0.000E+00	0.000E+00
U-238	U-234	2.830E-04	3.062E+01	3.042E+01	3.001E+01	2.858E+01	2.450E+01	1.021E+01	0.000E+00	0.000E+00
U-238	Th-230	5.480E-04	3.062E+01	3.042E+01	3.001E+01	2.858E+01	2.450E+01	1.021E+01	0.000E+00	0.000E+00
U-238	Ra-226	1.330E-03	3.062E+01	3.042E+01	3.001E+01	2.858E+01	2.450E+01	1.021E+01	0.000E+00	0.000E+00
U-238	Pb-210	7.270E-03	3.062E+01	3.042E+01	3.001E+01	2.858E+01	2.450E+01	1.021E+01	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Table of Contents

Part III: Intake Quantities and Health Risk Factors
=====

Cancer Risk Slope Factors	2
Amount of Intake Quantities and Excess Cancer Risks	
Time= 0.000E+00	3
Time= 1.000E+00	6
Time= 3.000E+00	9
Time= 1.000E+01	12
Time= 3.000E+01	15
Time= 1.000E+02	18
Time= 3.000E+02	21
Time= 1.000E+03	24

Cancer Risk Slope Factors Summary Table
 File: Default.LIB

Menu	Parameter	Current Value	Default	Parameter Name
Sf-1	Ground external radiation slope factors, 1/yr per (pCi/g):			
Sf-1	Ac-227+D	9.30E-07	9.30E-07	SLPF(1,1)
Sf-1	Pa-231	2.70E-08	2.70E-08	SLPF(2,1)
Sf-1	Pb-210+D	1.43E-10	1.43E-10	SLPF(3,1)
Sf-1	Ra-226+D	6.70E-06	6.70E-06	SLPF(4,1)
Sf-1	Th-230	4.40E-11	4.40E-11	SLPF(5,1)
Sf-1	U-234	2.10E-11	2.10E-11	SLPF(6,1)
Sf-1	U-235+D	2.70E-07	2.70E-07	SLPF(7,1)
Sf-1	U-238+D	6.60E-08	6.60E-08	SLPF(8,1)
Sf-2	Inhalation, slope factors, 1/(pCi):			
Sf-2	Ac-227+D	7.90E-08	7.90E-08	SLPF(1,2)
Sf-2	Pa-231	2.40E-08	2.40E-08	SLPF(2,2)
Sf-2	Pb-210+D	3.80E-09	3.80E-09	SLPF(3,2)
Sf-2	Ra-226+D	2.70E-09	2.70E-09	SLPF(4,2)
Sf-2	Th-230	1.70E-08	1.70E-08	SLPF(5,2)
Sf-2	U-234	1.40E-08	1.40E-08	SLPF(6,2)
Sf-2	U-235+D	1.30E-08	1.30E-08	SLPF(7,2)
Sf-2	U-238+D	1.20E-08	1.20E-08	SLPF(8,2)
Sf-3	Ingestion, slope factors, 1/(pCi):			
Sf-3	Ac-227+D	6.30E-10	6.30E-10	SLPF(1,3)
Sf-3	Pa-231	1.50E-10	1.50E-10	SLPF(2,3)
Sf-3	Pb-210+D	1.01E-09	1.01E-09	SLPF(3,3)
Sf-3	Ra-226+D	3.00E-10	3.00E-10	SLPF(4,3)
Sf-3	Th-230	3.80E-11	3.80E-11	SLPF(5,3)
Sf-3	U-234	4.40E-11	4.40E-11	SLPF(6,3)
Sf-3	U-235+D	4.70E-11	4.70E-11	SLPF(7,3)
Sf-3	U-238+D	6.20E-11	6.20E-11	SLPF(8,3)
Sf-Rn	Radon Inhalation slope factors, 1/(pCi):			
Sf-Rn	Rn-222	1.80E-12	1.80E-12	SLPFRN(1,1)
Sf-Rn	Po-218	3.70E-12	3.70E-12	SLPFRN(1,2)
Sf-Rn	Pb-214	6.20E-12	6.20E-12	SLPFRN(1,3)
Sf-Rn	Bi-214	1.50E-11	1.50E-11	SLPFRN(1,4)
Sf-Rn	Radon K factors, (mrem/WLM):			
Sf-Rn	Rn-222 Indoor	7.60E+02	7.60E+02	KFACTR(1,1)
Sf-Rn	Rn-222 Outdoor	5.70E+02	5.70E+02	KFACTR(1,2)

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As pCi/yr at t= 0.000E+00 years

Radio- Nuclide	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total Ingestion*
	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	
Ac-227	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Pa-231	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Pb-210	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	5.582E+01	2.474E+03	0.000E+00	0.000E+00	2.420E+04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.668E+04
U-235	3.072E+00	1.362E+02	0.000E+00	0.000E+00	1.332E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.468E+03
U-238	1.314E+01	5.825E+02	0.000E+00	0.000E+00	5.699E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	6.282E+03

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil
 and water-dependent water, fish, plant, meat, milk pathways

0

Amount of Intake Quantities QINT9(irn,i,t) and QINT9W(irn,i,t) for Inhalation of
 Radon and its Decay Products as pCi/yr at t= 0.000E+00 years

0

Radon Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

0

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 0.000E+00 years

0

Radio- Nuclide	Ground		Inhalation		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Ac-227	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pa-231	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	2.948E-07	0.0006	2.344E-05	0.0492	3.266E-06	0.0069	0.000E+00	0.0000	0.000E+00	0.0000	3.195E-05	0.0670
U-235	2.018E-04	0.4233	1.198E-06	0.0025	1.920E-07	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	1.878E-06	0.0039
U-238	1.963E-04	0.4117	4.731E-06	0.0099	1.083E-06	0.0023	0.000E+00	0.0000	0.000E+00	0.0000	1.060E-05	0.0222
Total	3.983E-04	0.8357	2.937E-05	0.0616	4.541E-06	0.0095	0.000E+00	0.0000	0.000E+00	0.0000	4.443E-05	0.0932

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 0.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Plant		Meat		Milk		All Pathways**	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Ac-227	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pa-231	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.895E-05	0.1237
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.051E-04	0.4302
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.127E-04	0.4462
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.767E-04	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
 and water dependent water, fish, plant, meat, milk pathways

0

Excess Cancer Risks CNRS9(irn,i,t) and CNRS9W(irn,i,t) for Inhalation of
 Radon and its Decay Products at t= 0.000E+00 years
 Radionuclides

0

Radon Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
===== Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)

and Fraction of Total Risk at t= 0.000E+00 years
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	2.948E-07	0.0006	2.344E-05	0.0492	0.000E+00	0.0000	3.266E-06	0.0069	0.000E+00	0.0000	0.000E+00	0.0000	3.195E-05	0.0670
U-235	2.018E-04	0.4233	1.198E-06	0.0025	0.000E+00	0.0000	1.920E-07	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	1.878E-06	0.0039
U-238	1.963E-04	0.4117	4.731E-06	0.0099	0.000E+00	0.0000	1.083E-06	0.0023	0.000E+00	0.0000	0.000E+00	0.0000	1.060E-05	0.0222
===== Total	3.983E-04	0.8357	2.937E-05	0.0616	0.000E+00	0.0000	4.541E-06	0.0095	0.000E+00	0.0000	0.000E+00	0.0000	4.443E-05	0.0932

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 0.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.895E-05	0.1237
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.051E-04	0.4302
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.127E-04	0.4462
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.767E-04	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As pCi/yr at t= 1.000E+00 years

Radio- Nuclide	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total Ingestion*
	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	
Ac-227	9.615E-07	5.188E-05	0.000E+00	0.000E+00	4.170E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.689E-04
Pa-231	6.301E-05	1.086E-02	0.000E+00	0.000E+00	2.733E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.818E-02
Pb-210	1.095E-09	2.510E-07	0.000E+00	0.000E+00	4.749E-07	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	7.258E-07
Ra-226	1.068E-07	7.043E-05	0.000E+00	0.000E+00	4.633E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.168E-04
Th-230	4.990E-04	9.372E-03	0.000E+00	0.000E+00	2.164E-01	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.258E-01
U-234	5.543E+01	2.457E+03	0.000E+00	0.000E+00	2.404E+04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.649E+04
U-235	3.051E+00	1.352E+02	0.000E+00	0.000E+00	1.323E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.458E+03
U-238	1.305E+01	5.786E+02	0.000E+00	0.000E+00	5.659E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	6.238E+03

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil
 and water-dependent water, fish, plant, meat, milk pathways

0

Amount of Intake Quantities QINT9(irn,i,t) and QINT9W(irn,i,t) for Inhalation of
 Radon and its Decay Products as pCi/yr at t= 1.000E+00 years

0

Radon Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

0

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+00 years

0

Radio- Nuclide	Ground		Inhalation		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Ac-227	2.131E-10	0.0000	2.279E-12	0.0000	9.806E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.881E-12	0.0000
Pa-231	4.045E-10	0.0000	4.537E-11	0.0000	4.885E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.230E-10	0.0000
Pb-210	3.942E-17	0.0000	1.248E-16	0.0000	7.604E-15	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.439E-14	0.0000
Ra-226	1.563E-10	0.0000	8.654E-15	0.0000	6.339E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.170E-13	0.0000
Th-230	5.537E-12	0.0000	2.545E-10	0.0000	1.068E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.467E-10	0.0000
U-234	2.947E-07	0.0006	3.328E-05	0.0490	3.244E-06	0.0068	0.000E+00	0.0000	0.000E+00	0.0000	3.173E-05	0.0667
U-235	2.015E-04	0.4238	1.190E-06	0.0025	1.907E-07	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	1.865E-06	0.0039
U-238	1.959E-04	0.4119	4.698E-06	0.0099	1.076E-06	0.0023	0.000E+00	0.0000	0.000E+00	0.0000	1.053E-05	0.0221
Total	3.977E-04	0.8364	2.917E-05	0.0613	4.511E-06	0.0095	0.000E+00	0.0000	0.000E+00	0.0000	4.412E-05	0.0928

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Plant		Meat		Milk		All Pathways**	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Ac-227	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.242E-10	0.0000
Pa-231	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.217E-10	0.0000
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.216E-14	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.574E-10	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.174E-10	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.855E-05	0.1231
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.048E-04	0.4307
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.122E-04	0.4462
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.755E-04	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
 and water dependent water, fish, plant, meat, milk pathways

0

Excess Cancer Risks CNRS9(irn,i,t) and CNRS9W(irn,i,t) for Inhalation of
 Radon and its Decay Products at t= 1.000E+00 years
 Radionuclides

0

Radon Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
===== Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+00 years

0
 0

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	2.948E-07	0.0006	2.328E-05	0.0490	0.000E+00	0.0000	3.244E-06	0.0068	0.000E+00	0.0000	0.000E+00	0.0000	3.173E-05	0.0667
U-235	2.015E-04	0.4238	1.190E-06	0.0025	0.000E+00	0.0000	1.907E-07	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	1.865E-06	0.0039
U-238	1.959E-04	0.4119	4.698E-06	0.0099	0.000E+00	0.0000	1.076E-06	0.0023	0.000E+00	0.0000	0.000E+00	0.0000	1.053E-05	0.0221
===== Total	3.977E-04	0.8364	2.917E-05	0.0613	0.000E+00	0.0000	4.511E-06	0.0095	0.000E+00	0.0000	0.000E+00	0.0000	4.412E-05	0.0928

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.855E-05	0.1231
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.048E-04	0.4307
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.122E-04	0.4462
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.755E-04	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As pCi/yr at t= 3.000E+00 years

Radio- Nuclide	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total Ingestion*
	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	
Ac-227	7.496E-06	3.600E-04	0.000E+00	0.000E+00	3.251E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.611E-03
Pa-231	1.778E-04	3.118E-02	0.000E+00	0.000E+00	7.708E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.083E-01
Pb-210	2.789E-08	5.461E-06	0.000E+00	0.000E+00	1.209E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.755E-05
Ra-226	9.268E-07	6.402E-04	0.000E+00	0.000E+00	4.019E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.042E-03
Th-230	1.476E-03	2.680E-02	0.000E+00	0.000E+00	6.403E-01	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	6.671E-01
U-234	5.465E+01	2.423E+03	0.000E+00	0.000E+00	2.370E+04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.612E+04
U-235	3.008E+00	1.334E+02	0.000E+00	0.000E+00	1.304E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.438E+03
U-238	1.287E+01	5.705E+02	0.000E+00	0.000E+00	5.580E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	6.151E+03

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil
 and water-dependent water, fish, plant, meat, milk pathways

0

Amount of Intake Quantities QINT9(irn,i,t) and QINT9W(irn,i,t) for Inhalation of
 Radon and its Decay Products as pCi/yr at t= 3.000E+00 years

0

Radon Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

0

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+00 years

0

Radio- Nuclide	Ground		Inhalation		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Ac-227	1.680E-09	0.0000	1.777E-11	0.0000	6.804E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.144E-11	0.0000
Pa-231	1.154E-09	0.0000	1.280E-10	0.0000	1.403E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.469E-10	0.0000
Pb-210	1.017E-15	0.0000	3.179E-15	0.0000	1.655E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.664E-13	0.0000
Ra-226	1.369E-09	0.0000	7.507E-14	0.0000	5.762E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.617E-12	0.0000
Th-230	1.659E-11	0.0000	7.530E-10	0.0000	3.056E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.299E-10	0.0000
U-234	2.943E-07	0.0006	2.295E-05	0.0485	3.198E-06	0.0068	0.000E+00	0.0000	0.000E+00	0.0000	3.128E-05	0.0661
U-235	2.011E-04	0.4249	1.173E-06	0.0025	1.880E-07	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	1.839E-06	0.0039
U-238	1.951E-04	0.4123	4.633E-06	0.0098	1.061E-06	0.0022	0.000E+00	0.0000	0.000E+00	0.0000	1.038E-05	0.0219
Total	3.964E-04	0.8379	2.876E-05	0.0608	4.448E-06	0.0094	0.000E+00	0.0000	0.000E+00	0.0000	4.350E-05	0.0919

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Plant		Meat		Milk		All Pathways**	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Ac-227	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.766E-09	0.0000
Pa-231	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.769E-09	0.0000
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.361E-13	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.378E-09	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.530E-09	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.773E-05	0.1220
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.043E-04	0.4317
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.112E-04	0.4463
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.732E-04	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
 and water dependent water, fish, plant, meat, milk pathways

Excess Cancer Risks CNRS9(irn,i,t) and CNRS9W(irn,i,t) for Inhalation of
 Radon and its Decay Products at t= 3.000E+00 years
 Radionuclides

Radon Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
===== Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+00 years

0
 0

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	2.957E-07	0.0006	2.296E-05	0.0485	0.000E+00	0.0000	3.199E-06	0.0068	0.000E+00	0.0000	0.000E+00	0.0000	3.129E-05	0.0661
U-235	2.011E-04	0.4249	1.173E-06	0.0025	0.000E+00	0.0000	1.882E-07	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	1.840E-06	0.0039
U-238	1.951E-04	0.4123	4.633E-06	0.0098	0.000E+00	0.0000	1.061E-06	0.0022	0.000E+00	0.0000	0.000E+00	0.0000	1.038E-05	0.0219
===== Total	3.964E-04	0.8379	2.876E-05	0.0608	0.000E+00	0.0000	4.448E-06	0.0094	0.000E+00	0.0000	0.000E+00	0.0000	4.350E-05	0.0919

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.773E-05	0.1220
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.043E-04	0.4317
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.112E-04	0.4463
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.732E-04	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As pCi/yr at t= 1.000E+01 years

Radio- Nuclide	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total Ingestion*
	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	
Ac-227	5.184E-05	2.380E-03	0.000E+00	0.000E+00	2.248E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.486E-02
Pa-231	4.799E-04	8.471E-02	0.000E+00	0.000E+00	2.081E-01	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.928E-01
Pb-210	8.433E-07	1.545E-04	0.000E+00	0.000E+00	3.657E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	5.202E-04
Ra-226	9.056E-06	6.358E-03	0.000E+00	0.000E+00	3.927E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.029E-02
Th-230	4.682E-03	8.397E-02	0.000E+00	0.000E+00	2.030E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.114E+00
U-234	5.195E+01	2.303E+03	0.000E+00	0.000E+00	2.253E+04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.483E+04
U-235	2.859E+00	1.268E+02	0.000E+00	0.000E+00	1.240E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.367E+03
U-238	1.223E+01	5.423E+02	0.000E+00	0.000E+00	5.304E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	5.847E+03

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil
 and water-dependent water, fish, plant, meat, milk pathways

0

Amount of Intake Quantities QINT9(irn,i,t) and QINT9W(irn,i,t) for Inhalation of
 Radon and its Decay Products as pCi/yr at t= 1.000E+01 years
 Radionuclides

0

Radon Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

0

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+01 years

0

Radio- Nuclide	Ground		Inhalation		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Ac-227	1.208E-08	0.0000	1.229E-10	0.0000	4.497E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.249E-10	0.0000
Pa-231	3.237E-09	0.0000	3.455E-10	0.0000	3.812E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.365E-10	0.0000
Pb-210	3.218E-14	0.0000	9.614E-14	0.0000	4.681E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.108E-11	0.0000
Ra-226	1.382E-08	0.0000	7.335E-13	0.0000	5.722E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.534E-11	0.0000
Th-230	5.508E-11	0.0000	2.388E-09	0.0000	9.572E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.315E-09	0.0000
U-234	2.931E-07	0.0006	2.182E-05	0.0470	3.040E-06	0.0065	0.000E+00	0.0000	0.000E+00	0.0000	2.974E-05	0.0640
U-235	1.992E-04	0.4287	1.115E-06	0.0024	1.787E-07	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	1.748E-06	0.0038
U-238	1.922E-04	0.4136	4.403E-06	0.0095	1.009E-06	0.0022	0.000E+00	0.0000	0.000E+00	0.0000	9.866E-06	0.0212
Total	3.917E-04	0.8431	2.734E-05	0.0588	4.228E-06	0.0091	0.000E+00	0.0000	0.000E+00	0.0000	4.135E-05	0.0890

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Plant		Meat		Milk		All Pathways**	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Ac-227	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.267E-08	0.0000
Pa-231	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.901E-09	0.0000
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.589E-11	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.391E-08	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.853E-09	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.489E-05	0.1181
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.022E-04	0.4353
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.075E-04	0.4465
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.646E-04	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
 and water dependent water, fish, plant, meat, milk pathways

0

Excess Cancer Risks CNRS9(irn,i,t) and CNRS9W(irn,i,t) for Inhalation of
 Radon and its Decay Products at t= 1.000E+01 years
 Radionuclides

0

Radon Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
===== Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+01 years

0
 0

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	3.069E-07	0.0007	2.182E-05	0.0470	0.000E+00	0.0000	3.040E-06	0.0065	0.000E+00	0.0000	0.000E+00	0.0000	2.974E-05	0.0640
U-235	1.992E-04	0.4288	1.115E-06	0.0024	0.000E+00	0.0000	1.792E-07	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	1.750E-06	0.0038
U-238	1.922E-04	0.4136	4.403E-06	0.0095	0.000E+00	0.0000	1.009E-06	0.0022	0.000E+00	0.0000	0.000E+00	0.0000	9.866E-06	0.0212
===== Total	3.917E-04	0.8431	2.734E-05	0.0588	0.000E+00	0.0000	4.228E-06	0.0091	0.000E+00	0.0000	0.000E+00	0.0000	4.135E-05	0.0890

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.491E-05	0.1182
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.023E-04	0.4353
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.075E-04	0.4465
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.646E-04	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As pCi/yr at t= 3.000E+01 years

Radio- Nuclide	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total Ingestion*
	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	
Ac-227	1.478E-04	6.702E-03	0.000E+00	0.000E+00	6.408E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	7.079E-02
Pa-231	8.174E-04	1.445E-01	0.000E+00	0.000E+00	3.545E-01	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.990E-01
Pb-210	1.294E-05	2.324E-03	0.000E+00	0.000E+00	5.613E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	7.937E-03
Ra-226	5.659E-05	3.992E-02	0.000E+00	0.000E+00	2.454E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	6.446E-02
Th-230	1.200E-02	2.145E-01	0.000E+00	0.000E+00	5.203E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	5.418E+00
U-234	4.428E+01	1.963E+03	0.000E+00	0.000E+00	1.920E+04	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.116E+04
U-235	2.437E+00	1.080E+02	0.000E+00	0.000E+00	1.057E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.165E+03
U-238	1.043E+01	4.622E+02	0.000E+00	0.000E+00	4.521E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.983E+03

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil
 and water-dependent water, fish, plant, meat, milk pathways

0

Amount of Intake Quantities QINT9(irn,i,t) and QINT9W(irn,i,t) for Inhalation of
 Radon and its Decay Products as pCi/yr at t= 3.000E+01 years
 Radionuclides

0

Radon Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

0

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+01 years

0

Radio- Nuclide	Ground		Inhalation		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Ac-227	3.871E-08	0.0001	3.502E-10	0.0000	1.267E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.211E-09	0.0000
Pa-231	6.196E-09	0.0000	5.885E-10	0.0000	6.504E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.595E-09	0.0000
Pb-210	5.685E-13	0.0000	1.476E-12	0.0000	7.040E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.701E-10	0.0000
Ra-226	9.523E-08	0.0002	4.584E-12	0.0000	3.593E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.209E-10	0.0000
Th-230	1.625E-10	0.0000	6.119E-09	0.0000	2.445E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.932E-09	0.0000
U-234	2.886E-07	0.0007	1.860E-05	0.0425	2.591E-06	0.0059	0.000E+00	0.0000	0.000E+00	0.0000	2.534E-05	0.0579
U-235	1.926E-04	0.4401	9.504E-07	0.0022	1.523E-07	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	1.490E-06	0.0034
U-238	1.825E-04	0.4169	3.753E-06	0.0086	8.598E-07	0.0020	0.000E+00	0.0000	0.000E+00	0.0000	8.409E-06	0.0192
Total	3.755E-04	0.8580	2.331E-05	0.0533	3.605E-06	0.0082	0.000E+00	0.0000	0.000E+00	0.0000	3.525E-05	0.0805

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Plant		Meat		Milk		All Pathways**	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Ac-227	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.040E-08	0.0001
Pa-231	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.030E-09	0.0000
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.425E-10	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.582E-08	0.0002
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.246E-08	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.682E-05	0.1070
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.952E-04	0.4460
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.955E-04	0.4467
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.377E-04	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
 and water dependent water, fish, plant, meat, milk pathways

0

Excess Cancer Risks CNRS9(irn,i,t) and CNRS9W(irn,i,t) for Inhalation of
 Radon and its Decay Products at t= 3.000E+01 years
 Radionuclides

0

Radon Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
===== Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+01 years

0
 0
 Water Independent Pathways (Inhalation excludes radon)

Radio-	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	3.839E-07	0.0009	1.860E-05	0.0425	0.000E+00	0.0000	2.592E-06	0.0059	0.000E+00	0.0000	0.000E+00	0.0000	2.535E-05	0.0579
U-235	1.927E-04	0.4402	9.513E-07	0.0022	0.000E+00	0.0000	1.531E-07	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	1.493E-06	0.0034
U-238	1.825E-04	0.4169	3.754E-06	0.0086	0.000E+00	0.0000	8.598E-07	0.0020	0.000E+00	0.0000	0.000E+00	0.0000	8.410E-06	0.0192
===== Total	3.755E-04	0.8580	2.331E-05	0.0533	0.000E+00	0.0000	3.605E-06	0.0082	0.000E+00	0.0000	0.000E+00	0.0000	3.525E-05	0.0805

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+01 years

Water Dependent Pathways

Radio-	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
Nuclide	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.693E-05	0.1072
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.953E-04	0.4461
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.955E-04	0.4467
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.377E-04	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As pCi/yr at t= 1.000E+02 years

Radio- Nuclide	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total Ingestion*
	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	
Ac-227	9.036E-05	4.090E-03	0.000E+00	0.000E+00	3.919E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.328E-02
Pa-231	4.332E-04	7.666E-02	0.000E+00	0.000E+00	1.878E-01	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.645E-01
Pb-210	6.381E-05	1.138E-02	0.000E+00	0.000E+00	2.767E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.905E-02
Ra-226	1.475E-04	1.043E-01	0.000E+00	0.000E+00	6.398E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.682E-01
Th-230	1.647E-02	2.942E-01	0.000E+00	0.000E+00	7.144E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	7.438E+00
U-234	1.809E+01	8.023E+02	0.000E+00	0.000E+00	7.844E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	8.646E+03
U-235	9.957E-01	4.416E+01	0.000E+00	0.000E+00	4.318E+02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	4.759E+02
U-238	4.260E+00	1.889E+02	0.000E+00	0.000E+00	1.847E+03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.036E+03

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil
 and water-dependent water, fish, plant, meat, milk pathways

0

Amount of Intake Quantities QINT9(irn,i,t) and QINT9W(irn,i,t) for Inhalation of
 Radon and its Decay Products as pCi/yr at t= 1.000E+02 years

0

Radon Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

0

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+02 years

0

Radio- Nuclide	Ground		Inhalation		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Ac-227	3.944E-08	0.0001	2.142E-10	0.0000	7.730E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.406E-10	0.0000
Pa-231	5.437E-09	0.0000	3.119E-10	0.0000	3.450E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.453E-10	0.0000
Pb-210	5.546E-12	0.0000	7.274E-12	0.0000	3.449E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.384E-10	0.0000
Ra-226	3.781E-07	0.0013	1.195E-11	0.0000	9.383E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.758E-10	0.0000
Th-230	4.348E-10	0.0000	8.401E-09	0.0000	3.354E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.144E-09	0.0000
U-234	2.405E-07	0.0008	7.597E-06	0.0267	1.059E-06	0.0037	0.000E+00	0.0000	0.000E+00	0.0000	1.035E-05	0.0363
U-235	1.372E-04	0.4813	3.883E-07	0.0014	6.227E-08	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	6.088E-07	0.0021
U-238	1.218E-04	0.4273	1.533E-06	0.0054	3.514E-07	0.0012	0.000E+00	0.0000	0.000E+00	0.0000	3.436E-06	0.0121
Total	2.596E-04	0.9108	9.528E-06	0.0334	1.475E-06	0.0052	0.000E+00	0.0000	0.000E+00	0.0000	1.441E-05	0.0506

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Plant		Meat		Milk		All Pathways**	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Ac-227	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.047E-08	0.0001
Pa-231	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.939E-09	0.0000
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.196E-09	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.796E-07	0.0013
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.732E-08	0.0001
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.925E-05	0.0675
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.382E-04	0.4850
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.271E-04	0.4459
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.850E-04	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
 and water dependent water, fish, plant, meat, milk pathways

0

Excess Cancer Risks CNRS9(irn,i,t) and CNRS9W(irn,i,t) for Inhalation of
 Radon and its Decay Products at t= 1.000E+02 years
 Radionuclides

0

Radon Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
===== Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+02 years

0
 0

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	6.190E-07	0.0022	7.605E-06	0.0267	0.000E+00	0.0000	1.061E-06	0.0037	0.000E+00	0.0000	0.000E+00	0.0000	1.036E-05	0.0364
U-235	1.372E-04	0.4814	3.888E-07	0.0014	0.000E+00	0.0000	6.269E-08	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	6.104E-07	0.0021
U-238	1.218E-04	0.4273	1.534E-06	0.0054	0.000E+00	0.0000	3.515E-07	0.0012	0.000E+00	0.0000	0.000E+00	0.0000	3.437E-06	0.0121
===== Total	2.596E-04	0.9108	9.528E-06	0.0334	0.000E+00	0.0000	1.475E-06	0.0052	0.000E+00	0.0000	0.000E+00	0.0000	1.441E-05	0.0506

0
 Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.965E-05	0.0689
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.383E-04	0.4851
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.271E-04	0.4459
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.850E-04	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Plant		Meat		Milk		All Pathways**	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Ac-227	1.696E-08	0.8726	2.377E-09	0.1223	9.781E-11	0.0050	0.000E+00	0.0000	0.000E+00	0.0000	1.943E-08	1.0000
Pa-231	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
===== Total	1.696E-08	0.8726	2.377E-09	0.1223	9.781E-11	0.0050	0.000E+00	0.0000	0.000E+00	0.0000	1.943E-08	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
 and water dependent water, fish, plant, meat, milk pathways

0

Excess Cancer Risks CNRS9(irn,i,t) and CNRS9W(irn,i,t) for Inhalation of
 Radon and its Decay Products at t= 3.000E+02 years
 Radionuclides

0

Radon Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
===== Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+02 years

0
 0

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	1.696E-08	0.8726	2.377E-09	0.1223	0.000E+00	0.0000	9.781E-11	0.0050	0.000E+00	0.0000	0.000E+00	0.0000	1.943E-08	1.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
===== Total	1.696E-08	0.8726	2.377E-09	0.1223	0.000E+00	0.0000	9.781E-11	0.0050	0.000E+00	0.0000	0.000E+00	0.0000	1.943E-08	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+03 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Plant		Meat		Milk		All Pathways**	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Ac-227	1.002E-06	0.7099	1.405E-07	0.0996	5.783E-09	0.0041	0.000E+00	0.0000	0.000E+00	0.0000	1.148E-06	0.8136
Pa-231	9.530E-08	0.0676	8.915E-09	0.0063	5.517E-10	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	1.048E-07	0.0743
Pb-210	3.562E-08	0.0252	9.991E-08	0.0708	2.063E-10	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	1.357E-07	0.0962
Ra-226	1.522E-08	0.0108	7.120E-09	0.0050	8.880E-11	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	2.243E-08	0.0159
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
===== Total	1.148E-06	0.8135	2.564E-07	0.1818	6.630E-09	0.0047	0.000E+00	0.0000	0.000E+00	0.0000	1.411E-06	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
 and water dependent water, fish, plant, meat, milk pathways

0

Excess Cancer Risks CNRS9(irn,i,t) and CNRS9W(irn,i,t) for Inhalation of
 Radon and its Decay Products at t= 1.000E+03 years
 Radionuclides

0

Radon Pathway	Rn-222	Po-218	Pb-214	Bi-214	Rn-220	Po-216	Pb-212	Bi-212
Water-ind.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Water-dep.	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
===== Total	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Water-ind. == Water-independent Water-dep. == Water-dependent

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+03 years

0
 0

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
===== Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+03 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
U-234	5.084E-08	0.0360	1.070E-07	0.0759	0.000E+00	0.0000	2.950E-10	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	1.582E-07	0.1121
U-235	1.097E-06	0.7775	1.494E-07	0.1059	0.000E+00	0.0000	6.335E-09	0.0045	0.000E+00	0.0000	0.000E+00	0.0000	1.253E-06	0.8879
U-238	2.377E-12	0.0000	4.918E-12	0.0000	0.000E+00	0.0000	1.368E-14	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.309E-12	0.0000
===== Total	1.148E-06	0.8135	2.564E-07	0.1818	0.000E+00	0.0000	6.630E-09	0.0047	0.000E+00	0.0000	0.000E+00	0.0000	1.411E-06	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Table of Contents

Part IV: Concentration of Radionuclides
=====

Concentration of radionuclides in different media

Time= 0.000E+00	2
Time= 1.000E+00	3
Time= 3.000E+00	4
Time= 1.000E+01	5
Time= 3.000E+01	6
Time= 1.000E+02	7
Time= 3.000E+02	8
Time= 1.000E+03	9

Concentration of radionuclides in environmental media
 at t = 0.000E+00 years

Radio- Nuclide	Contaminat- ed Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Ac-227	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Pa-231	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Pb-210	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	7.904E+02	7.904E+02	1.866E-02	0.000E+00	0.000E+00
U-235	4.350E+01	4.350E+01	1.027E-03	0.000E+00	0.000E+00
U-238	1.861E+02	1.861E+02	4.393E-03	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 0.000E+00 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Ac-227	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Pa-231	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Pb-210	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	0.000E+00	3.304E+02	3.342E+02	3.347E+02	3.347E+02	1.421E+02	2.482E+02	0.000E+00	0.000E+00
U-235	0.000E+00	1.818E+01	1.839E+01	1.842E+01	1.842E+01	7.821E+00	1.366E+01	0.000E+00	0.000E+00
U-238	0.000E+00	7.778E+01	7.869E+01	7.880E+01	7.880E+01	3.346E+01	5.843E+01	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time. For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
 at t = 1.000E+00 years

Radio- Nuclide	Contaminat- ed Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Ac-227	1.371E-05	1.362E-05	3.214E-10	0.000E+00	0.000E+00
Pa-231	8.983E-04	8.923E-04	2.106E-08	0.000E+00	0.000E+00
Pb-210	1.561E-08	1.551E-08	3.661E-13	0.000E+00	0.000E+00
Ra-226	1.523E-06	1.513E-06	3.572E-11	0.000E+00	0.000E+00
Th-230	7.114E-03	7.067E-03	1.668E-07	0.000E+00	0.000E+00
U-234	7.902E+02	7.849E+02	1.853E-02	0.000E+00	0.000E+00
U-235	4.349E+01	4.320E+01	1.020E-03	0.000E+00	0.000E+00
U-238	1.860E+02	1.848E+02	4.363E-03	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 1.000E+00 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Ac-227	0.000E+00	7.029E-06	5.857E-06	8.857E-06	9.650E-06	4.580E-06	1.463E-07	0.000E+00	0.000E+00
Pa-231	0.000E+00	1.448E-03	1.490E-03	1.282E-03	1.358E-03	2.557E-03	3.384E-06	0.000E+00	0.000E+00
Pb-210	0.000E+00	3.415E-08	2.659E-08	4.072E-08	4.700E-08	9.407E-09	3.183E-09	0.000E+00	0.000E+00
Ra-226	0.000E+00	9.359E-06	1.004E-05	6.910E-06	7.798E-06	1.155E-06	1.181E-06	0.000E+00	0.000E+00
Th-230	0.000E+00	1.255E-03	1.226E-03	1.378E-03	1.441E-03	4.131E-04	2.409E-05	0.000E+00	0.000E+00
U-234	0.000E+00	3.281E+02	3.319E+02	3.328E+02	3.326E+02	1.412E+02	2.465E+02	0.000E+00	0.000E+00
U-235	0.000E+00	1.806E+01	1.827E+01	1.831E+01	1.831E+01	7.770E+00	1.356E+01	0.000E+00	0.000E+00
U-238	0.000E+00	7.726E+01	7.815E+01	7.835E+01	7.832E+01	3.324E+01	5.803E+01	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time. For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
 at t = 3.000E+00 years

Radio- Nuclide	Contaminat- ted Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Ac-227	1.083E-04	1.061E-04	2.506E-09	0.000E+00	0.000E+00
Pa-231	2.568E-03	2.517E-03	5.942E-08	0.000E+00	0.000E+00
Pb-210	4.029E-07	3.949E-07	9.322E-12	0.000E+00	0.000E+00
Ra-226	1.339E-05	1.312E-05	3.098E-10	0.000E+00	0.000E+00
Th-230	2.133E-02	2.091E-02	4.936E-07	0.000E+00	0.000E+00
U-234	7.897E+02	7.739E+02	1.827E-02	0.000E+00	0.000E+00
U-235	4.346E+01	4.259E+01	1.006E-03	0.000E+00	0.000E+00
U-238	1.859E+02	1.822E+02	4.302E-03	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 3.000E+00 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Ac-227	0.000E+00	4.837E-05	4.517E-05	5.581E-05	5.741E-05	1.427E-05	1.123E-06	0.000E+00	0.000E+00
Pa-231	0.000E+00	4.164E-03	4.208E-03	4.031E-03	4.098E-03	7.568E-03	8.189E-06	0.000E+00	0.000E+00
Pb-210	0.000E+00	7.354E-07	6.662E-07	8.484E-07	8.893E-07	2.153E-07	7.468E-08	0.000E+00	0.000E+00
Ra-226	0.000E+00	8.541E-05	8.742E-05	7.794E-05	8.076E-05	1.166E-05	1.099E-05	0.000E+00	0.000E+00
Th-230	0.000E+00	3.579E-03	3.619E-03	3.779E-03	3.841E-03	1.121E-03	5.927E-05	0.000E+00	0.000E+00
U-234	0.000E+00	3.236E+02	3.273E+02	3.281E+02	3.280E+02	1.392E+02	2.430E+02	0.000E+00	0.000E+00
U-235	0.000E+00	1.781E+01	1.801E+01	1.806E+01	1.805E+01	7.661E+00	1.337E+01	0.000E+00	0.000E+00
U-238	0.000E+00	7.618E+01	7.705E+01	7.726E+01	7.723E+01	3.278E+01	5.722E+01	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time. For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
 at t = 1.000E+01 years

Radio- Nuclide	Contaminat- ed Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Ac-227	7.865E-04	7.340E-04	1.733E-08	0.000E+00	0.000E+00
Pa-231	7.281E-03	6.796E-03	1.604E-07	0.000E+00	0.000E+00
Pb-210	1.280E-05	1.194E-05	2.819E-10	0.000E+00	0.000E+00
Ra-226	1.374E-04	1.282E-04	3.027E-09	0.000E+00	0.000E+00
Th-230	7.103E-02	6.630E-02	1.565E-06	0.000E+00	0.000E+00
U-234	7.882E+02	7.356E+02	1.737E-02	0.000E+00	0.000E+00
U-235	4.338E+01	4.049E+01	9.558E-04	0.000E+00	0.000E+00
U-238	1.856E+02	1.732E+02	4.089E-03	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 1.000E+01 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Ac-227	0.000E+00	3.186E-04	3.112E-04	3.462E-04	3.485E-04	4.390E-05	7.722E-06	0.000E+00	0.000E+00
Pa-231	0.000E+00	1.132E-02	1.137E-02	1.127E-02	1.132E-02	2.077E-02	2.083E-05	0.000E+00	0.000E+00
Pb-210	0.000E+00	2.070E-05	2.003E-05	2.213E-05	2.243E-05	6.104E-06	2.169E-06	0.000E+00	0.000E+00
Ra-226	0.000E+00	8.493E-04	8.553E-04	8.289E-04	8.369E-04	1.199E-04	1.101E-04	0.000E+00	0.000E+00
Th-230	0.000E+00	1.120E-02	1.146E-02	1.165E-02	1.171E-02	3.443E-03	1.746E-04	0.000E+00	0.000E+00
U-234	0.000E+00	3.075E+02	3.111E+02	3.119E+02	3.118E+02	1.323E+02	2.310E+02	0.000E+00	0.000E+00
U-235	0.000E+00	1.693E+01	1.712E+01	1.717E+01	1.716E+01	7.282E+00	1.271E+01	0.000E+00	0.000E+00
U-238	0.000E+00	7.241E+01	7.324E+01	7.344E+01	7.341E+01	3.116E+01	5.439E+01	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time. For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
 at t = 3.000E+01 years

Radio- Nuclide	Contaminat- ed Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Ac-227	2.616E-03	2.093E-03	4.940E-08	0.000E+00	0.000E+00
Pa-231	1.447E-02	1.158E-02	2.732E-07	0.000E+00	0.000E+00
Pb-210	2.291E-04	1.833E-04	4.327E-09	0.000E+00	0.000E+00
Ra-226	1.002E-03	8.014E-04	1.892E-08	0.000E+00	0.000E+00
Th-230	2.124E-01	1.699E-01	4.011E-06	0.000E+00	0.000E+00
U-234	7.837E+02	6.270E+02	1.480E-02	0.000E+00	0.000E+00
U-235	4.314E+01	3.451E+01	8.146E-04	0.000E+00	0.000E+00
U-238	1.845E+02	1.476E+02	3.485E-03	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 3.000E+01 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Ac-227	0.000E+00	8.966E-04	8.864E-04	9.560E-04	9.567E-04	8.404E-05	2.198E-05	0.000E+00	0.000E+00
Pa-231	0.000E+00	1.931E-02	1.936E-02	1.939E-02	1.939E-02	3.553E-02	3.490E-05	0.000E+00	0.000E+00
Pb-210	0.000E+00	3.109E-04	3.070E-04	3.219E-04	3.231E-04	9.168E-05	3.288E-05	0.000E+00	0.000E+00
Ra-226	0.000E+00	5.334E-03	5.347E-03	5.303E-03	5.317E-03	7.604E-04	6.931E-04	0.000E+00	0.000E+00
Th-230	0.000E+00	2.860E-02	2.937E-02	2.963E-02	2.967E-02	8.741E-03	4.378E-04	0.000E+00	0.000E+00
U-234	0.000E+00	2.621E+02	2.651E+02	2.659E+02	2.658E+02	1.128E+02	1.969E+02	0.000E+00	0.000E+00
U-235	0.000E+00	1.443E+01	1.459E+01	1.463E+01	1.463E+01	6.208E+00	1.084E+01	0.000E+00	0.000E+00
U-238	0.000E+00	6.173E+01	6.243E+01	6.261E+01	6.258E+01	2.656E+01	4.636E+01	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time. For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
 at t = 1.000E+02 years

Radio- Nuclide	Contaminat- ed Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Ac-227	3.839E-03	1.280E-03	3.021E-08	0.000E+00	0.000E+00
Pa-231	1.840E-02	6.134E-03	1.448E-07	0.000E+00	0.000E+00
Pb-210	2.711E-03	9.036E-04	2.133E-08	0.000E+00	0.000E+00
Ra-226	6.267E-03	2.089E-03	4.932E-08	0.000E+00	0.000E+00
Th-230	6.998E-01	2.333E-01	5.507E-06	0.000E+00	0.000E+00
U-234	7.684E+02	2.561E+02	6.047E-03	0.000E+00	0.000E+00
U-235	4.230E+01	1.410E+01	3.328E-04	0.000E+00	0.000E+00
U-238	1.810E+02	6.032E+01	1.424E-03	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 1.000E+02 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Ac-227	0.000E+00	5.471E-04	5.419E-04	5.820E-04	5.814E-04	4.643E-05	1.344E-05	0.000E+00	0.000E+00
Pa-231	0.000E+00	1.024E-02	1.026E-02	1.032E-02	1.031E-02	1.886E-02	1.843E-05	0.000E+00	0.000E+00
Pb-210	0.000E+00	1.522E-03	1.513E-03	1.561E-03	1.560E-03	4.490E-04	1.614E-04	0.000E+00	0.000E+00
Ra-226	0.000E+00	1.393E-02	1.394E-02	1.396E-02	1.395E-02	1.994E-03	1.812E-03	0.000E+00	0.000E+00
Th-230	0.000E+00	3.923E-02	4.032E-02	4.065E-02	4.063E-02	1.197E-02	5.964E-04	0.000E+00	0.000E+00
U-234	0.000E+00	1.071E+02	1.083E+02	1.088E+02	1.087E+02	4.611E+01	8.043E+01	0.000E+00	0.000E+00
U-235	0.000E+00	5.898E+00	5.962E+00	5.992E+00	5.986E+00	2.538E+00	4.428E+00	0.000E+00	0.000E+00
U-238	0.000E+00	2.523E+01	2.551E+01	2.563E+01	2.561E+01	1.086E+01	1.894E+01	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time. For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
 at t = 3.000E+02 years

Radio- Nuclide	Contaminat- ed Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Ac-227	3.673E-03	0.000E+00	0.000E+00	1.536E-03	3.109E-03
Pa-231	1.754E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Pb-210	1.196E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	2.277E-02	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	2.031E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	7.263E+02	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	4.000E+01	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	1.711E+02	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media

at t = 3.000E+02 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Ac-227	1.536E-03	5.296E-04	2.543E-03	2.764E-03	2.768E-03	5.285E-06	7.959E-06	4.658E-02	3.105E+00
Pa-231	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Pb-210	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time.
 For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
 at t = 1.000E+03 years

Radio- Nuclide	Contaminat-	Surface	Air Par-	Well	Surface
	ted Zone	Soil*	ticulate	Water	Water
	pCi/g	pCi/g	pCi/m**3	pCi/l	pCi/l
Ac-227	3.019E-03	0.000E+00	0.000E+00	9.074E-02	1.836E-01
Pa-231	1.442E-02	0.000E+00	0.000E+00	3.626E-02	7.338E-02
Pb-210	4.017E-02	0.000E+00	0.000E+00	2.013E-03	4.073E-03
Ra-226	7.272E-02	0.000E+00	0.000E+00	2.896E-03	5.860E-03
Th-230	6.041E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	5.961E+02	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	3.288E+01	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	1.407E+02	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 1.000E+03 years*

Radio- Nuclide	Drinking	Nonleafy	Leafy	Fodder	Fodder	Meat	Milk	Fish	Crustacea
	Water	Vegetable	Vegetable	Meat	Milk				
	pCi/l	pCi/kg	pCi/kg	pCi/kg	pCi/kg	pCi/kg	pCi/l	pCi/kg	pCi/kg
Ac-227	9.074E-02	3.133E-02	1.502E-01	1.642E-01	1.642E-01	3.683E-04	4.710E-04	2.753E+00	1.835E+02
Pa-231	3.626E-02	1.256E-02	6.009E-02	6.580E-02	6.580E-02	3.144E-02	4.711E-05	7.338E-01	8.072E+00
Pb-210	2.013E-03	6.975E-04	3.336E-03	3.657E-03	3.658E-03	2.798E-04	1.570E-04	1.221E+00	4.079E-01
Ra-226	2.896E-03	1.013E-03	4.814E-03	5.257E-03	5.258E-03	5.023E-04	7.526E-04	2.930E-01	1.465E+00
Th-230	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time. For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Table of Contents

Part V: Dose from Radionuclide at Point of Action
=====

Total Dose Components Summed to Daughter	
Time = 0.000E+00 years	2
Time = 1.000E+00 years	3
Time = 3.000E+00 years	4
Time = 1.000E+01 years	5
Time = 3.000E+01 years	6
Time = 1.000E+02 years	7
Time = 3.000E+02 years	8
Time = 1.000E+03 years	9

Dose from Radionuclides @ Point of Action CE Windsor Site, Suburban Resident Scenario, Uranium
 File: RESIDEU.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 in mrem/yr at t = 0.000E+00 years

0 Radio- Nuc- lide	Water Independent Pathways						Water Dependent Pathways						ALL	
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat		Milk
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr
Ac-227	5.20E-06	2.19E-06	0.00E+00	2.80E-07	0.00E+00	0.00E+00	2.10E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	9.77E-06
Pa-231	4.81E-05	4.07E-05	0.00E+00	5.70E-05	0.00E+00	0.00E+00	1.46E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.92E-04
Pb-210	1.41E-11	6.39E-12	0.00E+00	4.87E-10	0.00E+00	0.00E+00	8.68E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.38E-09
Ra-226	2.91E-06	3.08E-10	0.00E+00	3.04E-08	0.00E+00	0.00E+00	2.06E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.97E-06
Th-230	2.54E-06	8.15E-05	0.00E+00	2.67E-06	0.00E+00	0.00E+00	5.94E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.46E-04
U-234	1.88E-01	7.34E+00	0.00E+00	6.98E-01	0.00E+00	0.00E+00	6.83E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.51E+01
U-235	1.88E+01	3.77E-01	0.00E+00	3.62E-02	0.00E+00	0.00E+00	3.54E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.96E+01
U-238	1.36E+01	1.55E+00	0.00E+00	1.56E-01	0.00E+00	0.00E+00	1.53E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.68E+01
===== Total	3.26E+01	9.26E+00	0.00E+00	8.90E-01	0.00E+00	0.00E+00	8.71E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.15E+01

0*Sum of all water independent and dependent pathways.

Dose from Radionuclides @ Point of Action CE Windsor Site, Suburban Resident Scenario, Uranium
 File: RESIDEU.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 in mrem/yr at t = 1.000E+00 years

0 Radio- Nuc- lide	Water Independent Pathways						Water Dependent Pathways						ALL	
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat		Milk
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr
Ac-227	3.44E-05	1.44E-05	0.00E+00	1.62E-06	0.00E+00	0.00E+00	1.38E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.42E-05
Pa-231	1.41E-04	1.19E-04	0.00E+00	1.71E-04	0.00E+00	0.00E+00	4.27E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.58E-04
Pb-210	2.08E-10	9.35E-11	0.00E+00	6.17E-09	0.00E+00	0.00E+00	1.27E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.92E-08
Ra-226	2.02E-05	2.12E-09	0.00E+00	2.22E-07	0.00E+00	0.00E+00	1.42E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.05E-05
Th-230	7.61E-06	2.43E-04	0.00E+00	7.55E-06	0.00E+00	0.00E+00	1.77E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.35E-04
U-234	1.88E-01	7.29E+00	0.00E+00	6.93E-01	0.00E+00	0.00E+00	6.78E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.50E+01
U-235	1.88E+01	3.74E-01	0.00E+00	3.60E-02	0.00E+00	0.00E+00	3.52E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.96E+01
U-238	1.35E+01	1.53E+00	0.00E+00	1.55E-01	0.00E+00	0.00E+00	1.52E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.67E+01
===== Total	3.26E+01	9.20E+00	0.00E+00	8.84E-01	0.00E+00	0.00E+00	8.65E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.13E+01

0*Sum of all water independent and dependent pathways.

Dose from Radionuclides @ Point of Action CE Windsor Site, Suburban Resident Scenario, Uranium
 File: RESIDEU.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 in mrem/yr at t = 3.000E+00 years

0 Radio- Nuc- lide	Water Independent Pathways						Water Dependent Pathways								
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat	Milk	ALL	
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	
Ac-227	1.60E-04	6.64E-05	0.00E+00	6.96E-06	0.00E+00	0.00E+00	6.34E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.97E-04	
Pa-231	3.13E-04	2.61E-04	0.00E+00	3.80E-04	0.00E+00	0.00E+00	9.38E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.89E-03	
Pb-210	2.32E-09	1.03E-09	0.00E+00	6.24E-08	0.00E+00	0.00E+00	1.40E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.06E-07	
Ra-226	1.04E-04	1.08E-08	0.00E+00	1.16E-06	0.00E+00	0.00E+00	7.25E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.06E-04	
Th-230	1.77E-05	5.60E-04	0.00E+00	1.70E-05	0.00E+00	0.00E+00	4.08E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.00E-03	
U-234	1.88E-01	7.19E+00	0.00E+00	6.83E-01	0.00E+00	0.00E+00	6.68E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.47E+01	
U-235	1.88E+01	3.69E-01	0.00E+00	3.55E-02	0.00E+00	0.00E+00	3.47E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.95E+01	
U-238	1.35E+01	1.51E+00	0.00E+00	1.53E-01	0.00E+00	0.00E+00	1.50E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.66E+01	
===== Total	3.25E+01	9.07E+00	0.00E+00	8.72E-01	0.00E+00	0.00E+00	8.53E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.09E+01	

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
in mrem/yr at t = 1.000E+01 years

0 Radio- Nuc- lide	Water Independent Pathways						Water Dependent Pathways						ALL	
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat		Milk
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr
Ac-227	9.31E-04	3.72E-04	0.00E+00	3.76E-05	0.00E+00	0.00E+00	3.55E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.70E-03
Pa-231	7.92E-04	6.35E-04	0.00E+00	9.29E-04	0.00E+00	0.00E+00	2.28E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.64E-03
Pb-210	5.26E-08	2.24E-08	0.00E+00	1.28E-06	0.00E+00	0.00E+00	3.04E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.40E-06
Ra-226	8.44E-04	8.51E-08	0.00E+00	9.25E-06	0.00E+00	0.00E+00	5.71E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.59E-04
Th-230	5.30E-05	1.60E-03	0.00E+00	4.81E-05	0.00E+00	0.00E+00	1.16E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.86E-03
U-234	1.87E-01	6.83E+00	0.00E+00	6.49E-01	0.00E+00	0.00E+00	6.35E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.40E+01
U-235	1.86E+01	3.50E-01	0.00E+00	3.37E-02	0.00E+00	0.00E+00	3.30E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.93E+01
U-238	1.33E+01	1.44E+00	0.00E+00	1.45E-01	0.00E+00	0.00E+00	1.42E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.63E+01
===== Total	3.21E+01	8.62E+00	0.00E+00	8.29E-01	0.00E+00	0.00E+00	8.11E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.96E+01

0*Sum of all water independent and dependent pathways.

Dose from Radionuclides @ Point of Action CE Windsor Site, Suburban Resident Scenario, Uranium
 File: RESIDEU.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 in mrem/yr at t = 3.000E+01 years

0 Radio- Nuc- lide	Water Independent Pathways						Water Dependent Pathways						ALL	
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat		Milk
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr
Ac-227	2.82E-03	1.00E-03	0.00E+00	9.99E-05	0.00E+00	0.00E+00	9.56E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.87E-03
Pa-231	1.47E-03	1.05E-03	0.00E+00	1.54E-03	0.00E+00	0.00E+00	3.77E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.82E-03
Pb-210	8.44E-07	3.11E-07	0.00E+00	1.75E-05	0.00E+00	0.00E+00	4.23E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.10E-05
Ra-226	5.45E-03	4.98E-07	0.00E+00	5.44E-05	0.00E+00	0.00E+00	3.34E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.54E-03
Th-230	1.51E-04	3.96E-03	0.00E+00	1.19E-04	0.00E+00	0.00E+00	2.89E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.12E-03
U-234	1.84E-01	5.82E+00	0.00E+00	5.53E-01	0.00E+00	0.00E+00	5.41E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.20E+01
U-235	1.80E+01	2.98E-01	0.00E+00	2.87E-02	0.00E+00	0.00E+00	2.81E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.86E+01
U-238	1.26E+01	1.22E+00	0.00E+00	1.24E-01	0.00E+00	0.00E+00	1.21E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.52E+01
===== Total	3.08E+01	7.35E+00	0.00E+00	7.08E-01	0.00E+00	0.00E+00	6.91E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.57E+01

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
in mrem/yr at t = 1.000E+02 years

0 Radio- Nuc- lide	Water Independent Pathways						Water Dependent Pathways						ALL	
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat		Milk
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr
Ac-227	2.83E-03	6.01E-04	0.00E+00	5.99E-05	0.00E+00	0.00E+00	5.74E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.06E-03
Pa-231	1.27E-03	5.49E-04	0.00E+00	8.04E-04	0.00E+00	0.00E+00	1.97E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.60E-03
Pb-210	7.95E-06	1.48E-06	0.00E+00	8.26E-05	0.00E+00	0.00E+00	2.01E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.93E-04
Ra-226	2.11E-02	1.26E-06	0.00E+00	1.38E-04	0.00E+00	0.00E+00	8.48E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.13E-02
Th-230	3.99E-04	5.34E-03	0.00E+00	1.60E-04	0.00E+00	0.00E+00	3.89E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	9.80E-03
U-234	1.53E-01	2.36E+00	0.00E+00	2.25E-01	0.00E+00	0.00E+00	2.20E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.94E+00
U-235	1.28E+01	1.21E-01	0.00E+00	1.17E-02	0.00E+00	0.00E+00	1.14E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.30E+01
U-238	8.38E+00	4.98E-01	0.00E+00	5.03E-02	0.00E+00	0.00E+00	4.92E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	9.42E+00
===== Total	2.13E+01	2.99E+00	0.00E+00	2.88E-01	0.00E+00	0.00E+00	2.81E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.74E+01

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 in mrem/yr at t = 3.000E+02 years

Radio- Nuc- lide	Water Independent Pathways							Water Dependent Pathways						
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat	Milk	ALL
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr
Ac-227	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.34E-02	1.88E-03	0.00E+00	7.74E-05	0.00E+00	0.00E+00	1.54E-02
Pa-231	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Pb-210	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ra-226	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Th-230	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-234	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-235	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-238	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.34E-02	1.88E-03	0.00E+00	7.74E-05	0.00E+00	0.00E+00	1.54E-02

0*Sum of all water independent and dependent pathways.

Dose from Radionuclides @ Point of Action CE Windsor Site, Suburban Resident Scenario, Uranium
 File: RESIDEU.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 in mrem/yr at t = 1.000E+03 years

0 Radio- Nuc- lide	Water Independent Pathways							Water Dependent Pathways						
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat	Milk	ALL
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr
Ac-227	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.84E-01	1.10E-01	0.00E+00	4.53E-03	0.00E+00	0.00E+00	8.99E-01
Pa-231	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.25E-01	2.10E-02	0.00E+00	1.30E-03	0.00E+00	0.00E+00	2.47E-01
Pb-210	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.55E-03	2.40E-02	0.00E+00	4.95E-05	0.00E+00	0.00E+00	3.26E-02
Ra-226	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.25E-03	1.05E-03	0.00E+00	1.31E-05	0.00E+00	0.00E+00	3.32E-03
Th-230	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-234	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-235	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-238	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
===== Total	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.02E+00	1.56E-01	0.00E+00	5.89E-03	0.00E+00	0.00E+00	1.18E+00

0*Sum of all water independent and dependent pathways.

Table of Contents

Part V: Uncertainty Analysis
=====

RESRAD Uncertainty Analysis Results	
Monte Carlo Input	2
Total Dose	3
Total Risk	4
Dose vs Pathway: Ground External	5
Dose vs Pathway: Inhalation (w/o Radon)	6
Dose vs Pathway: Radon (Water Ind.)	7
Dose vs Pathway: Plant (Water Ind.)	8
Dose vs Pathway: Meat (Water Ind.)	9
Dose vs Pathway: Milk (Water Ind.)	10
Dose vs Pathway: Soil Ingestion	11
Dose vs Pathway: Water Ingestion	12
Dose vs Pathway: Fish Ingestion	13
Dose vs Pathway: Radon (Water Dep.)	14
Dose vs Pathway: Plant (Water Dep.)	15
Dose vs Pathway: Meat (Water Dep.)	16
Dose vs Pathway: Milk (Water Dep.)	17
MC Cumulative Probability Summary.....	18
Summary of dose at graphical times, reptition 1.....	19
Summary of dose at graphical times, reptition 2.....	20
Summary of dose at graphical times, reptition 3.....	21
Peak of the mean dose at graphical times.....	22
Correlation and Regression coefficients (if any).....	23

Monte Carlo Input
 Number of Sample Runs: 300

Number	Name	Distribution	Parameters			
1	DROOT	UNIFORM	.3	4		
2	H(1)	BOUNDED LOGNORMAL-N	.693	.25	1	4
3	RUNOFF	UNIFORM	.1	.8		
4	WIND	TRUNCATED LOGNORMAL-N	1.15	.1	.05	.95
5	DWIBWT	TRIANGULAR	6	10	30	
6	SHF1	BOUNDED LOGNORMAL-N	-1.3	.59	.044	1
7	INHALR	TRIANGULAR	4380	8400	13100	
8	SOIL	TRIANGULAR	0	18.3	36.5	
9	H(2)	BOUNDED LOGNORMAL-N	1.386	.6	2	17
10	DCACTC (6)	LOGNORMAL-N	9.07	.53		
11	DCACTU1 (6)	LOGNORMAL-N	8.1	.03		
12	DCACTU2 (6)	LOGNORMAL-N	4.84	1		
13	DCACTS (6)	LOGNORMAL-N	4.84	1		
14	DCACTC (7)	LOGNORMAL-N	9.07	.53		
15	DCACTU1 (7)	LOGNORMAL-N	8.1	.03		
16	DCACTU2 (7)	LOGNORMAL-N	4.84	1		
17	DCACTS (7)	LOGNORMAL-N	4.84	1		
18	DCACTC (8)	LOGNORMAL-N	9.07	.53		
19	DCACTU1 (8)	LOGNORMAL-N	8.1	.03		
20	DCACTU2 (8)	LOGNORMAL-N	4.84	1		
21	DCACTS (8)	LOGNORMAL-N	4.84	1		
22	THICK0	TRIANGULAR	0	.075	.3	
23	FR9	TRIANGULAR	0	.39	1	
24	DM	TRIANGULAR	0	.15	.6	
25	MLINH	CONTINUOUS LINEAR	8	0	0	
				.000008	.0151	
				.000016	.1365	
				.00003	.8119	
				.00004	.9495	
				.00006	.9937	
				.000076	.9983	
				.0001	1	
26	FIND	TRIANGULAR	.69	.8048	.84	
27	FOTD	TRIANGULAR	0	.0342	.15	

=====

Monte Carlo Total Dose Summary											
0Nuclide (j)	Peak Time	Peak Dose	t=	0.00E+00	1.00E+00	3.00E+00	DOSE(j,t), mrem/yr 1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03

U-234											
Min	0.00E+00	9.94E-02	9.94E-02	6.37E-02	8.64E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	1.09E+01	1.09E+01	1.09E+01	1.09E+01	1.08E+01	1.08E+01	7.73E+00	0.00E+00	1.34E-01	
Avg	0.00E+00	3.42E+00	3.42E+00	3.40E+00	3.35E+00	3.19E+00	2.72E+00	1.20E+00	0.00E+00	9.01E-03	
Std	0.00E+00	2.13E+00	2.13E+00	2.13E+00	2.13E+00	2.13E+00	2.12E+00	1.72E+00	0.00E+00	1.99E-02	
U-235											
Min	0.00E+00	7.85E-01	7.85E-01	4.81E-01	4.48E-09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	2.54E+01	2.54E+01	2.54E+01	2.53E+01	2.53E+01	2.52E+01	2.42E+01	4.65E-01	4.50E+00	
Avg	0.00E+00	8.79E+00	8.79E+00	8.75E+00	8.68E+00	8.43E+00	7.55E+00	3.81E+00	1.14E-02	4.50E-01	
Std	0.00E+00	4.32E+00	4.32E+00	4.33E+00	4.33E+00	4.35E+00	4.50E+00	4.52E+00	4.86E-02	5.99E-01	
U-238											
Min	0.00E+00	5.86E-01	5.86E-01	3.56E-01	1.93E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	2.00E+01	2.00E+01	2.00E+01	2.00E+01	1.99E+01	1.97E+01	1.82E+01	0.00E+00	8.94E-06	
Avg	0.00E+00	6.81E+00	6.81E+00	6.78E+00	6.72E+00	6.49E+00	5.75E+00	2.83E+00	0.00E+00	5.12E-07	
Std	0.00E+00	3.26E+00	3.26E+00	3.27E+00	3.27E+00	3.29E+00	3.40E+00	3.35E+00	0.00E+00	1.29E-06	
äALL											
Min	0.00E+00	1.47E+00	1.47E+00	9.00E-01	1.10E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	5.05E+01	5.05E+01	5.05E+01	5.05E+01	5.03E+01	4.99E+01	4.71E+01	4.65E-01	4.50E+00	
Avg	0.00E+00	1.90E+01	1.90E+01	1.89E+01	1.88E+01	1.81E+01	1.60E+01	7.84E+00	1.14E-02	4.59E-01	
Std	0.00E+00	8.43E+00	8.43E+00	8.44E+00	8.47E+00	8.59E+00	9.05E+00	9.21E+00	4.86E-02	6.12E-01	
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

äALL is total dose summed for all nuclides.

Monte Carlo Risk Summary									
0Nuclide (j)	t=	RISK(j,t)							
		0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03

U-234									
Min		4.13E-07	2.80E-07	1.93E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		4.43E-05	4.43E-05	4.43E-05	4.41E-05	4.37E-05	3.21E-05	0.00E+00	5.86E-07
Avg		1.42E-05	1.41E-05	1.39E-05	1.32E-05	1.13E-05	5.05E-06	0.00E+00	3.97E-08
Std		8.97E-06	8.97E-06	8.97E-06	8.98E-06	8.88E-06	7.20E-06	0.00E+00	8.77E-08
U-235									
Min		9.90E-06	6.81E-06	1.13E-12	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		2.70E-04	2.70E-04	2.70E-04	2.70E-04	2.69E-04	2.58E-04	5.80E-07	4.93E-06
Avg		9.31E-05	9.28E-05	9.21E-05	8.94E-05	8.02E-05	4.07E-05	1.43E-08	4.93E-07
Std		4.61E-05	4.61E-05	4.62E-05	4.64E-05	4.79E-05	4.80E-05	6.00E-08	6.55E-07
U-238									
Min		9.87E-06	6.75E-06	6.42E-12	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		2.80E-04	2.79E-04	2.79E-04	2.78E-04	2.75E-04	2.53E-04	0.00E+00	3.90E-11
Avg		9.23E-05	9.19E-05	9.11E-05	8.81E-05	7.82E-05	3.89E-05	0.00E+00	2.27E-12
Std		4.59E-05	4.59E-05	4.59E-05	4.60E-05	4.72E-05	4.62E-05	0.00E+00	5.68E-12
äALL									
Min		2.02E-05	1.38E-05	2.69E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		5.70E-04	5.70E-04	5.69E-04	5.67E-04	5.62E-04	5.28E-04	5.80E-07	4.93E-06
Avg		2.00E-04	1.99E-04	1.97E-04	1.91E-04	1.70E-04	8.46E-05	1.43E-08	5.33E-07
Std		9.44E-05	9.44E-05	9.46E-05	9.52E-05	9.89E-05	9.95E-05	6.00E-08	7.13E-07
=====		=====	=====	=====	=====	=====	=====	=====	=====

äALL is total risk summed for all nuclides.

0		Monte Carlo Dose vs Pathway(i): Ground External							
0Nuclide	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
(j)									
U-234									
Min		2.36E-02	2.31E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		2.55E-01	2.55E-01	2.55E-01	2.53E-01	2.54E-01	3.17E-01	0.00E+00	0.00E+00
Avg		9.03E-02	9.01E-02	8.96E-02	8.82E-02	8.31E-02	5.29E-02	0.00E+00	0.00E+00
Std		4.28E-02	4.28E-02	4.29E-02	4.31E-02	4.60E-02	5.94E-02	0.00E+00	0.00E+00
U-235									
Min		7.82E-01	4.78E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		2.52E+01	2.52E+01	2.52E+01	2.52E+01	2.50E+01	2.41E+01	0.00E+00	0.00E+00
Avg		8.61E+00	8.58E+00	8.52E+00	8.27E+00	7.41E+00	3.75E+00	0.00E+00	0.00E+00
Std		4.30E+00	4.30E+00	4.31E+00	4.32E+00	4.46E+00	4.46E+00	0.00E+00	0.00E+00
U-238									
Min		5.70E-01	3.47E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		1.91E+01	1.91E+01	1.90E+01	1.90E+01	1.87E+01	1.73E+01	0.00E+00	0.00E+00
Avg		6.08E+00	6.06E+00	6.00E+00	5.81E+00	5.17E+00	2.57E+00	0.00E+00	0.00E+00
Std		3.13E+00	3.13E+00	3.13E+00	3.13E+00	3.19E+00	3.09E+00	0.00E+00	0.00E+00
äALL									
Min		1.38E+00	8.48E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		4.45E+01	4.45E+01	4.45E+01	4.44E+01	4.40E+01	4.17E+01	0.00E+00	0.00E+00
Avg		1.48E+01	1.47E+01	1.46E+01	1.42E+01	1.27E+01	6.38E+00	0.00E+00	0.00E+00
Std		7.46E+00	7.47E+00	7.47E+00	7.49E+00	7.69E+00	7.60E+00	0.00E+00	0.00E+00

äALL is total pathway dose summed for all nuclides.

0 Monte Carlo Dose vs Pathway(i): Inhalation (w/o Radon)									
0Nuclide	DOSE(i,j,t), mrem/yr								
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
U-234									
Min		1.74E-02	1.00E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		4.15E+00	4.15E+00	4.15E+00	4.14E+00	4.14E+00	3.60E+00	0.00E+00	0.00E+00
Avg		1.06E+00	1.05E+00	1.04E+00	9.88E-01	8.45E-01	3.79E-01	0.00E+00	0.00E+00
Std		8.10E-01	8.09E-01	8.08E-01	8.05E-01	7.92E-01	6.31E-01	0.00E+00	0.00E+00
U-235									
Min		8.91E-04	5.14E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		2.13E-01	2.13E-01	2.13E-01	2.13E-01	2.14E-01	1.87E-01	0.00E+00	0.00E+00
Avg		5.42E-02	5.39E-02	5.32E-02	5.08E-02	4.37E-02	1.98E-02	0.00E+00	0.00E+00
Std		4.15E-02	4.15E-02	4.15E-02	4.14E-02	4.10E-02	3.30E-02	0.00E+00	0.00E+00
U-238									
Min		3.66E-03	2.11E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		8.73E-01	8.73E-01	8.73E-01	8.72E-01	8.71E-01	7.57E-01	0.00E+00	0.00E+00
Avg		2.22E-01	2.21E-01	2.18E-01	2.08E-01	1.78E-01	7.96E-02	0.00E+00	0.00E+00
Std		1.70E-01	1.70E-01	1.70E-01	1.69E-01	1.67E-01	1.33E-01	0.00E+00	0.00E+00
äALL									
Min		2.19E-02	1.27E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		5.23E+00	5.23E+00	5.23E+00	5.23E+00	5.22E+00	4.54E+00	0.00E+00	0.00E+00
Avg		1.33E+00	1.32E+00	1.31E+00	1.25E+00	1.07E+00	4.78E-01	0.00E+00	0.00E+00
Std		1.02E+00	1.02E+00	1.02E+00	1.02E+00	1.00E+00	7.97E-01	0.00E+00	0.00E+00
=====		=====	=====	=====	=====	=====	=====	=====	=====

äALL is total pathway dose summed for all nuclides.

0		Monte Carlo Dose vs Pathway(i): Radon (Water Ind.)							
0Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
U-234									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-235									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-238									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
äALL									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

äALL is total pathway dose summed for all nuclides.

0		Monte Carlo Dose vs Pathway(i): Plant (Water Ind.)							
0Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
U-234									
Min		1.55E-02	9.07E-03	8.64E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		2.58E+00	2.57E+00	2.55E+00	2.48E+00	2.28E+00	1.57E+00	0.00E+00	0.00E+00
Avg		3.61E-01	3.58E-01	3.52E-01	3.31E-01	2.72E-01	1.10E-01	0.00E+00	0.00E+00
Std		3.61E-01	3.59E-01	3.55E-01	3.42E-01	3.06E-01	1.91E-01	0.00E+00	0.00E+00
U-235									
Min		8.05E-04	4.71E-04	4.48E-09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		1.34E-01	1.34E-01	1.34E-01	1.33E-01	1.29E-01	9.71E-02	0.00E+00	0.00E+00
Avg		1.88E-02	1.87E-02	1.85E-02	1.77E-02	1.51E-02	6.47E-03	0.00E+00	0.00E+00
Std		1.87E-02	1.87E-02	1.86E-02	1.83E-02	1.71E-02	1.14E-02	0.00E+00	0.00E+00
U-238									
Min		3.47E-03	2.03E-03	1.93E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		5.77E-01	5.75E-01	5.71E-01	5.55E-01	5.09E-01	3.51E-01	0.00E+00	0.00E+00
Avg		8.08E-02	8.02E-02	7.88E-02	7.41E-02	6.09E-02	2.46E-02	0.00E+00	0.00E+00
Std		8.07E-02	8.03E-02	7.94E-02	7.64E-02	6.84E-02	4.25E-02	0.00E+00	0.00E+00
äALL									
Min		1.98E-02	1.16E-02	1.10E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		3.29E+00	3.28E+00	3.25E+00	3.17E+00	2.91E+00	2.02E+00	0.00E+00	0.00E+00
Avg		4.61E-01	4.57E-01	4.49E-01	4.23E-01	3.48E-01	1.41E-01	0.00E+00	0.00E+00
Std		4.60E-01	4.58E-01	4.53E-01	4.36E-01	3.91E-01	2.44E-01	0.00E+00	0.00E+00
=====		=====	=====	=====	=====	=====	=====	=====	=====

äALL is total pathway dose summed for all nuclides.

0		Monte Carlo Dose vs Pathway(i): Meat (Water Ind.)							
0Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
U-234									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-235									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-238									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
äALL									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

äALL is total pathway dose summed for all nuclides.

0		Monte Carlo Dose vs Pathway(i): Milk (Water Ind.)							
0Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
U-234									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-235									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-238									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
äALL									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

äALL is total pathway dose summed for all nuclides.

0		Monte Carlo Dose vs Pathway(i): Soil Ingestion							
0Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
U-234									
Min	3.73E-02	2.16E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	6.16E+00	6.16E+00	6.16E+00	6.16E+00	6.14E+00	5.25E+00	0.00E+00	0.00E+00	0.00E+00
Avg	1.91E+00	1.90E+00	1.87E+00	1.79E+00	1.52E+00	6.59E-01	0.00E+00	0.00E+00	0.00E+00
Std	1.43E+00	1.43E+00	1.42E+00	1.41E+00	1.36E+00	1.02E+00	0.00E+00	0.00E+00	0.00E+00
U-235									
Min	1.94E-03	1.12E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	3.20E-01	3.20E-01	3.21E-01	3.22E-01	3.25E-01	2.90E-01	0.00E+00	0.00E+00	0.00E+00
Avg	9.93E-02	9.87E-02	9.76E-02	9.35E-02	8.05E-02	3.57E-02	0.00E+00	0.00E+00	0.00E+00
Std	7.41E-02	7.41E-02	7.41E-02	7.40E-02	7.22E-02	5.53E-02	0.00E+00	0.00E+00	0.00E+00
U-238									
Min	8.35E-03	4.82E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	1.38E+00	1.38E+00	1.38E+00	1.38E+00	1.38E+00	1.18E+00	0.00E+00	0.00E+00	0.00E+00
Avg	4.28E-01	4.25E-01	4.19E-01	4.00E-01	3.40E-01	1.47E-01	0.00E+00	0.00E+00	0.00E+00
Std	3.19E-01	3.19E-01	3.18E-01	3.16E-01	3.05E-01	2.28E-01	0.00E+00	0.00E+00	0.00E+00
äALL									
Min	4.76E-02	2.75E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	7.86E+00	7.86E+00	7.86E+00	7.86E+00	7.84E+00	6.73E+00	0.00E+00	0.00E+00	0.00E+00
Avg	2.44E+00	2.42E+00	2.39E+00	2.28E+00	1.94E+00	8.42E-01	0.00E+00	0.00E+00	0.00E+00
Std	1.82E+00	1.82E+00	1.82E+00	1.80E+00	1.74E+00	1.30E+00	0.00E+00	0.00E+00	0.00E+00
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

äALL is total pathway dose summed for all nuclides.

0 Monte Carlo Dose vs Pathway(i): Water Ingestion									
0Nuclide	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
(j)									
U-234	Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.26E-02
	Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.84E-03
	Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.10E-03
U-235	Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.42E-06	4.16E-01	3.96E+00
	Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.73E-09	1.02E-02	3.98E-01
	Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.19E-08	4.34E-02	5.30E-01
U-238	Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.81E-06
	Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.64E-07
	Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.09E-07
äALL	Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.42E-06	4.16E-01	3.96E+00
	Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.73E-09	1.02E-02	4.00E-01
	Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.19E-08	4.34E-02	5.34E-01

äALL is total pathway dose summed for all nuclides.

0 Monte Carlo Dose vs Pathway(i): Fish Ingestion									
0Nuclide	DOSE(i,j,t), mrem/yr								
(j)	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
U-234									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.02E-01
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.15E-03
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.43E-02
U-235									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.78E-07	5.04E-02	5.23E-01	
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.94E-10	1.23E-03	4.96E-02	
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.03E-08	5.29E-03	7.47E-02	
U-238									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.04E-06
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.47E-07
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	9.12E-07
äALL									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.78E-07	5.04E-02	5.23E-01	
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.94E-10	1.23E-03	5.58E-02	
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.03E-08	5.29E-03	8.50E-02	
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

äALL is total pathway dose summed for all nuclides.

0		Monte Carlo Dose vs Pathway(i): Radon (Water Dep.)							
0Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
U-234	Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-235	Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-238	Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
äALL	Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

äALL is total pathway dose summed for all nuclides.

0		Monte Carlo Dose vs Pathway(i): Plant (Water Dep.)							
0Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
U-234	Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.47E-04
	Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.65E-05
	Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.54E-05
U-235	Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.83E-09	2.40E-03	2.29E-02
	Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.61E-11	5.86E-05	2.30E-03
	Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.51E-10	2.50E-04	3.06E-03
U-238	Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.63E-08
	Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	9.53E-10
	Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.37E-09
äALL	Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.83E-09	2.40E-03	2.29E-02
	Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.61E-11	5.86E-05	2.31E-03
	Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.51E-10	2.50E-04	3.08E-03
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

äALL is total pathway dose summed for all nuclides.

0		Monte Carlo Dose vs Pathway(i): Meat (Water Dep.)							
0Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
U-234									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-235									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-238									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
äALL									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

äALL is total pathway dose summed for all nuclides.

0		Monte Carlo Dose vs Pathway(i): Milk (Water Dep.)							
0Nuclide	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
(j)		DOSE(i,j,t), mrem/yr							
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
U-234	Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-235	Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
U-238	Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
äALL	Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

äALL is total pathway dose summed for all nuclides.

MC Cumulative Probability Summary for: Total Dose Over Pathways

Cumulative Probability	Dose(t), mrem/yr								
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03	
0.025	6.07E+00	5.99E+00	5.81E+00	4.70E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.23E-09
0.050	7.49E+00	7.28E+00	7.06E+00	6.12E+00	1.36E+00	0.00E+00	0.00E+00	0.00E+00	6.85E-07
0.075	8.66E+00	8.57E+00	8.32E+00	7.30E+00	3.76E+00	0.00E+00	0.00E+00	0.00E+00	8.39E-06
0.100	9.37E+00	9.24E+00	8.98E+00	7.94E+00	5.10E+00	0.00E+00	0.00E+00	0.00E+00	2.73E-04
0.125	1.01E+01	1.00E+01	9.82E+00	8.96E+00	6.11E+00	0.00E+00	0.00E+00	0.00E+00	1.44E-03
0.150	1.07E+01	1.06E+01	1.02E+01	9.63E+00	7.13E+00	0.00E+00	0.00E+00	0.00E+00	3.15E-03
0.175	1.15E+01	1.14E+01	1.12E+01	1.06E+01	8.02E+00	0.00E+00	0.00E+00	0.00E+00	1.08E-02
0.200	1.19E+01	1.19E+01	1.18E+01	1.11E+01	8.51E+00	0.00E+00	0.00E+00	0.00E+00	2.10E-02
0.225	1.25E+01	1.24E+01	1.23E+01	1.16E+01	9.44E+00	0.00E+00	0.00E+00	0.00E+00	2.86E-02
0.250	1.31E+01	1.31E+01	1.29E+01	1.21E+01	1.03E+01	0.00E+00	0.00E+00	0.00E+00	3.30E-02
0.275	1.36E+01	1.36E+01	1.32E+01	1.26E+01	1.09E+01	0.00E+00	0.00E+00	0.00E+00	4.53E-02
0.300	1.43E+01	1.42E+01	1.41E+01	1.34E+01	1.11E+01	0.00E+00	0.00E+00	0.00E+00	6.43E-02
0.325	1.48E+01	1.48E+01	1.45E+01	1.40E+01	1.18E+01	0.00E+00	0.00E+00	0.00E+00	7.87E-02
0.350	1.55E+01	1.55E+01	1.53E+01	1.45E+01	1.27E+01	0.00E+00	0.00E+00	0.00E+00	8.91E-02
0.375	1.60E+01	1.59E+01	1.58E+01	1.52E+01	1.31E+01	0.00E+00	0.00E+00	0.00E+00	1.11E-01
0.400	1.63E+01	1.63E+01	1.60E+01	1.56E+01	1.35E+01	0.00E+00	7.99E-10	1.23E-01	
0.425	1.66E+01	1.65E+01	1.64E+01	1.58E+01	1.41E+01	1.45E+00	3.39E-07	1.36E-01	
0.450	1.68E+01	1.67E+01	1.66E+01	1.61E+01	1.43E+01	3.54E+00	3.00E-06	1.79E-01	
0.475	1.71E+01	1.71E+01	1.70E+01	1.64E+01	1.47E+01	4.19E+00	1.62E-05	2.10E-01	
0.500	1.75E+01	1.75E+01	1.73E+01	1.68E+01	1.53E+01	4.93E+00	2.99E-05	2.48E-01	
0.525	1.78E+01	1.78E+01	1.76E+01	1.70E+01	1.57E+01	5.70E+00	4.92E-05	2.63E-01	
0.550	1.84E+01	1.84E+01	1.80E+01	1.75E+01	1.61E+01	6.66E+00	5.64E-05	2.74E-01	
0.575	1.87E+01	1.87E+01	1.86E+01	1.81E+01	1.64E+01	7.26E+00	1.05E-04	2.91E-01	
0.600	1.91E+01	1.90E+01	1.89E+01	1.87E+01	1.69E+01	8.56E+00	1.23E-04	3.23E-01	
0.625	2.00E+01	2.00E+01	1.99E+01	1.94E+01	1.73E+01	9.46E+00	1.92E-04	3.58E-01	
0.650	2.08E+01	2.07E+01	2.07E+01	1.99E+01	1.80E+01	1.09E+01	3.49E-04	4.48E-01	
0.675	2.14E+01	2.13E+01	2.13E+01	2.08E+01	1.86E+01	1.13E+01	4.62E-04	4.90E-01	
0.700	2.23E+01	2.23E+01	2.22E+01	2.16E+01	1.93E+01	1.22E+01	6.78E-04	5.28E-01	
0.725	2.29E+01	2.28E+01	2.26E+01	2.19E+01	2.00E+01	1.26E+01	1.42E-03	5.68E-01	
0.750	2.37E+01	2.36E+01	2.34E+01	2.27E+01	2.08E+01	1.34E+01	1.97E-03	6.51E-01	
0.775	2.45E+01	2.43E+01	2.41E+01	2.34E+01	2.18E+01	1.39E+01	2.35E-03	6.90E-01	
0.800	2.57E+01	2.56E+01	2.56E+01	2.48E+01	2.26E+01	1.51E+01	3.50E-03	7.33E-01	
0.825	2.67E+01	2.66E+01	2.62E+01	2.57E+01	2.41E+01	1.62E+01	4.71E-03	8.86E-01	
0.850	2.75E+01	2.72E+01	2.70E+01	2.64E+01	2.47E+01	1.73E+01	6.29E-03	1.05E+00	
0.875	2.86E+01	2.85E+01	2.81E+01	2.76E+01	2.62E+01	1.93E+01	1.30E-02	1.12E+00	
0.900	3.04E+01	3.03E+01	3.02E+01	2.98E+01	2.82E+01	2.01E+01	1.83E-02	1.26E+00	
0.925	3.21E+01	3.20E+01	3.19E+01	3.16E+01	3.03E+01	2.30E+01	2.60E-02	1.45E+00	
0.950	3.43E+01	3.43E+01	3.42E+01	3.36E+01	3.21E+01	2.54E+01	4.44E-02	1.75E+00	
0.975	4.13E+01	4.13E+01	4.12E+01	4.07E+01	3.83E+01	2.93E+01	1.39E-01	2.11E+00	
1.000	5.05E+01	5.05E+01	5.05E+01	5.03E+01	4.99E+01	4.71E+01	4.65E-01	4.50E+00	

Summary of dose at graphical times, reptition 1								
Time Years	Dose statistics at graphical times, mrem/yr							
	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	3.56E+00	4.83E+01	1.92E+01	1.80E+01	2.98E+01	3.51E+01	4.48E+01	4.83E+01
1.00E+00	3.32E+00	4.83E+01	1.92E+01	1.79E+01	2.97E+01	3.51E+01	4.48E+01	4.83E+01
1.06E+00	3.30E+00	4.83E+01	1.92E+01	1.79E+01	2.97E+01	3.51E+01	4.47E+01	4.83E+01
1.12E+00	3.29E+00	4.83E+01	1.92E+01	1.79E+01	2.97E+01	3.51E+01	4.47E+01	4.83E+01
1.19E+00	3.27E+00	4.83E+01	1.92E+01	1.79E+01	2.97E+01	3.51E+01	4.47E+01	4.83E+01
1.25E+00	3.25E+00	4.83E+01	1.91E+01	1.79E+01	2.97E+01	3.51E+01	4.47E+01	4.83E+01
1.33E+00	3.23E+00	4.83E+01	1.91E+01	1.79E+01	2.97E+01	3.51E+01	4.47E+01	4.83E+01
1.40E+00	3.21E+00	4.83E+01	1.91E+01	1.79E+01	2.97E+01	3.51E+01	4.47E+01	4.83E+01
1.49E+00	3.19E+00	4.83E+01	1.91E+01	1.79E+01	2.97E+01	3.51E+01	4.47E+01	4.83E+01
1.57E+00	3.17E+00	4.83E+01	1.91E+01	1.79E+01	2.97E+01	3.51E+01	4.47E+01	4.83E+01
1.66E+00	3.15E+00	4.83E+01	1.91E+01	1.78E+01	2.96E+01	3.51E+01	4.47E+01	4.83E+01
1.76E+00	3.12E+00	4.83E+01	1.91E+01	1.78E+01	2.96E+01	3.51E+01	4.47E+01	4.83E+01
1.86E+00	3.10E+00	4.83E+01	1.91E+01	1.78E+01	2.96E+01	3.50E+01	4.47E+01	4.83E+01
1.97E+00	3.07E+00	4.83E+01	1.91E+01	1.78E+01	2.96E+01	3.50E+01	4.47E+01	4.83E+01
2.09E+00	3.04E+00	4.83E+01	1.91E+01	1.78E+01	2.96E+01	3.50E+01	4.47E+01	4.83E+01
2.21E+00	3.01E+00	4.83E+01	1.91E+01	1.77E+01	2.96E+01	3.50E+01	4.47E+01	4.83E+01
2.34E+00	2.97E+00	4.83E+01	1.91E+01	1.77E+01	2.96E+01	3.50E+01	4.47E+01	4.83E+01
2.47E+00	2.94E+00	4.83E+01	1.90E+01	1.77E+01	2.96E+01	3.50E+01	4.47E+01	4.83E+01
2.62E+00	2.90E+00	4.83E+01	1.90E+01	1.77E+01	2.96E+01	3.50E+01	4.47E+01	4.83E+01
2.77E+00	2.86E+00	4.83E+01	1.90E+01	1.76E+01	2.96E+01	3.50E+01	4.47E+01	4.83E+01
2.93E+00	2.81E+00	4.83E+01	1.90E+01	1.76E+01	2.96E+01	3.50E+01	4.47E+01	4.83E+01
3.00E+00	2.80E+00	4.83E+01	1.90E+01	1.76E+01	2.96E+01	3.50E+01	4.47E+01	4.83E+01
3.10E+00	2.77E+00	4.83E+01	1.90E+01	1.76E+01	2.95E+01	3.50E+01	4.47E+01	4.83E+01
3.28E+00	2.72E+00	4.83E+01	1.90E+01	1.76E+01	2.95E+01	3.50E+01	4.47E+01	4.83E+01
3.48E+00	2.67E+00	4.83E+01	1.90E+01	1.76E+01	2.95E+01	3.50E+01	4.47E+01	4.83E+01
3.68E+00	2.61E+00	4.83E+01	1.89E+01	1.76E+01	2.95E+01	3.50E+01	4.46E+01	4.83E+01
3.89E+00	2.55E+00	4.83E+01	1.89E+01	1.75E+01	2.95E+01	3.50E+01	4.46E+01	4.83E+01
4.12E+00	2.49E+00	4.83E+01	1.89E+01	1.75E+01	2.95E+01	3.50E+01	4.46E+01	4.83E+01
4.36E+00	2.42E+00	4.83E+01	1.89E+01	1.75E+01	2.95E+01	3.49E+01	4.46E+01	4.83E+01
4.61E+00	2.34E+00	4.83E+01	1.89E+01	1.75E+01	2.94E+01	3.49E+01	4.46E+01	4.83E+01
4.88E+00	2.26E+00	4.83E+01	1.88E+01	1.75E+01	2.94E+01	3.49E+01	4.46E+01	4.83E+01
5.17E+00	2.18E+00	4.83E+01	1.88E+01	1.74E+01	2.94E+01	3.49E+01	4.46E+01	4.82E+01
5.47E+00	2.08E+00	4.83E+01	1.88E+01	1.74E+01	2.94E+01	3.49E+01	4.46E+01	4.82E+01
5.78E+00	1.98E+00	4.82E+01	1.88E+01	1.74E+01	2.93E+01	3.49E+01	4.46E+01	4.82E+01
6.12E+00	1.88E+00	4.82E+01	1.87E+01	1.74E+01	2.93E+01	3.49E+01	4.45E+01	4.82E+01
6.48E+00	1.76E+00	4.82E+01	1.87E+01	1.73E+01	2.93E+01	3.49E+01	4.45E+01	4.82E+01
6.86E+00	1.63E+00	4.82E+01	1.87E+01	1.73E+01	2.93E+01	3.48E+01	4.45E+01	4.82E+01
7.26E+00	1.49E+00	4.82E+01	1.86E+01	1.73E+01	2.92E+01	3.48E+01	4.45E+01	4.82E+01
7.68E+00	1.34E+00	4.82E+01	1.86E+01	1.73E+01	2.92E+01	3.48E+01	4.45E+01	4.82E+01
8.13E+00	1.18E+00	4.82E+01	1.85E+01	1.73E+01	2.92E+01	3.48E+01	4.45E+01	4.82E+01
8.60E+00	9.91E-01	4.82E+01	1.85E+01	1.73E+01	2.91E+01	3.48E+01	4.44E+01	4.82E+01
9.10E+00	7.86E-01	4.82E+01	1.85E+01	1.72E+01	2.91E+01	3.47E+01	4.44E+01	4.82E+01
9.63E+00	5.57E-01	4.82E+01	1.84E+01	1.72E+01	2.91E+01	3.47E+01	4.44E+01	4.82E+01
1.00E+01	3.88E-01	4.82E+01	1.84E+01	1.72E+01	2.90E+01	3.47E+01	4.44E+01	4.82E+01
1.02E+01	2.98E-01	4.82E+01	1.83E+01	1.72E+01	2.90E+01	3.47E+01	4.44E+01	4.82E+01
1.08E+01	6.61E-02	4.82E+01	1.83E+01	1.72E+01	2.90E+01	3.47E+01	4.43E+01	4.82E+01
1.14E+01	2.73E-08	4.81E+01	1.82E+01	1.71E+01	2.89E+01	3.46E+01	4.43E+01	4.81E+01

1.21E+01	0.00E+00	4.81E+01	1.82E+01	1.70E+01	2.89E+01	3.46E+01	4.43E+01	4.81E+01
1.28E+01	0.00E+00	4.81E+01	1.81E+01	1.70E+01	2.88E+01	3.46E+01	4.43E+01	4.81E+01
1.35E+01	0.00E+00	4.81E+01	1.80E+01	1.69E+01	2.88E+01	3.45E+01	4.42E+01	4.81E+01
1.43E+01	0.00E+00	4.81E+01	1.80E+01	1.68E+01	2.87E+01	3.44E+01	4.42E+01	4.81E+01
1.51E+01	0.00E+00	4.81E+01	1.79E+01	1.68E+01	2.86E+01	3.44E+01	4.42E+01	4.81E+01
1.60E+01	0.00E+00	4.81E+01	1.78E+01	1.67E+01	2.85E+01	3.43E+01	4.41E+01	4.81E+01
1.70E+01	0.00E+00	4.80E+01	1.77E+01	1.66E+01	2.84E+01	3.42E+01	4.41E+01	4.80E+01
1.80E+01	0.00E+00	4.80E+01	1.76E+01	1.65E+01	2.83E+01	3.41E+01	4.40E+01	4.80E+01
1.90E+01	0.00E+00	4.80E+01	1.75E+01	1.64E+01	2.82E+01	3.40E+01	4.40E+01	4.80E+01
2.01E+01	0.00E+00	4.80E+01	1.74E+01	1.63E+01	2.81E+01	3.39E+01	4.39E+01	4.80E+01
2.13E+01	0.00E+00	4.80E+01	1.72E+01	1.63E+01	2.80E+01	3.38E+01	4.39E+01	4.80E+01
2.25E+01	0.00E+00	4.79E+01	1.71E+01	1.62E+01	2.78E+01	3.37E+01	4.38E+01	4.79E+01
2.38E+01	0.00E+00	4.79E+01	1.70E+01	1.61E+01	2.77E+01	3.36E+01	4.37E+01	4.79E+01
2.52E+01	0.00E+00	4.79E+01	1.68E+01	1.61E+01	2.76E+01	3.34E+01	4.37E+01	4.79E+01
2.67E+01	0.00E+00	4.79E+01	1.66E+01	1.59E+01	2.75E+01	3.33E+01	4.36E+01	4.78E+01
2.82E+01	0.00E+00	4.78E+01	1.65E+01	1.57E+01	2.73E+01	3.32E+01	4.35E+01	4.78E+01
2.99E+01	0.00E+00	4.78E+01	1.63E+01	1.57E+01	2.71E+01	3.30E+01	4.34E+01	4.78E+01
3.00E+01	0.00E+00	4.78E+01	1.63E+01	1.57E+01	2.71E+01	3.30E+01	4.34E+01	4.78E+01
3.16E+01	0.00E+00	4.77E+01	1.61E+01	1.57E+01	2.70E+01	3.28E+01	4.34E+01	4.77E+01
3.35E+01	0.00E+00	4.77E+01	1.59E+01	1.55E+01	2.68E+01	3.26E+01	4.33E+01	4.77E+01
3.54E+01	0.00E+00	4.77E+01	1.56E+01	1.54E+01	2.66E+01	3.24E+01	4.32E+01	4.77E+01
3.75E+01	0.00E+00	4.76E+01	1.54E+01	1.50E+01	2.63E+01	3.22E+01	4.30E+01	4.76E+01
3.97E+01	0.00E+00	4.76E+01	1.51E+01	1.48E+01	2.61E+01	3.19E+01	4.29E+01	4.75E+01
4.20E+01	0.00E+00	4.75E+01	1.48E+01	1.45E+01	2.58E+01	3.16E+01	4.28E+01	4.75E+01
4.44E+01	0.00E+00	4.74E+01	1.45E+01	1.43E+01	2.55E+01	3.13E+01	4.27E+01	4.74E+01
4.70E+01	0.00E+00	4.74E+01	1.42E+01	1.41E+01	2.52E+01	3.10E+01	4.25E+01	4.74E+01
4.97E+01	0.00E+00	4.73E+01	1.38E+01	1.40E+01	2.48E+01	3.06E+01	4.23E+01	4.73E+01
5.26E+01	0.00E+00	4.72E+01	1.35E+01	1.39E+01	2.45E+01	3.02E+01	4.22E+01	4.72E+01
5.57E+01	0.00E+00	4.71E+01	1.31E+01	1.35E+01	2.43E+01	2.98E+01	4.20E+01	4.71E+01
5.90E+01	0.00E+00	4.70E+01	1.27E+01	1.33E+01	2.42E+01	2.93E+01	4.17E+01	4.70E+01
6.24E+01	0.00E+00	4.68E+01	1.23E+01	1.27E+01	2.39E+01	2.88E+01	4.15E+01	4.68E+01
6.60E+01	0.00E+00	4.66E+01	1.18E+01	1.20E+01	2.35E+01	2.82E+01	4.12E+01	4.66E+01
6.99E+01	0.00E+00	4.64E+01	1.13E+01	1.13E+01	2.31E+01	2.75E+01	4.09E+01	4.64E+01
7.39E+01	0.00E+00	4.62E+01	1.08E+01	1.03E+01	2.27E+01	2.68E+01	4.06E+01	4.62E+01
7.82E+01	0.00E+00	4.60E+01	1.03E+01	9.56E+00	2.23E+01	2.65E+01	4.03E+01	4.60E+01
8.28E+01	0.00E+00	4.57E+01	9.75E+00	8.81E+00	2.18E+01	2.62E+01	3.98E+01	4.57E+01
8.76E+01	0.00E+00	4.54E+01	9.22E+00	7.81E+00	2.09E+01	2.53E+01	3.94E+01	4.54E+01
9.27E+01	0.00E+00	4.51E+01	8.66E+00	6.95E+00	2.05E+01	2.44E+01	3.89E+01	4.50E+01
9.81E+01	0.00E+00	4.47E+01	8.07E+00	5.89E+00	1.99E+01	2.33E+01	3.83E+01	4.47E+01
1.00E+02	0.00E+00	4.45E+01	7.88E+00	5.63E+00	1.98E+01	2.32E+01	3.81E+01	4.45E+01
1.04E+02	0.00E+00	4.42E+01	7.49E+00	4.53E+00	1.96E+01	2.31E+01	3.76E+01	4.42E+01
1.10E+02	0.00E+00	4.38E+01	6.91E+00	2.64E+00	1.87E+01	2.28E+01	3.66E+01	4.37E+01
1.16E+02	0.00E+00	4.32E+01	6.32E+00	1.68E-02	1.80E+01	2.25E+01	3.55E+01	4.32E+01
1.23E+02	0.00E+00	4.25E+01	5.76E+00	0.00E+00	1.70E+01	2.22E+01	3.42E+01	4.25E+01
1.30E+02	0.00E+00	4.18E+01	5.17E+00	0.00E+00	1.61E+01	2.17E+01	3.27E+01	4.17E+01
1.38E+02	0.00E+00	4.09E+01	4.59E+00	0.00E+00	1.50E+01	2.12E+01	3.10E+01	4.09E+01
1.46E+02	0.00E+00	3.99E+01	4.01E+00	0.00E+00	1.38E+01	1.99E+01	2.90E+01	3.98E+01
1.54E+02	0.00E+00	3.86E+01	3.46E+00	0.00E+00	1.23E+01	1.85E+01	2.66E+01	3.85E+01
1.63E+02	0.00E+00	3.71E+01	2.94E+00	0.00E+00	1.06E+01	1.68E+01	2.50E+01	3.70E+01
1.73E+02	0.00E+00	3.53E+01	2.45E+00	0.00E+00	9.56E+00	1.49E+01	2.30E+01	3.52E+01

Summary of dose at graphical times, reptition 2								
Time Years	Dose statistics at graphical times, mrem/yr							
	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	4.19E+00	5.05E+01	1.90E+01	1.73E+01	3.12E+01	3.56E+01	4.15E+01	5.04E+01
1.00E+00	4.05E+00	5.05E+01	1.89E+01	1.73E+01	3.12E+01	3.54E+01	4.15E+01	5.04E+01
1.06E+00	4.04E+00	5.05E+01	1.89E+01	1.73E+01	3.12E+01	3.54E+01	4.15E+01	5.04E+01
1.12E+00	4.03E+00	5.05E+01	1.89E+01	1.73E+01	3.12E+01	3.54E+01	4.15E+01	5.04E+01
1.19E+00	4.02E+00	5.05E+01	1.89E+01	1.73E+01	3.12E+01	3.54E+01	4.15E+01	5.04E+01
1.25E+00	4.01E+00	5.05E+01	1.89E+01	1.73E+01	3.12E+01	3.54E+01	4.14E+01	5.04E+01
1.33E+00	4.00E+00	5.05E+01	1.89E+01	1.73E+01	3.12E+01	3.54E+01	4.14E+01	5.04E+01
1.40E+00	3.99E+00	5.05E+01	1.89E+01	1.73E+01	3.12E+01	3.54E+01	4.14E+01	5.04E+01
1.49E+00	3.98E+00	5.05E+01	1.89E+01	1.73E+01	3.12E+01	3.54E+01	4.14E+01	5.04E+01
1.57E+00	3.96E+00	5.05E+01	1.88E+01	1.73E+01	3.12E+01	3.53E+01	4.14E+01	5.04E+01
1.66E+00	3.95E+00	5.05E+01	1.88E+01	1.73E+01	3.12E+01	3.53E+01	4.14E+01	5.04E+01
1.76E+00	3.94E+00	5.05E+01	1.88E+01	1.73E+01	3.12E+01	3.53E+01	4.14E+01	5.04E+01
1.86E+00	3.92E+00	5.05E+01	1.88E+01	1.73E+01	3.12E+01	3.53E+01	4.14E+01	5.04E+01
1.97E+00	3.91E+00	5.05E+01	1.88E+01	1.73E+01	3.12E+01	3.53E+01	4.14E+01	5.04E+01
2.09E+00	3.89E+00	5.05E+01	1.88E+01	1.73E+01	3.12E+01	3.53E+01	4.14E+01	5.04E+01
2.21E+00	3.87E+00	5.05E+01	1.88E+01	1.73E+01	3.12E+01	3.53E+01	4.14E+01	5.04E+01
2.34E+00	3.85E+00	5.05E+01	1.88E+01	1.73E+01	3.12E+01	3.52E+01	4.14E+01	5.04E+01
2.47E+00	3.83E+00	5.05E+01	1.88E+01	1.73E+01	3.12E+01	3.52E+01	4.14E+01	5.04E+01
2.62E+00	3.81E+00	5.05E+01	1.88E+01	1.73E+01	3.12E+01	3.52E+01	4.14E+01	5.04E+01
2.77E+00	3.79E+00	5.05E+01	1.87E+01	1.72E+01	3.12E+01	3.52E+01	4.14E+01	5.04E+01
2.93E+00	3.77E+00	5.05E+01	1.87E+01	1.72E+01	3.12E+01	3.52E+01	4.13E+01	5.04E+01
3.00E+00	3.76E+00	5.05E+01	1.87E+01	1.72E+01	3.12E+01	3.51E+01	4.13E+01	5.04E+01
3.10E+00	3.74E+00	5.05E+01	1.87E+01	1.72E+01	3.12E+01	3.51E+01	4.13E+01	5.04E+01
3.28E+00	3.72E+00	5.05E+01	1.87E+01	1.72E+01	3.12E+01	3.51E+01	4.13E+01	5.04E+01
3.48E+00	3.69E+00	5.05E+01	1.87E+01	1.72E+01	3.12E+01	3.51E+01	4.13E+01	5.04E+01
3.68E+00	3.66E+00	5.05E+01	1.87E+01	1.72E+01	3.12E+01	3.50E+01	4.13E+01	5.04E+01
3.89E+00	3.63E+00	5.05E+01	1.86E+01	1.71E+01	3.12E+01	3.50E+01	4.13E+01	5.04E+01
4.12E+00	3.59E+00	5.05E+01	1.86E+01	1.71E+01	3.12E+01	3.50E+01	4.13E+01	5.04E+01
4.36E+00	3.56E+00	5.04E+01	1.86E+01	1.71E+01	3.12E+01	3.49E+01	4.13E+01	5.04E+01
4.61E+00	3.49E+00	5.04E+01	1.86E+01	1.70E+01	3.11E+01	3.49E+01	4.12E+01	5.03E+01
4.88E+00	3.41E+00	5.04E+01	1.85E+01	1.70E+01	3.11E+01	3.49E+01	4.12E+01	5.03E+01
5.17E+00	3.33E+00	5.04E+01	1.85E+01	1.70E+01	3.11E+01	3.48E+01	4.12E+01	5.03E+01
5.47E+00	3.24E+00	5.04E+01	1.85E+01	1.69E+01	3.11E+01	3.48E+01	4.12E+01	5.03E+01
5.78E+00	3.14E+00	5.04E+01	1.85E+01	1.69E+01	3.11E+01	3.47E+01	4.12E+01	5.03E+01
6.12E+00	3.03E+00	5.04E+01	1.84E+01	1.69E+01	3.11E+01	3.47E+01	4.12E+01	5.03E+01
6.48E+00	2.92E+00	5.04E+01	1.84E+01	1.68E+01	3.11E+01	3.46E+01	4.11E+01	5.03E+01
6.86E+00	2.80E+00	5.04E+01	1.84E+01	1.68E+01	3.11E+01	3.46E+01	4.11E+01	5.03E+01
7.26E+00	2.67E+00	5.04E+01	1.83E+01	1.68E+01	3.11E+01	3.45E+01	4.11E+01	5.03E+01
7.68E+00	2.53E+00	5.04E+01	1.83E+01	1.67E+01	3.11E+01	3.44E+01	4.11E+01	5.03E+01
8.13E+00	2.38E+00	5.04E+01	1.82E+01	1.67E+01	3.11E+01	3.44E+01	4.10E+01	5.03E+01
8.60E+00	2.21E+00	5.04E+01	1.82E+01	1.66E+01	3.11E+01	3.43E+01	4.10E+01	5.03E+01
9.10E+00	2.03E+00	5.03E+01	1.82E+01	1.66E+01	3.11E+01	3.42E+01	4.10E+01	5.03E+01
9.63E+00	1.83E+00	5.03E+01	1.81E+01	1.65E+01	3.11E+01	3.41E+01	4.09E+01	5.02E+01
1.00E+01	1.69E+00	5.03E+01	1.81E+01	1.65E+01	3.11E+01	3.41E+01	4.09E+01	5.02E+01
1.02E+01	1.61E+00	5.03E+01	1.80E+01	1.65E+01	3.11E+01	3.41E+01	4.09E+01	5.02E+01
1.08E+01	1.37E+00	5.03E+01	1.80E+01	1.64E+01	3.11E+01	3.40E+01	4.09E+01	5.02E+01
1.14E+01	1.11E+00	5.03E+01	1.79E+01	1.64E+01	3.11E+01	3.39E+01	4.08E+01	5.02E+01

1.21E+01	8.03E-01	5.03E+01	1.79E+01	1.63E+01	3.11E+01	3.38E+01	4.08E+01	5.02E+01
1.28E+01	4.61E-01	5.03E+01	1.78E+01	1.63E+01	3.10E+01	3.37E+01	4.07E+01	5.02E+01
1.35E+01	1.06E-01	5.02E+01	1.77E+01	1.62E+01	3.10E+01	3.37E+01	4.07E+01	5.02E+01
1.43E+01	4.92E-08	5.02E+01	1.76E+01	1.61E+01	3.10E+01	3.37E+01	4.06E+01	5.01E+01
1.51E+01	0.00E+00	5.02E+01	1.76E+01	1.61E+01	3.10E+01	3.36E+01	4.06E+01	5.01E+01
1.60E+01	0.00E+00	5.02E+01	1.75E+01	1.60E+01	3.09E+01	3.36E+01	4.05E+01	5.01E+01
1.70E+01	0.00E+00	5.02E+01	1.74E+01	1.59E+01	3.09E+01	3.35E+01	4.04E+01	5.01E+01
1.80E+01	0.00E+00	5.01E+01	1.73E+01	1.58E+01	3.09E+01	3.35E+01	4.04E+01	5.01E+01
1.90E+01	0.00E+00	5.01E+01	1.72E+01	1.57E+01	3.08E+01	3.34E+01	4.03E+01	5.00E+01
2.01E+01	0.00E+00	5.01E+01	1.70E+01	1.57E+01	3.08E+01	3.33E+01	4.02E+01	5.00E+01
2.13E+01	0.00E+00	5.01E+01	1.69E+01	1.56E+01	3.07E+01	3.33E+01	4.01E+01	5.00E+01
2.25E+01	0.00E+00	5.00E+01	1.68E+01	1.55E+01	3.07E+01	3.32E+01	4.01E+01	4.99E+01
2.38E+01	0.00E+00	5.00E+01	1.66E+01	1.53E+01	3.06E+01	3.31E+01	4.00E+01	4.99E+01
2.52E+01	0.00E+00	5.00E+01	1.65E+01	1.51E+01	3.06E+01	3.30E+01	4.00E+01	4.99E+01
2.67E+01	0.00E+00	4.99E+01	1.63E+01	1.49E+01	3.05E+01	3.30E+01	3.99E+01	4.98E+01
2.82E+01	0.00E+00	4.99E+01	1.62E+01	1.48E+01	3.04E+01	3.29E+01	3.98E+01	4.98E+01
2.99E+01	0.00E+00	4.99E+01	1.60E+01	1.47E+01	3.02E+01	3.28E+01	3.98E+01	4.98E+01
3.00E+01	0.00E+00	4.99E+01	1.60E+01	1.47E+01	3.02E+01	3.28E+01	3.98E+01	4.98E+01
3.16E+01	0.00E+00	4.98E+01	1.58E+01	1.46E+01	2.99E+01	3.27E+01	3.97E+01	4.97E+01
3.35E+01	0.00E+00	4.98E+01	1.56E+01	1.45E+01	2.97E+01	3.25E+01	3.96E+01	4.97E+01
3.54E+01	0.00E+00	4.97E+01	1.53E+01	1.42E+01	2.96E+01	3.24E+01	3.95E+01	4.96E+01
3.75E+01	0.00E+00	4.97E+01	1.51E+01	1.39E+01	2.95E+01	3.23E+01	3.94E+01	4.96E+01
3.97E+01	0.00E+00	4.96E+01	1.48E+01	1.35E+01	2.94E+01	3.22E+01	3.93E+01	4.95E+01
4.20E+01	0.00E+00	4.95E+01	1.45E+01	1.33E+01	2.91E+01	3.20E+01	3.92E+01	4.94E+01
4.44E+01	0.00E+00	4.95E+01	1.43E+01	1.30E+01	2.88E+01	3.18E+01	3.90E+01	4.94E+01
4.70E+01	0.00E+00	4.94E+01	1.39E+01	1.26E+01	2.84E+01	3.17E+01	3.89E+01	4.93E+01
4.97E+01	0.00E+00	4.93E+01	1.36E+01	1.23E+01	2.81E+01	3.15E+01	3.88E+01	4.92E+01
5.26E+01	0.00E+00	4.92E+01	1.33E+01	1.19E+01	2.77E+01	3.13E+01	3.86E+01	4.91E+01
5.57E+01	0.00E+00	4.91E+01	1.29E+01	1.15E+01	2.74E+01	3.10E+01	3.84E+01	4.90E+01
5.90E+01	0.00E+00	4.90E+01	1.25E+01	1.13E+01	2.72E+01	3.08E+01	3.82E+01	4.89E+01
6.24E+01	0.00E+00	4.89E+01	1.21E+01	1.10E+01	2.69E+01	3.05E+01	3.80E+01	4.88E+01
6.60E+01	0.00E+00	4.87E+01	1.17E+01	1.06E+01	2.63E+01	3.05E+01	3.77E+01	4.86E+01
6.99E+01	0.00E+00	4.86E+01	1.13E+01	1.02E+01	2.57E+01	3.04E+01	3.75E+01	4.85E+01
7.39E+01	0.00E+00	4.84E+01	1.08E+01	9.70E+00	2.49E+01	3.03E+01	3.72E+01	4.83E+01
7.82E+01	0.00E+00	4.82E+01	1.03E+01	9.12E+00	2.40E+01	3.00E+01	3.68E+01	4.81E+01
8.28E+01	0.00E+00	4.80E+01	9.79E+00	8.56E+00	2.31E+01	2.90E+01	3.65E+01	4.79E+01
8.76E+01	0.00E+00	4.78E+01	9.26E+00	7.69E+00	2.21E+01	2.79E+01	3.60E+01	4.77E+01
9.27E+01	0.00E+00	4.75E+01	8.71E+00	6.60E+00	2.15E+01	2.71E+01	3.55E+01	4.74E+01
9.81E+01	0.00E+00	4.72E+01	8.14E+00	5.46E+00	2.12E+01	2.67E+01	3.50E+01	4.71E+01
1.00E+02	0.00E+00	4.71E+01	7.96E+00	4.83E+00	2.11E+01	2.65E+01	3.48E+01	4.70E+01
1.04E+02	0.00E+00	4.68E+01	7.58E+00	4.07E+00	2.08E+01	2.62E+01	3.44E+01	4.67E+01
1.10E+02	0.00E+00	4.64E+01	7.04E+00	2.12E+00	2.05E+01	2.58E+01	3.37E+01	4.63E+01
1.16E+02	0.00E+00	4.59E+01	6.51E+00	3.31E-01	1.89E+01	2.52E+01	3.33E+01	4.59E+01
1.23E+02	0.00E+00	4.54E+01	5.97E+00	0.00E+00	1.79E+01	2.46E+01	3.29E+01	4.53E+01
1.30E+02	0.00E+00	4.45E+01	5.41E+00	0.00E+00	1.57E+01	2.39E+01	3.24E+01	4.44E+01
1.38E+02	0.00E+00	4.34E+01	4.79E+00	0.00E+00	1.51E+01	2.25E+01	3.19E+01	4.33E+01
1.46E+02	0.00E+00	4.20E+01	4.23E+00	0.00E+00	1.45E+01	1.99E+01	3.13E+01	4.20E+01
1.54E+02	0.00E+00	4.05E+01	3.69E+00	0.00E+00	1.38E+01	1.79E+01	3.06E+01	4.05E+01
1.63E+02	0.00E+00	3.87E+01	3.20E+00	0.00E+00	1.27E+01	1.65E+01	2.97E+01	3.87E+01
1.73E+02	0.00E+00	3.66E+01	2.70E+00	0.00E+00	1.06E+01	1.55E+01	2.86E+01	3.65E+01
1.83E+02	0.00E+00	3.40E+01	2.19E+00	0.00E+00	9.26E+00	1.43E+01	2.70E+01	3.40E+01

Summary of dose at graphical times, reptition 3								
Time Years	Dose statistics at graphical times, mrem/yr							
	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	1.47E+00	4.27E+01	1.88E+01	1.74E+01	2.98E+01	3.38E+01	4.06E+01	4.27E+01
1.00E+00	9.00E-01	4.25E+01	1.87E+01	1.73E+01	2.98E+01	3.38E+01	4.05E+01	4.25E+01
1.06E+00	8.65E-01	4.25E+01	1.87E+01	1.73E+01	2.98E+01	3.38E+01	4.05E+01	4.25E+01
1.12E+00	8.28E-01	4.25E+01	1.87E+01	1.73E+01	2.98E+01	3.38E+01	4.05E+01	4.25E+01
1.19E+00	7.88E-01	4.25E+01	1.87E+01	1.73E+01	2.98E+01	3.38E+01	4.05E+01	4.25E+01
1.25E+00	7.45E-01	4.25E+01	1.87E+01	1.73E+01	2.98E+01	3.38E+01	4.05E+01	4.25E+01
1.33E+00	7.00E-01	4.25E+01	1.87E+01	1.73E+01	2.98E+01	3.38E+01	4.05E+01	4.25E+01
1.40E+00	6.52E-01	4.25E+01	1.87E+01	1.73E+01	2.98E+01	3.38E+01	4.05E+01	4.25E+01
1.49E+00	6.00E-01	4.25E+01	1.87E+01	1.73E+01	2.98E+01	3.38E+01	4.05E+01	4.25E+01
1.57E+00	5.45E-01	4.25E+01	1.87E+01	1.73E+01	2.98E+01	3.38E+01	4.05E+01	4.25E+01
1.66E+00	4.85E-01	4.24E+01	1.87E+01	1.73E+01	2.98E+01	3.38E+01	4.05E+01	4.24E+01
1.76E+00	4.22E-01	4.24E+01	1.87E+01	1.73E+01	2.98E+01	3.38E+01	4.05E+01	4.24E+01
1.86E+00	3.54E-01	4.24E+01	1.87E+01	1.73E+01	2.98E+01	3.38E+01	4.05E+01	4.24E+01
1.97E+00	2.84E-01	4.24E+01	1.86E+01	1.73E+01	2.98E+01	3.38E+01	4.05E+01	4.24E+01
2.09E+00	2.18E-01	4.24E+01	1.86E+01	1.73E+01	2.98E+01	3.37E+01	4.05E+01	4.24E+01
2.21E+00	1.57E-01	4.24E+01	1.86E+01	1.73E+01	2.98E+01	3.37E+01	4.04E+01	4.24E+01
2.34E+00	1.03E-01	4.23E+01	1.86E+01	1.73E+01	2.98E+01	3.37E+01	4.04E+01	4.23E+01
2.47E+00	5.86E-02	4.23E+01	1.86E+01	1.73E+01	2.98E+01	3.37E+01	4.04E+01	4.23E+01
2.62E+00	2.48E-02	4.23E+01	1.86E+01	1.72E+01	2.98E+01	3.37E+01	4.04E+01	4.23E+01
2.77E+00	4.56E-03	4.23E+01	1.86E+01	1.72E+01	2.98E+01	3.37E+01	4.04E+01	4.23E+01
2.93E+00	1.65E-07	4.23E+01	1.86E+01	1.72E+01	2.98E+01	3.37E+01	4.04E+01	4.23E+01
3.00E+00	1.10E-07	4.23E+01	1.86E+01	1.72E+01	2.98E+01	3.37E+01	4.04E+01	4.22E+01
3.10E+00	0.00E+00	4.22E+01	1.85E+01	1.72E+01	2.98E+01	3.37E+01	4.04E+01	4.22E+01
3.28E+00	0.00E+00	4.22E+01	1.85E+01	1.72E+01	2.98E+01	3.37E+01	4.04E+01	4.22E+01
3.48E+00	0.00E+00	4.22E+01	1.85E+01	1.72E+01	2.98E+01	3.37E+01	4.03E+01	4.22E+01
3.68E+00	0.00E+00	4.22E+01	1.85E+01	1.72E+01	2.98E+01	3.37E+01	4.03E+01	4.21E+01
3.89E+00	0.00E+00	4.21E+01	1.85E+01	1.72E+01	2.97E+01	3.37E+01	4.03E+01	4.21E+01
4.12E+00	0.00E+00	4.21E+01	1.85E+01	1.72E+01	2.97E+01	3.37E+01	4.03E+01	4.21E+01
4.36E+00	0.00E+00	4.21E+01	1.84E+01	1.71E+01	2.97E+01	3.37E+01	4.03E+01	4.20E+01
4.61E+00	0.00E+00	4.20E+01	1.84E+01	1.71E+01	2.97E+01	3.37E+01	4.02E+01	4.20E+01
4.88E+00	0.00E+00	4.20E+01	1.84E+01	1.71E+01	2.97E+01	3.37E+01	4.02E+01	4.20E+01
5.17E+00	0.00E+00	4.19E+01	1.84E+01	1.71E+01	2.97E+01	3.37E+01	4.02E+01	4.19E+01
5.47E+00	0.00E+00	4.19E+01	1.83E+01	1.71E+01	2.97E+01	3.37E+01	4.02E+01	4.19E+01
5.78E+00	0.00E+00	4.18E+01	1.83E+01	1.70E+01	2.97E+01	3.37E+01	4.02E+01	4.18E+01
6.12E+00	0.00E+00	4.18E+01	1.83E+01	1.70E+01	2.97E+01	3.37E+01	4.01E+01	4.18E+01
6.48E+00	0.00E+00	4.17E+01	1.82E+01	1.70E+01	2.97E+01	3.36E+01	4.01E+01	4.17E+01
6.86E+00	0.00E+00	4.17E+01	1.82E+01	1.70E+01	2.97E+01	3.36E+01	4.01E+01	4.17E+01
7.26E+00	0.00E+00	4.16E+01	1.82E+01	1.70E+01	2.97E+01	3.36E+01	4.00E+01	4.16E+01
7.68E+00	0.00E+00	4.15E+01	1.81E+01	1.69E+01	2.97E+01	3.35E+01	4.00E+01	4.15E+01
8.13E+00	0.00E+00	4.15E+01	1.81E+01	1.69E+01	2.97E+01	3.34E+01	4.00E+01	4.15E+01
8.60E+00	0.00E+00	4.14E+01	1.81E+01	1.69E+01	2.96E+01	3.33E+01	3.99E+01	4.14E+01
9.10E+00	0.00E+00	4.13E+01	1.80E+01	1.68E+01	2.96E+01	3.32E+01	3.99E+01	4.13E+01
9.63E+00	0.00E+00	4.12E+01	1.80E+01	1.68E+01	2.96E+01	3.31E+01	3.98E+01	4.12E+01
1.00E+01	0.00E+00	4.12E+01	1.79E+01	1.68E+01	2.96E+01	3.30E+01	3.98E+01	4.12E+01
1.02E+01	0.00E+00	4.12E+01	1.79E+01	1.67E+01	2.96E+01	3.30E+01	3.98E+01	4.12E+01
1.08E+01	0.00E+00	4.11E+01	1.78E+01	1.67E+01	2.96E+01	3.29E+01	3.97E+01	4.11E+01
1.14E+01	0.00E+00	4.11E+01	1.78E+01	1.66E+01	2.96E+01	3.29E+01	3.96E+01	4.11E+01

1.21E+01	0.00E+00	4.10E+01	1.77E+01	1.65E+01	2.96E+01	3.28E+01	3.95E+01	4.10E+01
1.28E+01	0.00E+00	4.10E+01	1.77E+01	1.65E+01	2.96E+01	3.28E+01	3.94E+01	4.10E+01
1.35E+01	0.00E+00	4.09E+01	1.76E+01	1.65E+01	2.95E+01	3.27E+01	3.93E+01	4.09E+01
1.43E+01	0.00E+00	4.08E+01	1.75E+01	1.65E+01	2.95E+01	3.27E+01	3.92E+01	4.08E+01
1.51E+01	0.00E+00	4.07E+01	1.74E+01	1.64E+01	2.95E+01	3.26E+01	3.91E+01	4.07E+01
1.60E+01	0.00E+00	4.07E+01	1.73E+01	1.64E+01	2.95E+01	3.25E+01	3.90E+01	4.06E+01
1.70E+01	0.00E+00	4.06E+01	1.72E+01	1.63E+01	2.95E+01	3.25E+01	3.89E+01	4.06E+01
1.80E+01	0.00E+00	4.05E+01	1.71E+01	1.62E+01	2.95E+01	3.24E+01	3.87E+01	4.05E+01
1.90E+01	0.00E+00	4.04E+01	1.70E+01	1.61E+01	2.95E+01	3.24E+01	3.86E+01	4.04E+01
2.01E+01	0.00E+00	4.02E+01	1.69E+01	1.59E+01	2.94E+01	3.24E+01	3.84E+01	4.02E+01
2.13E+01	0.00E+00	4.01E+01	1.68E+01	1.57E+01	2.94E+01	3.23E+01	3.83E+01	4.01E+01
2.25E+01	0.00E+00	3.99E+01	1.66E+01	1.57E+01	2.94E+01	3.23E+01	3.81E+01	3.99E+01
2.38E+01	0.00E+00	3.97E+01	1.65E+01	1.56E+01	2.94E+01	3.23E+01	3.79E+01	3.97E+01
2.52E+01	0.00E+00	3.95E+01	1.63E+01	1.56E+01	2.92E+01	3.22E+01	3.77E+01	3.95E+01
2.67E+01	0.00E+00	3.92E+01	1.62E+01	1.55E+01	2.89E+01	3.22E+01	3.75E+01	3.92E+01
2.82E+01	0.00E+00	3.90E+01	1.60E+01	1.54E+01	2.85E+01	3.21E+01	3.72E+01	3.89E+01
2.99E+01	0.00E+00	3.87E+01	1.58E+01	1.54E+01	2.81E+01	3.21E+01	3.70E+01	3.87E+01
3.00E+01	0.00E+00	3.87E+01	1.58E+01	1.54E+01	2.81E+01	3.21E+01	3.69E+01	3.86E+01
3.16E+01	0.00E+00	3.84E+01	1.56E+01	1.53E+01	2.77E+01	3.20E+01	3.67E+01	3.83E+01
3.35E+01	0.00E+00	3.80E+01	1.54E+01	1.51E+01	2.72E+01	3.20E+01	3.64E+01	3.80E+01
3.54E+01	0.00E+00	3.77E+01	1.52E+01	1.47E+01	2.71E+01	3.19E+01	3.60E+01	3.77E+01
3.75E+01	0.00E+00	3.73E+01	1.50E+01	1.42E+01	2.71E+01	3.19E+01	3.56E+01	3.73E+01
3.97E+01	0.00E+00	3.69E+01	1.47E+01	1.38E+01	2.70E+01	3.18E+01	3.52E+01	3.68E+01
4.20E+01	0.00E+00	3.64E+01	1.44E+01	1.34E+01	2.70E+01	3.18E+01	3.47E+01	3.64E+01
4.44E+01	0.00E+00	3.59E+01	1.41E+01	1.30E+01	2.69E+01	3.17E+01	3.42E+01	3.59E+01
4.70E+01	0.00E+00	3.54E+01	1.38E+01	1.27E+01	2.69E+01	3.16E+01	3.37E+01	3.54E+01
4.97E+01	0.00E+00	3.48E+01	1.35E+01	1.24E+01	2.68E+01	3.15E+01	3.32E+01	3.48E+01
5.26E+01	0.00E+00	3.42E+01	1.31E+01	1.19E+01	2.64E+01	3.11E+01	3.29E+01	3.42E+01
5.57E+01	0.00E+00	3.35E+01	1.27E+01	1.17E+01	2.63E+01	3.02E+01	3.26E+01	3.35E+01
5.90E+01	0.00E+00	3.27E+01	1.23E+01	1.14E+01	2.62E+01	2.96E+01	3.23E+01	3.27E+01
6.24E+01	0.00E+00	3.20E+01	1.19E+01	1.09E+01	2.59E+01	2.95E+01	3.18E+01	3.20E+01
6.60E+01	0.00E+00	3.16E+01	1.14E+01	1.05E+01	2.58E+01	2.93E+01	3.11E+01	3.16E+01
6.99E+01	0.00E+00	3.14E+01	1.10E+01	1.03E+01	2.49E+01	2.91E+01	3.03E+01	3.14E+01
7.39E+01	0.00E+00	3.12E+01	1.05E+01	9.91E+00	2.47E+01	2.88E+01	2.96E+01	3.12E+01
7.82E+01	0.00E+00	3.09E+01	1.00E+01	8.95E+00	2.45E+01	2.86E+01	2.89E+01	3.09E+01
8.28E+01	0.00E+00	3.06E+01	9.50E+00	8.13E+00	2.44E+01	2.77E+01	2.86E+01	3.06E+01
8.76E+01	0.00E+00	3.03E+01	8.97E+00	7.18E+00	2.42E+01	2.66E+01	2.83E+01	3.03E+01
9.27E+01	0.00E+00	2.99E+01	8.44E+00	6.56E+00	2.25E+01	2.56E+01	2.79E+01	2.99E+01
9.81E+01	0.00E+00	2.95E+01	7.87E+00	5.44E+00	2.10E+01	2.54E+01	2.76E+01	2.95E+01
1.00E+02	0.00E+00	2.93E+01	7.68E+00	4.66E+00	2.08E+01	2.53E+01	2.75E+01	2.93E+01
1.04E+02	0.00E+00	2.90E+01	7.28E+00	3.76E+00	2.04E+01	2.52E+01	2.72E+01	2.90E+01
1.10E+02	0.00E+00	2.84E+01	6.73E+00	2.42E+00	1.97E+01	2.49E+01	2.68E+01	2.84E+01
1.16E+02	0.00E+00	2.77E+01	6.15E+00	7.16E-02	1.92E+01	2.46E+01	2.63E+01	2.77E+01
1.23E+02	0.00E+00	2.68E+01	5.59E+00	0.00E+00	1.86E+01	2.41E+01	2.58E+01	2.68E+01
1.30E+02	0.00E+00	2.57E+01	5.01E+00	0.00E+00	1.79E+01	2.37E+01	2.50E+01	2.57E+01
1.38E+02	0.00E+00	2.51E+01	4.47E+00	0.00E+00	1.72E+01	2.32E+01	2.37E+01	2.51E+01
1.46E+02	0.00E+00	2.44E+01	3.98E+00	0.00E+00	1.66E+01	2.26E+01	2.31E+01	2.44E+01
1.54E+02	0.00E+00	2.37E+01	3.51E+00	0.00E+00	1.59E+01	2.17E+01	2.25E+01	2.37E+01
1.63E+02	0.00E+00	2.28E+01	3.06E+00	0.00E+00	1.50E+01	2.08E+01	2.18E+01	2.28E+01
1.73E+02	0.00E+00	2.17E+01	2.62E+00	0.00E+00	1.32E+01	1.96E+01	2.11E+01	2.17E+01
1.83E+02	0.00E+00	2.07E+01	2.15E+00	0.00E+00	1.07E+01	1.82E+01	2.02E+01	2.07E+01

Repetition	Peak of the mean dose (averaged over observations) at graphical times	
	Time of peak mean dose Years	Peak mean dose mrem/yr
1	0.000E+00	1.925E+01
2	0.000E+00	1.898E+01
3	0.000E+00	1.883E+01

Coefficients for peak of mean dose time Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	14	-0.10	21	-0.02	10	-0.17	18	-0.04
Thickness of Unsaturated zone 1	24	0.05	26	0.01	15	0.12	20	0.03
Runoff coefficient	13	-0.11	20	-0.02	12	-0.14	19	-0.03
Wind Speed	16	-0.09	24	-0.02	7	-0.22	14	-0.05
Well pump intake depth	9	0.17	14	0.04	22	0.02	24	0.00
External gamma shielding factor	1	0.97	1	0.79	1	0.96	1	0.77
Inhalation rate	6	0.24	13	0.05	5	0.30	12	0.07
Soil ingestion	4	0.49	6	0.12	4	0.50	8	0.13
Thickness of Unsaturated zone 2	15	-0.10	22	-0.02	23	-0.02	25	0.00
Kd of U-234 in Contaminated Zone	17	0.09	11	0.06	20	0.04	15	0.05
Kd of U-234 in Unsaturated Zone 1	21	-0.06	7	-0.10	18	-0.07	10	-0.10
Kd of U-234 in Unsaturated Zone 2	25	0.04	17	0.03	9	-0.17	6	-0.21
Kd of U-234 in Saturated Zone	8	-0.23	8	-0.08	26	0.00	26	0.00
Kd of U-235 in Contaminated Zone	12	-0.11	12	-0.06	19	-0.05	17	-0.04
Kd of U-235 in Unsaturated Zone 1	20	0.07	10	0.07	16	0.09	11	0.08
Kd of U-235 in Unsaturated Zone 2	22	0.05	23	0.02	6	0.23	7	0.19
Kd of U-235 in Saturated Zone	18	0.08	19	0.02	17	-0.08	13	-0.07
Kd of U-238 in Contaminated Zone	27	0.01	27	0.00	27	0.00	27	0.00
Kd of U-238 in Unsaturated Zone 1	19	0.07	9	0.08	24	0.01	21	0.01
Kd of U-238 in Unsaturated Zone 2	23	-0.05	16	-0.03	13	0.13	9	0.11
Kd of U-238 in Saturated Zone	26	0.04	25	0.01	25	-0.01	23	-0.01
Thickness of contaminated zone	2	0.90	4	0.43	2	0.90	2	0.48
Aquatic food	11	0.12	18	0.03	8	0.18	16	0.04
Depth of soil mixing layer	3	-0.70	5	-0.22	3	-0.72	5	-0.25
Mass loading for inhalation	10	0.15	15	0.03	21	0.02	22	0.01
Indoor time fraction	5	-0.27	2	-0.75	14	0.12	4	0.37
Outdoor time fraction	7	-0.23	3	-0.64	11	0.14	3	0.45
R-SQUARE		0.96		0.96		0.95		0.95

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak of mean dose time Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	16	-0.12	22	-0.03	5	-0.37	15	-0.12
Thickness of Unsaturated zone 1	13	0.13	20	0.03	6	0.27	20	0.08
Runoff coefficient	22	0.06	25	0.01	23	-0.09	25	-0.03
Wind Speed	14	-0.13	21	-0.03	27	-0.03	27	-0.01
Well pump intake depth	6	-0.29	11	-0.07	16	-0.12	23	-0.03
External gamma shielding factor	1	0.97	1	0.81	1	0.93	3	0.74
Inhalation rate	12	0.15	19	0.03	7	0.27	21	0.08
Soil ingestion	4	0.37	9	0.08	4	0.43	13	0.14
Thickness of Unsaturated zone 2	25	-0.03	26	-0.01	21	0.10	24	0.03
Kd of U-234 in Contaminated Zone	23	0.06	13	0.06	17	-0.12	8	-0.19
Kd of U-234 in Unsaturated Zone 1	7	0.28	2	0.62	10	0.20	5	0.28
Kd of U-234 in Unsaturated Zone 2	18	-0.10	16	-0.05	18	0.11	9	0.18
Kd of U-234 in Saturated Zone	15	-0.12	18	-0.05	19	-0.11	10	-0.18
Kd of U-235 in Contaminated Zone	26	-0.03	23	-0.02	15	0.12	14	0.14
Kd of U-235 in Unsaturated Zone 1	8	-0.28	4	-0.40	8	-0.22	6	-0.22
Kd of U-235 in Unsaturated Zone 2	10	0.20	12	0.06	12	-0.14	11	-0.16
Kd of U-235 in Saturated Zone	19	0.09	24	0.02	22	0.10	16	0.11
Kd of U-238 in Contaminated Zone	21	-0.07	15	-0.06	20	0.11	17	0.10
Kd of U-238 in Unsaturated Zone 1	9	-0.27	5	-0.39	25	-0.09	19	-0.09
Kd of U-238 in Unsaturated Zone 2	17	0.11	17	0.05	24	-0.09	18	-0.10
Kd of U-238 in Saturated Zone	11	0.17	14	0.06	13	0.13	12	0.14
Thickness of contaminated zone	2	0.90	3	0.46	2	0.89	4	0.55
Aquatic food	27	-0.01	27	0.00	26	-0.04	26	-0.01
Depth of soil mixing layer	3	-0.59	7	-0.16	3	-0.56	7	-0.19
Mass loading for inhalation	5	0.33	10	0.08	9	0.20	22	0.06
Indoor time fraction	24	0.04	8	0.15	14	0.13	2	0.75
Outdoor time fraction	20	0.07	6	0.24	11	0.15	1	0.84
R-SQUARE		0.96		0.96		0.92		0.92

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak of mean dose time Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC 3		SRC 3		PRCC 3		SRRC 3	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	26	0.01	27	0.00	24	-0.03	25	-0.01
Thickness of Unsaturated zone 1	22	0.04	23	0.01	16	0.12	20	0.04
Runoff coefficient	21	0.05	22	0.01	17	0.09	21	0.03
Wind Speed	11	0.11	18	0.03	11	0.14	18	0.04
Well pump intake depth	24	0.02	24	0.01	21	0.07	23	0.02
External gamma shielding factor	1	0.95	3	0.84	1	0.92	2	0.78
Inhalation rate	8	0.18	15	0.05	9	0.17	16	0.05
Soil ingestion	4	0.32	11	0.09	4	0.26	14	0.08
Thickness of Unsaturated zone 2	16	-0.08	19	-0.02	26	-0.02	26	-0.01
Kd of U-234 in Contaminated Zone	10	0.11	10	0.09	12	-0.14	8	-0.22
Kd of U-234 in Unsaturated Zone 1	13	-0.09	6	-0.17	23	0.03	19	0.04
Kd of U-234 in Unsaturated Zone 2	19	0.07	14	0.05	6	-0.19	5	-0.37
Kd of U-234 in Saturated Zone	12	0.09	12	0.08	20	-0.08	12	-0.13
Kd of U-235 in Contaminated Zone	27	0.00	26	0.00	5	0.20	9	0.21
Kd of U-235 in Unsaturated Zone 1	14	0.09	8	0.11	27	0.00	27	0.00
Kd of U-235 in Unsaturated Zone 2	20	-0.05	17	-0.03	7	0.18	7	0.23
Kd of U-235 in Saturated Zone	18	-0.07	16	-0.03	19	0.08	13	0.09
Kd of U-238 in Contaminated Zone	7	-0.19	9	-0.11	22	0.06	15	0.06
Kd of U-238 in Unsaturated Zone 1	9	0.13	5	0.18	25	0.02	24	0.02
Kd of U-238 in Unsaturated Zone 2	23	-0.03	21	-0.01	8	0.17	6	0.23
Kd of U-238 in Saturated Zone	15	-0.08	13	-0.06	14	0.13	11	0.14
Thickness of contaminated zone	2	0.89	4	0.53	2	0.87	4	0.53
Aquatic food	25	0.01	25	0.00	10	0.15	17	0.04
Depth of soil mixing layer	3	-0.48	7	-0.15	3	-0.53	10	-0.18
Mass loading for inhalation	17	0.07	20	0.02	18	0.09	22	0.03
Indoor time fraction	5	-0.26	1	-1.23	13	-0.14	1	-0.82
Outdoor time fraction	6	-0.24	2	-1.11	15	-0.12	3	-0.71
R-SQUARE		0.93		0.93		0.92		0.92

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak All Pathways Dose
 Coefficient =
 Repetition =

	PCC 1	SRC 1	PRCC 1	SRRC 1
Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	14 -0.10	21 -0.02	10 -0.17	18 -0.04
Thickness of Unsaturated zone 1	24 0.05	26 0.01	15 0.12	20 0.03
Runoff coefficient	13 -0.11	20 -0.02	12 -0.14	19 -0.03
Wind Speed	16 -0.10	24 -0.02	7 -0.23	14 -0.05
Well pump intake depth	9 0.17	14 0.04	22 0.02	25 0.00
External gamma shielding factor	1 0.97	1 0.79	1 0.96	1 0.77
Inhalation rate	6 0.24	13 0.05	5 0.30	13 0.07
Soil ingestion	4 0.49	6 0.12	4 0.50	8 0.13
Thickness of Unsaturated zone 2	15 -0.10	22 -0.02	23 -0.02	26 0.00
Kd of U-234 in Contaminated Zone	17 0.09	11 0.06	20 0.04	15 0.05
Kd of U-234 in Unsaturated Zone 1	21 -0.06	7 -0.10	18 -0.08	10 -0.10
Kd of U-234 in Unsaturated Zone 2	25 0.04	17 0.03	9 -0.17	6 -0.21
Kd of U-234 in Saturated Zone	8 -0.23	8 -0.08	26 0.00	23 0.01
Kd of U-235 in Contaminated Zone	12 -0.11	12 -0.06	19 -0.05	17 -0.04
Kd of U-235 in Unsaturated Zone 1	20 0.07	10 0.07	16 0.10	11 0.08
Kd of U-235 in Unsaturated Zone 2	22 0.05	23 0.02	6 0.23	7 0.19
Kd of U-235 in Saturated Zone	18 0.08	19 0.02	17 -0.08	12 -0.08
Kd of U-238 in Contaminated Zone	27 0.01	27 0.00	27 0.00	27 0.00
Kd of U-238 in Unsaturated Zone 1	19 0.07	9 0.08	24 0.01	21 0.01
Kd of U-238 in Unsaturated Zone 2	23 -0.05	16 -0.03	13 0.13	9 0.11
Kd of U-238 in Saturated Zone	26 0.04	25 0.01	25 -0.01	22 -0.01
Thickness of contaminated zone	2 0.90	4 0.43	2 0.90	2 0.48
Aquatic food	11 0.12	18 0.03	8 0.18	16 0.04
Depth of soil mixing layer	3 -0.70	5 -0.22	3 -0.72	5 -0.25
Mass loading for inhalation	10 0.15	15 0.03	21 0.02	24 0.01
Indoor time fraction	5 -0.27	2 -0.75	14 0.12	4 0.38
Outdoor time fraction	7 -0.23	3 -0.64	11 0.15	3 0.46
R-SQUARE	0.96	0.96	0.95	0.95

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak All Pathways Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	16	-0.12	22	-0.03	5	-0.37	15	-0.12
Thickness of Unsaturated zone 1	13	0.13	20	0.03	6	0.27	20	0.08
Runoff coefficient	22	0.06	25	0.01	23	-0.09	25	-0.03
Wind Speed	14	-0.13	21	-0.03	27	-0.03	27	-0.01
Well pump intake depth	6	-0.29	11	-0.07	15	-0.12	23	-0.04
External gamma shielding factor	1	0.97	1	0.81	1	0.93	3	0.74
Inhalation rate	12	0.15	19	0.03	7	0.26	21	0.08
Soil ingestion	4	0.37	9	0.08	4	0.43	12	0.14
Thickness of Unsaturated zone 2	25	-0.03	26	-0.01	21	0.10	24	0.03
Kd of U-234 in Contaminated Zone	23	0.06	13	0.06	17	-0.12	8	-0.19
Kd of U-234 in Unsaturated Zone 1	7	0.28	2	0.62	10	0.20	5	0.28
Kd of U-234 in Unsaturated Zone 2	18	-0.10	16	-0.05	18	0.11	9	0.18
Kd of U-234 in Saturated Zone	15	-0.12	18	-0.05	19	-0.11	10	-0.17
Kd of U-235 in Contaminated Zone	26	-0.03	23	-0.02	16	0.12	13	0.14
Kd of U-235 in Unsaturated Zone 1	8	-0.28	4	-0.40	8	-0.22	6	-0.22
Kd of U-235 in Unsaturated Zone 2	10	0.20	12	0.06	12	-0.14	11	-0.16
Kd of U-235 in Saturated Zone	19	0.09	24	0.02	22	0.10	17	0.10
Kd of U-238 in Contaminated Zone	21	-0.07	15	-0.06	20	0.11	16	0.11
Kd of U-238 in Unsaturated Zone 1	9	-0.27	5	-0.39	24	-0.09	19	-0.09
Kd of U-238 in Unsaturated Zone 2	17	0.11	17	0.05	25	-0.09	18	-0.10
Kd of U-238 in Saturated Zone	11	0.17	14	0.06	13	0.13	14	0.14
Thickness of contaminated zone	2	0.90	3	0.46	2	0.89	4	0.55
Aquatic food	27	-0.01	27	0.00	26	-0.04	26	-0.01
Depth of soil mixing layer	3	-0.59	7	-0.16	3	-0.56	7	-0.19
Mass loading for inhalation	5	0.33	10	0.08	9	0.20	22	0.06
Indoor time fraction	24	0.04	8	0.15	14	0.13	2	0.75
Outdoor time fraction	20	0.07	6	0.24	11	0.15	1	0.83
R-SQUARE		0.96		0.96		0.92		0.92

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak All Pathways Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC 3		SRC 3		PRCC 3		SRRC 3	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	26	0.01	27	0.00	24	-0.03	25	-0.01
Thickness of Unsaturated zone 1	22	0.04	23	0.01	16	0.12	20	0.04
Runoff coefficient	21	0.05	22	0.01	17	0.09	21	0.03
Wind Speed	11	0.11	18	0.03	13	0.14	18	0.04
Well pump intake depth	24	0.02	24	0.01	21	0.07	23	0.02
External gamma shielding factor	1	0.95	3	0.84	1	0.93	2	0.78
Inhalation rate	8	0.18	15	0.05	9	0.17	16	0.05
Soil ingestion	4	0.32	11	0.09	4	0.26	14	0.08
Thickness of Unsaturated zone 2	16	-0.08	19	-0.02	26	-0.02	26	-0.01
Kd of U-234 in Contaminated Zone	10	0.11	10	0.09	10	-0.15	8	-0.22
Kd of U-234 in Unsaturated Zone 1	13	-0.09	6	-0.17	23	0.03	19	0.04
Kd of U-234 in Unsaturated Zone 2	19	0.07	14	0.05	6	-0.19	5	-0.38
Kd of U-234 in Saturated Zone	12	0.09	12	0.08	20	-0.08	12	-0.13
Kd of U-235 in Contaminated Zone	27	0.00	26	0.00	5	0.20	9	0.21
Kd of U-235 in Unsaturated Zone 1	14	0.09	8	0.11	27	0.00	27	0.00
Kd of U-235 in Unsaturated Zone 2	20	-0.05	17	-0.03	7	0.18	7	0.23
Kd of U-235 in Saturated Zone	18	-0.07	16	-0.03	19	0.08	13	0.09
Kd of U-238 in Contaminated Zone	7	-0.19	9	-0.11	22	0.06	15	0.06
Kd of U-238 in Unsaturated Zone 1	9	0.13	5	0.18	25	0.02	24	0.02
Kd of U-238 in Unsaturated Zone 2	23	-0.03	21	-0.01	8	0.17	6	0.23
Kd of U-238 in Saturated Zone	15	-0.08	13	-0.06	14	0.13	11	0.14
Thickness of contaminated zone	2	0.89	4	0.53	2	0.87	4	0.53
Aquatic food	25	0.01	25	0.00	11	0.15	17	0.04
Depth of soil mixing layer	3	-0.48	7	-0.15	3	-0.53	10	-0.18
Mass loading for inhalation	17	0.07	20	0.02	18	0.09	22	0.03
Indoor time fraction	5	-0.26	1	-1.23	12	-0.14	1	-0.82
Outdoor time fraction	6	-0.24	2	-1.11	15	-0.12	3	-0.71
R-SQUARE		0.93		0.93		0.92		0.92

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak External Ground Dose				
Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	1	1	1	1
Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	11 0.11	17 0.02	16 0.12	21 0.03
Thickness of Unsaturated zone 1	21 -0.05	22 -0.01	6 0.20	16 0.05
Runoff coefficient	22 -0.05	23 -0.01	24 -0.01	24 0.00
Wind Speed	26 -0.03	26 -0.01	21 -0.08	22 -0.02
Well pump intake depth	8 0.15	16 0.03	25 0.01	25 0.00
External gamma shielding factor	1 0.98	1 0.91	1 0.97	1 0.90
Inhalation rate	25 0.03	25 0.01	11 0.16	19 0.04
Soil ingestion	7 -0.18	15 -0.03	9 -0.17	18 -0.04
Thickness of Unsaturated zone 2	19 -0.08	21 -0.02	23 -0.02	23 0.00
Kd of U-234 in Contaminated Zone	16 -0.09	10 -0.06	12 0.15	7 0.18
Kd of U-234 in Unsaturated Zone 1	13 -0.10	5 -0.15	17 -0.10	10 -0.13
Kd of U-234 in Unsaturated Zone 2	12 0.10	9 0.06	4 -0.22	4 -0.25
Kd of U-234 in Saturated Zone	5 -0.20	8 -0.06	26 0.00	26 0.00
Kd of U-235 in Contaminated Zone	15 0.10	12 0.04	8 -0.17	9 -0.15
Kd of U-235 in Unsaturated Zone 1	14 0.10	7 0.09	18 0.09	14 0.07
Kd of U-235 in Unsaturated Zone 2	23 -0.05	18 -0.02	3 0.26	6 0.20
Kd of U-235 in Saturated Zone	20 0.07	19 0.02	19 -0.09	12 -0.08
Kd of U-238 in Contaminated Zone	9 0.13	11 0.05	14 -0.13	11 -0.10
Kd of U-238 in Unsaturated Zone 1	10 0.13	6 0.12	20 0.08	13 0.08
Kd of U-238 in Unsaturated Zone 2	17 -0.09	13 -0.04	7 0.20	8 0.16
Kd of U-238 in Saturated Zone	24 0.04	24 0.01	27 0.00	27 0.00
Thickness of contaminated zone	2 0.86	4 0.29	2 0.84	3 0.34
Aquatic food	27 0.00	27 0.00	10 0.16	17 0.04
Depth of soil mixing layer	18 -0.09	20 -0.02	13 -0.13	20 -0.03
Mass loading for inhalation	6 -0.20	14 -0.04	5 -0.22	15 -0.05
Indoor time fraction	3 -0.29	2 -0.69	22 0.08	5 0.22
Outdoor time fraction	4 -0.24	3 -0.55	15 0.12	2 0.35
R-SQUARE	0.97	0.97	0.95	0.95

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak External Ground Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC 2		SRC 2		PRCC 2		SRRC 2	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	18	0.06	21	0.01	10	-0.11	16	-0.03
Thickness of Unsaturated zone 1	12	0.12	16	0.02	3	0.23	8	0.06
Runoff coefficient	11	0.12	15	0.02	9	-0.11	18	-0.03
Wind Speed	20	-0.05	22	-0.01	12	-0.05	20	-0.01
Well pump intake depth	3	-0.33	8	-0.07	4	-0.20	11	-0.05
External gamma shielding factor	1	0.98	1	0.91	1	0.96	1	0.88
Inhalation rate	14	-0.07	19	-0.01	23	-0.01	25	0.00
Soil ingestion	10	-0.13	14	-0.03	21	-0.02	24	-0.01
Thickness of Unsaturated zone 2	24	-0.01	25	0.00	8	0.11	17	0.03
Kd of U-234 in Contaminated Zone	22	-0.03	12	-0.03	17	-0.04	12	-0.05
Kd of U-234 in Unsaturated Zone 1	5	0.21	2	0.40	16	0.04	10	0.05
Kd of U-234 in Unsaturated Zone 2	8	-0.15	10	-0.06	6	0.14	4	0.19
Kd of U-234 in Saturated Zone	25	-0.01	26	0.00	19	-0.03	13	-0.04
Kd of U-235 in Contaminated Zone	21	0.05	13	0.03	18	0.03	15	0.03
Kd of U-235 in Unsaturated Zone 1	7	-0.20	6	-0.26	14	-0.05	14	-0.04
Kd of U-235 in Unsaturated Zone 2	4	0.22	9	0.06	5	-0.15	5	-0.14
Kd of U-235 in Saturated Zone	15	0.07	18	0.02	22	0.02	19	0.02
Kd of U-238 in Contaminated Zone	27	0.00	24	0.00	27	0.00	27	0.00
Kd of U-238 in Unsaturated Zone 1	6	-0.21	5	-0.27	24	0.01	22	0.01
Kd of U-238 in Unsaturated Zone 2	9	0.14	11	0.05	7	-0.11	6	-0.10
Kd of U-238 in Saturated Zone	19	0.05	17	0.02	11	0.07	7	0.06
Thickness of contaminated zone	2	0.84	4	0.31	2	0.82	2	0.35
Aquatic food	23	-0.02	23	0.00	25	-0.01	26	0.00
Depth of soil mixing layer	17	-0.07	20	-0.01	13	-0.05	21	-0.01
Mass loading for inhalation	26	0.00	27	0.00	20	-0.02	23	-0.01
Indoor time fraction	16	0.07	7	0.22	26	0.01	9	0.06
Outdoor time fraction	13	0.11	3	0.34	15	0.04	3	0.21
R-SQUARE	0.96		0.96		0.94		0.94	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak External Ground Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		3		3		3		3	
Repetition =									
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff	
Depth of roots	19	0.09	22	0.02	15	0.09	22	0.02	
Thickness of Unsaturated zone 1	16	0.10	21	0.02	7	0.15	19	0.04	
Runoff coefficient	24	0.04	24	0.01	27	0.00	27	0.00	
Wind Speed	8	0.13	16	0.03	3	0.19	15	0.05	
Well pump intake depth	26	0.01	26	0.00	25	0.01	25	0.00	
External gamma shielding factor	1	0.97	2	0.93	1	0.96	2	0.89	
Inhalation rate	13	0.10	18	0.03	5	0.16	18	0.04	
Soil ingestion	10	-0.11	17	-0.03	9	-0.13	21	-0.03	
Thickness of Unsaturated zone 2	17	-0.09	20	-0.03	26	-0.01	26	0.00	
Kd of U-234 in Contaminated Zone	14	0.10	9	0.08	23	-0.04	14	-0.06	
Kd of U-234 in Unsaturated Zone 1	9	-0.12	5	-0.21	13	0.10	6	0.12	
Kd of U-234 in Unsaturated Zone 2	11	0.11	10	0.08	11	-0.11	5	-0.18	
Kd of U-234 in Saturated Zone	18	0.09	11	0.07	19	-0.07	9	-0.10	
Kd of U-235 in Contaminated Zone	27	0.00	27	0.00	16	0.08	12	0.07	
Kd of U-235 in Unsaturated Zone 1	15	0.10	7	0.13	12	-0.10	11	-0.08	
Kd of U-235 in Unsaturated Zone 2	23	-0.05	19	-0.03	14	0.10	8	0.10	
Kd of U-235 in Saturated Zone	12	-0.11	12	-0.05	20	0.06	13	0.06	
Kd of U-238 in Contaminated Zone	4	-0.22	8	-0.11	21	-0.06	16	-0.05	
Kd of U-238 in Unsaturated Zone 1	6	0.15	6	0.18	22	-0.05	17	-0.04	
Kd of U-238 in Unsaturated Zone 2	20	-0.08	13	-0.04	17	0.08	10	0.09	
Kd of U-238 in Saturated Zone	21	-0.06	15	-0.04	10	0.12	7	0.11	
Thickness of contaminated zone	2	0.82	4	0.36	2	0.83	4	0.37	
Aquatic food	22	0.05	23	0.01	8	0.15	20	0.04	
Depth of soil mixing layer	25	0.04	25	0.01	24	-0.04	24	-0.01	
Mass loading for inhalation	7	-0.14	14	-0.04	18	-0.08	23	-0.02	
Indoor time fraction	3	-0.23	1	-0.97	4	-0.19	1	-0.90	
Outdoor time fraction	5	-0.20	3	-0.85	6	-0.16	3	-0.76	
R-SQUARE		0.94		0.94		0.94		0.94	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Inhalation particles Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	13	-0.12	18	-0.04	6	-0.16	19	-0.05
Thickness of Unsaturated zone 1	8	0.23	11	0.09	15	0.10	22	0.03
Runoff coefficient	22	0.02	26	0.01	16	-0.09	24	-0.03
Wind Speed	6	-0.38	10	-0.15	5	-0.36	12	-0.12
Well pump intake depth	19	-0.05	21	-0.02	24	-0.03	25	-0.01
External gamma shielding factor	20	-0.05	22	-0.02	27	0.00	27	0.00
Inhalation rate	4	0.65	8	0.30	4	0.60	6	0.24
Soil ingestion	12	0.15	15	0.05	26	0.02	26	0.01
Thickness of Unsaturated zone 2	14	-0.12	17	-0.04	13	0.10	21	0.03
Kd of U-234 in Contaminated Zone	7	0.33	6	0.43	20	0.07	13	0.12
Kd of U-234 in Unsaturated Zone 1	27	0.00	27	0.00	17	0.08	10	0.14
Kd of U-234 in Unsaturated Zone 2	24	-0.02	20	-0.02	10	-0.13	7	-0.21
Kd of U-234 in Saturated Zone	16	-0.10	13	-0.06	22	0.05	14	0.10
Kd of U-235 in Contaminated Zone	5	-0.39	7	-0.38	23	-0.05	18	-0.06
Kd of U-235 in Unsaturated Zone 1	25	-0.02	19	-0.03	25	-0.03	23	-0.03
Kd of U-235 in Unsaturated Zone 2	18	0.09	12	0.06	7	0.15	8	0.16
Kd of U-235 in Saturated Zone	15	0.12	14	0.06	19	-0.07	15	-0.09
Kd of U-238 in Contaminated Zone	9	-0.21	9	-0.17	18	-0.08	16	-0.09
Kd of U-238 in Unsaturated Zone 1	26	0.00	25	0.01	14	-0.10	11	-0.13
Kd of U-238 in Unsaturated Zone 2	23	0.02	23	0.02	9	0.13	9	0.15
Kd of U-238 in Saturated Zone	17	-0.09	16	-0.05	21	-0.05	17	-0.07
Thickness of contaminated zone	3	0.77	5	0.44	2	0.85	2	0.50
Aquatic food	21	0.03	24	0.01	8	0.14	20	0.04
Depth of soil mixing layer	1	-0.84	3	-0.60	1	-0.89	1	-0.61
Mass loading for inhalation	2	0.80	4	0.49	3	0.77	5	0.38
Indoor time fraction	10	-0.19	1	-0.89	12	-0.12	4	-0.48
Outdoor time fraction	11	-0.18	2	-0.83	11	-0.12	3	-0.49
R-SQUARE		0.88		0.88		0.91		0.91

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Inhalation particles Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	27	0.00	27	0.00	22	-0.01	23	0.00
Thickness of Unsaturated zone 1	11	0.11	13	0.04	6	0.28	13	0.08
Runoff coefficient	15	-0.04	22	-0.01	21	0.05	21	0.01
Wind Speed	5	-0.33	8	-0.13	5	-0.42	10	-0.13
Well pump intake depth	13	0.06	18	0.02	25	0.00	27	0.00
External gamma shielding factor	26	0.00	26	0.00	14	-0.10	20	-0.03
Inhalation rate	4	0.62	7	0.29	4	0.67	6	0.25
Soil ingestion	25	-0.01	25	0.00	11	-0.15	19	-0.04
Thickness of Unsaturated zone 2	24	-0.01	24	0.00	7	0.16	18	0.05
Kd of U-234 in Contaminated Zone	18	-0.02	14	-0.04	16	0.09	9	0.13
Kd of U-234 in Unsaturated Zone 1	6	0.21	1	0.78	8	0.16	7	0.23
Kd of U-234 in Unsaturated Zone 2	20	0.02	21	0.01	27	0.00	25	0.00
Kd of U-234 in Saturated Zone	10	-0.11	11	-0.07	20	-0.05	15	-0.07
Kd of U-235 in Contaminated Zone	22	0.01	20	0.02	15	-0.09	12	-0.10
Kd of U-235 in Unsaturated Zone 1	7	-0.20	4	-0.49	9	-0.15	8	-0.14
Kd of U-235 in Unsaturated Zone 2	12	-0.06	16	-0.03	26	0.00	24	0.00
Kd of U-235 in Saturated Zone	21	-0.02	23	-0.01	17	0.08	14	0.08
Kd of U-238 in Contaminated Zone	17	0.03	15	0.04	13	-0.12	11	-0.12
Kd of U-238 in Unsaturated Zone 1	8	-0.17	6	-0.42	19	-0.05	17	-0.05
Kd of U-238 in Unsaturated Zone 2	16	0.03	17	0.02	23	0.00	22	0.00
Kd of U-238 in Saturated Zone	9	0.14	10	0.08	18	0.06	16	0.06
Thickness of contaminated zone	2	0.81	3	0.51	1	0.91	3	0.59
Aquatic food	14	0.05	19	0.02	24	0.00	26	0.00
Depth of soil mixing layer	3	-0.79	5	-0.46	2	-0.89	4	-0.54
Mass loading for inhalation	1	0.82	2	0.52	3	0.87	5	0.48
Indoor time fraction	23	0.01	12	0.07	12	0.14	2	0.77
Outdoor time fraction	19	0.02	9	0.11	10	0.15	1	0.82
R-SQUARE		0.88		0.88		0.93		0.93

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Inhalation particles Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC 3		SRC 3		PRCC 3		SRRC 3	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	8	0.13	13	0.04	9	0.14	16	0.04
Thickness of Unsaturated zone 1	10	-0.12	14	-0.04	15	-0.08	21	-0.02
Runoff coefficient	19	0.05	25	0.02	5	0.26	14	0.08
Wind Speed	15	-0.07	22	-0.03	12	-0.11	19	-0.03
Well pump intake depth	21	0.04	26	0.01	20	-0.05	22	-0.01
External gamma shielding factor	11	0.11	16	0.04	24	0.01	25	0.00
Inhalation rate	4	0.62	6	0.28	4	0.68	6	0.28
Soil ingestion	13	-0.08	20	-0.03	25	0.01	27	0.00
Thickness of Unsaturated zone 2	18	-0.05	24	-0.02	10	-0.13	17	-0.04
Kd of U-234 in Contaminated Zone	24	0.03	18	0.03	19	-0.06	12	-0.09
Kd of U-234 in Unsaturated Zone 1	26	-0.02	12	-0.05	23	-0.02	20	-0.02
Kd of U-234 in Unsaturated Zone 2	16	-0.06	11	-0.06	18	-0.08	9	-0.15
Kd of U-234 in Saturated Zone	23	0.03	17	0.04	11	0.12	7	0.20
Kd of U-235 in Contaminated Zone	27	0.01	27	0.01	8	0.16	8	0.17
Kd of U-235 in Unsaturated Zone 1	22	0.04	10	0.06	26	0.01	24	0.01
Kd of U-235 in Unsaturated Zone 2	17	-0.05	15	-0.04	22	0.03	18	0.04
Kd of U-235 in Saturated Zone	9	0.12	9	0.07	13	-0.10	11	-0.11
Kd of U-238 in Contaminated Zone	20	-0.04	21	-0.03	27	0.00	26	0.00
Kd of U-238 in Unsaturated Zone 1	14	0.08	7	0.13	17	0.08	15	0.08
Kd of U-238 in Unsaturated Zone 2	7	0.14	8	0.09	14	0.09	10	0.12
Kd of U-238 in Saturated Zone	25	-0.03	23	-0.02	16	-0.08	13	-0.08
Thickness of contaminated zone	1	0.83	4	0.52	1	0.89	3	0.57
Aquatic food	12	-0.09	19	-0.03	21	0.03	23	0.01
Depth of soil mixing layer	3	-0.78	5	-0.43	2	-0.86	4	-0.50
Mass loading for inhalation	2	0.82	3	0.54	3	0.84	5	0.47
Indoor time fraction	5	-0.30	1	-1.81	6	-0.25	1	-1.47
Outdoor time fraction	6	-0.29	2	-1.75	7	-0.24	2	-1.37
R-SQUARE		0.89		0.89		0.92		0.92

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterInd.) Dose		PCC		SRC		PRCC		SRRC		
Coefficient =		1		1		1		1		
Repetition =		1		1		1		1		
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
External gamma shielding factor	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Indoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterInd.) Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
External gamma shielding factor	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Indoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterInd.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
External gamma shielding factor	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Indoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterInd.) Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC	SRC	PRCC	SRRC
	1	1	1	1
	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	1 -0.79	2 -0.65	2 -0.95	1 -0.70
Thickness of Unsaturated zone 1	15 -0.12	17 -0.06	27 -0.03	27 -0.01
Runoff coefficient	14 -0.12	18 -0.06	13 0.11	22 0.02
Wind Speed	13 -0.12	16 -0.06	9 -0.18	18 -0.04
Well pump intake depth	24 0.02	26 0.01	19 0.06	25 0.01
External gamma shielding factor	21 -0.04	24 -0.02	22 0.06	26 0.01
Inhalation rate	17 0.09	20 0.04	12 -0.12	21 -0.03
Soil ingestion	11 0.15	13 0.07	8 0.18	17 0.04
Thickness of Unsaturated zone 2	3 -0.28	9 -0.15	16 -0.08	23 -0.02
Kd of U-234 in Contaminated Zone	7 0.20	6 0.34	11 0.15	4 0.19
Kd of U-234 in Unsaturated Zone 1	9 0.19	1 0.74	23 -0.05	13 -0.06
Kd of U-234 in Unsaturated Zone 2	23 0.02	22 0.03	6 -0.20	3 -0.24
Kd of U-234 in Saturated Zone	16 0.10	11 0.09	17 0.07	9 0.09
Kd of U-235 in Contaminated Zone	8 -0.19	8 -0.24	5 -0.20	6 -0.18
Kd of U-235 in Unsaturated Zone 1	6 -0.21	3 -0.56	18 0.06	16 0.05
Kd of U-235 in Unsaturated Zone 2	18 0.08	12 0.08	3 0.23	5 0.18
Kd of U-235 in Saturated Zone	20 -0.04	23 -0.03	15 -0.08	12 -0.07
Kd of U-238 in Contaminated Zone	4 -0.23	7 -0.26	14 -0.11	10 -0.09
Kd of U-238 in Unsaturated Zone 1	10 -0.17	5 -0.44	21 0.06	15 0.05
Kd of U-238 in Unsaturated Zone 2	22 -0.03	19 -0.05	7 0.20	7 0.16
Kd of U-238 in Saturated Zone	19 -0.06	21 -0.04	24 -0.04	20 -0.04
Thickness of contaminated zone	2 0.71	4 0.50	1 0.95	2 0.67
Aquatic food	26 -0.01	27 0.00	20 0.06	24 0.01
Depth of soil mixing layer	5 -0.23	10 -0.13	4 -0.23	14 -0.05
Mass loading for inhalation	12 0.14	14 0.07	10 -0.17	19 -0.04
Indoor time fraction	27 0.00	25 -0.01	26 0.03	11 0.08
Outdoor time fraction	25 0.01	15 0.06	25 0.04	8 0.10
R-SQUARE	0.77	0.77	0.95	0.95

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterInd.) Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	1	-0.80	3	-0.67	1	-0.94	1	-0.71
Thickness of Unsaturated zone 1	15	0.10	17	0.05	7	0.10	14	0.02
Runoff coefficient	27	0.00	27	0.00	3	-0.20	10	-0.05
Wind Speed	24	-0.02	25	-0.01	12	-0.07	18	-0.02
Well pump intake depth	18	0.09	20	0.05	26	0.00	27	0.00
External gamma shielding factor	17	-0.09	19	-0.05	24	0.00	26	0.00
Inhalation rate	12	0.12	16	0.06	10	0.08	15	0.02
Soil ingestion	22	-0.02	24	-0.01	15	0.05	19	0.01
Thickness of Unsaturated zone 2	16	-0.10	18	-0.05	20	0.02	23	0.00
Kd of U-234 in Contaminated Zone	21	0.03	12	0.09	9	-0.09	4	-0.12
Kd of U-234 in Unsaturated Zone 1	10	-0.12	4	-0.62	8	0.09	6	0.11
Kd of U-234 in Unsaturated Zone 2	23	-0.02	22	-0.02	13	0.06	9	0.07
Kd of U-234 in Saturated Zone	7	-0.15	10	-0.14	23	0.01	21	0.01
Kd of U-235 in Contaminated Zone	26	0.00	26	0.00	6	0.12	5	0.11
Kd of U-235 in Unsaturated Zone 1	11	0.12	7	0.41	5	-0.16	3	-0.12
Kd of U-235 in Unsaturated Zone 2	19	-0.09	15	-0.07	17	-0.04	13	-0.04
Kd of U-235 in Saturated Zone	8	0.13	14	0.08	27	0.00	25	0.00
Kd of U-238 in Contaminated Zone	25	-0.01	23	-0.02	25	0.00	24	0.00
Kd of U-238 in Unsaturated Zone 1	9	0.13	6	0.42	22	-0.01	22	-0.01
Kd of U-238 in Unsaturated Zone 2	20	0.04	21	0.04	19	-0.02	17	-0.02
Kd of U-238 in Saturated Zone	6	0.16	11	0.13	14	0.05	11	0.05
Thickness of contaminated zone	2	0.67	5	0.47	2	0.94	2	0.67
Aquatic food	5	-0.17	13	-0.09	16	-0.04	20	-0.01
Depth of soil mixing layer	3	0.30	8	0.16	11	0.07	16	0.02
Mass loading for inhalation	4	0.27	9	0.14	4	-0.16	12	-0.04
Indoor time fraction	14	-0.11	2	-0.93	21	-0.02	8	-0.08
Outdoor time fraction	13	-0.12	1	-0.99	18	-0.02	7	-0.10
R-SQUARE		0.76		0.76		0.95		0.95

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterInd.) Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC 3		SRC 3		PRCC 3		SRRC 3	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	1	-0.74	1	-0.61	1	-0.92	1	-0.67
Thickness of Unsaturated zone 1	18	-0.04	22	-0.02	20	0.05	24	0.01
Runoff coefficient	25	0.02	26	0.01	11	-0.08	20	-0.02
Wind Speed	5	0.14	15	0.08	9	0.09	19	0.03
Well pump intake depth	24	-0.02	24	-0.01	25	0.01	27	0.00
External gamma shielding factor	27	0.00	27	0.00	7	-0.11	18	-0.03
Inhalation rate	4	-0.14	14	-0.08	18	-0.06	23	-0.02
Soil ingestion	10	0.08	18	0.04	6	-0.12	17	-0.03
Thickness of Unsaturated zone 2	20	0.03	23	0.02	4	0.13	15	0.04
Kd of U-234 in Contaminated Zone	9	0.09	8	0.15	19	-0.06	8	-0.08
Kd of U-234 in Unsaturated Zone 1	16	0.05	6	0.20	21	0.05	11	0.06
Kd of U-234 in Unsaturated Zone 2	6	-0.13	5	-0.20	24	0.02	16	0.04
Kd of U-234 in Saturated Zone	15	0.06	13	0.09	13	-0.08	6	-0.13
Kd of U-235 in Contaminated Zone	26	0.01	25	0.01	14	0.08	9	0.08
Kd of U-235 in Unsaturated Zone 1	12	-0.07	7	-0.18	8	-0.10	7	-0.10
Kd of U-235 in Unsaturated Zone 2	8	0.11	9	0.14	23	-0.04	13	-0.04
Kd of U-235 in Saturated Zone	21	-0.03	21	-0.03	5	0.12	5	0.14
Kd of U-238 in Contaminated Zone	22	-0.03	20	-0.03	27	-0.01	26	-0.01
Kd of U-238 in Unsaturated Zone 1	17	-0.04	10	-0.11	26	0.01	25	0.01
Kd of U-238 in Unsaturated Zone 2	14	0.06	17	0.06	22	-0.04	12	-0.06
Kd of U-238 in Saturated Zone	11	-0.07	12	-0.10	15	0.06	10	0.07
Thickness of contaminated zone	2	0.66	2	0.48	2	0.92	2	0.67
Aquatic food	7	-0.11	16	-0.06	16	-0.06	21	-0.02
Depth of soil mixing layer	3	0.18	11	0.10	17	-0.06	22	-0.02
Mass loading for inhalation	13	0.06	19	0.04	3	-0.14	14	-0.04
Indoor time fraction	23	0.03	4	0.26	12	-0.08	4	-0.47
Outdoor time fraction	19	0.04	3	0.33	10	-0.09	3	-0.51
R-SQUARE		0.72		0.72		0.92		0.92

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterInd.) Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
External gamma shielding factor	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Indoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterInd.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
External gamma shielding factor	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Indoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterInd.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
External gamma shielding factor	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Indoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterInd.) Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
External gamma shielding factor	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Indoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterInd.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
External gamma shielding factor	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Indoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterInd.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
External gamma shielding factor	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Indoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Soil Ingestion Dose								
Coefficient =		PCC	SRC	PRCC	SRRC			
Repetition =		1	1	1	1			
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff		
Depth of roots	26	-0.01	27	-0.01	15	-0.11	23	-0.03
Thickness of Unsaturated zone 1	11	0.13	15	0.05	9	0.14	20	0.04
Runoff coefficient	10	-0.15	14	-0.06	6	-0.18	18	-0.06
Wind Speed	15	0.07	21	0.03	25	0.02	25	0.01
Well pump intake depth	7	0.17	13	0.06	26	0.01	26	0.00
External gamma shielding factor	20	-0.04	24	-0.02	7	0.17	19	0.05
Inhalation rate	14	0.08	20	0.03	11	0.12	21	0.04
Soil ingestion	1	0.86	1	0.59	2	0.87	2	0.52
Thickness of Unsaturated zone 2	16	0.06	22	0.02	5	0.19	17	0.06
Kd of U-234 in Contaminated Zone	8	0.16	5	0.19	16	-0.11	8	-0.18
Kd of U-234 in Unsaturated Zone 1	25	-0.02	17	-0.04	27	0.00	27	0.00
Kd of U-234 in Unsaturated Zone 2	13	-0.09	12	-0.11	18	-0.10	9	-0.16
Kd of U-234 in Saturated Zone	6	-0.19	8	-0.12	14	0.11	6	0.22
Kd of U-235 in Contaminated Zone	5	-0.19	6	-0.17	10	0.13	10	0.15
Kd of U-235 in Unsaturated Zone 1	17	0.06	9	0.11	19	0.08	14	0.09
Kd of U-235 in Unsaturated Zone 2	9	0.16	11	0.11	13	0.12	12	0.12
Kd of U-235 in Saturated Zone	24	0.02	25	0.01	8	-0.15	7	-0.18
Kd of U-238 in Contaminated Zone	19	-0.05	18	-0.04	21	0.07	16	0.07
Kd of U-238 in Unsaturated Zone 1	27	-0.01	23	-0.02	24	-0.02	24	-0.03
Kd of U-238 in Unsaturated Zone 2	21	0.04	19	0.04	20	0.07	15	0.08
Kd of U-238 in Saturated Zone	12	0.10	16	0.05	17	-0.11	11	-0.14
Thickness of contaminated zone	3	0.76	3	0.41	1	0.88	1	0.54
Aquatic food	4	0.29	10	0.11	4	0.29	13	0.09
Depth of soil mixing layer	2	-0.82	2	-0.55	3	-0.86	3	-0.50
Mass loading for inhalation	23	0.02	26	0.01	12	-0.12	22	-0.04
Indoor time fraction	22	-0.04	7	-0.17	22	0.07	4	0.26
Outdoor time fraction	18	-0.05	4	-0.23	23	0.05	5	0.22
R-SQUARE		0.88		0.88		0.91		0.91

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Soil Ingestion Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		2		2		2		2	
Repetition =									
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig
Depth of roots	23	0.03	24	0.01	26	0.01	26	0.00	
Thickness of Unsaturated zone 1	26	-0.01	27	0.00	5	0.23	12	0.08	
Runoff coefficient	16	-0.08	19	-0.03	13	-0.09	20	-0.03	
Wind Speed	20	-0.05	22	-0.02	27	0.00	27	0.00	
Well pump intake depth	15	-0.10	17	-0.04	7	-0.19	14	-0.06	
External gamma shielding factor	22	-0.04	23	-0.01	19	-0.05	24	-0.01	
Inhalation rate	13	0.13	14	0.05	17	0.06	23	0.02	
Soil ingestion	1	0.83	4	0.53	3	0.85	5	0.52	
Thickness of Unsaturated zone 2	24	-0.02	26	-0.01	24	0.03	25	0.01	
Kd of U-234 in Contaminated Zone	7	0.23	7	0.45	22	0.03	16	0.06	
Kd of U-234 in Unsaturated Zone 1	5	0.28	1	1.02	6	0.20	6	0.33	
Kd of U-234 in Unsaturated Zone 2	17	0.05	15	0.04	20	0.04	13	0.07	
Kd of U-234 in Saturated Zone	8	-0.22	10	-0.14	16	-0.07	10	-0.12	
Kd of U-235 in Contaminated Zone	10	-0.21	9	-0.25	23	0.03	19	0.04	
Kd of U-235 in Unsaturated Zone 1	4	-0.28	2	-0.68	4	-0.24	7	-0.26	
Kd of U-235 in Unsaturated Zone 2	12	0.14	12	0.07	25	-0.02	22	-0.03	
Kd of U-235 in Saturated Zone	21	0.05	20	0.02	15	0.07	11	0.09	
Kd of U-238 in Contaminated Zone	11	-0.19	8	-0.28	18	-0.06	15	-0.06	
Kd of U-238 in Unsaturated Zone 1	6	-0.25	3	-0.61	8	-0.17	8	-0.18	
Kd of U-238 in Unsaturated Zone 2	19	-0.05	18	-0.03	21	-0.03	18	-0.04	
Kd of U-238 in Saturated Zone	9	0.22	11	0.13	12	0.11	9	0.12	
Thickness of contaminated zone	3	0.80	6	0.49	1	0.88	3	0.59	
Aquatic food	18	0.05	21	0.02	14	0.08	21	0.03	
Depth of soil mixing layer	2	-0.81	5	-0.49	2	-0.86	4	-0.53	
Mass loading for inhalation	14	0.10	16	0.04	11	-0.13	17	-0.04	
Indoor time fraction	27	0.00	25	-0.01	10	0.13	2	0.86	
Outdoor time fraction	25	-0.01	13	-0.07	9	0.13	1	0.86	
R-SQUARE		0.88		0.88		0.90		0.90	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Soil Ingestion Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC 3		SRC 3		PRCC 3		SRRC 3	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	5	0.16	10	0.05	25	0.01	25	0.00
Thickness of Unsaturated zone 1	10	-0.07	13	-0.02	21	0.06	24	0.01
Runoff coefficient	23	0.01	23	0.00	16	0.09	19	0.02
Wind Speed	25	0.00	25	0.00	7	0.17	16	0.04
Well pump intake depth	13	0.05	19	0.02	20	0.06	22	0.01
External gamma shielding factor	15	0.04	21	0.01	19	-0.07	21	-0.02
Inhalation rate	12	-0.05	17	-0.02	4	0.28	14	0.07
Soil ingestion	2	0.86	4	0.55	3	0.91	5	0.54
Thickness of Unsaturated zone 2	20	0.01	22	0.00	26	-0.01	26	0.00
Kd of U-234 in Contaminated Zone	14	0.05	11	0.05	14	-0.10	9	-0.13
Kd of U-234 in Unsaturated Zone 1	17	0.03	9	0.06	9	-0.13	7	-0.16
Kd of U-234 in Unsaturated Zone 2	19	0.02	18	0.02	22	-0.04	15	-0.06
Kd of U-234 in Saturated Zone	18	0.02	14	0.02	17	-0.08	11	-0.11
Kd of U-235 in Contaminated Zone	27	0.00	27	0.00	6	0.18	8	0.15
Kd of U-235 in Unsaturated Zone 1	21	0.01	15	0.02	8	0.13	12	0.11
Kd of U-235 in Unsaturated Zone 2	9	-0.08	8	-0.06	27	0.00	27	0.00
Kd of U-235 in Saturated Zone	26	0.00	26	0.00	10	0.13	10	0.12
Kd of U-238 in Contaminated Zone	16	-0.03	16	-0.02	23	0.03	17	0.03
Kd of U-238 in Unsaturated Zone 1	22	0.01	20	0.01	5	0.22	6	0.18
Kd of U-238 in Unsaturated Zone 2	11	0.06	12	0.03	24	0.01	23	0.01
Kd of U-238 in Saturated Zone	8	-0.09	6	-0.08	13	0.12	13	0.10
Thickness of contaminated zone	1	0.87	3	0.57	1	0.93	1	0.60
Aquatic food	24	-0.01	24	0.00	18	-0.08	20	-0.02
Depth of soil mixing layer	3	-0.85	5	-0.53	2	-0.92	2	-0.55
Mass loading for inhalation	4	-0.18	7	-0.07	15	-0.10	18	-0.03
Indoor time fraction	6	-0.13	1	-0.73	11	-0.12	3	-0.55
Outdoor time fraction	7	-0.13	2	-0.72	12	-0.12	4	-0.54
R-SQUARE		0.90		0.90		0.94		0.94

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Water Ingestion Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	5	-0.19	14	-0.11	18	-0.13	21	-0.06
Thickness of Unsaturated zone 1	12	-0.12	19	-0.07	4	-0.29	17	-0.14
Runoff coefficient	2	-0.57	5	-0.39	1	-0.76	4	-0.54
Wind Speed	8	0.17	15	0.10	22	0.09	24	0.04
Well pump intake depth	3	-0.43	7	-0.27	8	-0.24	18	-0.11
External gamma shielding factor	9	0.17	17	0.10	7	0.24	19	0.11
Inhalation rate	7	0.18	16	0.10	19	0.12	22	0.06
Soil ingestion	22	-0.03	25	-0.02	13	-0.21	20	-0.10
Thickness of Unsaturated zone 2	4	-0.40	8	-0.26	3	-0.66	12	-0.41
Kd of U-234 in Contaminated Zone	10	0.12	9	0.24	9	-0.23	2	-0.62
Kd of U-234 in Unsaturated Zone 1	13	-0.11	2	-0.51	15	0.17	5	0.47
Kd of U-234 in Unsaturated Zone 2	25	0.02	22	0.03	23	-0.08	16	-0.19
Kd of U-234 in Saturated Zone	19	0.06	20	0.06	10	-0.23	1	-0.69
Kd of U-235 in Contaminated Zone	16	-0.09	12	-0.13	11	0.23	10	0.42
Kd of U-235 in Unsaturated Zone 1	18	0.06	10	0.19	6	-0.24	9	-0.42
Kd of U-235 in Unsaturated Zone 2	24	-0.02	24	-0.02	17	0.14	15	0.22
Kd of U-235 in Saturated Zone	14	-0.10	18	-0.08	12	0.22	11	0.41
Kd of U-238 in Contaminated Zone	15	-0.10	13	-0.13	5	0.26	8	0.44
Kd of U-238 in Unsaturated Zone 1	11	0.12	6	0.36	16	-0.16	14	-0.31
Kd of U-238 in Unsaturated Zone 2	23	0.02	21	0.04	27	0.01	25	0.02
Kd of U-238 in Saturated Zone	6	-0.19	11	-0.16	14	0.20	13	0.40
Thickness of contaminated zone	1	0.70	1	0.56	2	0.71	6	0.47
Aquatic food	27	0.00	27	0.00	26	-0.04	27	-0.02
Depth of soil mixing layer	26	0.01	26	0.01	25	-0.05	26	-0.02
Mass loading for inhalation	21	0.06	23	0.03	20	0.09	23	0.04
Indoor time fraction	20	0.06	4	0.42	21	-0.09	3	-0.54
Outdoor time fraction	17	0.06	3	0.46	24	-0.07	7	-0.45
R-SQUARE		0.69		0.69		0.79		0.79

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Water Ingestion Dose				
Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	2	2	2	2
Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	14 -0.14	19 -0.07	5 -0.23	16 -0.11
Thickness of Unsaturated zone 1	5 -0.27	13 -0.15	6 -0.20	17 -0.09
Runoff coefficient	2 -0.58	4 -0.39	2 -0.73	2 -0.49
Wind Speed	18 0.09	21 0.05	10 0.17	19 0.08
Well pump intake depth	4 -0.37	10 -0.22	4 -0.28	14 -0.13
External gamma shielding factor	25 0.02	25 0.01	26 -0.01	27 0.00
Inhalation rate	17 0.11	20 0.06	25 -0.01	26 -0.01
Soil ingestion	27 0.00	27 0.00	18 0.09	22 0.04
Thickness of Unsaturated zone 2	3 -0.38	9 -0.23	3 -0.59	4 -0.33
Kd of U-234 in Contaminated Zone	15 -0.13	5 -0.37	15 0.13	5 0.32
Kd of U-234 in Unsaturated Zone 1	22 0.05	7 0.29	9 0.17	3 0.39
Kd of U-234 in Unsaturated Zone 2	6 0.18	11 0.21	16 -0.12	6 -0.31
Kd of U-234 in Saturated Zone	26 0.01	26 0.01	21 -0.03	18 -0.08
Kd of U-235 in Contaminated Zone	12 0.15	8 0.27	19 -0.07	15 -0.13
Kd of U-235 in Unsaturated Zone 1	23 -0.04	12 -0.15	7 -0.19	8 -0.30
Kd of U-235 in Unsaturated Zone 2	11 -0.15	15 -0.12	8 0.17	7 0.30
Kd of U-235 in Saturated Zone	20 -0.07	23 -0.04	27 0.01	25 0.01
Kd of U-238 in Contaminated Zone	7 0.17	6 0.36	13 -0.13	12 -0.21
Kd of U-238 in Unsaturated Zone 1	24 -0.03	16 -0.10	17 -0.11	13 -0.16
Kd of U-238 in Unsaturated Zone 2	16 -0.12	14 -0.13	12 0.15	10 0.26
Kd of U-238 in Saturated Zone	21 0.06	22 0.05	24 0.01	24 0.02
Thickness of contaminated zone	1 0.75	3 0.62	1 0.78	1 0.56
Aquatic food	19 -0.07	24 -0.04	20 -0.05	23 -0.03
Depth of soil mixing layer	13 0.15	18 0.08	11 0.16	20 0.07
Mass loading for inhalation	8 0.17	17 0.09	14 -0.13	21 -0.06
Indoor time fraction	9 -0.16	1 -1.46	22 -0.03	9 -0.28
Outdoor time fraction	10 -0.16	2 -1.40	23 -0.03	11 -0.23
R-SQUARE	0.72	0.72	0.81	0.81

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Water Ingestion Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC 3		SRC 3		PRCC 3		SRRC 3	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	15	0.08	22	0.04	14	0.08	19	0.03
Thickness of Unsaturated zone 1	12	-0.09	20	-0.05	9	-0.13	16	-0.06
Runoff coefficient	2	-0.51	2	-0.34	1	-0.76	3	-0.50
Wind Speed	9	0.13	17	0.08	11	0.09	18	0.04
Well pump intake depth	3	-0.47	3	-0.30	4	-0.52	6	-0.27
External gamma shielding factor	21	0.02	23	0.01	21	-0.05	24	-0.02
Inhalation rate	14	0.08	21	0.05	8	0.14	15	0.06
Soil ingestion	10	-0.12	18	-0.07	15	0.07	20	0.03
Thickness of Unsaturated zone 2	4	-0.29	5	-0.19	2	-0.73	4	-0.47
Kd of U-234 in Contaminated Zone	18	-0.03	19	-0.06	12	-0.09	7	-0.19
Kd of U-234 in Unsaturated Zone 1	19	0.03	9	0.14	27	0.00	27	0.00
Kd of U-234 in Unsaturated Zone 2	6	0.15	4	0.25	18	0.06	8	0.18
Kd of U-234 in Saturated Zone	16	0.07	11	0.13	25	0.01	21	0.03
Kd of U-235 in Contaminated Zone	13	-0.08	14	-0.10	26	0.01	25	0.02
Kd of U-235 in Unsaturated Zone 1	17	-0.05	10	-0.13	17	0.07	12	0.10
Kd of U-235 in Unsaturated Zone 2	8	-0.13	6	-0.17	19	-0.06	11	-0.11
Kd of U-235 in Saturated Zone	25	-0.01	24	-0.01	16	-0.07	10	-0.12
Kd of U-238 in Contaminated Zone	27	0.01	27	0.01	20	0.05	14	0.07
Kd of U-238 in Unsaturated Zone 1	20	-0.03	16	-0.08	23	-0.02	23	-0.02
Kd of U-238 in Unsaturated Zone 2	7	-0.14	8	-0.16	13	-0.08	9	-0.16
Kd of U-238 in Saturated Zone	11	-0.11	7	-0.17	24	-0.01	22	-0.02
Thickness of contaminated zone	1	0.73	1	0.61	3	0.72	5	0.45
Aquatic food	22	-0.02	25	-0.01	22	0.03	26	0.01
Depth of soil mixing layer	23	0.02	26	0.01	5	0.18	13	0.08
Mass loading for inhalation	5	-0.16	13	-0.10	10	-0.13	17	-0.06
Indoor time fraction	24	0.01	12	0.12	7	0.15	2	1.23
Outdoor time fraction	26	0.01	15	0.10	6	0.15	1	1.26
R-SQUARE		0.70		0.70		0.82		0.82

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Fish Ingestion Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	12	-0.08	21	-0.05	15	-0.15	20	-0.07
Thickness of Unsaturated zone 1	7	-0.17	12	-0.11	5	-0.31	16	-0.15
Runoff coefficient	2	-0.50	2	-0.36	1	-0.75	3	-0.50
Wind Speed	6	0.25	10	0.16	23	0.05	25	0.02
Well pump intake depth	5	-0.28	8	-0.18	19	-0.11	23	-0.05
External gamma shielding factor	8	0.16	14	0.10	12	0.19	18	0.09
Inhalation rate	9	0.15	15	0.09	18	0.11	22	0.05
Soil ingestion	11	0.09	19	0.05	14	-0.16	19	-0.07
Thickness of Unsaturated zone 2	4	-0.37	4	-0.26	3	-0.70	6	-0.45
Kd of U-234 in Contaminated Zone	16	0.06	11	0.12	7	-0.26	2	-0.68
Kd of U-234 in Unsaturated Zone 1	19	-0.05	5	-0.24	16	0.13	11	0.34
Kd of U-234 in Unsaturated Zone 2	25	-0.03	20	-0.05	26	-0.03	21	-0.07
Kd of U-234 in Saturated Zone	22	-0.03	25	-0.03	9	-0.25	1	-0.73
Kd of U-235 in Contaminated Zone	21	-0.03	22	-0.05	8	0.26	5	0.46
Kd of U-235 in Unsaturated Zone 1	23	0.03	16	0.09	13	-0.19	12	-0.33
Kd of U-235 in Unsaturated Zone 2	27	-0.01	27	-0.01	21	0.09	17	0.14
Kd of U-235 in Saturated Zone	20	-0.03	26	-0.03	10	0.23	8	0.42
Kd of U-238 in Contaminated Zone	14	-0.07	17	-0.09	6	0.28	4	0.47
Kd of U-238 in Unsaturated Zone 1	18	0.05	9	0.16	17	-0.12	15	-0.22
Kd of U-238 in Unsaturated Zone 2	15	0.07	13	0.11	27	-0.01	27	-0.02
Kd of U-238 in Saturated Zone	10	-0.09	18	-0.08	11	0.21	9	0.42
Thickness of contaminated zone	1	0.61	1	0.47	2	0.70	7	0.44
Aquatic food	3	0.44	3	0.32	4	0.46	14	0.24
Depth of soil mixing layer	13	0.07	23	0.05	25	0.04	26	0.02
Mass loading for inhalation	17	-0.05	24	-0.03	20	0.10	24	0.04
Indoor time fraction	26	0.02	7	0.19	22	-0.06	10	-0.35
Outdoor time fraction	24	0.03	6	0.22	24	-0.04	13	-0.26
R-SQUARE		0.64		0.64		0.81		0.81

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Fish Ingestion Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	18	-0.08	23	-0.04	5	-0.26	13	-0.12
Thickness of Unsaturated zone 1	7	-0.23	13	-0.13	9	-0.20	16	-0.09
Runoff coefficient	2	-0.51	4	-0.34	1	-0.75	4	-0.50
Wind Speed	24	0.03	26	0.02	11	0.18	17	0.08
Well pump intake depth	8	-0.20	15	-0.12	8	-0.21	15	-0.09
External gamma shielding factor	22	0.04	25	0.02	20	-0.07	23	-0.03
Inhalation rate	9	0.18	16	0.11	19	0.08	22	0.04
Soil ingestion	17	-0.08	22	-0.05	23	0.02	26	0.01
Thickness of Unsaturated zone 2	4	-0.33	9	-0.21	3	-0.63	7	-0.35
Kd of U-234 in Contaminated Zone	20	-0.07	10	-0.21	22	0.05	14	0.12
Kd of U-234 in Unsaturated Zone 1	23	0.03	12	0.17	7	0.24	3	0.53
Kd of U-234 in Unsaturated Zone 2	5	0.26	5	0.33	15	-0.14	8	-0.35
Kd of U-234 in Saturated Zone	21	0.04	24	0.04	24	-0.02	20	-0.04
Kd of U-235 in Contaminated Zone	15	0.10	11	0.18	27	0.00	27	0.00
Kd of U-235 in Unsaturated Zone 1	26	-0.02	20	-0.06	6	-0.25	6	-0.38
Kd of U-235 in Unsaturated Zone 2	10	-0.14	14	-0.12	10	0.18	9	0.31
Kd of U-235 in Saturated Zone	16	-0.08	21	-0.06	26	-0.01	25	-0.01
Kd of U-238 in Contaminated Zone	13	0.11	8	0.26	21	-0.05	18	-0.08
Kd of U-238 in Unsaturated Zone 1	25	-0.02	17	-0.08	13	-0.16	12	-0.23
Kd of U-238 in Unsaturated Zone 2	6	-0.24	7	-0.27	12	0.17	10	0.28
Kd of U-238 in Saturated Zone	19	0.07	18	0.06	25	-0.01	24	-0.02
Thickness of contaminated zone	1	0.67	3	0.52	2	0.74	5	0.48
Aquatic food	3	0.50	6	0.33	4	0.48	11	0.24
Depth of soil mixing layer	27	0.00	27	0.00	18	0.09	21	0.04
Mass loading for inhalation	14	0.11	19	0.06	14	-0.15	19	-0.07
Indoor time fraction	11	-0.14	1	-1.29	16	-0.13	1	-1.09
Outdoor time fraction	12	-0.12	2	-1.15	17	-0.12	2	-1.05
R-SQUARE	0.69		0.69		0.82		0.82	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Fish Ingestion Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC 3		SRC 3		PRCC 3		SRRC 3	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	21	0.05	25	0.03	23	0.04	25	0.02
Thickness of Unsaturated zone 1	13	-0.08	21	-0.05	6	-0.16	17	-0.08
Runoff coefficient	2	-0.43	4	-0.30	1	-0.72	3	-0.47
Wind Speed	11	0.09	19	0.06	18	0.08	23	0.04
Well pump intake depth	3	-0.41	6	-0.28	4	-0.51	6	-0.28
External gamma shielding factor	26	0.02	26	0.02	26	-0.03	27	-0.01
Inhalation rate	6	0.16	17	0.11	7	0.16	18	0.08
Soil ingestion	7	-0.13	18	-0.08	10	0.11	22	0.05
Thickness of Unsaturated zone 2	5	-0.20	12	-0.14	2	-0.71	4	-0.47
Kd of U-234 in Contaminated Zone	17	-0.06	16	-0.12	27	0.01	26	0.01
Kd of U-234 in Unsaturated Zone 1	18	0.06	5	0.28	14	0.09	12	0.20
Kd of U-234 in Unsaturated Zone 2	9	0.11	8	0.21	19	0.08	10	0.24
Kd of U-234 in Saturated Zone	15	0.07	13	0.14	13	0.09	9	0.24
Kd of U-235 in Contaminated Zone	25	-0.03	22	-0.05	21	-0.06	16	-0.10
Kd of U-235 in Unsaturated Zone 1	16	-0.06	10	-0.20	24	-0.04	21	-0.05
Kd of U-235 in Unsaturated Zone 2	12	-0.09	15	-0.12	20	-0.07	15	-0.13
Kd of U-235 in Saturated Zone	24	-0.04	23	-0.04	9	-0.16	7	-0.28
Kd of U-238 in Contaminated Zone	27	0.01	27	0.01	25	-0.03	20	-0.05
Kd of U-238 in Unsaturated Zone 1	19	-0.06	11	-0.18	11	-0.10	13	-0.16
Kd of U-238 in Unsaturated Zone 2	10	-0.11	14	-0.13	12	-0.10	11	-0.21
Kd of U-238 in Saturated Zone	8	-0.13	9	-0.21	17	-0.09	14	-0.14
Thickness of contaminated zone	1	0.64	1	0.53	3	0.64	5	0.37
Aquatic food	4	0.36	7	0.25	5	0.48	8	0.25
Depth of soil mixing layer	14	-0.08	20	-0.05	8	0.16	19	0.07
Mass loading for inhalation	20	-0.05	24	-0.04	22	-0.05	24	-0.02
Indoor time fraction	23	-0.04	3	-0.40	16	0.09	2	0.77
Outdoor time fraction	22	-0.04	2	-0.47	15	0.09	1	0.80
R-SQUARE		0.63		0.63		0.80		0.80

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterDep.) Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
External gamma shielding factor	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Indoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterDep.) Dose		PCC		SRC		PRCC		SRRC		
Coefficient =										
Repetition =		2		2		2		2		
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
External gamma shielding factor	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Indoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterDep.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
External gamma shielding factor	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Indoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterDep.) Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC 1		SRC 1		PRCC 1		SRRC 1	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	5	-0.19	14	-0.11	18	-0.13	21	-0.06
Thickness of Unsaturated zone 1	12	-0.12	19	-0.07	4	-0.29	17	-0.14
Runoff coefficient	2	-0.57	5	-0.39	1	-0.76	4	-0.54
Wind Speed	8	0.17	15	0.10	22	0.09	24	0.04
Well pump intake depth	3	-0.43	7	-0.27	8	-0.23	18	-0.11
External gamma shielding factor	9	0.17	17	0.10	7	0.24	19	0.11
Inhalation rate	7	0.18	16	0.10	19	0.12	22	0.06
Soil ingestion	22	-0.03	25	-0.02	13	-0.21	20	-0.10
Thickness of Unsaturated zone 2	4	-0.40	8	-0.26	3	-0.66	12	-0.41
Kd of U-234 in Contaminated Zone	10	0.12	9	0.24	9	-0.23	2	-0.62
Kd of U-234 in Unsaturated Zone 1	13	-0.11	2	-0.51	15	0.17	5	0.47
Kd of U-234 in Unsaturated Zone 2	25	0.02	22	0.03	23	-0.08	16	-0.19
Kd of U-234 in Saturated Zone	19	0.06	20	0.06	10	-0.23	1	-0.69
Kd of U-235 in Contaminated Zone	16	-0.09	12	-0.13	11	0.23	10	0.42
Kd of U-235 in Unsaturated Zone 1	18	0.06	10	0.19	6	-0.24	9	-0.42
Kd of U-235 in Unsaturated Zone 2	24	-0.02	24	-0.02	17	0.14	15	0.22
Kd of U-235 in Saturated Zone	14	-0.10	18	-0.08	12	0.22	11	0.42
Kd of U-238 in Contaminated Zone	15	-0.10	13	-0.13	5	0.26	8	0.44
Kd of U-238 in Unsaturated Zone 1	11	0.12	6	0.36	16	-0.16	14	-0.31
Kd of U-238 in Unsaturated Zone 2	23	0.02	21	0.04	27	0.01	25	0.02
Kd of U-238 in Saturated Zone	6	-0.19	11	-0.16	14	0.20	13	0.40
Thickness of contaminated zone	1	0.70	1	0.56	2	0.71	6	0.47
Aquatic food	27	0.00	27	0.00	26	-0.04	27	-0.02
Depth of soil mixing layer	26	0.01	26	0.01	25	-0.05	26	-0.02
Mass loading for inhalation	21	0.06	23	0.03	20	0.09	23	0.04
Indoor time fraction	20	0.06	4	0.42	21	-0.09	3	-0.54
Outdoor time fraction	17	0.06	3	0.46	24	-0.07	7	-0.45
R-SQUARE		0.69		0.69		0.79		0.79

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterDep.) Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	14	-0.14	19	-0.07	5	-0.23	16	-0.11
Thickness of Unsaturated zone 1	5	-0.27	13	-0.15	6	-0.20	17	-0.09
Runoff coefficient	2	-0.58	4	-0.39	2	-0.73	2	-0.49
Wind Speed	18	0.09	21	0.05	10	0.17	19	0.08
Well pump intake depth	4	-0.37	10	-0.22	4	-0.28	14	-0.13
External gamma shielding factor	25	0.02	25	0.01	26	-0.01	27	0.00
Inhalation rate	17	0.11	20	0.06	25	-0.01	26	-0.01
Soil ingestion	27	0.00	27	0.00	18	0.09	22	0.04
Thickness of Unsaturated zone 2	3	-0.38	9	-0.23	3	-0.59	4	-0.33
Kd of U-234 in Contaminated Zone	15	-0.13	5	-0.37	15	0.13	5	0.32
Kd of U-234 in Unsaturated Zone 1	22	0.05	7	0.29	9	0.17	3	0.39
Kd of U-234 in Unsaturated Zone 2	6	0.18	11	0.21	16	-0.12	6	-0.31
Kd of U-234 in Saturated Zone	26	0.01	26	0.01	21	-0.03	18	-0.08
Kd of U-235 in Contaminated Zone	12	0.15	8	0.27	19	-0.07	15	-0.13
Kd of U-235 in Unsaturated Zone 1	23	-0.04	12	-0.15	7	-0.19	8	-0.30
Kd of U-235 in Unsaturated Zone 2	11	-0.15	15	-0.12	8	0.17	7	0.30
Kd of U-235 in Saturated Zone	20	-0.07	23	-0.04	27	0.01	25	0.01
Kd of U-238 in Contaminated Zone	7	0.17	6	0.36	13	-0.13	12	-0.21
Kd of U-238 in Unsaturated Zone 1	24	-0.03	16	-0.10	17	-0.11	13	-0.16
Kd of U-238 in Unsaturated Zone 2	16	-0.12	14	-0.13	12	0.15	10	0.26
Kd of U-238 in Saturated Zone	21	0.06	22	0.05	24	0.01	24	0.02
Thickness of contaminated zone	1	0.75	3	0.62	1	0.78	1	0.56
Aquatic food	19	-0.07	24	-0.04	20	-0.05	23	-0.03
Depth of soil mixing layer	13	0.15	18	0.08	11	0.16	20	0.07
Mass loading for inhalation	8	0.17	17	0.09	14	-0.13	21	-0.06
Indoor time fraction	9	-0.16	1	-1.46	22	-0.03	9	-0.28
Outdoor time fraction	10	-0.16	2	-1.40	23	-0.03	11	-0.23
R-SQUARE		0.72		0.72		0.81		0.81

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterDep.) Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC 3		SRC 3		PRCC 3		SRRC 3	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	15	0.08	22	0.04	14	0.08	19	0.03
Thickness of Unsaturated zone 1	12	-0.09	20	-0.05	9	-0.13	16	-0.06
Runoff coefficient	2	-0.51	2	-0.34	1	-0.76	3	-0.50
Wind Speed	9	0.13	17	0.08	11	0.09	18	0.04
Well pump intake depth	3	-0.47	3	-0.30	4	-0.52	6	-0.27
External gamma shielding factor	21	0.02	23	0.01	21	-0.05	24	-0.02
Inhalation rate	14	0.08	21	0.05	8	0.14	15	0.06
Soil ingestion	10	-0.12	18	-0.07	15	0.07	20	0.03
Thickness of Unsaturated zone 2	4	-0.29	5	-0.19	2	-0.73	4	-0.47
Kd of U-234 in Contaminated Zone	18	-0.03	19	-0.06	12	-0.09	7	-0.19
Kd of U-234 in Unsaturated Zone 1	19	0.03	9	0.14	27	0.00	27	0.00
Kd of U-234 in Unsaturated Zone 2	6	0.15	4	0.25	18	0.06	8	0.18
Kd of U-234 in Saturated Zone	16	0.07	11	0.13	25	0.01	21	0.03
Kd of U-235 in Contaminated Zone	13	-0.08	14	-0.10	26	0.01	25	0.02
Kd of U-235 in Unsaturated Zone 1	17	-0.05	10	-0.13	17	0.07	12	0.10
Kd of U-235 in Unsaturated Zone 2	8	-0.13	6	-0.17	19	-0.06	11	-0.11
Kd of U-235 in Saturated Zone	25	-0.01	24	-0.01	16	-0.07	10	-0.12
Kd of U-238 in Contaminated Zone	27	0.01	27	0.01	20	0.05	14	0.07
Kd of U-238 in Unsaturated Zone 1	20	-0.03	16	-0.08	23	-0.02	22	-0.02
Kd of U-238 in Unsaturated Zone 2	7	-0.14	8	-0.16	13	-0.08	9	-0.16
Kd of U-238 in Saturated Zone	11	-0.11	7	-0.17	24	-0.01	23	-0.02
Thickness of contaminated zone	1	0.73	1	0.61	3	0.72	5	0.45
Aquatic food	22	-0.02	25	-0.01	22	0.03	26	0.01
Depth of soil mixing layer	23	0.02	26	0.01	5	0.18	13	0.08
Mass loading for inhalation	5	-0.16	13	-0.10	10	-0.13	17	-0.06
Indoor time fraction	24	0.01	12	0.12	7	0.15	2	1.23
Outdoor time fraction	26	0.01	15	0.10	6	0.15	1	1.27
R-SQUARE		0.70		0.70		0.82		0.82

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterDep.) Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
External gamma shielding factor	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Indoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterDep.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
External gamma shielding factor	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Indoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterDep.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
External gamma shielding factor	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Indoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterDep.) Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
External gamma shielding factor	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Indoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterDep.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
External gamma shielding factor	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Indoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterDep.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
External gamma shielding factor	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-234 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-235 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of U-238 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Indoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak U-234 Dose				
Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	1	1	1	1
Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	6 -0.33	11 -0.12	4 -0.38	10 -0.12
Thickness of Unsaturated zone 1	12 0.16	18 0.06	17 0.07	23 0.02
Runoff coefficient	15 -0.13	20 -0.04	16 -0.08	22 -0.02
Wind Speed	14 -0.13	19 -0.05	8 -0.25	17 -0.07
Well pump intake depth	16 0.11	21 0.04	22 -0.02	26 -0.01
External gamma shielding factor	27 -0.01	27 0.00	14 0.10	19 0.03
Inhalation rate	5 0.38	9 0.14	6 0.31	14 0.09
Soil ingestion	3 0.80	5 0.43	3 0.79	4 0.34
Thickness of Unsaturated zone 2	20 -0.07	24 -0.02	19 0.05	24 0.01
Kd of U-234 in Contaminated Zone	8 0.29	6 0.33	25 -0.02	20 -0.02
Kd of U-234 in Unsaturated Zone 1	23 0.03	14 0.08	15 0.10	7 0.15
Kd of U-234 in Unsaturated Zone 2	19 -0.07	16 -0.08	18 -0.07	12 -0.09
Kd of U-234 in Saturated Zone	13 -0.16	13 -0.09	11 0.22	3 0.38
Kd of U-235 in Contaminated Zone	7 -0.33	7 -0.29	27 0.00	27 0.00
Kd of U-235 in Unsaturated Zone 1	26 -0.01	25 -0.02	23 -0.02	21 -0.02
Kd of U-235 in Unsaturated Zone 2	11 0.17	12 0.11	13 0.10	13 0.09
Kd of U-235 in Saturated Zone	21 0.05	23 0.02	9 -0.25	5 -0.28
Kd of U-238 in Contaminated Zone	10 -0.17	10 -0.13	26 0.01	25 0.01
Kd of U-238 in Unsaturated Zone 1	22 -0.04	17 -0.07	12 -0.14	8 -0.15
Kd of U-238 in Unsaturated Zone 2	24 0.03	22 0.03	20 0.05	18 0.05
Kd of U-238 in Saturated Zone	25 0.02	26 0.01	10 -0.23	6 -0.27
Thickness of contaminated zone	2 0.84	2 0.51	1 0.92	1 0.61
Aquatic food	9 0.22	15 0.08	7 0.26	15 0.07
Depth of soil mixing layer	1 -0.87	1 -0.61	2 -0.90	2 -0.58
Mass loading for inhalation	4 0.49	8 0.19	5 0.37	11 0.11
Indoor time fraction	18 -0.10	4 -0.44	21 0.04	9 0.12
Outdoor time fraction	17 -0.11	3 -0.45	24 0.02	16 0.07
R-SQUARE	0.90	0.90	0.93	0.93

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak U-234 Dose				
Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	2	2	2	2
Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	6 -0.34	16 -0.12	5 -0.36	11 -0.13
Thickness of Unsaturated zone 1	17 0.07	22 0.02	11 0.12	17 0.04
Runoff coefficient	16 -0.08	19 -0.03	17 -0.06	21 -0.02
Wind Speed	12 -0.19	17 -0.06	7 -0.19	15 -0.06
Well pump intake depth	24 -0.02	24 -0.01	19 -0.05	22 -0.02
External gamma shielding factor	27 0.01	27 0.00	24 0.02	25 0.01
Inhalation rate	5 0.42	12 0.15	6 0.35	12 0.12
Soil ingestion	3 0.73	6 0.35	3 0.66	5 0.29
Thickness of Unsaturated zone 2	20 -0.05	23 -0.02	21 0.04	23 0.01
Kd of U-234 in Contaminated Zone	13 0.17	7 0.30	13 -0.10	9 -0.17
Kd of U-234 in Unsaturated Zone 1	7 0.26	1 0.87	9 0.15	6 0.25
Kd of U-234 in Unsaturated Zone 2	21 0.04	18 0.03	23 0.02	19 0.03
Kd of U-234 in Saturated Zone	10 -0.25	13 -0.15	26 0.00	26 0.00
Kd of U-235 in Contaminated Zone	14 -0.15	11 -0.16	10 0.13	10 0.17
Kd of U-235 in Unsaturated Zone 1	8 -0.26	3 -0.57	8 -0.19	7 -0.21
Kd of U-235 in Unsaturated Zone 2	19 0.05	20 0.03	27 0.00	27 0.00
Kd of U-235 in Saturated Zone	18 0.06	21 0.02	22 -0.02	20 -0.02
Kd of U-238 in Contaminated Zone	15 -0.14	10 -0.17	18 0.06	14 0.07
Kd of U-238 in Unsaturated Zone 1	11 -0.23	4 -0.49	16 -0.08	13 -0.09
Kd of U-238 in Unsaturated Zone 2	26 -0.01	25 -0.01	25 -0.01	24 -0.01
Kd of U-238 in Saturated Zone	9 0.26	15 0.14	20 0.05	16 0.06
Thickness of contaminated zone	1 0.88	2 0.61	1 0.91	1 0.70
Aquatic food	25 0.01	26 0.00	12 0.10	18 0.03
Depth of soil mixing layer	2 -0.83	5 -0.47	2 -0.85	4 -0.53
Mass loading for inhalation	4 0.61	8 0.25	4 0.47	8 0.17
Indoor time fraction	23 -0.03	14 -0.14	15 0.09	3 0.56
Outdoor time fraction	22 -0.03	9 -0.18	14 0.09	2 0.57
R-SQUARE	0.90	0.90	0.90	0.90

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak U-234 Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		3		3		3		3	
Repetition =									
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff	
Depth of roots	8	-0.18	11	-0.05	6	-0.27	13	-0.07	
Thickness of Unsaturated zone 1	11	-0.13	17	-0.04	19	0.05	24	0.01	
Runoff coefficient	21	0.03	23	0.01	13	0.11	18	0.03	
Wind Speed	24	0.02	26	0.01	16	0.08	21	0.02	
Well pump intake depth	20	0.05	22	0.01	20	0.04	25	0.01	
External gamma shielding factor	9	0.15	15	0.04	15	0.09	19	0.03	
Inhalation rate	5	0.28	7	0.09	5	0.35	10	0.10	
Soil ingestion	3	0.79	5	0.36	3	0.78	5	0.34	
Thickness of Unsaturated zone 2	27	0.00	27	0.00	25	-0.02	27	-0.01	
Kd of U-234 in Contaminated Zone	14	0.08	9	0.07	11	-0.15	7	-0.21	
Kd of U-234 in Unsaturated Zone 1	23	0.02	12	0.05	26	-0.01	23	-0.01	
Kd of U-234 in Unsaturated Zone 2	15	-0.06	14	-0.05	18	-0.05	11	-0.09	
Kd of U-234 in Saturated Zone	16	0.06	13	0.05	27	0.00	26	-0.01	
Kd of U-235 in Contaminated Zone	25	0.01	25	0.01	7	0.22	6	0.21	
Kd of U-235 in Unsaturated Zone 1	26	0.01	24	0.01	23	0.02	22	0.02	
Kd of U-235 in Unsaturated Zone 2	18	-0.05	18	-0.03	24	0.02	20	0.02	
Kd of U-235 in Saturated Zone	19	0.05	20	0.02	17	0.05	14	0.06	
Kd of U-238 in Contaminated Zone	17	-0.05	19	-0.03	12	0.11	9	0.10	
Kd of U-238 in Unsaturated Zone 1	22	0.03	16	0.04	14	0.10	12	0.09	
Kd of U-238 in Unsaturated Zone 2	10	0.13	10	0.07	22	0.04	15	0.05	
Kd of U-238 in Saturated Zone	12	-0.11	8	-0.08	21	0.04	17	0.04	
Thickness of contaminated zone	1	0.92	3	0.69	1	0.93	3	0.69	
Aquatic food	13	-0.08	21	-0.02	10	-0.16	16	-0.04	
Depth of soil mixing layer	2	-0.87	4	-0.52	2	-0.90	4	-0.55	
Mass loading for inhalation	4	0.50	6	0.18	4	0.49	8	0.16	
Indoor time fraction	6	-0.24	1	-1.20	8	-0.22	1	-1.14	
Outdoor time fraction	7	-0.23	2	-1.16	9	-0.21	2	-1.09	
R-SQUARE		0.92		0.92		0.93		0.93	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak U-235 Dose				
Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	1	1	1	1
Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	26 0.02	27 0.00	19 0.04	23 0.01
Thickness of Unsaturated zone 1	23 -0.03	25 -0.01	5 0.18	13 0.04
Runoff coefficient	10 0.10	20 0.02	10 0.10	17 0.02
Wind Speed	20 -0.05	22 -0.01	12 -0.09	18 -0.02
Well pump intake depth	7 0.13	17 0.02	26 -0.01	26 0.00
External gamma shielding factor	1 0.98	1 0.90	1 0.98	2 0.91
Inhalation rate	25 0.02	26 0.00	17 0.05	20 0.01
Soil ingestion	5 -0.15	12 -0.03	7 -0.13	16 -0.03
Thickness of Unsaturated zone 2	3 -0.29	8 -0.06	25 0.01	25 0.00
Kd of U-234 in Contaminated Zone	4 0.15	5 0.09	18 0.04	11 0.05
Kd of U-234 in Unsaturated Zone 1	22 0.04	9 0.06	15 -0.06	9 -0.07
Kd of U-234 in Unsaturated Zone 2	8 0.13	6 0.07	13 -0.07	8 -0.08
Kd of U-234 in Saturated Zone	14 -0.09	13 -0.03	8 -0.12	5 -0.16
Kd of U-235 in Contaminated Zone	19 -0.05	16 -0.02	16 -0.06	12 -0.04
Kd of U-235 in Unsaturated Zone 1	17 -0.06	10 -0.06	22 0.01	21 0.01
Kd of U-235 in Unsaturated Zone 2	13 -0.09	11 -0.03	9 0.12	6 0.08
Kd of U-235 in Saturated Zone	15 0.08	19 0.02	14 0.06	10 0.05
Kd of U-238 in Contaminated Zone	16 -0.06	14 -0.02	23 -0.01	22 -0.01
Kd of U-238 in Unsaturated Zone 1	27 -0.01	23 -0.01	21 0.02	19 0.02
Kd of U-238 in Unsaturated Zone 2	6 -0.14	7 -0.07	20 0.04	15 0.03
Kd of U-238 in Saturated Zone	12 -0.10	15 -0.02	11 0.09	7 0.08
Thickness of contaminated zone	2 0.88	2 0.33	2 0.86	4 0.34
Aquatic food	18 -0.06	21 -0.01	24 -0.01	24 0.00
Depth of soil mixing layer	24 -0.03	24 -0.01	27 0.00	27 0.00
Mass loading for inhalation	9 -0.12	18 -0.02	6 -0.17	14 -0.04
Indoor time fraction	11 -0.10	3 -0.23	4 0.32	3 0.91
Outdoor time fraction	21 -0.05	4 -0.11	3 0.36	1 1.06
R-SQUARE	0.97	0.97	0.96	0.96

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak U-235 Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		2		2		2		2	
Repetition =									
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff	
Depth of roots	18	0.04	25	0.01	6	-0.19	13	-0.04	
Thickness of Unsaturated zone 1	15	-0.06	24	-0.01	7	0.16	15	0.03	
Runoff coefficient	3	0.26	6	0.05	12	-0.09	20	-0.02	
Wind Speed	14	-0.07	23	-0.01	8	-0.13	17	-0.03	
Well pump intake depth	10	-0.10	16	-0.02	23	-0.02	25	0.00	
External gamma shielding factor	1	0.97	1	0.89	1	0.98	1	0.91	
Inhalation rate	5	-0.13	12	-0.03	21	0.04	24	0.01	
Soil ingestion	21	-0.03	26	-0.01	27	0.01	27	0.00	
Thickness of Unsaturated zone 2	8	0.11	14	0.02	10	0.11	18	0.02	
Kd of U-234 in Contaminated Zone	25	-0.02	17	-0.02	13	-0.07	9	-0.08	
Kd of U-234 in Unsaturated Zone 1	17	0.05	4	0.11	26	0.01	23	0.01	
Kd of U-234 in Unsaturated Zone 2	20	-0.03	21	-0.01	5	0.22	4	0.24	
Kd of U-234 in Saturated Zone	16	0.06	15	0.02	15	-0.07	10	-0.07	
Kd of U-235 in Contaminated Zone	23	-0.02	22	-0.01	18	0.06	12	0.04	
Kd of U-235 in Unsaturated Zone 1	19	-0.04	7	-0.05	24	-0.02	21	-0.01	
Kd of U-235 in Unsaturated Zone 2	6	0.12	10	0.04	4	-0.24	6	-0.18	
Kd of U-235 in Saturated Zone	7	-0.11	13	-0.03	16	0.07	11	0.05	
Kd of U-238 in Contaminated Zone	24	-0.02	19	-0.02	17	0.06	14	0.04	
Kd of U-238 in Unsaturated Zone 1	9	-0.11	3	-0.15	19	0.04	16	0.03	
Kd of U-238 in Unsaturated Zone 2	27	0.01	27	0.01	3	-0.25	5	-0.19	
Kd of U-238 in Saturated Zone	11	-0.09	11	-0.03	9	0.12	8	0.09	
Thickness of contaminated zone	2	0.86	2	0.35	2	0.87	2	0.33	
Aquatic food	13	0.07	20	0.01	20	-0.04	22	-0.01	
Depth of soil mixing layer	4	-0.18	9	-0.04	25	-0.01	26	0.00	
Mass loading for inhalation	12	0.08	18	0.02	11	0.10	19	0.02	
Indoor time fraction	26	-0.01	8	-0.05	22	0.04	7	0.13	
Outdoor time fraction	22	0.02	5	0.07	14	0.07	3	0.28	
R-SQUARE		0.96		0.96		0.97		0.97	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak U-235 Dose

Coefficient = Repetition =	PCC		SRC		PRCC		SRRC	
	3		3		3		3	
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	22	-0.05	22	-0.01	22	0.04	25	0.01
Thickness of Unsaturated zone 1	23	-0.03	23	0.00	4	0.16	15	0.04
Runoff coefficient	13	0.12	17	0.02	25	-0.02	27	0.00
Wind Speed	25	0.01	25	0.00	12	0.08	22	0.02
Well pump intake depth	14	0.11	19	0.02	7	0.13	18	0.03
External gamma shielding factor	1	0.98	2	0.92	1	0.97	1	0.91
Inhalation rate	7	0.17	15	0.03	10	0.10	21	0.02
Soil ingestion	17	-0.10	20	-0.02	6	-0.15	17	-0.03
Thickness of Unsaturated zone 2	15	0.11	18	0.02	5	0.16	16	0.03
Kd of U-234 in Contaminated Zone	27	0.00	27	0.00	19	-0.06	7	-0.07
Kd of U-234 in Unsaturated Zone 1	9	0.16	5	0.22	11	0.09	5	0.09
Kd of U-234 in Unsaturated Zone 2	11	0.14	8	0.07	20	-0.04	8	-0.06
Kd of U-234 in Saturated Zone	20	0.06	14	0.03	21	-0.04	10	-0.05
Kd of U-235 in Contaminated Zone	18	0.09	13	0.03	14	0.07	9	0.06
Kd of U-235 in Unsaturated Zone 1	5	-0.18	6	-0.16	17	-0.06	14	-0.05
Kd of U-235 in Unsaturated Zone 2	12	-0.12	11	-0.05	24	0.03	19	0.03
Kd of U-235 in Saturated Zone	8	-0.17	10	-0.05	18	0.06	12	0.05
Kd of U-238 in Contaminated Zone	16	-0.11	12	-0.04	26	-0.02	24	-0.01
Kd of U-238 in Unsaturated Zone 1	10	-0.16	7	-0.14	9	-0.11	6	-0.08
Kd of U-238 in Unsaturated Zone 2	6	-0.18	9	-0.06	27	0.01	26	0.01
Kd of U-238 in Saturated Zone	19	-0.07	16	-0.03	16	0.07	11	0.05
Thickness of contaminated zone	2	0.91	4	0.39	2	0.84	2	0.34
Aquatic food	21	0.06	21	0.01	8	0.11	20	0.03
Depth of soil mixing layer	26	0.01	26	0.00	3	-0.22	13	-0.05
Mass loading for inhalation	24	-0.02	24	0.00	15	-0.07	23	-0.02
Indoor time fraction	3	-0.29	1	-0.93	13	-0.08	3	-0.32
Outdoor time fraction	4	-0.25	3	-0.78	23	-0.04	4	-0.16
R-SQUARE		0.97		0.97		0.95		0.95

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak U-238 Dose								
Coefficient =		PCC	SRC	PRCC	SRRC			
Repetition =		1	1	1	1			
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff		
Depth of roots	13	-0.12	18	-0.04	6	-0.16	19	-0.05
Thickness of Unsaturated zone 1	8	0.23	11	0.09	15	0.10	22	0.03
Runoff coefficient	22	0.02	26	0.01	16	-0.09	24	-0.03
Wind Speed	6	-0.38	10	-0.15	5	-0.36	12	-0.12
Well pump intake depth	19	-0.05	21	-0.02	24	-0.03	25	-0.01
External gamma shielding factor	20	-0.05	22	-0.02	27	0.00	27	0.00
Inhalation rate	4	0.65	8	0.30	4	0.60	6	0.24
Soil ingestion	12	0.15	15	0.05	26	0.02	26	0.01
Thickness of Unsaturated zone 2	14	-0.12	17	-0.04	13	0.10	21	0.03
Kd of U-234 in Contaminated Zone	7	0.33	6	0.43	20	0.07	13	0.12
Kd of U-234 in Unsaturated Zone 1	27	0.00	27	0.00	17	0.08	10	0.14
Kd of U-234 in Unsaturated Zone 2	24	-0.02	20	-0.02	10	-0.13	7	-0.21
Kd of U-234 in Saturated Zone	16	-0.10	13	-0.06	22	0.05	14	0.10
Kd of U-235 in Contaminated Zone	5	-0.39	7	-0.38	23	-0.05	18	-0.06
Kd of U-235 in Unsaturated Zone 1	25	-0.02	19	-0.03	25	-0.03	23	-0.03
Kd of U-235 in Unsaturated Zone 2	18	0.09	12	0.06	7	0.15	8	0.16
Kd of U-235 in Saturated Zone	15	0.12	14	0.06	19	-0.07	15	-0.09
Kd of U-238 in Contaminated Zone	9	-0.21	9	-0.17	18	-0.08	16	-0.09
Kd of U-238 in Unsaturated Zone 1	26	0.00	25	0.01	14	-0.10	11	-0.13
Kd of U-238 in Unsaturated Zone 2	23	0.02	23	0.02	9	0.13	9	0.15
Kd of U-238 in Saturated Zone	17	-0.09	16	-0.05	21	-0.05	17	-0.07
Thickness of contaminated zone	3	0.77	5	0.44	2	0.85	2	0.50
Aquatic food	21	0.03	24	0.01	8	0.14	20	0.04
Depth of soil mixing layer	1	-0.84	3	-0.60	1	-0.89	1	-0.61
Mass loading for inhalation	2	0.80	4	0.49	3	0.77	5	0.38
Indoor time fraction	10	-0.19	1	-0.89	12	-0.12	4	-0.48
Outdoor time fraction	11	-0.18	2	-0.83	11	-0.12	3	-0.49
R-SQUARE		0.88		0.88		0.91		0.91

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak U-238 Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		2		2		2		2	
Repetition =									
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff	
Depth of roots	27	0.00	27	0.00	22	-0.01	23	0.00	
Thickness of Unsaturated zone 1	11	0.11	13	0.04	6	0.28	13	0.08	
Runoff coefficient	15	-0.04	22	-0.01	21	0.05	21	0.01	
Wind Speed	5	-0.33	8	-0.13	5	-0.42	10	-0.13	
Well pump intake depth	13	0.06	18	0.02	25	0.00	27	0.00	
External gamma shielding factor	26	0.00	26	0.00	14	-0.10	20	-0.03	
Inhalation rate	4	0.62	7	0.29	4	0.67	6	0.25	
Soil ingestion	25	-0.01	25	0.00	11	-0.15	19	-0.04	
Thickness of Unsaturated zone 2	24	-0.01	24	0.00	7	0.16	18	0.05	
Kd of U-234 in Contaminated Zone	18	-0.02	14	-0.04	16	0.09	9	0.13	
Kd of U-234 in Unsaturated Zone 1	6	0.21	1	0.78	8	0.16	7	0.23	
Kd of U-234 in Unsaturated Zone 2	20	0.02	21	0.02	27	0.00	25	0.00	
Kd of U-234 in Saturated Zone	10	-0.11	11	-0.07	20	-0.05	15	-0.07	
Kd of U-235 in Contaminated Zone	22	0.01	20	0.02	15	-0.09	12	-0.10	
Kd of U-235 in Unsaturated Zone 1	7	-0.20	4	-0.49	9	-0.15	8	-0.14	
Kd of U-235 in Unsaturated Zone 2	12	-0.06	16	-0.03	26	0.00	24	0.00	
Kd of U-235 in Saturated Zone	21	-0.02	23	-0.01	17	0.08	14	0.08	
Kd of U-238 in Contaminated Zone	17	0.03	15	0.04	13	-0.12	11	-0.12	
Kd of U-238 in Unsaturated Zone 1	8	-0.17	6	-0.42	19	-0.05	17	-0.05	
Kd of U-238 in Unsaturated Zone 2	16	0.03	17	0.02	23	0.00	22	0.00	
Kd of U-238 in Saturated Zone	9	0.14	10	0.08	18	0.06	16	0.06	
Thickness of contaminated zone	2	0.81	3	0.51	1	0.91	3	0.59	
Aquatic food	14	0.05	19	0.02	24	0.00	26	0.00	
Depth of soil mixing layer	3	-0.79	5	-0.46	2	-0.89	4	-0.54	
Mass loading for inhalation	1	0.82	2	0.52	3	0.87	5	0.48	
Indoor time fraction	23	0.01	12	0.07	12	0.14	2	0.77	
Outdoor time fraction	19	0.02	9	0.11	10	0.15	1	0.82	
R-SQUARE		0.88		0.88		0.93		0.93	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak U-238 Dose				
Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	3	3	3	3
Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	8 0.13	13 0.04	9 0.14	16 0.04
Thickness of Unsaturated zone 1	10 -0.12	14 -0.04	15 -0.08	21 -0.02
Runoff coefficient	19 0.05	25 0.02	5 0.26	14 0.08
Wind Speed	15 -0.07	22 -0.03	12 -0.11	19 -0.03
Well pump intake depth	21 0.04	26 0.01	20 -0.05	22 -0.01
External gamma shielding factor	11 0.11	16 0.04	24 0.01	25 0.00
Inhalation rate	4 0.62	6 0.28	4 0.68	6 0.28
Soil ingestion	13 -0.08	20 -0.03	25 0.01	27 0.00
Thickness of Unsaturated zone 2	18 -0.05	24 -0.02	10 -0.13	17 -0.04
Kd of U-234 in Contaminated Zone	24 0.03	18 0.03	19 -0.06	12 -0.09
Kd of U-234 in Unsaturated Zone 1	26 -0.02	12 -0.05	23 -0.02	20 -0.02
Kd of U-234 in Unsaturated Zone 2	16 -0.06	11 -0.06	18 -0.08	9 -0.15
Kd of U-234 in Saturated Zone	23 0.03	17 0.04	11 0.12	7 0.20
Kd of U-235 in Contaminated Zone	27 0.01	27 0.01	8 0.16	8 0.17
Kd of U-235 in Unsaturated Zone 1	22 0.04	10 0.06	26 0.01	24 0.01
Kd of U-235 in Unsaturated Zone 2	17 -0.05	15 -0.04	22 0.03	18 0.04
Kd of U-235 in Saturated Zone	9 0.12	9 0.07	13 -0.10	11 -0.11
Kd of U-238 in Contaminated Zone	20 -0.04	21 -0.03	27 0.00	26 0.00
Kd of U-238 in Unsaturated Zone 1	14 0.08	7 0.13	17 0.08	15 0.08
Kd of U-238 in Unsaturated Zone 2	7 0.14	8 0.09	14 0.09	10 0.12
Kd of U-238 in Saturated Zone	25 -0.03	23 -0.02	16 -0.08	13 -0.08
Thickness of contaminated zone	1 0.83	4 0.52	1 0.89	3 0.57
Aquatic food	12 -0.09	19 -0.03	21 0.03	23 0.01
Depth of soil mixing layer	3 -0.78	5 -0.43	2 -0.86	4 -0.50
Mass loading for inhalation	2 0.82	3 0.54	3 0.84	5 0.47
Indoor time fraction	5 -0.30	1 -1.81	6 -0.25	1 -1.47
Outdoor time fraction	6 -0.29	2 -1.75	7 -0.24	2 -1.37
R-SQUARE	0.89	0.89	0.92	0.92

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

=====

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	3
Summary of Pathway Selections	7
Contaminated Zone and Total Dose Summary	8
Total Dose Components	
Time = 0.000E+00	9
Time = 1.000E+00	10
Time = 3.000E+00	11
Time = 1.000E+01	12
Time = 3.000E+01	13
Time = 1.000E+02	14
Time = 3.000E+02	15
Time = 1.000E+03	16
Dose/Source Ratios Summed Over All Pathways	17
Single Radionuclide Soil Guidelines	17
Dose Per Nuclide Summed Over All Pathways	18
Soil Concentration Per Nuclide	18

Dose Conversion Factor (and Related) Parameter Summary
 File: Default.LIB

0 Menu	Parameter	Current Value	Default	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Co-60	2.190E-04	2.190E-04	DCF2(1)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Co-60	2.690E-05	2.690E-05	DCF3(1)
D-34	Food transfer factors:			
D-34	Co-60 , plant/soil concentration ratio, dimensionless	8.000E-02	8.000E-02	RTF(1,1)
D-34	Co-60 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-02	2.000E-02	RTF(1,2)
D-34	Co-60 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-03	2.000E-03	RTF(1,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Co-60 , fish	3.000E+02	3.000E+02	BIOFAC(1,1)
D-5	Co-60 , crustacea and mollusks	2.000E+02	2.000E+02	BIOFAC(1,2)

Site-Specific Parameter Summary					
0	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	2.023E+06	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.500E-01	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.000E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	1.900E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Co-60	5.940E+00	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): Co-60	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.500E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.000E-03	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	4.000E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	3.160E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	5.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.120E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	2.000E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.500E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	4.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	2.000E-01	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E+02	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	2.000E-02	2.000E-02	---	HGWT
R014	Saturated zone b parameter	5.300E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.000E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.500E+02	2.500E+02	---	UW
R015	Number of unsaturated zone strata	2	1	---	NS

Site-Specific Parameter Summary (continued)

0	Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
	R015	Unsat. zone 1, thickness (m)	2.000E+00	4.000E+00	---	H (1)
	R015	Unsat. zone 1, soil density (g/cm**3)	1.500E+00	1.500E+00	---	DENSUZ (1)
	R015	Unsat. zone 1, total porosity	4.000E-01	4.000E-01	---	TPUZ (1)
	R015	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	EPUZ (1)
	R015	Unsat. zone 1, field capacity	2.000E-01	2.000E-01	---	FCUZ (1)
	R015	Unsat. zone 1, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ (1)
	R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCUZ (1)
	R015	Unsat. zone 2, thickness (m)	4.000E+00	0.000E+00	---	H (2)
	R015	Unsat. zone 2, soil density (g/cm**3)	1.500E+00	1.500E+00	---	DENSUZ (2)
	R015	Unsat. zone 2, total porosity	4.000E-01	4.000E-01	---	TPUZ (2)
	R015	Unsat. zone 2, effective porosity	2.000E-01	2.000E-01	---	EPUZ (2)
	R015	Unsat. zone 2, field capacity	2.000E-01	2.000E-01	---	FCUZ (2)
	R015	Unsat. zone 2, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ (2)
	R015	Unsat. zone 2, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCUZ (2)
	R016	Distribution coefficients for Co-60				
	R016	Contaminated zone (cm**3/g)	1.000E+03	1.000E+03	---	DCNUCC (1)
	R016	Unsaturated zone 1 (cm**3/g)	1.000E+03	1.000E+03	---	DCNUCU (1,1)
	R016	Unsaturated zone 2 (cm**3/g)	1.000E+03	1.000E+03	---	DCNUCU (1,2)
	R016	Saturated zone (cm**3/g)	1.000E+03	1.000E+03	---	DCNUCS (1)
	R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.435E-03	ALEACH (1)
	R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (1)
	R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
	R017	Mass loading for inhalation (g/m**3)	1.000E-04	1.000E-04	---	MLINH
	R017	Exposure duration	3.000E+01	3.000E+01	---	ED
	R017	Shielding factor, inhalation	4.000E-01	4.000E-01	---	SHF3
	R017	Shielding factor, external gamma	7.000E-01	7.000E-01	---	SHF1
	R017	Fraction of time spent indoors	8.048E-01	5.000E-01	---	FIND
	R017	Fraction of time spent outdoors (on site)	3.420E-02	2.500E-01	---	FOTD
	R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
	R017	Radii of shape factor array (used if FS = -1):				
	R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE (1)
	R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE (2)
	R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE (3)
	R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE (4)
	R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE (5)
	R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE (6)
	R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE (7)
	R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE (8)
	R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE (9)
	R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE (10)
	R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE (11)
	R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE (12)

Site-Specific Parameter Summary (continued)

0	Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
	R017	Fractions of annular areas within AREA:				
	R017	Ring 1	not used	1.000E+00	---	FRACA(1)
	R017	Ring 2	not used	2.732E-01	---	FRACA(2)
	R017	Ring 3	not used	0.000E+00	---	FRACA(3)
	R017	Ring 4	not used	0.000E+00	---	FRACA(4)
	R017	Ring 5	not used	0.000E+00	---	FRACA(5)
	R017	Ring 6	not used	0.000E+00	---	FRACA(6)
	R017	Ring 7	not used	0.000E+00	---	FRACA(7)
	R017	Ring 8	not used	0.000E+00	---	FRACA(8)
	R017	Ring 9	not used	0.000E+00	---	FRACA(9)
	R017	Ring 10	not used	0.000E+00	---	FRACA(10)
	R017	Ring 11	not used	0.000E+00	---	FRACA(11)
	R017	Ring 12	not used	0.000E+00	---	FRACA(12)
	R018	Fruits, vegetables and grain consumption (kg/yr)	1.600E+02	1.600E+02	---	DIET(1)
	R018	Leafy vegetable consumption (kg/yr)	1.400E+01	1.400E+01	---	DIET(2)
	R018	Milk consumption (L/yr)	not used	9.200E+01	---	DIET(3)
	R018	Meat and poultry consumption (kg/yr)	not used	6.300E+01	---	DIET(4)
	R018	Fish consumption (kg/yr)	5.400E+00	5.400E+00	---	DIET(5)
	R018	Other seafood consumption (kg/yr)	0.000E+00	9.000E-01	---	DIET(6)
	R018	Soil ingestion rate (g/yr)	3.650E+01	3.650E+01	---	SOIL
	R018	Drinking water intake (L/yr)	5.840E+02	5.100E+02	---	DWI
	R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
	R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
	R018	Contamination fraction of livestock water	not used	1.000E+00	---	FLW
	R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
	R018	Contamination fraction of aquatic food	5.000E-01	5.000E-01	---	FR9
	R018	Contamination fraction of plant food	4.300E-02	-1	---	FPLANT
	R018	Contamination fraction of meat	not used	-1	---	FMEAT
	R018	Contamination fraction of milk	not used	-1	---	FMILK
	R019	Livestock fodder intake for meat (kg/day)	not used	6.800E+01	---	LFI5
	R019	Livestock fodder intake for milk (kg/day)	not used	5.500E+01	---	LFI6
	R019	Livestock water intake for meat (L/day)	not used	5.000E+01	---	LWI5
	R019	Livestock water intake for milk (L/day)	not used	1.600E+02	---	LWI6
	R019	Livestock soil intake (kg/day)	not used	5.000E-01	---	LSI
	R019	Mass loading for foliar deposition (g/m**3)	1.000E-04	1.000E-04	---	MLFD
	R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
	R019	Depth of roots (m)	9.000E-01	9.000E-01	---	DROOT
	R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
	R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
	R019	Livestock water fraction from ground water	not used	1.000E+00	---	FGWLW
	R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
	R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	7.000E-01	7.000E-01	---	YV(1)
	R19B	Wet weight crop yield for Leafy (kg/m**2)	1.500E+00	1.500E+00	---	YV(2)
	R19B	Wet weight crop yield for Fodder (kg/m**2)	not used	1.100E+00	---	YV(3)
	R19B	Growing Season for Non-Leafy (years)	1.700E-01	1.700E-01	---	TE(1)
	R19B	Growing Season for Leafy (years)	2.500E-01	2.500E-01	---	TE(2)
	R19B	Growing Season for Fodder (years)	not used	8.000E-02	---	TE(3)

Site-Specific Parameter Summary (continued)

0	Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
	R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
	R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
	R19B	Translocation Factor for Fodder	not used	1.000E+00	---	TIV(3)
	R19B	Dry Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RDRY(1)
	R19B	Dry Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RDRY(2)
	R19B	Dry Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RDRY(3)
	R19B	Wet Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RWET(1)
	R19B	Wet Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RWET(2)
	R19B	Wet Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RWET(3)
	R19B	Weathering Removal Constant for Vegetation	2.000E+01	2.000E+01	---	WLAM
	C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
	C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
	C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
	C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
	C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
	C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
	C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
	C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
	C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
	C14	DCF correction factor for gaseous forms of C14	not used	1.234E+02	---	CO2F
	STOR	Storage times of contaminated foodstuffs (days):				
	STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
	STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
	STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
	STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
	STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
	STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
	STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
	STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
	STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
	R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
	R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
	R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
	R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
	R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
	R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
	R021	Diffusion coefficient for radon gas (m/sec):				
	R021	in cover material	not used	2.000E-06	---	DIFCV
	R021	in foundation material	not used	3.000E-07	---	DIFFL
	R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
	R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
	R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
	R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
	R021	Building interior area factor	not used	0.000E+00	---	FAI
	R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
	R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
	R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)

Site-Specific Parameter Summary (continued)

0 Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
TITL	Number of graphical time points	128	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	suppressed
5 -- milk ingestion	suppressed
6 -- aquatic foods	active
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	active

Contaminated Zone Dimensions	Initial Soil Concentrations, pCi/g							
-----	-----							
Area:2023400.00 square meters	Co-60		5.940E+00					
Thickness: 0.15 meters								
Cover Depth: 0.00 meters								
0								
Total Dose TDOSE(t), mrem/yr								
Basic Radiation Dose Limit = 19 mrem/yr								
Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)								

t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	4.525E+01	3.949E+01	3.007E+01	1.157E+01	7.485E-01	3.968E-05	0.000E+00	0.000E+00
M(t):	2.381E+00	2.078E+00	1.583E+00	6.092E-01	3.940E-02	2.088E-06	0.000E+00	0.000E+00
0Maximum TDOSE(t):	4.525E+01 mrem/yr at t = 0.000E+00 years							

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

0
 0 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	4.523E+01	0.9996	8.570E-05	0.0000	0.000E+00	0.0000	1.488E-02	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	4.565E-03	0.0001
Total	4.523E+01	0.9996	8.570E-05	0.0000	0.000E+00	0.0000	1.488E-02	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	4.565E-03	0.0001

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

0
 0 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.525E+01	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.525E+01	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

0
 0 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	3.947E+01	0.9996	7.445E-05	0.0000	0.000E+00	0.0000	1.293E-02	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	3.966E-03	0.0001
Total	3.947E+01	0.9996	7.445E-05	0.0000	0.000E+00	0.0000	1.293E-02	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	3.966E-03	0.0001

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

0
 0 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.949E+01	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.949E+01	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

0
 0 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	3.006E+01	0.9996	5.619E-05	0.0000	0.000E+00	0.0000	9.755E-03	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	2.993E-03	0.0001
Total	3.006E+01	0.9996	5.619E-05	0.0000	0.000E+00	0.0000	9.755E-03	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	2.993E-03	0.0001

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

0
 0 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.007E+01	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.007E+01	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

0
 0 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	1.157E+01	0.9996	2.095E-05	0.0000	0.000E+00	0.0000	3.637E-03	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	1.116E-03	0.0001
Total	1.157E+01	0.9996	2.095E-05	0.0000	0.000E+00	0.0000	3.637E-03	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	1.116E-03	0.0001

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

0
 0 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.157E+01	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.157E+01	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

0
 0 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	7.482E-01	0.9996	1.232E-06	0.0000	0.000E+00	0.0000	2.139E-04	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	6.563E-05	0.0001
Total	7.482E-01	0.9996	1.232E-06	0.0000	0.000E+00	0.0000	2.139E-04	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	6.563E-05	0.0001

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

0
 0 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.485E-01	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.485E-01	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

0
 0 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	3.967E-05	0.9998	4.327E-11	0.0000	0.000E+00	0.0000	7.515E-09	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	2.305E-09	0.0001
Total	3.967E-05	0.9998	4.327E-11	0.0000	0.000E+00	0.0000	7.515E-09	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	2.305E-09	0.0001

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

0
 0 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.968E-05	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.968E-05	1.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

0
 0 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

0
 0 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

0
 0 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

0
 0 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

0*Sum of all water independent and dependent pathways.

Dose/Source Ratios Summed Over All Pathways

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		7.617E+00	6.648E+00	5.062E+00	1.949E+00	1.260E-01	6.680E-06	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 Basic Radiation Dose Limit = 19 mrem/yr

ONuclide (i)	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60		2.494E+00	2.858E+00	3.753E+00	9.751E+00	1.508E+02	2.844E+06	*1.131E+15	*1.131E+15

*At specific activity limit

0

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
 and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 at tmin = time of minimum single radionuclide soil guideline
 and at tmax = time of maximum total dose = 0.000E+00 years

ONuclide (i)	Initial pCi/g	tmin (years)	DSR(i,tmin)	G(i,tmin) (pCi/g)	DSR(i,tmax)	G(i,tmax) (pCi/g)
Co-60	5.940E+00	0.000E+00	7.617E+00	2.494E+00	7.617E+00	2.494E+00

Individual Nuclide Dose Summed Over All Pathways
 Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	BRF(i)	DOSE(j,t), mrem/yr							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	4.525E+01	3.949E+01	3.007E+01	1.157E+01	7.485E-01	3.968E-05	0.000E+00	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.

Individual Nuclide Soil Concentration
 Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	BRF(i)	S(j,t), pCi/g							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	5.940E+00	5.195E+00	3.974E+00	1.556E+00	1.068E-01	9.057E-06	2.105E-17	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.

ORESMAIN5.EXE execution time = 20.62 seconds

Table of Contents

Part II: Source Terms, Factors, and Parameters for Individual Pathways

=====

Source Factors for Ingrowth and Decay	
Radioactivity Only	3
Combined Radioactivity and Leaching	3
Ground Pathway	
Source Term Parameters	4
Time Dependence of Source Geometry	4
Occupancy, Cover/Depth, and Area Factors	5
Dose Conversion and Environmental Transport Factors .	5
Dose/Source Ratios	5
Inhalation Pathway (radon excluded)	
Dose/Source Ratios	6
Pathway Factors	6
Dose Conversion and Environmental Transport Factors .	6
Groundwater and Surface Water Pathway Segments	
Transport Time Parameters for Unsaturated Zone Strata	7
Dilution Factor and Rise Time Parameters for	
Nondispersion (ND) Model	8
Primary Parameters Used to Calculate Ratios	8
Water/Soil Concentration Ratios	9

Table of Contents (cont.)

Part II: Source Terms, Factors, and Parameters for Individual Pathways
 =====

Food Pathways	
Storage Times for Contaminated Foodstuffs	10
Storage Time Ingrowth and Decay Factors	10
Storage Correction Factors	
Drinking Water	11
Irrigation Water	11
Livestock Water	12
Plants	12
Livestock Fodder	13
Meat and Milk	13
Fish and Crustacea	14
Area and Depth Factors	15
Dose Conversion and Environmental Transport Factors	
Plant	17
Meat	18
Milk	19
Fish	20
Drinking Water	20
Dose/Source Ratios	
Plant	21
Plant Total	22
Meat	23
Meat Total	24
Milk	25
Milk Total	26
Fish	27
Drinking Water	28
Concentration Ratios	
Plant/Air and Plant/Water	29
Plant/Soil	29
Meat/Fodder, Fodder/Air, Fodder/Water	31
Fodder/Soil	32
Meat/Soil	33
Milk/Soil	34
Soil Ingestion Pathway	
Dose/Source Ratios.....	35
Dose Conversion and Environmental Transport Factors .	35

Source Factors for Ingrowth and Decay
 Radioactivity Factors Only

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		1.000E+00	8.768E-01	6.740E-01	2.685E-01	1.935E-02	1.945E-06	7.359E-18	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 0

Source Factors for Ingrowth and Decay
 Combined Radioactivity and Leaching Factors

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		1.000E+00	8.746E-01	6.691E-01	2.620E-01	1.799E-02	1.525E-06	3.545E-18	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The effect of volatilization was also considered when computing the source factors for H-3 and C-14.

Parameters Used for Calculating Cover Depth and Contaminated Zone Thicknesses

0 Cover Erosion rate (vcv): 0.001000 m/yr
 Contaminated Zone Erosion rate (vcz): 0.001000 m/yr
 Water Table Drop rate (vwt): 0.001000 m/yr
 Precipitation rate (Pr): 1.120000 m/yr
 Cover Removal Time (Tc): 0.000E+00 yr
 Overhead irrigation rate (Irr): 0.200 m/yr Runoff coefficient (Cr): 0.200
 Evapotranspiration coeff. (Ce): 0.500 Infiltration rate (In): 0.548 m/yr
 Bulk soil density (rhob): 1.500 g/cm**3 Effective porosity (pe): 0.000

Radio-nuclide (i)	Distribution Coefficient Kd(i), cm**3/g	Leaching Ratio q(i)
Co-60	1.000000E+03	2.153E-04

0 Time Dependence of Source Geometry

Time Dependence of Cover Depth [Cd(i,t)]

Nuclide (i)	t=	Cd(i,t) (meters)							
		0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60		0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00

0 Time Dependence of Contaminated Zone Thicknesses [T(i,t)]

Nuclide (i)	t=	T(i,t) (meters)							
		0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60		1.5000E-01	1.4900E-01	1.4700E-01	1.4000E-01	1.2000E-01	5.0000E-02	0.0000E+00	0.0000E+00

Occupancy, Cover/Depth, and Area Factors for Ground Pathway

Occupancy Factor (FO1): 0.598
 Area (A): 2023400. sq. meters
 Initial cover depth (Cd): 0.000 meters
 Initial contaminated zone thickness (T): 0.150 meters

Time Dependence of Cover/Depth Factor [FCTR_COV_DEPTH(i,t)]

Nuclide (i)	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60		8.413E-01	8.394E-01	8.356E-01	8.215E-01	7.743E-01	4.864E-01	0.000E+00	0.000E+00

0

Time Dependence of Area Factor [FCTR_AREA(i,t)]

Nuclide (i)	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60		1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00	1.000E+00

0

Dose Conversion and Environmental Transport Factors for the Ground Pathway (p=1)

Parent (i)	Product (j)	DCF(j,1)*	ETF(j,1,t) (dimensionless)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.620E+01		5.027E-01	5.016E-01	4.993E-01	4.909E-01	4.627E-01	2.906E-01	0.000E+00	0.000E+00

* - The dose conversion factor units are (mrem/yr)/(pCi/g) at infinite depth and area.

0

Dose/Source Ratios for External Radiation from the Ground (p=1)

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	DSR(j,1,t) (mrem/yr)/(pCi/g)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		7.614E+00	6.645E+00	5.060E+00	1.948E+00	1.260E-01	6.678E-06	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life > 0.5 yr) daughters.

Dose/Source Ratios for Inhalation Pathway, Excluding Radon (p=2)

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		1.443E-05	1.253E-05	9.460E-06	3.527E-06	2.074E-07	7.284E-12	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life > 0.5 yr) daughters.

0

Pathway Factors for the Inhalation Pathway (radon excluded)

Area (A): 2.0234E+06 m**2 Occupancy Factor (FO2): 3.5612E-01
 Area Factor (FA2): 2.3607E-01 Annual Air Intake (F12): 8.4000E+03 m**3/yr
 Cover Depth [Cd(0)]: 0.0000E+00 m Mass Loading (ASR2): 1.0000E-04 g/m**3
 Contaminated Zone Thickness [T(0)]: 1.5000E-01 m FA2 * FO2 * F12 * ASR2: 7.0617E-02 g/yr

Nuclide (i)	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60		1.0000E+00	9.9333E-01	9.8000E-01	9.3333E-01	8.0000E-01	3.3333E-01	0.0000E+00	0.0000E+00

0

Dose Conversion and Environmental Transport Factors for the Inhalation Pathway, Excluding Radon (p=2)

Parent (i)	Product (j)	DCF(j,2)*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.190E-04		7.062E-02	7.015E-02	6.920E-02	6.591E-02	5.649E-02	2.354E-02	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Transport Time Parameters for Unsaturated Zone Stratum No. 1

Stratum thickness [h(1)]: 2.000000 m
 Bulk soil material density [rhob(1)]: 1.500000 g/cm**3
 Effective porosity [peuz(1)]: 0.200000
 Hydraulic conductivity [Khuz(1)]: 10.000000 m/yr
 Total porosity [ptuz(1)]: 0.400000
 Soil specific b parameter [buz(1)]: 5.300000
 Saturation ratio [sruz(1)]: 0.807725

Radio-nuclide (i)	Distribution Coefficient Kduz(i,1), cm**3/g	Retardation Factor Rduz(i,1)	Transport Time Dtuz(i,1), yr
Co-60	1.0000E+03	4.6437E+03	2.7378E+03

0

Transport Time Parameters for Unsaturated Zone Stratum No. 2

Stratum thickness [h(2)]: 4.000000 m
 Bulk soil material density [rhob(2)]: 1.500000 g/cm**3
 Effective porosity [peuz(2)]: 0.200000
 Hydraulic conductivity [Khuz(2)]: 10.000000 m/yr
 Total porosity [ptuz(2)]: 0.400000
 Soil specific b parameter [buz(2)]: 5.300000
 Saturation ratio [sruz(2)]: 0.807725

Radio-nuclide (i)	Distribution Coefficient Kduz(i,2), cm**3/g	Retardation Factor Rduz(i,2)	Transport Time Dtuz(i,2), yr
Co-60	1.0000E+03	4.6437E+03	5.4756E+03

0

Transport Time Parameters for Unsaturated Zone created by the Falling Water Table

Water table drop rate [vwt]: 0.001000 m/yr
 Bulk soil material density [rhobaq]: 1.500000 g/cm**3
 Effective porosity [peaq]: 0.200000
 Hydraulic conductivity [Khaq]: 100.000000 m/yr
 Total porosity [ptaq]: 0.400000
 Soil specific b parameter [baq]: 5.300000
 Saturation ratio [sruaq]: 0.681921

Radio-nuclide (i)	Distribution Coefficient Kdaq(i), cm**3/g	Retardation Factor Rduaq(i)	Minimum Transport Time Dtuaq(i), yr
Co-60	1.0000E+03	5.5002E+03	Infinite

Dilution Factor and Rise Time Parameters for Nondispersion (ND) Model

0	Aquifer contamination depth at well (z): 2.74000E+01 m					
	Depth of water intake below water table (dw): 1.00000E+01 m					
	Infiltration rate (In): 5.48000E-01 m/yr					
	Aquifer water flow rate (Vwfr): 2.00000E+00 m/yr					
	Hydraulic gradient (J): 2.00000E-02					
	Hydraulic conductivity of aquifer (Kszh): 1.00000E+02 m/yr					
	Contaminated zone extent parallel to gradient (l): 1.00000E+02 m					
	Distance below contaminated zone to water table (h): 0.60000E+01 m					
	Initial thickness of uncontaminated cover (Cd): 0.00000E+00 m					
	Initial thickness of contaminated zone (T): 0.15000E+00 m					
	Effective porosity of saturated zone (pesz): 0.20000E+00					
0 Radio-	Dilution	Retardation	Horizontal Transport Time	Rise	Decay Time	
nuclide	Factor	Factor	Onsite	Time	Parameter	
(i)	f(i)	Rdsz(i)	Tauh(i), yr	dt(i), yr	1/lamda(i),yr	
-----	-----	-----	-----	-----	-----	-----
Co-60	1.000E+00	3.751E+03	3.751E+04	1.369E+04	7.604E+00	
=====	=====	=====	=====	=====	=====	=====

Primary Parameters Used for Calculating Water/Soil
 Concentration Ratios for Groundwater Pathway Segment

0	Model used: Nondispersion (ND)				
	Bulk soil density in contaminated zone (rhob): 1.500 g/cm**3				
0 Radio-	Dilution	Retardation	Breakthrough Time	Rise	
nuclide	Factor	Factor	Chain	Time	
(i)	f(i)	Rdcz(i)	year	Dt(i), yr	dt(i), yr
-----	-----	-----	-----	-----	-----
Co-60	1.000E+00	4.644E+03	Infinite	Infinite	1.369E+04
=====	=====	=====	=====	=====	=====

Storage Times For Contaminated Foodstuffs

k	Food Item	STOR_T(k), days
1	non-leafy plants	14.
2	leafy plants	1.
3	milk	1.
4	meat	20.
5	fish	7.
6	crustacea	7.
7	well water	1.
8	surface water	1.
9	livestock fodder	45.

0

Storage Time Ingrowth and Decay Factors
 Storage Time for k'th Foodstuff: $t = \text{STOR_T}(k)$, days

Parent (i)	Product (j)	Branch Fraction	STOR_ID(i, j, t) = CONCE(i, j, t) / CONCE(i, i, 0)										
-----	-----	-----	t=	1.400E+01	1.000E+00	1.000E+00	2.000E+01	7.000E+00	7.000E+00	1.000E+00	1.000E+00	4.500E+01	-----
Co-60	Co-60	1.000E+00		9.950E-01	9.996E-01	9.996E-01	9.928E-01	9.975E-01	9.975E-01	9.996E-01	9.996E-01	9.839E-01	-----
=====	=====	=====		=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

CONCE(i, j, t) / CONCE(i, i, 0) is the concentration ratio of Product(j) at time t to Parent(i) at start of storage time.

Storage Time Correction Factors
 Drinking Water from Well and/or Surface
 Harvest Time = t - 2.74E-03 yr; Consumption Time = t yr

Parent (i)	Product (j)	Branch Fraction*	CFWW(j,t,1)#							
Co-60	Co-60	1.000E+00	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors
 Irrigation Water for Nonleafy Plants from Well and/or Surface
 Harvest Time = t - 4.11E-02 yr; Consumption Time = t - 3.83E-02 yr

Parent (i)	Product (j)	Branch Fraction*	CFWW(j,t,2)#							
Co-60	Co-60	1.000E+00	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors
 Irrigation Water for Leafy Plants from Well and/or Surface
 Harvest Time = t - 5.48E-03 yr; Consumption Time = t - 2.74E-03 yr

Parent (i)	Product (j)	Branch Fraction*	CFWW(j,t,3)#							
Co-60	Co-60	1.000E+00	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors
 Irrigation Water for Livestock (Milk) Fodder from Well and/or Surface
 Harvest Time = t - 1.29E-01 yr; Consumption Time = t - 1.26E-01 yr

Parent (i)	Product (j)	Branch Fraction*	CFWW(j,t,5)#							
Co-60	Co-60	1.000E+00	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors

Irrigation Water for Livestock (Meat) Fodder from Well and/or Surface

Harvest Time = t - 1.81E-01 yr; Consumption Time = t - 1.78E-01 yr

Parent (i)	Product (j)	Branch	Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	1.000E+00	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors

Livestock (Milk) Water from Well and/or Surface

Harvest Time = t - 5.48E-03 yr; Consumption Time = t - 2.74E-03 yr

Parent (i)	Product (j)	Branch	Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	1.000E+00	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors

Livestock (Meat) Water from Well and/or Surface

Harvest Time = t - 5.75E-02 yr; Consumption Time = t - 5.48E-02 yr

Parent (i)	Product (j)	Branch	Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	1.000E+00	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Nonleafy Plants

Harvest Time = t - 3.83E-02 yr; Consumption Time = t yr

Parent (i)	Product (j)	Branch	Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	1.000E+00	9.950E-01	9.950E-01	9.950E-01	9.950E-01	9.950E-01	9.950E-01	9.950E-01	9.950E-01	9.950E-01

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Leafy Plants
 Harvest Time = t - 2.74E-03 yr; Consumption Time = t yr

OParent (i)	Product (j)	Branch Fraction*	CF3(j,2,t)#							
-----	-----	-----	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Co-60	Co-60	1.000E+00	1.000E+00	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01	9.996E-01
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Livestock (Meat) Fodder
 Harvest Time = t - 1.78E-01 yr; Consumption Time = t - 5.48E-02 yr

OParent (i)	Product (j)	Branch Fraction*	CFLF(j,1,t)#							
-----	-----	-----	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Co-60	Co-60	1.000E+00	1.000E+00	9.839E-01	9.839E-01	9.839E-01	9.839E-01	9.839E-01	9.839E-01	9.839E-01
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Livestock (Milk) Fodder
 Harvest Time = t - 1.26E-01 yr; Consumption Time = t - 2.74E-03 yr

OParent (i)	Product (j)	Branch Fraction*	CFLF(j,2,t)#							
-----	-----	-----	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Co-60	Co-60	1.000E+00	1.000E+00	9.839E-01	9.839E-01	9.839E-01	9.839E-01	9.839E-01	9.839E-01	9.839E-01
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Meat
 Harvest Time = t - 5.48E-02 yr; Consumption Time = t yr

OParent (i)	Product (j)	Branch Fraction*	CF45(j,1,t)#							
-----	-----	-----	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Co-60	Co-60	1.000E+00	1.000E+00	9.928E-01	9.928E-01	9.928E-01	9.928E-01	9.928E-01	9.928E-01	9.928E-01
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Milk
 Harvest Time = t - 2.74E-03 yr; Consumption Time = t yr

Parent (i)	Product (j)	Branch Fraction*	CF45(j,2,t)#							
Co-60	Co-60	1.000E+00	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Storage Time Correction Factors for Fish & Crustacea
 Harvest Time = t - 1.92E-02 yr; Consumption Time = t yr

Parent (i)	Product (j)	Branch Fraction*	CFF(j,1,t)#							
Co-60	Co-60	1.000E+00	1.000E+00	9.975E-01	9.975E-01	9.975E-01	9.975E-01	9.975E-01	9.975E-01	9.975E-01

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 #Correction factor = (concentration in media at consumption time)/(concentration at harvest time).

Area and Depth Factors for Plant (p=3), Meat (p=4), and Milk (p=5) Pathways
Overhead Irrigation (q=4)

Area Factor for Plant Foods [FA(3)] = 0.04

The Depth Factor Value
FD(i,p,q,t) = 1.0000E+00

is applicable for all radionuclides(i) and times(t).

0

Area and Depth Factors for Meat (p=4) and Milk (p=5) Pathways
Transfer from Livestock Water (q=5) and Soil (q=6) Intake

Area Factor for Meat and Milk [FA(p),p=4,5] = 1.00

The livestock water subpathway (q=5) and livestock soil intake subpathway (q=6)
occur only for the meat (p=4) and milk (p=5) pathways.

0

Area and Depth Factors for Meat (p=4) and Milk (p=5) Pathways
Transfer from Livestock Water (q=5) and Soil (q=6) Intake

Area Factor for Meat and Milk [FA(p),p=4,5] = 1.00

The livestock water subpathway (q=5) and livestock soil intake subpathway (q=6)
occur only for the meat (p=4) and milk (p=5) pathways.

Dose Conversion and Environmental Transport Factors for the Plant Food Pathway (p=3)
 Subpathway: Root Uptake from Contaminated Soil (q=1)

Parent Product (i)	Product (j)	DCF(j,3)*	ETF(j,3,1,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	9.976E+01	8.670E+01	6.544E+01	2.440E+01	1.436E+00	5.074E-05	0.000E+00	0.000E+00	

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Plant Food Pathway (p=3)
 Subpathway: Foliar Uptake from Contaminated Dust (q=2)

Parent Product (i)	Product (j)	DCF(j,3)*	ETF(j,3,2,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	1.258E-02	1.093E-02	8.249E-03	3.076E-03	1.810E-04	6.396E-09	0.000E+00	0.000E+00	

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Plant Food Pathway (p=3)
 Subpathway: Ditch Irrigation (q=3)

Parent Product (i)	Product (j)	DCF(j,3)*	ETF(j,3,3,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Plant Food Pathway (p=3)
 Subpathway: Overhead Irrigation (q=4)

Parent Product (i)	Product (j)	DCF(j,3)*	ETF(j,3,4,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Meat Pathway (p=4)
 Subpathway: Fodder Root Uptake from Contaminated Soil (q=1)

Parent Product (i)	Product (j)	DCF(j,4)*	ETF(j,4,1,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Meat Pathway (p=4)
 Subpathway: Fodder Foliar Uptake from Contaminated Dust (q=2)

Parent Product (i)	Product (j)	DCF(j,4)*	ETF(j,4,2,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Meat Pathway (p=4)
 Subpathway: Ditch Irrigation (q=3)

Parent Product (i)	Product (j)	DCF(j,4)*	ETF(j,4,3,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Meat Pathway (p=4)
 Subpathway: Overhead Irrigation (q=4)

Parent Product (i)	Product (j)	DCF(j,4)*	ETF(j,4,4,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Meat Pathway (p=4)
 Subpathway: Livestock Water (q=5)

Parent Product (i)	Product (j)	DCF(j,4)*	ETF(j,4,5,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Milk Pathway (p=5)
 Subpathway: Fodder Root Uptake from Contaminated Soil (q=1)

Parent Product (i)	Product (j)	DCF(j,5)*	ETF(j,5,1,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Milk Pathway (p=5)
 Subpathway: Fodder Foliar Uptake from Contaminated Dust (q=2)

Parent Product (i)	Product (j)	DCF(j,5)*	ETF(j,5,2,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Milk Pathway (p=5)
 Subpathway: Ditch Irrigation (q=3)

Parent Product (i)	Product (j)	DCF(j,5)*	ETF(j,5,3,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Milk Pathway (p=5)
 Subpathway: Overhead Irrigation (q=4)

Parent Product (i)	Product (j)	DCF(j,5)*	ETF(j,5,4,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Milk Pathway (p=5)
 Subpathway: Livestock Water (q=5)

Parent Product (i)	Product (j)	DCF(j,5)*	ETF(j,5,5,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose Conversion and Environmental Transport Factors for the Fish Pathway (p=6)

Parent (i)	Product (j)	DCF(j,6)*	ETF(j,6,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

0

Dose Conversion and Environmental Transport Factors for the Drinking Water Pathway (p=7)

Parent (i)	Product (j)	DCF(j,7)*	ETF(j,7,t) * SF(j,t) (g/yr)								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Dose/Source Ratios for Internal Radiation from Ingestion of Plant Foods (p=3)

Subpathway: Root Uptake from Contaminated Soil (q=1)

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	DSR(j,3,1,t) (mrem/yr)/(pCi/g)							
Co-60	Co-60	1.000E+00	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Plant Foods (p=3)

Subpathway: Foliar Uptake from Contaminated Dust (q=2)

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	DSR(j,3,2,t) (mrem/yr)/(pCi/g)							
Co-60	Co-60	1.000E+00	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Plant Foods (p=3)

Subpathway: Ditch Irrigation (q=3)

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	DSR(j,3,3,t) (mrem/yr)/(pCi/g)							
Co-60	Co-60	1.000E+00	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Plant Foods (p=3)

Subpathway: Overhead Irrigation (q=4)

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	DSR(j,3,4,t) (mrem/yr)/(pCi/g)							
Co-60	Co-60	1.000E+00	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Plant Foods (p=3)
 Total for All Subpathways

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		2.504E-03	2.176E-03	1.642E-03	6.123E-04	3.601E-05	1.265E-09	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: $CUMBRF(j) = BRF(1)*BRF(2)* \dots BRF(j)$.
 The DSR includes contributions from associated (half-life \leq 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Meat (p=4)

Subpathway: Fodder Root Uptake from Contaminated Soil (q=1)

Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Meat (p=4)

Subpathway: Fodder Foliar Uptake from Contaminated Dust (q=2)

Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Meat (p=4)

Subpathway: Ditch Irrigation (q=3)

Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Meat (p=4)

Subpathway: Overhead Irrigation (q=4)

Parent and Progeny Principal Radionuclide Contributions Indicated

0Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Meat (p=4)

Subpathway: Livestock Water (q=5)

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: $CUMBRF(j) = BRF(1)*BRF(2)* \dots BRF(j)$.
 The DSR includes contributions from associated (half-life δ 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Meat (p=4)

Total for All Subpathways

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: $CUMBRF(j) = BRF(1)*BRF(2)* \dots BRF(j)$.
 The DSR includes contributions from associated (half-life δ 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Milk (p=5)

Subpathway: Fodder Root Uptake from Contaminated Soil (q=1)

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch	Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: $CUMBRF(j) = BRF(1)*BRF(2)* \dots BRF(j)$.
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Milk (p=5)

Subpathway: Fodder Foliar Uptake from Contaminated Dust (q=2)

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch	Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: $CUMBRF(j) = BRF(1)*BRF(2)* \dots BRF(j)$.
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Milk (p=5)

Subpathway: Ditch Irrigation (q=3)

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch	Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: $CUMBRF(j) = BRF(1)*BRF(2)* \dots BRF(j)$.
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Milk (p=5)

Subpathway: Overhead Irrigation (q=4)

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch	Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: $CUMBRF(j) = BRF(1)*BRF(2)* \dots BRF(j)$.
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from Ingestion of Milk (p=5)

Subpathway: Livestock Water (q=5)

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: $CUMBRF(j) = BRF(1)*BRF(2)* \dots BRF(j)$.
 The DSR includes contributions from associated (half-life δ 0.5 yr) daughters.

0

Dose/Source Ratios for Internal Radiation from Ingestion of Milk (p=5)

Total for All Subpathways

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: $CUMBRF(j) = BRF(1)*BRF(2)* \dots BRF(j)$.
 The DSR includes contributions from associated (half-life δ 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from the Ingestion of Fish (p=6)
 Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
		DSR(j,6,t) (mrem/yr) / (pCi/g)									
Co-60	Co-60	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: $CUMBRF(j) = BRF(1)*BRF(2)* \dots BRF(j)$.
 The DSR includes contributions from associated (half-life \leq 0.5 yr) daughters.

Dose/Source Ratios for Internal Radiation from the Ingestion of Drinking Water (p=7)

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: $CUMBRF(j) = BRF(1)*BRF(2)* \dots BRF(j)$.
 The DSR includes contributions from associated (half-life \leq 0.5 yr) daughters.

Plant/Air and Plant/Water Concentration Ratios

0 Mass loading [ASR(3)]: 1.000E-04 g/m**3
 Area Factor for Mass Loading [FA(2)]: 2.361E-01

0Nuclide (i)	FAR(i,3,2,1) m**3/g	FAR(i,3,2,2) m**3/g	FWR(i,3,3,1) L/g	FWR(i,3,3,2) L/g	FWR(i,3,4,1) L/g	FWR(i,3,4,2) L/g
Co-60	5.4545E-02	2.6156E-01	9.0653E-06	1.3329E-05	3.4522E-04	1.6554E-03

FAR(i,p,q,k) is the plant/air concentration ratio for airborne contaminated dust, and FWR(i,p,q,k) is the plant/water concentration ratio. See groundwater displays for water/soil concentration ratios.

0 Plant/Soil Concentration Ratios, FSR(i,3,q,k,t)
 0 Root Uptake (q=1) and Foliar Dust Deposition (q=2)
 0 Nonleafy (k=1) and/or Leafy (k=2) Vegetables

0Nuclide (i)	Parent Product	FSR(i,3,1,k)	FSR(i,3,2,1)	FSR(i,3,2,2)
Co-60	Co-60	8.0000E-02	1.2876E-06	6.1745E-06

0 Plant/Soil Concentration Ratio, FSR(j,3,q,k,t)
 Ditch Irrigation (q=3)

0Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

0 Plant/Soil Concentration Ratio, FSR(j,3,q,k,t)
 Overhead Irrigation (q=4) and Nonleafy Vegetables (k=1)

0Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

0 Plant/Soil Concentration Ratio, FSR(j,3,q,k,t)
 Overhead Irrigation (q=4) and Leafy Vegetables (k=2)

0Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
				0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03

Meat/Fodder, Milk/Fodder, Fodder/Air and Fodder/Water Concentration Ratios

0	FI(4,q):	68.0 kg/day	FI(5,q):	55.0 kg/day	q=1,2,3,4
	FI(4,q):	50.0 L/day	FI(5,q):	160.0 L/day	q=5
	FI(4,q):	0.5 kg/day	FI(5,q):		
0Nuclide	FQR(i,4)	FQR(i,5)	FAR(i,3,2,3)	FWR(i,3,3,3)	FWR(i,3,4,3)
(i)	d/kg	d/kg	m**3/g	L/g	L/g
-----	-----	-----	-----	-----	-----
Co-60	2.0000E-02	2.0000E-03	2.8659E-01	4.2663E-06	1.8139E-03
=====	=====	=====	=====	=====	=====

FI(p,q) are the fodder (q=1,2,3,4), livestock water (q=5) and soil (q=6) intake rates;
 FQR(i,p) are the transfer coefficients from contaminated fodder of livestock
 water to meat (p=4) or milk (p=5). FAR(i,3,2,3) are the fodder/air
 concentration ratios, and FWR(i,3,3,3) and FWR(i,3,4,3) are the fodder/
 water concentration ratios for ditch and overhead irrigation, respectively.

Fodder/Soil Concentration Ratios, $QSR(i,p,q,t)$, for Meat and Milk Pathways
 Root Uptake (q=1) and Foliar Dust Deposition (q=2)

Nuclide(i)			
Parent	Product	$QSR(i,p,1)$	$QSR(i,p,2)$
Co-60	Co-60	8.0000E-02	6.7655E-06

0

Fodder/Soil Concentration Ratio, $QSR(j,p,q,t)$, for Meat and Milk Pathways
 Ditch Irrigation (q=3)

Parent (i)	Product (j)	Branch Fraction*	t=	$QSR(j,p,3,t) * SF(j,t)$							
Co-60	Co-60	1.000E+00		0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03

0

Fodder/Soil Concentration Ratio, $QSR(j,p,q,t)$, for Meat and Milk Pathways
 Overhead Irrigation (q=4)

Parent (i)	Product (j)	Branch Fraction*	t=	$QSR(j,p,4,t) * SF(j,t)$							
Co-60	Co-60	1.000E+00		0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03

0

Fodder/Soil Concentration Ratio, $QSR(j,p,q,t)$, for Meat and Milk Pathways
 Livestock Water (q=5)

Parent (i)	Product (j)	Branch Fraction*	t=	$QSR(j,p,5,t) * SF(j,t)$							
Co-60	Co-60	1.000E+00		0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03

Dose/Source Ratios for Soil Ingestion Pathway (p=8)

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	DSR(j,8,t) (mrem/yr) / (pCi/g)							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	7.685E-04	6.676E-04	5.039E-04	1.879E-04	1.105E-05	3.880E-10	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ó 0.5 yr) daughters.

0

Dose Conversion and Environmental Transport Factors for the Soil Ingestion Pathway (p=8)

Parent (i)	Product (j)	DCF(j,8)*	ETF(j,8,t) (g/yr)							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	2.690E-05	3.062E+01	3.042E+01	3.001E+01	2.858E+01	2.450E+01	1.021E+01	0.000E+00	0.000E+00

* - The dose conversion factor units are mrem/pCi.

Table of Contents

Part III: Intake Quantities and Health Risk Factors

=====
Cancer Risk Slope Factors 2
Amount of Intake Quantities and Excess Cancer Risks
Time= 0.000E+00 3
Time= 1.000E+00 5
Time= 3.000E+00 7
Time= 1.000E+01 9
Time= 3.000E+01 11
Time= 1.000E+02 13
Time= 3.000E+02 15
Time= 1.000E+03 17

Cancer Risk Slope Factors Summary Table
 File: Default.LIB

Menu	Parameter	Current Value	Default	Parameter Name
Sf-1	Ground external radiation slope factors, 1/yr per (pCi/g):			
Sf-1	Co-60	9.80E-06	9.80E-06	SLPF(1,1)
Sf-2	Inhalation, slope factors, 1/(pCi):			
Sf-2	Co-60	6.90E-11	6.90E-11	SLPF(1,2)
Sf-3	Ingestion, slope factors, 1/(pCi):			
Sf-3	Co-60	1.90E-11	1.90E-11	SLPF(1,3)

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As pCi/yr at t= 0.000E+00 years

Radio- Nuclide	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total Ingestion*
	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	
Co-60	4.195E-01	5.926E+02	0.000E+00	0.000E+00	1.819E+02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	7.746E+02

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil
 and water-dependent water, fish, plant, meat, milk pathways

0
 Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 0.000E+00 years

Radio- Nuclide	Ground		Inhalation		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	8.780E-04	0.9995	8.683E-10	0.0000	3.378E-07	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	1.037E-07	0.0001
Total	8.780E-04	0.9995	8.683E-10	0.0000	3.378E-07	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	1.037E-07	0.0001

0
 Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 0.000E+00 years

Radio- Nuclide	Water		Fish		Plant		Meat		Milk		All Pathways**	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.784E-04	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.784E-04	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
 and water dependent water, fish, plant, meat, milk pathways

0
 Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 0.000E+00 years

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	8.780E-04	0.9995	8.683E-10	0.0000	0.000E+00	0.0000	3.378E-07	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	1.037E-07	0.0001
Total	8.780E-04	0.9995	8.683E-10	0.0000	0.000E+00	0.0000	3.378E-07	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	1.037E-07	0.0001

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 0.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.784E-04	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.784E-04	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As pCi/yr at t= 1.000E+00 years

Radio- Nuclide	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total Ingestion*
	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	
Co-60	3.644E-01	5.151E+02	0.000E+00	0.000E+00	1.580E+02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	6.731E+02

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil
 and water-dependent water, fish, plant, meat, milk pathways

0
 Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+00 years

Radio- Nuclide	Ground		Inhalation		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	7.662E-04	0.9995	7.544E-10	0.0000	2.936E-07	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	9.008E-08	0.0001
Total	7.662E-04	0.9995	7.544E-10	0.0000	2.936E-07	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	9.008E-08	0.0001

0
 Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+00 years

Radio- Nuclide	Water		Fish		Plant		Meat		Milk		All Pathways**	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.666E-04	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.666E-04	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
 and water dependent water, fish, plant, meat, milk pathways

0
 Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+00 years

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	7.662E-04	0.9995	7.544E-10	0.0000	0.000E+00	0.0000	2.936E-07	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	9.008E-08	0.0001
Total	7.662E-04	0.9995	7.544E-10	0.0000	0.000E+00	0.0000	2.936E-07	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	9.008E-08	0.0001

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.666E-04	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.666E-04	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As pCi/yr at t= 3.000E+00 years

Radio- Nuclide	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total Ingestion*
	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	
Co-60	2.751E-01	3.887E+02	0.000E+00	0.000E+00	1.193E+02	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	5.080E+02

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil
 and water-dependent water, fish, plant, meat, milk pathways

0
 Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+00 years

Radio- Nuclide	Ground		Inhalation		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	5.835E-04	0.9995	5.694E-10	0.0000	2.216E-07	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	6.799E-08	0.0001
Total	5.835E-04	0.9995	5.694E-10	0.0000	2.216E-07	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	6.799E-08	0.0001

0
 Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+00 years

Radio- Nuclide	Water		Fish		Plant		Meat		Milk		All Pathways**	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.838E-04	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.838E-04	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
 and water dependent water, fish, plant, meat, milk pathways

0
 Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+00 years

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	5.835E-04	0.9995	5.694E-10	0.0000	0.000E+00	0.0000	2.216E-07	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	6.799E-08	0.0001
Total	5.835E-04	0.9995	5.694E-10	0.0000	0.000E+00	0.0000	2.216E-07	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	6.799E-08	0.0001

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.838E-04	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.838E-04	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As pCi/yr at t= 1.000E+01 years

Radio- Nuclide	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total Ingestion*
	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	
Co-60	1.026E-01	1.450E+02	0.000E+00	0.000E+00	4.448E+01	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.895E+02

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil
 and water-dependent water, fish, plant, meat, milk pathways

0
 Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+01 years

Radio- Nuclide	Ground		Inhalation		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	2.246E-04	0.9995	2.123E-10	0.0000	8.264E-08	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	2.536E-08	0.0001
Total	2.246E-04	0.9995	2.123E-10	0.0000	8.264E-08	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	2.536E-08	0.0001

0
 Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+01 years

Radio- Nuclide	Water		Fish		Plant		Meat		Milk		All Pathways**	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.247E-04	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.247E-04	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
 and water dependent water, fish, plant, meat, milk pathways

0
 Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+01 years

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	2.246E-04	0.9995	2.123E-10	0.0000	0.000E+00	0.0000	8.264E-08	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	2.536E-08	0.0001
Total	2.246E-04	0.9995	2.123E-10	0.0000	0.000E+00	0.0000	8.264E-08	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	2.536E-08	0.0001

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.247E-04	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.247E-04	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As pCi/yr at t= 3.000E+01 years

Radio- Nuclide	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total Ingestion*
	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	
Co-60	6.036E-03	8.531E+00	0.000E+00	0.000E+00	2.618E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	1.115E+01

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil
 and water-dependent water, fish, plant, meat, milk pathways

0
 Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+01 years

Radio- Nuclide	Ground		Inhalation		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	1.453E-05	0.9996	1.249E-11	0.0000	4.863E-09	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	1.492E-09	0.0001
Total	1.453E-05	0.9996	1.249E-11	0.0000	4.863E-09	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	1.492E-09	0.0001

0
 Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+01 years

Radio- Nuclide	Water		Fish		Plant		Meat		Milk		All Pathways**	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.454E-05	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.454E-05	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
 and water dependent water, fish, plant, meat, milk pathways

0
 Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+01 years

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	1.453E-05	0.9996	1.249E-11	0.0000	0.000E+00	0.0000	4.863E-09	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	1.492E-09	0.0001
Total	1.453E-05	0.9996	1.249E-11	0.0000	0.000E+00	0.0000	4.863E-09	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	1.492E-09	0.0001

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.454E-05	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.454E-05	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Amount of Intake Quantities QINT(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As pCi/yr at t= 1.000E+02 years

Radio- Nuclide	Water Independent Pathways (Inhalation w/o radon)					Water Dependent Pathways					Total Ingestion*
	Inhalation	Plant	Meat	Milk	Soil	Water	Fish	Plant	Meat	Milk	
Co-60	2.132E-07	3.014E-04	0.000E+00	0.000E+00	9.245E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	3.939E-04

* Sum of all ingestion pathways, i.e. water independent plant, meat, milk, soil
 and water-dependent water, fish, plant, meat, milk pathways

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+02 years

Radio- Nuclide	Ground		Inhalation		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	7.739E-10	0.9997	4.413E-16	0.0000	1.718E-13	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	5.270E-14	0.0001
Total	7.739E-10	0.9997	4.413E-16	0.0000	1.718E-13	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	5.270E-14	0.0001

Excess Cancer Risks CNRS(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+02 years

Radio- Nuclide	Water		Fish		Plant		Meat		Milk		All Pathways**	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.741E-10	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.741E-10	1.0000

** Sum of water independent ground, inhalation, plant, meat, milk, soil
 and water dependent water, fish, plant, meat, milk pathways

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+02 years

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	7.739E-10	0.9997	4.413E-16	0.0000	0.000E+00	0.0000	1.718E-13	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	5.270E-14	0.0001
Total	7.739E-10	0.9997	4.413E-16	0.0000	0.000E+00	0.0000	1.718E-13	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	5.270E-14	0.0001

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.741E-10	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.741E-10	1.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 3.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Total Excess Cancer Risk CNRSI(i,p,t)*** for Initially Existent Radionuclides (i) and Pathways (p)
 and Fraction of Total Risk at t= 1.000E+03 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All pathways	
	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.	risk	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

***CNRSI(i,p,t) includes contribution from decay daughter radionuclides

Table of Contents

Part IV: Concentration of Radionuclides
=====

Concentration of radionuclides in different media

Time= 0.000E+00	2
Time= 1.000E+00	3
Time= 3.000E+00	4
Time= 1.000E+01	5
Time= 3.000E+01	6
Time= 1.000E+02	7
Time= 3.000E+02	8
Time= 1.000E+03	9

Concentration of radionuclides in environmental media
 at t = 0.000E+00 years

Radio- Nuclide	Contaminat- ed Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Co-60	5.940E+00	5.940E+00	1.402E-04	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 0.000E+00 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Co-60	0.000E+00	7.921E+01	7.924E+01	7.924E+01	7.924E+01	1.672E+02	1.466E+01	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time. For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
 at t = 1.000E+00 years

Radio- Nuclide	Contaminat- ed Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Co-60	5.195E+00	5.161E+00	1.218E-04	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 1.000E+00 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Co-60	0.000E+00	6.884E+01	6.884E+01	6.946E+01	6.895E+01	1.454E+02	1.274E+01	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time. For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
 at t = 3.000E+00 years

Radio- Nuclide	Contaminat- ed Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Co-60	3.974E+00	3.895E+00	9.195E-05	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 3.000E+00 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Co-60	0.000E+00	5.196E+01	5.196E+01	5.242E+01	5.204E+01	1.098E+02	9.617E+00	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time. For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
 at t = 1.000E+01 years

Radio- Nuclide	Contaminat- ed Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Co-60	1.556E+00	1.453E+00	3.429E-05	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 1.000E+01 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Co-60	0.000E+00	1.938E+01	1.938E+01	1.955E+01	1.941E+01	4.093E+01	3.587E+00	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time. For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
 at t = 3.000E+01 years

Radio- Nuclide	Contaminat- ed Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Co-60	1.068E-01	8.547E-02	2.018E-06	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 3.000E+01 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Co-60	0.000E+00	1.140E+00	1.140E+00	1.151E+00	1.142E+00	2.409E+00	2.111E-01	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time. For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
 at t = 1.000E+02 years

Radio- Nuclide	Contaminat- ed Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Co-60	9.057E-06	3.019E-06	7.127E-11	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 1.000E+02 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Co-60	0.000E+00	4.029E-05	4.027E-05	4.073E-05	4.040E-05	8.522E-05	7.462E-06	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time. For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
 at t = 3.000E+02 years

Radio- Nuclide	Contaminat- ed Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Co-60	2.105E-17	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 3.000E+02 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Co-60	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time. For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in environmental media
 at t = 1.000E+03 years

Radio- Nuclide	Contaminat- ed Zone pCi/g	Surface Soil* pCi/g	Air Par- ticulate pCi/m**3	Well Water pCi/l	Surface Water pCi/l
Co-60	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*The Surface Soil is the top layer of soil within the user specified mixing zone/depth.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Concentration of radionuclides in foodstuff media
 at t = 1.000E+03 years*

Radio- Nuclide	Drinking Water pCi/l	Nonleafy Vegetable pCi/kg	Leafy Vegetable pCi/kg	Fodder Meat pCi/kg	Fodder Milk pCi/kg	Meat pCi/kg	Milk pCi/l	Fish pCi/kg	Crustacea pCi/kg
Co-60	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

*Concentrations are at consumption time and include radioactive decay and ingrowth during storage time. For livestock fodder, consumption time is t minus meat or milk storage time.

Concentrations in the media occurring in pathways that are suppressed are calculated using the current input parameters, i.e. using parameters appearing in the input screen when the pathways are active.

Table of Contents

Part V: Dose from Radionuclide at Point of Action
=====

Total Dose Components Summed to Daughter	
Time = 0.000E+00 years	2
Time = 1.000E+00 years	3
Time = 3.000E+00 years	4
Time = 1.000E+01 years	5
Time = 3.000E+01 years	6
Time = 1.000E+02 years	7
Time = 3.000E+02 years	8
Time = 1.000E+03 years	9

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 in mrem/yr at t = 0.000E+00 years

0 Radio- Nuc- lide	Water Independent Pathways						Water Dependent Pathways						ALL		
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat		Milk	
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	
Co-60	4.52E+01	8.57E-05	0.00E+00	1.49E-02	0.00E+00	0.00E+00	4.56E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.52E+01
Total	4.52E+01	8.57E-05	0.00E+00	1.49E-02	0.00E+00	0.00E+00	4.56E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.52E+01

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
in mrem/yr at t = 1.000E+00 years

0 Radio- Nuc- lide	Water Independent Pathways						Water Dependent Pathways						ALL	
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat		Milk
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr
Co-60	3.95E+01	7.45E-05	0.00E+00	1.29E-02	0.00E+00	0.00E+00	3.97E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.95E+01
Total	3.95E+01	7.45E-05	0.00E+00	1.29E-02	0.00E+00	0.00E+00	3.97E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.95E+01

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
in mrem/yr at t = 3.000E+00 years

Radio- Nuc- lide	Water Independent Pathways						Water Dependent Pathways						ALL		
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat		Milk	
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	
Co-60	3.01E+01	5.62E-05	0.00E+00	9.75E-03	0.00E+00	0.00E+00	2.99E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.01E+01
Total	3.01E+01	5.62E-05	0.00E+00	9.75E-03	0.00E+00	0.00E+00	2.99E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.01E+01

0*Sum of all water independent and dependent pathways.

Dose from Radionuclides @ Point of Action CE Windsor Site, Suburban Resident Scenario, Byproduct

File: RESIDEB.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
in mrem/yr at t = 1.000E+01 years

0 Radio- Nuc- lide	Water Independent Pathways						Water Dependent Pathways						ALL		
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat		Milk	
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	
Co-60	1.16E+01	2.10E-05	0.00E+00	3.64E-03	0.00E+00	0.00E+00	1.12E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.16E+01
Total	1.16E+01	2.10E-05	0.00E+00	3.64E-03	0.00E+00	0.00E+00	1.12E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.16E+01

0*Sum of all water independent and dependent pathways.

Dose from Radionuclides @ Point of Action CE Windsor Site, Suburban Resident Scenario, Byproduct

File: RESIDEB.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
in mrem/yr at t = 3.000E+01 years

0 Radio- Nuc- lide	Water Independent Pathways						Water Dependent Pathways						ALL	
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat		Milk
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr
Co-60	7.48E-01	1.23E-06	0.00E+00	2.14E-04	0.00E+00	0.00E+00	6.56E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.49E-01
Total	7.48E-01	1.23E-06	0.00E+00	2.14E-04	0.00E+00	0.00E+00	6.56E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.49E-01

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 in mrem/yr at t = 1.000E+02 years

Radio- Nuc- lide	Water Independent Pathways						Water Dependent Pathways						ALL		
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat		Milk	
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	
Co-60	3.97E-05	4.33E-11	0.00E+00	7.52E-09	0.00E+00	0.00E+00	2.30E-09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.97E-05
Total	3.97E-05	4.33E-11	0.00E+00	7.52E-09	0.00E+00	0.00E+00	2.30E-09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.97E-05

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 in mrem/yr at t = 3.000E+02 years

0 Radio- Nuc- lide	Water Independent Pathways							Water Dependent Pathways						
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat	Milk	ALL
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr
Co-60	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

0*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 in mrem/yr at t = 1.000E+03 years

0 Radio- Nuc- lide	Water Independent Pathways							Water Dependent Pathways						
	Ground	Dust	Radon	Plant	Meat	Milk	Soil	Water	Fish	Radon	Plant	Meat	Milk	ALL
	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr	mrem/yr
Co-60	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

0*Sum of all water independent and dependent pathways.

Table of Contents

Part V: Uncertainty Analysis
=====

ORESAD Uncertainty Analysis Results

Monte Carlo Input	2
Total Dose	3
Total Risk	4
Dose vs Pathway: Ground External	5
Dose vs Pathway: Inhalation (w/o Radon)	6
Dose vs Pathway: Radon (Water Ind.)	7
Dose vs Pathway: Plant (Water Ind.)	8
Dose vs Pathway: Meat (Water Ind.)	9
Dose vs Pathway: Milk (Water Ind.)	10
Dose vs Pathway: Soil Ingestion	11
Dose vs Pathway: Water Ingestion	12
Dose vs Pathway: Fish Ingestion	13
Dose vs Pathway: Radon (Water Dep.)	14
Dose vs Pathway: Plant (Water Dep.)	15
Dose vs Pathway: Meat (Water Dep.)	16
Dose vs Pathway: Milk (Water Dep.)	17
MC Cumulative Probability Summary.....	18
Summary of dose at graphical times, reptition 1.....	19
Summary of dose at graphical times, reptition 2.....	20
Summary of dose at graphical times, reptition 3.....	21
Peak of the mean dose at graphical times.....	22
Correlation and Regression coefficients (if any).....	23

Monte Carlo Input
 Number of Sample Runs: 300

Number	Name	Distribution	Parameters			
1	DROOT	UNIFORM	.3	4		
2	H(1)	BOUNDED LOGNORMAL-N	.693	.25	1	4
3	RUNOFF	UNIFORM	.1	.8		
4	WIND	TRUNCATED LOGNORMAL-N	1.15	.1	.05	.95
5	DWIBWT	TRIANGULAR	6	10	30	
6	SHF1	BOUNDED LOGNORMAL-N	-1.3	.59	.044	1
7	INHALR	TRIANGULAR	4380	8400	13100	
8	SOIL	TRIANGULAR	0	18.3	36.5	
9	H(2)	BOUNDED LOGNORMAL-N	1.386	.6	2	17
10	THICK0	TRIANGULAR	0	.075	.3	
11	DM	TRIANGULAR	0	.15	.6	
12	MLINH	CONTINUOUS LINEAR	8	0	0	
				.000008	.0151	
				.000016	.1365	
				.00003	.8119	
				.00004	.9495	
				.00006	.9937	
				.000076	.9983	
				.0001	1	
13	DCACTC (1)	LOGNORMAL-N	5.46	2.53		
14	DCACTU1 (1)	LOGNORMAL-N	5.46	2.53		
15	DCACTU2 (1)	LOGNORMAL-N	5.46	2.53		
16	DCACTS (1)	LOGNORMAL-N	5.46	2.53		
17	FR9	TRIANGULAR	0	.39	1	
18	FIND	TRIANGULAR	.69	.8048	.84	
19	FOTD	TRIANGULAR	0	.0342	.15	

Monte Carlo Total Dose Summary											
0Nuclide (j)	Peak Time	Peak Dose	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60											
Min	0.00E+00	9.93E-01	9.93E-01	5.82E-03	4.60E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	6.32E+01	6.32E+01	5.36E+01	3.87E+01	1.48E+01	1.05E+00	9.75E-05	5.21E-18	0.00E+00	0.00E+00
Avg	0.00E+00	1.90E+01	1.90E+01	1.56E+01	1.12E+01	3.77E+00	2.00E-01	7.63E-06	6.65E-20	0.00E+00	0.00E+00
Std	0.00E+00	1.06E+01	1.06E+01	9.48E+00	7.36E+00	2.86E+00	1.91E-01	1.37E-05	4.70E-19	0.00E+00	0.00E+00
äALL											
Min	0.00E+00	9.93E-01	9.93E-01	5.82E-03	4.60E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	6.32E+01	6.32E+01	5.36E+01	3.87E+01	1.48E+01	1.05E+00	9.75E-05	5.21E-18	0.00E+00	0.00E+00
Avg	0.00E+00	1.90E+01	1.90E+01	1.56E+01	1.12E+01	3.77E+00	2.00E-01	7.63E-06	6.65E-20	0.00E+00	0.00E+00
Std	0.00E+00	1.06E+01	1.06E+01	9.48E+00	7.36E+00	2.86E+00	1.91E-01	1.37E-05	4.70E-19	0.00E+00	0.00E+00

äALL is total dose summed for all nuclides.

Monte Carlo Risk Summary									
0Nuclide	RISK(j,t)								
(j)	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Co-60									
Min	2.77E-05	6.22E-07	4.92E-12	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	1.24E-03	1.06E-03	7.61E-04	2.87E-04	2.04E-05	1.89E-09	1.15E-22	0.00E+00	0.00E+00
Avg	3.87E-04	3.10E-04	2.19E-04	7.38E-05	3.90E-06	1.49E-10	1.49E-24	0.00E+00	0.00E+00
Std	2.06E-04	1.83E-04	1.43E-04	5.56E-05	3.71E-06	2.65E-10	1.06E-23	0.00E+00	0.00E+00
äALL									
Min	2.77E-05	6.22E-07	4.92E-12	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	1.24E-03	1.06E-03	7.61E-04	2.87E-04	2.04E-05	1.89E-09	1.15E-22	0.00E+00	0.00E+00
Avg	3.87E-04	3.10E-04	2.19E-04	7.38E-05	3.90E-06	1.49E-10	1.49E-24	0.00E+00	0.00E+00
Std	2.06E-04	1.83E-04	1.43E-04	5.56E-05	3.71E-06	2.65E-10	1.06E-23	0.00E+00	0.00E+00
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

äALL is total risk summed for all nuclides.

0 Nuclide (j)	t=	Monte Carlo Dose vs Pathway(i): Ground External							
		DOSE(i,j,t), mrem/yr							
		0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60									
Min		9.93E-01	5.82E-03	4.60E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		6.32E+01	5.36E+01	3.87E+01	1.48E+01	1.05E+00	9.75E-05	0.00E+00	0.00E+00
Avg		1.90E+01	1.56E+01	1.11E+01	3.77E+00	2.00E-01	7.63E-06	0.00E+00	0.00E+00
Std		1.06E+01	9.48E+00	7.36E+00	2.86E+00	1.91E-01	1.37E-05	0.00E+00	0.00E+00
äALL									
Min		9.93E-01	5.82E-03	4.60E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		6.32E+01	5.36E+01	3.87E+01	1.48E+01	1.05E+00	9.75E-05	0.00E+00	0.00E+00
Avg		1.90E+01	1.56E+01	1.11E+01	3.77E+00	2.00E-01	7.63E-06	0.00E+00	0.00E+00
Std		1.06E+01	9.48E+00	7.36E+00	2.86E+00	1.91E-01	1.37E-05	0.00E+00	0.00E+00

äALL is total pathway dose summed for all nuclides.

0 Monte Carlo Dose vs Pathway(i): Inhalation (w/o Radon)									
0Nuclide	DOSE(i,j,t), mrem/yr								
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Co-60									
Min		9.38E-08	1.13E-09	8.73E-15	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		4.39E-05	3.76E-05	2.80E-05	1.11E-05	8.02E-07	8.03E-11	0.00E+00	0.00E+00
Avg		1.18E-05	9.77E-06	6.96E-06	2.33E-06	1.20E-07	3.95E-12	0.00E+00	0.00E+00
Std		9.27E-06	8.06E-06	6.08E-06	2.31E-06	1.47E-07	8.96E-12	0.00E+00	0.00E+00
äALL									
Min		9.38E-08	1.13E-09	8.73E-15	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		4.39E-05	3.76E-05	2.80E-05	1.11E-05	8.02E-07	8.03E-11	0.00E+00	0.00E+00
Avg		1.18E-05	9.77E-06	6.96E-06	2.33E-06	1.20E-07	3.95E-12	0.00E+00	0.00E+00
Std		9.27E-06	8.06E-06	6.08E-06	2.31E-06	1.47E-07	8.96E-12	0.00E+00	0.00E+00
=====		=====	=====	=====	=====	=====	=====	=====	=====

äALL is total pathway dose summed for all nuclides.

0		Monte Carlo Dose vs Pathway(i): Radon (Water Ind.)							
0Nuclide	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
(j)		DOSE(i,j,t), mrem/yr							
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Co-60									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
äALL									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

äALL is total pathway dose summed for all nuclides.

0 Nuclide (j)	Monte Carlo t=	Dose vs Pathway(i):	Plant (Water Ind.):	DOSE(i,j,t), mrem/yr							
				0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60											
Min	1.33E-04	1.30E-06	1.01E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	5.66E-02	4.93E-02	3.75E-02	1.44E-02	9.24E-04	5.54E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	7.57E-03	6.24E-03	4.41E-03	1.45E-03	7.25E-05	2.30E-09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	8.35E-03	7.07E-03	5.20E-03	1.90E-03	1.13E-04	5.74E-09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
äALL											
Min	1.33E-04	1.30E-06	1.01E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	5.66E-02	4.93E-02	3.75E-02	1.44E-02	9.24E-04	5.54E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	7.57E-03	6.24E-03	4.41E-03	1.45E-03	7.25E-05	2.30E-09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	8.35E-03	7.07E-03	5.20E-03	1.90E-03	1.13E-04	5.74E-09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

äALL is total pathway dose summed for all nuclides.

0 Nuclide (j)	Monte Carlo t=	Dose vs Pathway(i):	Meat (Water Ind.)	DOSE(i,j,t), mrem/yr							
				0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60				0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Min				0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max				0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg				0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std				0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
äALL				0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Min				0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max				0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg				0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std				0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

äALL is total pathway dose summed for all nuclides.

0 Nuclide (j)	Monte Carlo t=	Dose vs Pathway(i): Milk (Water Ind.)	DOSE(i,j,t), mrem/yr							
			0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60										
Min	0.00E+00		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
äALL										
Min	0.00E+00		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

äALL is total pathway dose summed for all nuclides.

0 Monte Carlo Dose vs Pathway(i): Soil Ingestion									
0Nuclide	DOSE(i,j,t), mrem/yr								
(j)	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Co-60									
Min	1.33E-05	9.29E-08	7.21E-13	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	3.88E-03	3.35E-03	2.52E-03	1.00E-03	6.67E-05	6.22E-09	0.00E+00	0.00E+00	0.00E+00
Avg	1.21E-03	1.00E-03	7.16E-04	2.40E-04	1.24E-05	4.13E-10	0.00E+00	0.00E+00	0.00E+00
Std	8.94E-04	7.84E-04	5.97E-04	2.27E-04	1.43E-05	9.11E-10	0.00E+00	0.00E+00	0.00E+00
äALL									
Min	1.33E-05	9.29E-08	7.21E-13	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	3.88E-03	3.35E-03	2.52E-03	1.00E-03	6.67E-05	6.22E-09	0.00E+00	0.00E+00	0.00E+00
Avg	1.21E-03	1.00E-03	7.16E-04	2.40E-04	1.24E-05	4.13E-10	0.00E+00	0.00E+00	0.00E+00
Std	8.94E-04	7.84E-04	5.97E-04	2.27E-04	1.43E-05	9.11E-10	0.00E+00	0.00E+00	0.00E+00
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

äALL is total pathway dose summed for all nuclides.

0 Monte Carlo Dose vs Pathway(i): Water Ingestion									
0Nuclide	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
(j)									
Co-60									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.73E-07	1.95E-18	0.00E+00
Avg		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.85E-09	2.10E-20	0.00E+00
Std		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.76E-08	1.63E-19	0.00E+00
äALL									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.73E-07	1.95E-18	0.00E+00
Avg		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.85E-09	2.10E-20	0.00E+00
Std		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.76E-08	1.63E-19	0.00E+00

äALL is total pathway dose summed for all nuclides.

0		Monte Carlo Dose vs Pathway(i): Fish Ingestion							
0Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Co-60									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.47E-07	3.24E-18	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.31E-09	4.54E-20	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.92E-08	3.09E-19	0.00E+00
äALL									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.47E-07	3.24E-18	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.31E-09	4.54E-20	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.92E-08	3.09E-19	0.00E+00
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

äALL is total pathway dose summed for all nuclides.

0 Nuclide (j)	Monte Carlo t=	Dose vs Pathway(i):	Radon (Water Dep.)						
		DOSE(i,j,t),	mrem/yr						
			1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
äALL									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

äALL is total pathway dose summed for all nuclides.

0 Nuclide (j)	Monte Carlo t=	Dose vs Pathway(i):	Plant (Water Dep.)	DOSE(i,j,t), mrem/yr							
				0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60											
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.77E-09	1.15E-20	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.08E-11	1.23E-22	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.61E-10	9.55E-22	0.00E+00
äALL											
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.77E-09	1.15E-20	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.08E-11	1.23E-22	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.61E-10	9.55E-22	0.00E+00

äALL is total pathway dose summed for all nuclides.

0		Monte Carlo Dose vs Pathway(i): Meat (Water Dep.)							
0Nuclide	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
(j)		DOSE(i,j,t), mrem/yr							
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Co-60									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
äALL									
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====

äALL is total pathway dose summed for all nuclides.

0 Nuclide (j)	Monte Carlo t=	Dose vs Pathway(i): Milk (Water Dep.)	DOSE(i,j,t), mrem/yr							
			0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60										
Min			0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max			0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg			0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std			0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
äALL										
Min			0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max			0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg			0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std			0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

äALL is total pathway dose summed for all nuclides.

Summary of dose at graphical times, reptition 1								
Time Years	Dose statistics at graphical times, mrem/yr							
	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	2.07E+00	5.73E+01	1.91E+01	1.66E+01	3.24E+01	3.72E+01	5.26E+01	5.73E+01
1.00E+00	5.82E-03	4.78E+01	1.59E+01	1.35E+01	2.81E+01	3.25E+01	4.45E+01	4.77E+01
1.06E+00	4.13E-03	4.73E+01	1.57E+01	1.34E+01	2.78E+01	3.22E+01	4.40E+01	4.72E+01
1.12E+00	2.88E-03	4.67E+01	1.56E+01	1.33E+01	2.76E+01	3.20E+01	4.36E+01	4.67E+01
1.19E+00	1.96E-03	4.62E+01	1.54E+01	1.32E+01	2.73E+01	3.17E+01	4.31E+01	4.62E+01
1.25E+00	1.31E-03	4.56E+01	1.52E+01	1.31E+01	2.71E+01	3.14E+01	4.26E+01	4.56E+01
1.33E+00	8.51E-04	4.50E+01	1.50E+01	1.29E+01	2.68E+01	3.11E+01	4.21E+01	4.50E+01
1.40E+00	5.40E-04	4.44E+01	1.48E+01	1.28E+01	2.65E+01	3.07E+01	4.15E+01	4.44E+01
1.49E+00	3.34E-04	4.37E+01	1.46E+01	1.26E+01	2.62E+01	3.04E+01	4.10E+01	4.37E+01
1.57E+00	2.01E-04	4.30E+01	1.44E+01	1.25E+01	2.59E+01	3.01E+01	4.04E+01	4.30E+01
1.66E+00	1.17E-04	4.23E+01	1.42E+01	1.23E+01	2.55E+01	2.97E+01	3.98E+01	4.23E+01
1.76E+00	6.64E-05	4.16E+01	1.40E+01	1.21E+01	2.52E+01	2.93E+01	3.91E+01	4.16E+01
1.86E+00	3.63E-05	4.08E+01	1.37E+01	1.20E+01	2.48E+01	2.89E+01	3.85E+01	4.08E+01
1.97E+00	1.92E-05	4.00E+01	1.35E+01	1.18E+01	2.44E+01	2.85E+01	3.78E+01	4.00E+01
2.09E+00	9.77E-06	3.92E+01	1.32E+01	1.16E+01	2.41E+01	2.80E+01	3.70E+01	3.92E+01
2.21E+00	4.78E-06	3.83E+01	1.30E+01	1.13E+01	2.36E+01	2.76E+01	3.63E+01	3.83E+01
2.34E+00	2.25E-06	3.75E+01	1.27E+01	1.10E+01	2.32E+01	2.71E+01	3.55E+01	3.75E+01
2.47E+00	1.01E-06	3.67E+01	1.24E+01	1.07E+01	2.28E+01	2.66E+01	3.46E+01	3.67E+01
2.62E+00	4.33E-07	3.59E+01	1.21E+01	1.04E+01	2.23E+01	2.61E+01	3.37E+01	3.59E+01
2.77E+00	1.77E-07	3.51E+01	1.18E+01	1.02E+01	2.18E+01	2.56E+01	3.28E+01	3.51E+01
2.93E+00	6.84E-08	3.42E+01	1.15E+01	9.93E+00	2.13E+01	2.50E+01	3.18E+01	3.42E+01
3.00E+00	4.60E-08	3.39E+01	1.14E+01	9.84E+00	2.11E+01	2.48E+01	3.14E+01	3.39E+01
3.10E+00	2.51E-08	3.34E+01	1.12E+01	9.69E+00	2.08E+01	2.44E+01	3.09E+01	3.33E+01
3.28E+00	8.67E-09	3.24E+01	1.09E+01	9.34E+00	2.03E+01	2.38E+01	2.99E+01	3.24E+01
3.48E+00	2.82E-09	3.15E+01	1.06E+01	9.01E+00	1.97E+01	2.32E+01	2.88E+01	3.15E+01
3.68E+00	8.58E-10	3.05E+01	1.02E+01	8.75E+00	1.92E+01	2.26E+01	2.78E+01	3.05E+01
3.89E+00	2.44E-10	2.96E+01	9.90E+00	8.48E+00	1.86E+01	2.20E+01	2.67E+01	2.95E+01
4.12E+00	6.43E-11	2.85E+01	9.55E+00	8.21E+00	1.81E+01	2.13E+01	2.56E+01	2.85E+01
4.36E+00	1.57E-11	2.75E+01	9.19E+00	7.85E+00	1.75E+01	2.06E+01	2.45E+01	2.75E+01
4.61E+00	3.53E-12	2.65E+01	8.83E+00	7.47E+00	1.69E+01	1.99E+01	2.35E+01	2.64E+01
4.88E+00	7.29E-13	2.54E+01	8.46E+00	7.17E+00	1.63E+01	1.92E+01	2.25E+01	2.54E+01
5.17E+00	1.37E-13	2.43E+01	8.09E+00	6.86E+00	1.56E+01	1.85E+01	2.15E+01	2.43E+01
5.47E+00	2.34E-14	2.32E+01	7.72E+00	6.56E+00	1.49E+01	1.78E+01	2.05E+01	2.32E+01
5.78E+00	3.60E-15	2.21E+01	7.35E+00	6.26E+00	1.42E+01	1.70E+01	1.95E+01	2.21E+01
6.12E+00	4.97E-16	2.10E+01	6.97E+00	5.94E+00	1.35E+01	1.63E+01	1.85E+01	2.10E+01
6.48E+00	6.11E-17	1.99E+01	6.60E+00	5.65E+00	1.28E+01	1.55E+01	1.75E+01	1.99E+01
6.86E+00	6.65E-18	1.88E+01	6.22E+00	5.36E+00	1.22E+01	1.47E+01	1.65E+01	1.87E+01
7.26E+00	6.36E-19	1.77E+01	5.85E+00	5.04E+00	1.15E+01	1.37E+01	1.55E+01	1.76E+01
7.68E+00	5.31E-20	1.65E+01	5.48E+00	4.75E+00	1.08E+01	1.27E+01	1.45E+01	1.65E+01
8.13E+00	3.83E-21	1.55E+01	5.12E+00	4.47E+00	1.01E+01	1.17E+01	1.35E+01	1.54E+01
8.60E+00	0.00E+00	1.44E+01	4.76E+00	4.18E+00	9.42E+00	1.07E+01	1.25E+01	1.44E+01
9.10E+00	0.00E+00	1.33E+01	4.41E+00	3.90E+00	8.77E+00	9.82E+00	1.16E+01	1.33E+01
9.63E+00	0.00E+00	1.23E+01	4.07E+00	3.62E+00	8.12E+00	9.02E+00	1.08E+01	1.23E+01
1.00E+01	0.00E+00	1.16E+01	3.85E+00	3.43E+00	7.70E+00	8.57E+00	1.02E+01	1.16E+01
1.02E+01	0.00E+00	1.13E+01	3.74E+00	3.34E+00	7.49E+00	8.35E+00	9.98E+00	1.13E+01
1.08E+01	0.00E+00	1.03E+01	3.42E+00	3.07E+00	6.88E+00	7.69E+00	9.21E+00	1.03E+01
1.14E+01	0.00E+00	9.34E+00	3.11E+00	2.81E+00	6.29E+00	7.05E+00	8.47E+00	9.33E+00

1.21E+01	0.00E+00	8.43E+00	2.81E+00	2.56E+00	5.70E+00	6.31E+00	7.74E+00	8.43E+00
1.28E+01	0.00E+00	7.57E+00	2.53E+00	2.32E+00	5.05E+00	5.67E+00	7.04E+00	7.57E+00
1.35E+01	0.00E+00	6.75E+00	2.26E+00	2.09E+00	4.52E+00	5.09E+00	6.37E+00	6.75E+00
1.43E+01	0.00E+00	6.05E+00	2.01E+00	1.88E+00	4.04E+00	4.55E+00	5.69E+00	6.05E+00
1.51E+01	0.00E+00	5.40E+00	1.78E+00	1.68E+00	3.58E+00	4.03E+00	5.05E+00	5.40E+00
1.60E+01	0.00E+00	4.79E+00	1.56E+00	1.48E+00	3.08E+00	3.55E+00	4.45E+00	4.79E+00
1.70E+01	0.00E+00	4.23E+00	1.36E+00	1.30E+00	2.71E+00	3.11E+00	3.89E+00	4.22E+00
1.80E+01	0.00E+00	3.70E+00	1.17E+00	1.13E+00	2.37E+00	2.70E+00	3.37E+00	3.69E+00
1.90E+01	0.00E+00	3.21E+00	1.01E+00	9.78E-01	2.04E+00	2.32E+00	2.90E+00	3.21E+00
2.01E+01	0.00E+00	2.76E+00	8.55E-01	8.38E-01	1.75E+00	1.98E+00	2.48E+00	2.76E+00
2.13E+01	0.00E+00	2.36E+00	7.20E-01	7.14E-01	1.49E+00	1.68E+00	2.09E+00	2.36E+00
2.25E+01	0.00E+00	1.99E+00	6.00E-01	6.03E-01	1.26E+00	1.42E+00	1.75E+00	1.99E+00
2.38E+01	0.00E+00	1.67E+00	4.95E-01	5.03E-01	1.04E+00	1.18E+00	1.45E+00	1.67E+00
2.52E+01	0.00E+00	1.38E+00	4.04E-01	4.12E-01	8.54E-01	9.71E-01	1.18E+00	1.38E+00
2.67E+01	0.00E+00	1.13E+00	3.26E-01	3.33E-01	6.92E-01	7.90E-01	9.58E-01	1.13E+00
2.82E+01	0.00E+00	9.18E-01	2.60E-01	2.65E-01	5.55E-01	6.35E-01	7.66E-01	9.17E-01
2.99E+01	0.00E+00	7.35E-01	2.05E-01	2.05E-01	4.45E-01	5.04E-01	6.04E-01	7.34E-01
3.00E+01	0.00E+00	7.23E-01	2.01E-01	2.01E-01	4.38E-01	4.96E-01	5.95E-01	7.22E-01
3.16E+01	0.00E+00	5.80E-01	1.59E-01	1.59E-01	3.51E-01	3.95E-01	4.76E-01	5.80E-01
3.35E+01	0.00E+00	4.52E-01	1.22E-01	1.21E-01	2.72E-01	3.05E-01	3.70E-01	4.52E-01
3.54E+01	0.00E+00	3.47E-01	9.17E-02	9.11E-02	2.07E-01	2.31E-01	2.83E-01	3.47E-01
3.75E+01	0.00E+00	2.62E-01	6.79E-02	6.74E-02	1.54E-01	1.73E-01	2.14E-01	2.62E-01
3.97E+01	0.00E+00	1.95E-01	4.95E-02	4.81E-02	1.11E-01	1.27E-01	1.58E-01	1.95E-01
4.20E+01	0.00E+00	1.43E-01	3.53E-02	3.34E-02	7.86E-02	9.21E-02	1.15E-01	1.42E-01
4.44E+01	0.00E+00	1.02E-01	2.48E-02	2.33E-02	5.43E-02	6.61E-02	8.24E-02	1.02E-01
4.70E+01	0.00E+00	7.19E-02	1.70E-02	1.59E-02	3.67E-02	4.65E-02	5.77E-02	7.19E-02
4.97E+01	0.00E+00	4.96E-02	1.14E-02	1.03E-02	2.45E-02	3.21E-02	3.96E-02	4.95E-02
5.26E+01	0.00E+00	3.34E-02	7.48E-03	6.45E-03	1.65E-02	2.18E-02	2.66E-02	3.34E-02
5.57E+01	0.00E+00	2.20E-02	4.77E-03	3.92E-03	1.06E-02	1.45E-02	1.75E-02	2.20E-02
5.90E+01	0.00E+00	1.42E-02	2.96E-03	2.16E-03	6.78E-03	9.43E-03	1.13E-02	1.41E-02
6.24E+01	0.00E+00	8.86E-03	1.78E-03	1.23E-03	4.29E-03	5.89E-03	7.11E-03	8.85E-03
6.60E+01	0.00E+00	5.40E-03	1.04E-03	6.11E-04	2.60E-03	3.54E-03	4.35E-03	5.39E-03
6.99E+01	0.00E+00	3.19E-03	5.91E-04	3.09E-04	1.51E-03	2.06E-03	2.58E-03	3.19E-03
7.39E+01	0.00E+00	1.83E-03	3.23E-04	1.53E-04	8.74E-04	1.17E-03	1.49E-03	1.83E-03
7.82E+01	0.00E+00	1.01E-03	1.70E-04	6.86E-05	4.90E-04	6.45E-04	8.27E-04	1.01E-03
8.28E+01	0.00E+00	5.43E-04	8.67E-05	2.24E-05	2.64E-04	3.43E-04	4.44E-04	5.43E-04
8.76E+01	0.00E+00	2.80E-04	4.24E-05	7.62E-06	1.36E-04	1.75E-04	2.30E-04	2.80E-04
9.27E+01	0.00E+00	1.39E-04	1.98E-05	1.78E-06	6.70E-05	8.60E-05	1.14E-04	1.39E-04
9.81E+01	0.00E+00	6.59E-05	8.85E-06	3.10E-08	3.17E-05	4.03E-05	5.42E-05	6.58E-05
1.00E+02	0.00E+00	5.09E-05	6.70E-06	4.58E-09	2.44E-05	3.10E-05	4.19E-05	5.08E-05
1.04E+02	0.00E+00	2.99E-05	3.77E-06	4.08E-10	1.43E-05	1.81E-05	2.46E-05	2.99E-05
1.10E+02	0.00E+00	1.29E-05	1.54E-06	2.65E-13	6.14E-06	7.66E-06	1.07E-05	1.29E-05
1.16E+02	0.00E+00	5.31E-06	5.99E-07	1.17E-28	2.45E-06	3.18E-06	4.50E-06	5.30E-06
1.23E+02	0.00E+00	2.06E-06	2.17E-07	0.00E+00	8.80E-07	1.27E-06	1.80E-06	2.06E-06
1.30E+02	0.00E+00	7.52E-07	7.44E-08	0.00E+00	3.15E-07	4.83E-07	6.83E-07	7.51E-07
1.38E+02	0.00E+00	2.57E-07	2.40E-08	0.00E+00	1.06E-07	1.63E-07	2.43E-07	2.57E-07
1.46E+02	0.00E+00	8.37E-08	7.22E-09	0.00E+00	3.18E-08	4.94E-08	8.04E-08	8.37E-08
1.54E+02	0.00E+00	2.64E-08	2.01E-09	0.00E+00	8.62E-09	1.50E-08	2.41E-08	2.64E-08
1.63E+02	0.00E+00	7.76E-09	4.95E-10	0.00E+00	1.44E-09	4.21E-09	6.65E-09	7.75E-09
1.73E+02	0.00E+00	2.10E-09	1.14E-10	0.00E+00	3.00E-10	1.08E-09	1.66E-09	2.10E-09
1.83E+02	0.00E+00	5.24E-10	2.45E-11	0.00E+00	4.34E-11	2.46E-10	3.83E-10	5.23E-10

Summary of dose at graphical times, reptition 2								
Time Years	Dose statistics at graphical times, mrem/yr							
	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	3.73E+00	6.32E+01	1.90E+01	1.75E+01	3.34E+01	3.73E+01	5.40E+01	6.31E+01
1.00E+00	2.19E-01	5.36E+01	1.56E+01	1.44E+01	2.91E+01	3.24E+01	4.73E+01	5.36E+01
1.06E+00	1.80E-01	5.31E+01	1.55E+01	1.42E+01	2.88E+01	3.21E+01	4.69E+01	5.31E+01
1.12E+00	1.45E-01	5.26E+01	1.53E+01	1.41E+01	2.86E+01	3.19E+01	4.65E+01	5.26E+01
1.19E+00	1.16E-01	5.20E+01	1.51E+01	1.40E+01	2.83E+01	3.16E+01	4.61E+01	5.20E+01
1.25E+00	9.14E-02	5.15E+01	1.49E+01	1.39E+01	2.79E+01	3.13E+01	4.57E+01	5.14E+01
1.33E+00	7.11E-02	5.09E+01	1.48E+01	1.37E+01	2.74E+01	3.10E+01	4.53E+01	5.08E+01
1.40E+00	5.44E-02	5.02E+01	1.46E+01	1.36E+01	2.71E+01	3.07E+01	4.48E+01	5.02E+01
1.49E+00	4.11E-02	4.95E+01	1.44E+01	1.34E+01	2.67E+01	3.04E+01	4.43E+01	4.95E+01
1.57E+00	3.05E-02	4.88E+01	1.41E+01	1.32E+01	2.64E+01	3.00E+01	4.38E+01	4.88E+01
1.66E+00	2.22E-02	4.81E+01	1.39E+01	1.30E+01	2.61E+01	2.97E+01	4.33E+01	4.81E+01
1.76E+00	1.59E-02	4.74E+01	1.37E+01	1.28E+01	2.57E+01	2.93E+01	4.27E+01	4.73E+01
1.86E+00	1.12E-02	4.66E+01	1.35E+01	1.24E+01	2.53E+01	2.89E+01	4.21E+01	4.65E+01
1.97E+00	7.68E-03	4.58E+01	1.32E+01	1.21E+01	2.49E+01	2.85E+01	4.15E+01	4.57E+01
2.09E+00	5.17E-03	4.49E+01	1.30E+01	1.18E+01	2.45E+01	2.80E+01	4.09E+01	4.49E+01
2.21E+00	3.40E-03	4.40E+01	1.27E+01	1.15E+01	2.41E+01	2.76E+01	4.02E+01	4.40E+01
2.34E+00	2.18E-03	4.31E+01	1.24E+01	1.13E+01	2.37E+01	2.71E+01	3.96E+01	4.31E+01
2.47E+00	1.37E-03	4.22E+01	1.22E+01	1.10E+01	2.33E+01	2.66E+01	3.88E+01	4.21E+01
2.62E+00	8.31E-04	4.12E+01	1.19E+01	1.07E+01	2.28E+01	2.61E+01	3.81E+01	4.12E+01
2.77E+00	4.91E-04	4.02E+01	1.16E+01	1.04E+01	2.23E+01	2.56E+01	3.73E+01	4.01E+01
2.93E+00	2.82E-04	3.91E+01	1.13E+01	1.01E+01	2.17E+01	2.51E+01	3.65E+01	3.91E+01
3.00E+00	2.23E-04	3.87E+01	1.12E+01	9.94E+00	2.14E+01	2.48E+01	3.62E+01	3.87E+01
3.10E+00	1.56E-04	3.80E+01	1.10E+01	9.75E+00	2.11E+01	2.45E+01	3.57E+01	3.80E+01
3.28E+00	8.39E-05	3.69E+01	1.07E+01	9.43E+00	2.04E+01	2.39E+01	3.49E+01	3.69E+01
3.48E+00	4.34E-05	3.58E+01	1.03E+01	9.11E+00	1.98E+01	2.33E+01	3.40E+01	3.58E+01
3.68E+00	2.16E-05	3.46E+01	1.00E+01	8.82E+00	1.91E+01	2.27E+01	3.31E+01	3.46E+01
3.89E+00	1.03E-05	3.34E+01	9.68E+00	8.52E+00	1.84E+01	2.21E+01	3.21E+01	3.34E+01
4.12E+00	4.73E-06	3.22E+01	9.34E+00	8.22E+00	1.77E+01	2.14E+01	3.12E+01	3.22E+01
4.36E+00	2.07E-06	3.12E+01	8.99E+00	7.91E+00	1.71E+01	2.07E+01	3.01E+01	3.12E+01
4.61E+00	8.62E-07	3.01E+01	8.64E+00	7.59E+00	1.64E+01	2.01E+01	2.90E+01	3.01E+01
4.88E+00	3.42E-07	2.91E+01	8.28E+00	7.26E+00	1.58E+01	1.94E+01	2.79E+01	2.91E+01
5.17E+00	1.28E-07	2.80E+01	7.92E+00	6.95E+00	1.52E+01	1.86E+01	2.67E+01	2.80E+01
5.47E+00	4.55E-08	2.69E+01	7.56E+00	6.61E+00	1.46E+01	1.79E+01	2.55E+01	2.69E+01
5.78E+00	1.52E-08	2.58E+01	7.19E+00	6.21E+00	1.39E+01	1.72E+01	2.44E+01	2.58E+01
6.12E+00	4.75E-09	2.47E+01	6.83E+00	5.80E+00	1.33E+01	1.64E+01	2.32E+01	2.47E+01
6.48E+00	1.39E-09	2.36E+01	6.46E+00	5.43E+00	1.27E+01	1.56E+01	2.20E+01	2.35E+01
6.86E+00	3.79E-10	2.24E+01	6.09E+00	5.12E+00	1.20E+01	1.48E+01	2.08E+01	2.24E+01
7.26E+00	9.56E-11	2.13E+01	5.73E+00	4.81E+00	1.14E+01	1.41E+01	1.96E+01	2.12E+01
7.68E+00	2.23E-11	2.01E+01	5.37E+00	4.49E+00	1.07E+01	1.33E+01	1.84E+01	2.01E+01
8.13E+00	4.77E-12	1.89E+01	5.02E+00	4.16E+00	1.01E+01	1.25E+01	1.72E+01	1.89E+01
8.60E+00	9.34E-13	1.78E+01	4.67E+00	3.83E+00	9.43E+00	1.17E+01	1.60E+01	1.78E+01
9.10E+00	1.66E-13	1.67E+01	4.33E+00	3.51E+00	8.80E+00	1.10E+01	1.48E+01	1.66E+01
9.63E+00	2.68E-14	1.55E+01	3.99E+00	3.20E+00	8.17E+00	1.02E+01	1.37E+01	1.55E+01
1.00E+01	7.47E-15	1.48E+01	3.78E+00	3.00E+00	7.76E+00	9.70E+00	1.30E+01	1.48E+01
1.02E+01	3.87E-15	1.44E+01	3.67E+00	2.90E+00	7.56E+00	9.45E+00	1.26E+01	1.44E+01
1.08E+01	5.01E-16	1.33E+01	3.35E+00	2.61E+00	6.96E+00	8.73E+00	1.15E+01	1.33E+01
1.14E+01	5.75E-17	1.23E+01	3.05E+00	2.34E+00	6.39E+00	8.03E+00	1.05E+01	1.23E+01

1.21E+01	5.81E-18	1.12E+01	2.76E+00	2.11E+00	5.85E+00	7.35E+00	9.52E+00	1.12E+01
1.28E+01	0.00E+00	1.02E+01	2.49E+00	1.90E+00	5.32E+00	6.70E+00	8.57E+00	1.02E+01
1.35E+01	0.00E+00	9.28E+00	2.23E+00	1.66E+00	4.81E+00	6.07E+00	7.67E+00	9.28E+00
1.43E+01	0.00E+00	8.36E+00	1.98E+00	1.45E+00	4.33E+00	5.47E+00	6.82E+00	8.36E+00
1.51E+01	0.00E+00	7.49E+00	1.75E+00	1.25E+00	3.84E+00	4.89E+00	6.03E+00	7.49E+00
1.60E+01	0.00E+00	6.67E+00	1.53E+00	1.07E+00	3.37E+00	4.35E+00	5.29E+00	6.66E+00
1.70E+01	0.00E+00	5.89E+00	1.34E+00	9.06E-01	2.93E+00	3.85E+00	4.61E+00	5.89E+00
1.80E+01	0.00E+00	5.17E+00	1.15E+00	7.86E-01	2.54E+00	3.35E+00	4.01E+00	5.17E+00
1.90E+01	0.00E+00	4.50E+00	9.90E-01	6.78E-01	2.19E+00	2.86E+00	3.49E+00	4.50E+00
2.01E+01	0.00E+00	3.89E+00	8.42E-01	5.80E-01	1.87E+00	2.45E+00	3.00E+00	3.89E+00
2.13E+01	0.00E+00	3.33E+00	7.09E-01	4.87E-01	1.58E+00	2.09E+00	2.57E+00	3.33E+00
2.25E+01	0.00E+00	2.83E+00	5.91E-01	3.99E-01	1.33E+00	1.76E+00	2.17E+00	2.83E+00
2.38E+01	0.00E+00	2.38E+00	4.88E-01	3.23E-01	1.10E+00	1.47E+00	1.82E+00	2.38E+00
2.52E+01	0.00E+00	1.98E+00	3.99E-01	2.61E-01	9.05E-01	1.22E+00	1.51E+00	1.98E+00
2.67E+01	0.00E+00	1.63E+00	3.22E-01	2.09E-01	7.35E-01	9.98E-01	1.24E+00	1.63E+00
2.82E+01	0.00E+00	1.33E+00	2.57E-01	1.65E-01	5.89E-01	8.08E-01	1.01E+00	1.33E+00
2.99E+01	0.00E+00	1.07E+00	2.02E-01	1.25E-01	4.66E-01	6.46E-01	8.06E-01	1.07E+00
3.00E+01	0.00E+00	1.05E+00	1.99E-01	1.22E-01	4.58E-01	6.36E-01	7.93E-01	1.05E+00
3.16E+01	0.00E+00	8.48E-01	1.57E-01	9.45E-02	3.62E-01	5.09E-01	6.37E-01	8.47E-01
3.35E+01	0.00E+00	6.65E-01	1.20E-01	7.10E-02	2.78E-01	3.96E-01	4.97E-01	6.64E-01
3.54E+01	0.00E+00	5.14E-01	9.06E-02	5.09E-02	2.11E-01	3.04E-01	3.82E-01	5.13E-01
3.75E+01	0.00E+00	3.91E-01	6.72E-02	3.76E-02	1.59E-01	2.29E-01	2.89E-01	3.90E-01
3.97E+01	0.00E+00	2.93E-01	4.90E-02	2.72E-02	1.18E-01	1.70E-01	2.15E-01	2.92E-01
4.20E+01	0.00E+00	2.16E-01	3.51E-02	1.93E-02	8.64E-02	1.24E-01	1.57E-01	2.15E-01
4.44E+01	0.00E+00	1.56E-01	2.46E-02	1.34E-02	6.08E-02	8.89E-02	1.13E-01	1.56E-01
4.70E+01	0.00E+00	1.11E-01	1.70E-02	8.86E-03	4.23E-02	6.25E-02	7.96E-02	1.11E-01
4.97E+01	0.00E+00	7.71E-02	1.15E-02	5.79E-03	2.88E-02	4.29E-02	5.49E-02	7.69E-02
5.26E+01	0.00E+00	5.25E-02	7.54E-03	3.65E-03	1.93E-02	2.89E-02	3.70E-02	5.24E-02
5.57E+01	0.00E+00	3.50E-02	4.85E-03	2.20E-03	1.26E-02	1.90E-02	2.44E-02	3.49E-02
5.90E+01	0.00E+00	2.28E-02	3.04E-03	1.28E-03	8.02E-03	1.22E-02	1.57E-02	2.27E-02
6.24E+01	0.00E+00	1.44E-02	1.85E-03	5.99E-04	4.97E-03	7.59E-03	9.83E-03	1.44E-02
6.60E+01	0.00E+00	8.91E-03	1.09E-03	3.02E-04	3.04E-03	4.60E-03	5.98E-03	8.89E-03
6.99E+01	0.00E+00	5.35E-03	6.23E-04	1.32E-04	1.81E-03	2.71E-03	3.53E-03	5.33E-03
7.39E+01	0.00E+00	3.12E-03	3.45E-04	4.64E-05	1.04E-03	1.55E-03	2.02E-03	3.11E-03
7.82E+01	0.00E+00	1.76E-03	1.85E-04	1.25E-05	5.81E-04	8.52E-04	1.12E-03	1.75E-03
8.28E+01	0.00E+00	9.61E-04	9.52E-05	3.95E-06	3.09E-04	4.53E-04	5.95E-04	9.57E-04
8.76E+01	0.00E+00	5.06E-04	4.73E-05	7.92E-07	1.59E-04	2.35E-04	3.10E-04	5.04E-04
9.27E+01	0.00E+00	2.57E-04	2.28E-05	1.45E-07	7.83E-05	1.18E-04	1.56E-04	2.56E-04
9.81E+01	0.00E+00	1.25E-04	1.05E-05	1.03E-08	3.67E-05	5.68E-05	7.53E-05	1.25E-04
1.00E+02	0.00E+00	9.75E-05	8.02E-06	2.16E-09	2.84E-05	4.41E-05	5.85E-05	9.72E-05
1.04E+02	0.00E+00	5.84E-05	4.60E-06	1.99E-12	1.66E-05	2.62E-05	3.48E-05	5.82E-05
1.10E+02	0.00E+00	2.61E-05	1.90E-06	1.29E-17	7.09E-06	1.06E-05	1.53E-05	2.60E-05
1.16E+02	0.00E+00	1.11E-05	7.55E-07	0.00E+00	2.91E-06	4.40E-06	6.41E-06	1.11E-05
1.23E+02	0.00E+00	4.49E-06	2.83E-07	0.00E+00	1.13E-06	1.77E-06	2.54E-06	4.47E-06
1.30E+02	0.00E+00	1.72E-06	9.94E-08	0.00E+00	3.84E-07	6.74E-07	9.51E-07	1.71E-06
1.38E+02	0.00E+00	6.22E-07	3.22E-08	0.00E+00	1.37E-07	2.42E-07	3.34E-07	6.20E-07
1.46E+02	0.00E+00	2.12E-07	1.02E-08	0.00E+00	4.59E-08	8.17E-08	1.09E-07	2.11E-07
1.54E+02	0.00E+00	6.74E-08	2.97E-09	0.00E+00	1.34E-08	2.59E-08	3.33E-08	6.71E-08
1.63E+02	0.00E+00	2.00E-08	8.16E-10	0.00E+00	3.17E-09	7.50E-09	9.29E-09	1.99E-08
1.73E+02	0.00E+00	5.51E-09	2.06E-10	0.00E+00	7.63E-10	1.98E-09	2.35E-09	5.48E-09
1.83E+02	0.00E+00	1.40E-09	4.72E-11	0.00E+00	1.66E-10	4.59E-10	5.62E-10	1.39E-09

Summary of dose at graphical times, reptition 3								
Dose statistics at graphical times, mrem/yr								
Time Years	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	9.93E-01	5.62E+01	1.89E+01	1.74E+01	3.06E+01	3.91E+01	4.85E+01	5.62E+01
1.00E+00	1.65E-02	4.89E+01	1.54E+01	1.45E+01	2.64E+01	3.12E+01	4.05E+01	4.89E+01
1.06E+00	1.25E-02	4.85E+01	1.52E+01	1.43E+01	2.62E+01	3.08E+01	4.02E+01	4.85E+01
1.12E+00	9.33E-03	4.81E+01	1.50E+01	1.42E+01	2.60E+01	3.04E+01	3.98E+01	4.81E+01
1.19E+00	6.84E-03	4.77E+01	1.49E+01	1.41E+01	2.58E+01	2.99E+01	3.94E+01	4.77E+01
1.25E+00	4.93E-03	4.73E+01	1.47E+01	1.39E+01	2.55E+01	2.95E+01	3.90E+01	4.73E+01
1.33E+00	3.48E-03	4.68E+01	1.45E+01	1.38E+01	2.53E+01	2.90E+01	3.85E+01	4.68E+01
1.40E+00	2.41E-03	4.63E+01	1.43E+01	1.36E+01	2.50E+01	2.85E+01	3.81E+01	4.63E+01
1.49E+00	1.63E-03	4.58E+01	1.41E+01	1.35E+01	2.47E+01	2.80E+01	3.76E+01	4.58E+01
1.57E+00	1.08E-03	4.53E+01	1.39E+01	1.33E+01	2.45E+01	2.74E+01	3.71E+01	4.53E+01
1.66E+00	7.00E-04	4.47E+01	1.36E+01	1.31E+01	2.42E+01	2.69E+01	3.66E+01	4.47E+01
1.76E+00	4.42E-04	4.41E+01	1.34E+01	1.29E+01	2.38E+01	2.63E+01	3.60E+01	4.41E+01
1.86E+00	2.71E-04	4.35E+01	1.32E+01	1.23E+01	2.35E+01	2.57E+01	3.55E+01	4.35E+01
1.97E+00	1.62E-04	4.29E+01	1.29E+01	1.19E+01	2.32E+01	2.51E+01	3.49E+01	4.29E+01
2.09E+00	9.37E-05	4.22E+01	1.27E+01	1.17E+01	2.28E+01	2.44E+01	3.43E+01	4.22E+01
2.21E+00	5.25E-05	4.16E+01	1.24E+01	1.14E+01	2.25E+01	2.40E+01	3.36E+01	4.15E+01
2.34E+00	2.85E-05	4.08E+01	1.21E+01	1.11E+01	2.20E+01	2.35E+01	3.30E+01	4.08E+01
2.47E+00	1.49E-05	4.01E+01	1.19E+01	1.09E+01	2.16E+01	2.31E+01	3.23E+01	4.01E+01
2.62E+00	7.52E-06	3.93E+01	1.16E+01	1.06E+01	2.11E+01	2.26E+01	3.16E+01	3.93E+01
2.77E+00	3.64E-06	3.85E+01	1.13E+01	1.04E+01	2.06E+01	2.22E+01	3.08E+01	3.85E+01
2.93E+00	1.69E-06	3.77E+01	1.10E+01	1.02E+01	2.01E+01	2.17E+01	3.01E+01	3.77E+01
3.00E+00	1.23E-06	3.73E+01	1.09E+01	1.01E+01	1.99E+01	2.15E+01	2.98E+01	3.73E+01
3.10E+00	7.50E-07	3.68E+01	1.07E+01	9.95E+00	1.96E+01	2.12E+01	2.93E+01	3.68E+01
3.28E+00	3.18E-07	3.59E+01	1.04E+01	9.71E+00	1.91E+01	2.07E+01	2.85E+01	3.59E+01
3.48E+00	1.28E-07	3.50E+01	1.01E+01	9.45E+00	1.86E+01	2.02E+01	2.77E+01	3.50E+01
3.68E+00	4.89E-08	3.41E+01	9.75E+00	9.20E+00	1.81E+01	1.95E+01	2.68E+01	3.40E+01
3.89E+00	1.76E-08	3.31E+01	9.42E+00	8.93E+00	1.76E+01	1.86E+01	2.59E+01	3.31E+01
4.12E+00	6.01E-09	3.21E+01	9.09E+00	8.66E+00	1.70E+01	1.78E+01	2.51E+01	3.21E+01
4.36E+00	1.92E-09	3.11E+01	8.75E+00	8.35E+00	1.65E+01	1.71E+01	2.41E+01	3.10E+01
4.61E+00	5.74E-10	3.00E+01	8.40E+00	7.98E+00	1.59E+01	1.65E+01	2.32E+01	3.00E+01
4.88E+00	1.60E-10	2.90E+01	8.06E+00	7.58E+00	1.52E+01	1.60E+01	2.23E+01	2.89E+01
5.17E+00	4.14E-11	2.79E+01	7.71E+00	7.13E+00	1.43E+01	1.54E+01	2.13E+01	2.78E+01
5.47E+00	9.91E-12	2.68E+01	7.36E+00	6.78E+00	1.37E+01	1.48E+01	2.04E+01	2.67E+01
5.78E+00	0.00E+00	2.56E+01	7.00E+00	6.43E+00	1.31E+01	1.41E+01	1.94E+01	2.56E+01
6.12E+00	0.00E+00	2.45E+01	6.65E+00	6.07E+00	1.26E+01	1.35E+01	1.84E+01	2.44E+01
6.48E+00	0.00E+00	2.33E+01	6.29E+00	5.76E+00	1.20E+01	1.29E+01	1.75E+01	2.33E+01
6.86E+00	0.00E+00	2.22E+01	5.94E+00	5.45E+00	1.14E+01	1.23E+01	1.65E+01	2.21E+01
7.26E+00	0.00E+00	2.10E+01	5.59E+00	5.07E+00	1.08E+01	1.16E+01	1.55E+01	2.10E+01
7.68E+00	0.00E+00	1.98E+01	5.24E+00	4.74E+00	1.02E+01	1.10E+01	1.45E+01	1.98E+01
8.13E+00	0.00E+00	1.87E+01	4.90E+00	4.46E+00	9.58E+00	1.03E+01	1.36E+01	1.86E+01
8.60E+00	0.00E+00	1.75E+01	4.56E+00	4.18E+00	8.98E+00	9.70E+00	1.26E+01	1.75E+01
9.10E+00	0.00E+00	1.64E+01	4.23E+00	3.90E+00	8.40E+00	9.08E+00	1.17E+01	1.63E+01
9.63E+00	0.00E+00	1.52E+01	3.91E+00	3.62E+00	7.80E+00	8.45E+00	1.08E+01	1.52E+01
1.00E+01	0.00E+00	1.45E+01	3.69E+00	3.44E+00	7.40E+00	8.05E+00	1.02E+01	1.44E+01
1.02E+01	0.00E+00	1.41E+01	3.59E+00	3.35E+00	7.21E+00	7.84E+00	9.91E+00	1.41E+01
1.08E+01	0.00E+00	1.30E+01	3.29E+00	3.01E+00	6.62E+00	7.24E+00	9.05E+00	1.30E+01
1.14E+01	0.00E+00	1.20E+01	2.99E+00	2.68E+00	6.06E+00	6.66E+00	8.22E+00	1.19E+01

1.21E+01	0.00E+00	1.09E+01	2.71E+00	2.40E+00	5.51E+00	6.09E+00	7.43E+00	1.09E+01
1.28E+01	0.00E+00	9.94E+00	2.44E+00	2.11E+00	4.99E+00	5.55E+00	6.67E+00	9.91E+00
1.35E+01	0.00E+00	8.98E+00	2.19E+00	1.88E+00	4.49E+00	5.02E+00	5.96E+00	8.96E+00
1.43E+01	0.00E+00	8.07E+00	1.95E+00	1.65E+00	4.03E+00	4.52E+00	5.28E+00	8.05E+00
1.51E+01	0.00E+00	7.21E+00	1.72E+00	1.45E+00	3.60E+00	4.04E+00	4.68E+00	7.19E+00
1.60E+01	0.00E+00	6.40E+00	1.51E+00	1.28E+00	3.19E+00	3.57E+00	4.15E+00	6.38E+00
1.70E+01	0.00E+00	5.64E+00	1.32E+00	1.12E+00	2.81E+00	3.14E+00	3.66E+00	5.62E+00
1.80E+01	0.00E+00	4.93E+00	1.14E+00	9.56E-01	2.46E+00	2.75E+00	3.21E+00	4.91E+00
1.90E+01	0.00E+00	4.28E+00	9.82E-01	7.93E-01	2.13E+00	2.39E+00	2.79E+00	4.26E+00
2.01E+01	0.00E+00	3.68E+00	8.36E-01	6.54E-01	1.80E+00	2.06E+00	2.40E+00	3.67E+00
2.13E+01	0.00E+00	3.14E+00	7.05E-01	5.51E-01	1.54E+00	1.77E+00	2.05E+00	3.13E+00
2.25E+01	0.00E+00	2.65E+00	5.89E-01	4.59E-01	1.30E+00	1.50E+00	1.74E+00	2.64E+00
2.38E+01	0.00E+00	2.22E+00	4.87E-01	3.78E-01	1.08E+00	1.26E+00	1.46E+00	2.21E+00
2.52E+01	0.00E+00	1.84E+00	3.99E-01	3.08E-01	8.96E-01	1.04E+00	1.21E+00	1.83E+00
2.67E+01	0.00E+00	1.50E+00	3.22E-01	2.48E-01	7.36E-01	8.57E-01	9.93E-01	1.50E+00
2.82E+01	0.00E+00	1.22E+00	2.58E-01	1.96E-01	5.97E-01	6.97E-01	8.06E-01	1.21E+00
2.99E+01	0.00E+00	9.72E-01	2.03E-01	1.54E-01	4.79E-01	5.59E-01	6.46E-01	9.69E-01
3.00E+01	0.00E+00	9.56E-01	2.00E-01	1.51E-01	4.71E-01	5.50E-01	6.35E-01	9.54E-01
3.16E+01	0.00E+00	7.66E-01	1.58E-01	1.18E-01	3.79E-01	4.43E-01	5.11E-01	7.64E-01
3.35E+01	0.00E+00	5.96E-01	1.21E-01	8.86E-02	2.96E-01	3.46E-01	3.99E-01	5.94E-01
3.54E+01	0.00E+00	4.56E-01	9.18E-02	6.52E-02	2.27E-01	2.66E-01	3.07E-01	4.55E-01
3.75E+01	0.00E+00	3.44E-01	6.83E-02	4.71E-02	1.70E-01	2.01E-01	2.33E-01	3.43E-01
3.97E+01	0.00E+00	2.55E-01	4.99E-02	3.37E-02	1.26E-01	1.49E-01	1.74E-01	2.55E-01
4.20E+01	0.00E+00	1.86E-01	3.59E-02	2.36E-02	9.16E-02	1.09E-01	1.28E-01	1.85E-01
4.44E+01	0.00E+00	1.33E-01	2.53E-02	1.62E-02	6.53E-02	7.79E-02	9.21E-02	1.33E-01
4.70E+01	0.00E+00	9.31E-02	1.75E-02	1.07E-02	4.57E-02	5.47E-02	6.51E-02	9.29E-02
4.97E+01	0.00E+00	6.38E-02	1.18E-02	6.94E-03	3.15E-02	3.76E-02	4.51E-02	6.37E-02
5.26E+01	0.00E+00	4.28E-02	7.80E-03	4.37E-03	2.13E-02	2.53E-02	3.06E-02	4.27E-02
5.57E+01	0.00E+00	2.80E-02	5.03E-03	2.74E-03	1.41E-02	1.66E-02	2.03E-02	2.80E-02
5.90E+01	0.00E+00	1.79E-02	3.15E-03	1.67E-03	9.01E-03	1.06E-02	1.31E-02	1.78E-02
6.24E+01	0.00E+00	1.11E-02	1.92E-03	9.64E-04	5.60E-03	6.62E-03	8.27E-03	1.11E-02
6.60E+01	0.00E+00	6.67E-03	1.13E-03	5.06E-04	3.37E-03	4.01E-03	5.08E-03	6.67E-03
6.99E+01	0.00E+00	3.90E-03	6.49E-04	2.49E-04	1.97E-03	2.35E-03	3.02E-03	3.89E-03
7.39E+01	0.00E+00	2.20E-03	3.60E-04	1.26E-04	1.12E-03	1.34E-03	1.75E-03	2.20E-03
7.82E+01	0.00E+00	1.20E-03	1.92E-04	5.39E-05	6.10E-04	7.35E-04	9.77E-04	1.20E-03
8.28E+01	0.00E+00	6.27E-04	9.93E-05	2.10E-05	3.21E-04	3.88E-04	5.28E-04	6.26E-04
8.76E+01	0.00E+00	3.14E-04	4.91E-05	5.53E-06	1.65E-04	1.98E-04	2.75E-04	3.14E-04
9.27E+01	0.00E+00	1.56E-04	2.34E-05	4.22E-07	8.25E-05	9.77E-05	1.35E-04	1.56E-04
9.81E+01	0.00E+00	7.46E-05	1.07E-05	1.24E-07	3.96E-05	4.62E-05	6.34E-05	7.45E-05
1.00E+02	0.00E+00	5.78E-05	8.17E-06	2.68E-08	3.08E-05	3.56E-05	4.87E-05	5.77E-05
1.04E+02	0.00E+00	3.41E-05	4.67E-06	9.16E-10	1.82E-05	2.08E-05	2.82E-05	3.41E-05
1.10E+02	0.00E+00	1.49E-05	1.93E-06	2.47E-15	7.98E-06	9.06E-06	1.19E-05	1.48E-05
1.16E+02	0.00E+00	6.15E-06	7.49E-07	0.00E+00	3.12E-06	3.75E-06	4.98E-06	6.14E-06
1.23E+02	0.00E+00	2.40E-06	2.74E-07	0.00E+00	1.13E-06	1.45E-06	1.98E-06	2.40E-06
1.30E+02	0.00E+00	8.83E-07	9.32E-08	0.00E+00	4.11E-07	5.13E-07	7.43E-07	8.82E-07
1.38E+02	0.00E+00	3.03E-07	2.96E-08	0.00E+00	1.40E-07	1.82E-07	2.63E-07	3.03E-07
1.46E+02	0.00E+00	9.64E-08	8.67E-09	0.00E+00	4.45E-08	6.04E-08	8.69E-08	9.64E-08
1.54E+02	0.00E+00	2.88E-08	2.41E-09	0.00E+00	1.27E-08	1.79E-08	2.65E-08	2.87E-08
1.63E+02	0.00E+00	8.40E-09	6.23E-10	0.00E+00	2.98E-09	4.87E-09	7.17E-09	8.39E-09
1.73E+02	0.00E+00	2.27E-09	1.47E-10	0.00E+00	6.27E-10	1.19E-09	1.73E-09	2.27E-09
1.83E+02	0.00E+00	5.65E-10	3.08E-11	0.00E+00	1.19E-10	2.77E-10	3.81E-10	5.63E-10

Repetition	Peak of the mean dose (averaged over observations) at graphical times	
	Time of peak mean dose Years	Peak mean dose mrem/yr
1	0.000E+00	1.908E+01
2	0.000E+00	1.901E+01
3	0.000E+00	1.887E+01

Coefficients for peak of mean dose time Dose		PCC		SRC		PRCC		SRRC	
Coefficient =	Repetition =	1	1	1	1	1	1	1	1
Description of Probabilistic Variable		Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots		18	0.02	18	0.01	11	-0.06	13	-0.02
Thickness of Unsaturated zone 1		8	0.08	11	0.02	15	-0.04	16	-0.01
Runoff coefficient		13	0.05	15	0.02	16	0.03	17	0.01
Wind Speed		14	-0.05	16	-0.01	10	-0.07	12	-0.02
Well pump intake depth		19	0.01	19	0.00	7	-0.12	9	-0.04
External gamma shielding factor		1	0.94	1	0.86	1	0.92	1	0.80
Inhalation rate		5	-0.13	8	-0.04	14	0.04	15	0.01
Soil ingestion		11	-0.06	13	-0.02	9	-0.09	11	-0.03
Thickness of Unsaturated zone 2		3	0.16	6	0.05	8	0.10	10	0.03
Thickness of contaminated zone		2	0.81	2	0.42	2	0.81	2	0.46
Depth of soil mixing layer		16	-0.04	17	-0.01	19	0.01	19	0.00
Mass loading for inhalation		12	0.05	14	0.02	12	0.06	14	0.02
Kd of Co-60 in Contaminated Zone		6	0.12	5	0.07	6	-0.15	4	-0.27
Kd of Co-60 in Unsaturated Zone 1		10	-0.07	9	-0.04	5	0.23	8	0.20
Kd of Co-60 in Unsaturated Zone 2		7	-0.11	10	-0.03	4	0.23	6	0.25
Kd of Co-60 in Saturated Zone		9	0.07	12	0.02	3	0.24	5	0.25
Aquatic food		4	-0.15	7	-0.05	18	-0.03	18	-0.01
Indoor time fraction		17	0.02	4	0.15	17	0.03	7	0.22
Outdoor time fraction		15	0.05	3	0.30	13	0.05	3	0.37
R-SQUARE		0.91		0.91		0.89		0.89	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak of mean dose time Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	18 0.01	18 0.00	15 0.04	15 0.01
Thickness of Unsaturated zone 1	4 0.14	9 0.05	9 0.10	12 0.03
Runoff coefficient	17 -0.03	17 -0.01	11 -0.07	13 -0.02
Wind Speed	13 0.06	14 0.02	4 0.18	7 0.07
Well pump intake depth	16 0.04	16 0.01	7 -0.12	9 -0.04
External gamma shielding factor	1 0.92	1 0.80	1 0.90	3 0.76
Inhalation rate	5 -0.14	8 -0.05	8 -0.10	11 -0.04
Soil ingestion	3 0.20	5 0.07	3 0.20	6 0.07
Thickness of Unsaturated zone 2	9 0.08	12 0.03	19 0.00	19 0.00
Thickness of contaminated zone	2 0.78	3 0.46	2 0.81	4 0.50
Depth of soil mixing layer	15 -0.05	15 -0.02	16 0.01	17 0.00
Mass loading for inhalation	8 0.09	11 0.03	12 0.06	14 0.02
Kd of Co-60 in Contaminated Zone	14 -0.05	10 -0.04	18 0.01	16 0.01
Kd of Co-60 in Unsaturated Zone 1	6 -0.14	6 -0.06	13 0.06	8 0.06
Kd of Co-60 in Unsaturated Zone 2	11 0.07	7 0.06	14 0.05	10 0.04
Kd of Co-60 in Saturated Zone	12 0.07	13 0.02	10 0.09	5 0.08
Aquatic food	19 0.00	19 0.00	17 0.01	18 0.00
Indoor time fraction	10 0.07	4 0.39	6 0.15	2 0.82
Outdoor time fraction	7 0.10	2 0.54	5 0.18	1 1.00
R-SQUARE	0.88	0.88	0.88	0.88

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak of mean dose time Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	12	-0.06	12	-0.02	14	-0.08	14	-0.02
Thickness of Unsaturated zone 1	4	-0.18	5	-0.07	19	0.03	19	0.01
Runoff coefficient	19	0.01	19	0.00	16	0.06	16	0.02
Wind Speed	10	0.10	10	0.04	7	0.15	10	0.04
Well pump intake depth	8	0.13	8	0.05	18	0.04	18	0.01
External gamma shielding factor	1	0.92	3	0.79	1	0.94	1	0.77
Inhalation rate	18	-0.02	18	-0.01	13	-0.09	13	-0.03
Soil ingestion	5	0.17	6	0.06	4	0.21	9	0.06
Thickness of Unsaturated zone 2	11	0.10	11	0.03	8	0.14	11	0.04
Thickness of contaminated zone	2	0.79	4	0.44	2	0.89	4	0.53
Depth of soil mixing layer	16	0.04	16	0.01	10	-0.14	12	-0.04
Mass loading for inhalation	7	0.15	7	0.05	17	-0.06	17	-0.02
Kd of Co-60 in Contaminated Zone	15	0.05	14	0.02	12	-0.10	8	-0.12
Kd of Co-60 in Unsaturated Zone 1	17	0.03	17	0.01	3	0.23	5	0.16
Kd of Co-60 in Unsaturated Zone 2	13	0.06	13	0.02	6	0.19	7	0.13
Kd of Co-60 in Saturated Zone	9	0.13	9	0.05	5	0.20	6	0.13
Aquatic food	14	0.05	15	0.02	15	-0.07	15	-0.02
Indoor time fraction	3	-0.20	1	-1.17	9	-0.14	2	-0.70
Outdoor time fraction	6	-0.17	2	-0.99	11	-0.11	3	-0.55
R-SQUARE	0.88		0.88		0.93		0.93	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak All Pathways Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	18	0.02	18	0.01	11	-0.06	13	-0.02
Thickness of Unsaturated zone 1	8	0.08	11	0.02	15	-0.04	16	-0.01
Runoff coefficient	13	0.05	15	0.02	16	0.03	17	0.01
Wind Speed	14	-0.05	16	-0.01	10	-0.07	12	-0.02
Well pump intake depth	19	0.01	19	0.00	7	-0.12	9	-0.04
External gamma shielding factor	1	0.94	1	0.86	1	0.92	1	0.80
Inhalation rate	5	-0.13	8	-0.04	14	0.04	15	0.01
Soil ingestion	11	-0.06	13	-0.02	9	-0.09	11	-0.03
Thickness of Unsaturated zone 2	3	0.16	6	0.05	8	0.10	10	0.03
Thickness of contaminated zone	2	0.81	2	0.42	2	0.81	2	0.46
Depth of soil mixing layer	16	-0.04	17	-0.01	19	0.01	19	0.00
Mass loading for inhalation	12	0.05	14	0.02	12	0.06	14	0.02
Kd of Co-60 in Contaminated Zone	6	0.13	5	0.07	6	-0.15	4	-0.27
Kd of Co-60 in Unsaturated Zone 1	10	-0.07	9	-0.04	5	0.23	8	0.20
Kd of Co-60 in Unsaturated Zone 2	7	-0.11	10	-0.03	4	0.23	6	0.25
Kd of Co-60 in Saturated Zone	9	0.07	12	0.02	3	0.24	5	0.25
Aquatic food	4	-0.15	7	-0.05	18	-0.03	18	-0.01
Indoor time fraction	17	0.02	4	0.15	17	0.03	7	0.22
Outdoor time fraction	15	0.05	3	0.30	13	0.05	3	0.38
R-SQUARE		0.91		0.91		0.89		0.89

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak All Pathways Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	18 0.01	18 0.00	15 0.04	15 0.01
Thickness of Unsaturated zone 1	4 0.14	9 0.05	9 0.09	12 0.03
Runoff coefficient	17 -0.03	17 -0.01	11 -0.07	13 -0.02
Wind Speed	13 0.06	14 0.02	4 0.18	7 0.07
Well pump intake depth	16 0.04	16 0.01	7 -0.12	10 -0.04
External gamma shielding factor	1 0.92	1 0.80	1 0.90	3 0.76
Inhalation rate	5 -0.14	8 -0.05	8 -0.10	11 -0.04
Soil ingestion	3 0.20	5 0.07	3 0.20	6 0.07
Thickness of Unsaturated zone 2	9 0.08	12 0.03	19 0.00	19 0.00
Thickness of contaminated zone	2 0.78	3 0.46	2 0.81	4 0.50
Depth of soil mixing layer	15 -0.05	15 -0.02	16 0.01	17 0.01
Mass loading for inhalation	8 0.09	11 0.03	12 0.06	14 0.02
Kd of Co-60 in Contaminated Zone	14 -0.05	10 -0.04	18 0.01	16 0.01
Kd of Co-60 in Unsaturated Zone 1	6 -0.14	6 -0.06	13 0.06	8 0.06
Kd of Co-60 in Unsaturated Zone 2	11 0.07	7 0.06	14 0.05	9 0.04
Kd of Co-60 in Saturated Zone	12 0.07	13 0.02	10 0.09	5 0.08
Aquatic food	19 0.00	19 0.00	17 0.01	18 0.00
Indoor time fraction	10 0.07	4 0.39	6 0.15	2 0.83
Outdoor time fraction	7 0.10	2 0.54	5 0.18	1 1.00
R-SQUARE	0.88	0.88	0.88	0.88

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak All Pathways Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	12 -0.06	12 -0.02	14 -0.08	14 -0.02
Thickness of Unsaturated zone 1	4 -0.18	5 -0.07	19 0.03	19 0.01
Runoff coefficient	19 0.01	19 0.00	16 0.06	16 0.02
Wind Speed	10 0.10	10 0.04	7 0.15	10 0.04
Well pump intake depth	8 0.13	8 0.05	18 0.04	18 0.01
External gamma shielding factor	1 0.92	3 0.79	1 0.94	1 0.77
Inhalation rate	18 -0.02	18 -0.01	13 -0.09	13 -0.03
Soil ingestion	5 0.17	6 0.06	4 0.21	9 0.06
Thickness of Unsaturated zone 2	11 0.10	11 0.03	8 0.14	11 0.04
Thickness of contaminated zone	2 0.79	4 0.44	2 0.89	4 0.53
Depth of soil mixing layer	16 0.04	16 0.01	10 -0.14	12 -0.04
Mass loading for inhalation	7 0.15	7 0.05	17 -0.06	17 -0.02
Kd of Co-60 in Contaminated Zone	15 0.05	14 0.02	12 -0.10	8 -0.12
Kd of Co-60 in Unsaturated Zone 1	17 0.03	17 0.01	3 0.23	5 0.16
Kd of Co-60 in Unsaturated Zone 2	13 0.06	13 0.02	6 0.19	7 0.13
Kd of Co-60 in Saturated Zone	9 0.13	9 0.05	5 0.20	6 0.13
Aquatic food	14 0.05	15 0.02	15 -0.07	15 -0.02
Indoor time fraction	3 -0.20	1 -1.17	9 -0.14	2 -0.70
Outdoor time fraction	6 -0.17	2 -0.99	11 -0.11	3 -0.55
R-SQUARE	0.88	0.88	0.93	0.93

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak External Ground Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		1		1		1		1	
Repetition =		1		1		1		1	
Description of Probabilistic Variable		Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots		18	0.02	18	0.01	11	-0.06	13	-0.02
Thickness of Unsaturated zone 1		8	0.08	11	0.02	15	-0.04	16	-0.01
Runoff coefficient		13	0.05	14	0.02	16	0.04	17	0.01
Wind Speed		14	-0.05	16	-0.01	10	-0.07	12	-0.02
Well pump intake depth		19	0.01	19	0.00	7	-0.12	9	-0.04
External gamma shielding factor		1	0.94	1	0.86	1	0.92	1	0.80
Inhalation rate		5	-0.13	8	-0.04	14	0.05	15	0.02
Soil ingestion		11	-0.06	13	-0.02	9	-0.09	11	-0.03
Thickness of Unsaturated zone 2		3	0.16	6	0.05	8	0.10	10	0.03
Thickness of contaminated zone		2	0.81	2	0.42	2	0.81	2	0.46
Depth of soil mixing layer		16	-0.04	17	-0.01	19	0.01	19	0.00
Mass loading for inhalation		12	0.05	15	0.02	13	0.05	14	0.02
Kd of Co-60 in Contaminated Zone		6	0.13	5	0.07	6	-0.15	4	-0.27
Kd of Co-60 in Unsaturated Zone 1		10	-0.07	9	-0.04	5	0.23	8	0.20
Kd of Co-60 in Unsaturated Zone 2		7	-0.11	10	-0.03	4	0.23	6	0.25
Kd of Co-60 in Saturated Zone		9	0.07	12	0.02	3	0.24	5	0.25
Aquatic food		4	-0.15	7	-0.05	18	-0.03	18	-0.01
Indoor time fraction		17	0.02	4	0.15	17	0.03	7	0.22
Outdoor time fraction		15	0.05	3	0.30	12	0.05	3	0.38
R-SQUARE			0.91		0.91		0.89		0.89

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak External Ground Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		2		2		2		2	
Repetition =									
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig
Depth of roots	18	0.01	18	0.00	15	0.04	15	0.01	
Thickness of Unsaturated zone 1	4	0.14	9	0.05	9	0.09	12	0.03	
Runoff coefficient	17	-0.03	17	-0.01	11	-0.07	13	-0.02	
Wind Speed	13	0.06	14	0.02	4	0.18	7	0.07	
Well pump intake depth	16	0.04	16	0.01	7	-0.12	10	-0.04	
External gamma shielding factor	1	0.92	1	0.80	1	0.90	3	0.76	
Inhalation rate	5	-0.14	8	-0.05	8	-0.10	11	-0.04	
Soil ingestion	3	0.20	5	0.07	3	0.20	6	0.07	
Thickness of Unsaturated zone 2	9	0.08	12	0.03	19	0.00	19	0.00	
Thickness of contaminated zone	2	0.78	3	0.46	2	0.81	4	0.50	
Depth of soil mixing layer	15	-0.05	15	-0.02	16	0.01	17	0.00	
Mass loading for inhalation	8	0.09	11	0.03	12	0.06	14	0.02	
Kd of Co-60 in Contaminated Zone	14	-0.05	10	-0.04	18	0.01	16	0.01	
Kd of Co-60 in Unsaturated Zone 1	6	-0.14	6	-0.06	13	0.06	8	0.06	
Kd of Co-60 in Unsaturated Zone 2	11	0.07	7	0.06	14	0.05	9	0.04	
Kd of Co-60 in Saturated Zone	12	0.07	13	0.02	10	0.09	5	0.08	
Aquatic food	19	0.00	19	0.00	17	0.01	18	0.00	
Indoor time fraction	10	0.07	4	0.39	6	0.15	2	0.83	
Outdoor time fraction	7	0.10	2	0.54	5	0.18	1	1.00	
R-SQUARE		0.88		0.88		0.88		0.88	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak External Ground Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		3		3		3		3	
Repetition =									
Description of Probabilistic Variable		Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots		12	-0.06	12	-0.02	14	-0.08	14	-0.02
Thickness of Unsaturated zone 1		4	-0.18	5	-0.07	19	0.03	19	0.01
Runoff coefficient		19	0.01	19	0.00	16	0.06	16	0.02
Wind Speed		10	0.10	10	0.04	7	0.15	10	0.04
Well pump intake depth		8	0.13	8	0.05	18	0.04	18	0.01
External gamma shielding factor		1	0.92	3	0.79	1	0.94	1	0.77
Inhalation rate		18	-0.02	18	-0.01	13	-0.09	13	-0.03
Soil ingestion		5	0.17	6	0.06	4	0.21	9	0.06
Thickness of Unsaturated zone 2		11	0.10	11	0.03	8	0.14	11	0.04
Thickness of contaminated zone		2	0.79	4	0.44	2	0.89	4	0.53
Depth of soil mixing layer		16	0.04	16	0.01	10	-0.14	12	-0.04
Mass loading for inhalation		7	0.15	7	0.05	17	-0.06	17	-0.02
Kd of Co-60 in Contaminated Zone		15	0.05	14	0.02	12	-0.10	8	-0.12
Kd of Co-60 in Unsaturated Zone 1		17	0.03	17	0.01	3	0.23	5	0.16
Kd of Co-60 in Unsaturated Zone 2		13	0.06	13	0.02	6	0.19	7	0.13
Kd of Co-60 in Saturated Zone		9	0.13	9	0.05	5	0.20	6	0.13
Aquatic food		14	0.05	15	0.02	15	-0.07	15	-0.02
Indoor time fraction		3	-0.20	1	-1.17	9	-0.14	2	-0.70
Outdoor time fraction		6	-0.17	2	-0.99	11	-0.11	3	-0.55
R-SQUARE		0.88		0.88		0.93		0.93	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Inhalation particles Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		1		1		1		1	
Repetition =		1		1		1		1	
Description of Probabilistic Variable		Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots		16	0.02	18	0.01	10	0.12	14	0.03
Thickness of Unsaturated zone 1		18	0.01	19	0.01	18	-0.02	18	0.00
Runoff coefficient		9	-0.05	11	-0.02	6	-0.20	12	-0.06
Wind Speed		13	-0.03	16	-0.01	5	-0.27	11	-0.08
Well pump intake depth		11	0.04	13	0.02	12	-0.09	15	-0.03
External gamma shielding factor		5	0.22	7	0.09	19	0.00	19	0.00
Inhalation rate		4	0.56	4	0.27	4	0.69	6	0.26
Soil ingestion		7	0.10	9	0.04	8	-0.16	13	-0.04
Thickness of Unsaturated zone 2		6	0.19	8	0.08	17	0.03	17	0.01
Thickness of contaminated zone		3	0.75	3	0.47	1	0.91	1	0.58
Depth of soil mixing layer		2	-0.79	2	-0.51	2	-0.90	2	-0.56
Mass loading for inhalation		1	0.80	1	0.52	3	0.86	3	0.45
Kd of Co-60 in Contaminated Zone		17	0.02	17	0.01	13	-0.07	9	-0.10
Kd of Co-60 in Unsaturated Zone 1		15	-0.02	15	-0.01	7	0.17	7	0.12
Kd of Co-60 in Unsaturated Zone 2		10	0.05	12	0.02	9	0.13	8	0.11
Kd of Co-60 in Saturated Zone		8	0.07	10	0.03	11	0.09	10	0.08
Aquatic food		12	0.04	14	0.02	16	-0.04	16	-0.01
Indoor time fraction		14	-0.03	5	-0.23	14	-0.06	4	-0.36
Outdoor time fraction		19	-0.01	6	-0.10	15	-0.05	5	-0.30
R-SQUARE		0.85		0.85		0.93		0.93	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Inhalation particles Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		2		2		2		2	
Repetition =									
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff	
Depth of roots	15	0.06	16	0.02	15	0.06	15	0.02	
Thickness of Unsaturated zone 1	5	0.31	6	0.11	10	0.10	12	0.04	
Runoff coefficient	17	0.02	18	0.01	6	0.13	11	0.05	
Wind Speed	9	-0.12	12	-0.04	19	0.00	19	0.00	
Well pump intake depth	12	0.07	13	0.03	17	-0.04	17	-0.01	
External gamma shielding factor	13	-0.07	14	-0.03	16	-0.05	16	-0.02	
Inhalation rate	4	0.45	4	0.18	4	0.48	6	0.21	
Soil ingestion	8	0.15	10	0.05	18	0.02	18	0.01	
Thickness of Unsaturated zone 2	6	0.19	9	0.07	11	-0.08	13	-0.03	
Thickness of contaminated zone	1	0.83	1	0.55	1	0.85	1	0.61	
Depth of soil mixing layer	3	-0.81	3	-0.52	2	-0.80	4	-0.49	
Mass loading for inhalation	2	0.82	2	0.54	3	0.77	5	0.44	
Kd of Co-60 in Contaminated Zone	11	-0.11	8	-0.09	7	0.11	7	0.19	
Kd of Co-60 in Unsaturated Zone 1	10	-0.12	11	-0.05	5	-0.14	8	-0.13	
Kd of Co-60 in Unsaturated Zone 2	7	0.16	5	0.13	14	-0.06	10	-0.06	
Kd of Co-60 in Saturated Zone	18	-0.01	19	0.00	13	-0.07	9	-0.07	
Aquatic food	14	-0.07	15	-0.02	12	0.07	14	0.03	
Indoor time fraction	19	0.00	17	0.01	8	0.10	2	0.59	
Outdoor time fraction	16	0.02	7	0.10	9	0.10	3	0.58	
R-SQUARE		0.88		0.88		0.87		0.87	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Inhalation particles Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		3		3		3		3	
Repetition =									
Description of Probabilistic Variable		Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots		9	0.08	12	0.04	19	-0.01	19	0.00
Thickness of Unsaturated zone 1		10	-0.08	11	-0.04	14	0.08	15	0.03
Runoff coefficient		16	-0.03	16	-0.01	16	-0.06	16	-0.02
Wind Speed		5	-0.30	7	-0.15	5	-0.30	11	-0.12
Well pump intake depth		6	0.23	8	0.12	7	0.17	12	0.07
External gamma shielding factor		19	0.00	19	0.00	17	-0.05	17	-0.02
Inhalation rate		4	0.40	6	0.21	4	0.45	6	0.19
Soil ingestion		8	0.10	10	0.05	10	0.14	13	0.06
Thickness of Unsaturated zone 2		12	-0.06	13	-0.03	12	0.10	14	0.04
Thickness of contaminated zone		3	0.70	4	0.46	1	0.83	2	0.58
Depth of soil mixing layer		2	-0.72	3	-0.50	2	-0.78	3	-0.48
Mass loading for inhalation		1	0.74	2	0.53	3	0.77	4	0.47
Kd of Co-60 in Contaminated Zone		14	-0.03	14	-0.02	11	-0.11	7	-0.19
Kd of Co-60 in Unsaturated Zone 1		7	0.11	9	0.06	6	0.20	8	0.19
Kd of Co-60 in Unsaturated Zone 2		17	-0.02	17	-0.01	8	0.15	9	0.15
Kd of Co-60 in Saturated Zone		18	0.00	18	0.00	9	0.15	10	0.14
Aquatic food		15	0.03	15	0.01	18	-0.03	18	-0.01
Indoor time fraction		11	-0.07	1	-0.53	13	-0.08	1	-0.59
Outdoor time fraction		13	-0.05	5	-0.42	15	-0.07	5	-0.47
R-SQUARE		0.78		0.78		0.86		0.86	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterInd.) Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		1		1		1		1	
Repetition =									
Description of Probabilistic Variable		Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1		0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient		0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed		0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth		0	0.00	0	0.00	0	0.00	0	0.00
External gamma shielding factor		0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate		0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone		0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer		0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Contaminated Zone		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 1		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 2		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Saturated Zone		0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food		0	0.00	0	0.00	0	0.00	0	0.00
Indoor time fraction		0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction		0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterInd.) Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		2		2		2		2	
Repetition =									
Description of Probabilistic Variable		Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1		0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient		0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed		0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth		0	0.00	0	0.00	0	0.00	0	0.00
External gamma shielding factor		0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate		0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone		0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer		0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Contaminated Zone		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 1		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 2		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Saturated Zone		0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food		0	0.00	0	0.00	0	0.00	0	0.00
Indoor time fraction		0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction		0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterInd.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
External gamma shielding factor	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Aquatic food	0 0.00	0 0.00	0 0.00	0 0.00
Indoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterInd.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 1 1 1 1

Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	1	-0.75	3	-0.64	1	-0.92	1	-0.70
Thickness of Unsaturated zone 1	5	-0.13	8	-0.08	3	0.22	9	0.07
Runoff coefficient	16	-0.05	16	-0.03	14	-0.05	14	-0.01
Wind Speed	11	0.09	13	0.05	16	-0.03	16	-0.01
Well pump intake depth	6	-0.12	9	-0.07	18	0.01	18	0.00
External gamma shielding factor	7	-0.12	10	-0.07	8	0.10	10	0.03
Inhalation rate	17	-0.05	17	-0.03	11	0.06	12	0.02
Soil ingestion	4	0.18	6	0.10	15	-0.03	15	-0.01
Thickness of Unsaturated zone 2	15	-0.06	15	-0.03	19	0.01	19	0.00
Thickness of contaminated zone	2	0.64	4	0.49	2	0.91	2	0.65
Depth of soil mixing layer	14	-0.07	14	-0.04	17	-0.02	17	0.00
Mass loading for inhalation	3	0.21	5	0.12	9	0.08	11	0.02
Kd of Co-60 in Contaminated Zone	12	-0.09	7	-0.09	7	-0.10	6	-0.17
Kd of Co-60 in Unsaturated Zone 1	19	0.01	19	0.01	6	0.12	8	0.10
Kd of Co-60 in Unsaturated Zone 2	13	-0.09	12	-0.05	5	0.16	7	0.15
Kd of Co-60 in Saturated Zone	10	0.10	11	0.06	4	0.21	5	0.20
Aquatic food	18	0.03	18	0.02	13	-0.05	13	-0.02
Indoor time fraction	8	0.11	1	1.39	12	-0.06	4	-0.40
Outdoor time fraction	9	0.10	2	1.28	10	-0.07	3	-0.44
R-SQUARE		0.69		0.69		0.91		0.91

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterInd.) Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		2		2		2		2	
Repetition =									
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig
Depth of roots	1	-0.74	1	-0.65	2	-0.91	2	-0.66	
Thickness of Unsaturated zone 1	17	0.00	19	0.00	3	0.22	5	0.07	
Runoff coefficient	3	-0.15	3	-0.09	19	0.00	19	0.00	
Wind Speed	9	0.09	9	0.05	5	0.10	9	0.03	
Well pump intake depth	14	-0.02	15	-0.01	12	-0.05	16	-0.01	
External gamma shielding factor	7	0.10	7	0.06	11	0.05	15	0.01	
Inhalation rate	10	-0.05	12	-0.03	6	-0.09	10	-0.03	
Soil ingestion	8	-0.09	8	-0.05	4	0.19	6	0.05	
Thickness of Unsaturated zone 2	5	-0.12	6	-0.07	7	0.07	12	0.02	
Thickness of contaminated zone	2	0.62	2	0.48	1	0.92	1	0.70	
Depth of soil mixing layer	12	-0.03	13	-0.02	8	-0.06	13	-0.02	
Mass loading for inhalation	4	-0.13	4	-0.08	15	-0.02	18	-0.01	
Kd of Co-60 in Contaminated Zone	13	-0.03	10	-0.04	18	0.01	11	0.02	
Kd of Co-60 in Unsaturated Zone 1	11	-0.05	11	-0.03	13	0.04	8	0.03	
Kd of Co-60 in Unsaturated Zone 2	15	-0.01	16	-0.01	9	0.05	7	0.04	
Kd of Co-60 in Saturated Zone	6	-0.12	5	-0.07	17	-0.02	17	-0.01	
Aquatic food	16	-0.01	18	0.00	10	-0.05	14	-0.01	
Indoor time fraction	18	0.00	14	0.02	14	0.03	3	0.13	
Outdoor time fraction	19	0.00	17	-0.01	16	0.02	4	0.10	
R-SQUARE		0.68		0.68		0.92		0.92	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterInd.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	1 -0.70	3 -0.61	1 -0.92	1 -0.68
Thickness of Unsaturated zone 1	12 0.06	12 0.04	19 0.01	19 0.00
Runoff coefficient	10 -0.09	10 -0.06	7 -0.12	11 -0.04
Wind Speed	8 -0.11	8 -0.07	6 -0.13	10 -0.04
Well pump intake depth	16 -0.02	16 -0.01	11 -0.09	12 -0.03
External gamma shielding factor	11 0.09	11 0.05	5 0.14	9 0.04
Inhalation rate	7 0.13	7 0.08	15 -0.03	15 -0.01
Soil ingestion	13 0.04	13 0.03	13 0.06	13 0.02
Thickness of Unsaturated zone 2	9 0.10	9 0.06	14 -0.04	14 -0.01
Thickness of contaminated zone	2 0.58	4 0.45	2 0.90	2 0.65
Depth of soil mixing layer	4 0.13	5 0.08	16 0.02	16 0.01
Mass loading for inhalation	5 -0.13	6 -0.08	18 0.02	18 0.01
Kd of Co-60 in Contaminated Zone	14 -0.03	14 -0.02	12 -0.07	7 -0.10
Kd of Co-60 in Unsaturated Zone 1	17 0.02	17 0.01	3 0.15	5 0.12
Kd of Co-60 in Unsaturated Zone 2	19 -0.01	19 0.00	8 0.12	8 0.09
Kd of Co-60 in Saturated Zone	18 0.01	18 0.00	4 0.15	6 0.11
Aquatic food	15 0.02	15 0.01	17 0.02	17 0.01
Indoor time fraction	3 0.14	1 1.42	10 -0.10	4 -0.55
Outdoor time fraction	6 0.13	2 1.34	9 -0.10	3 -0.58
R-SQUARE	0.63	0.63	0.91	0.91

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterInd.) Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
External gamma shielding factor	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Indoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterInd.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
External gamma shielding factor	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Aquatic food	0 0.00	0 0.00	0 0.00	0 0.00
Indoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterInd.) Dose
 Coefficient =
 Repetition =

PCC 3 SRC 3 PRCC 3 SRRC 3

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
External gamma shielding factor	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Aquatic food	0 0.00	0 0.00	0 0.00	0 0.00
Indoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterInd.) Dose
 Coefficient =
 Repetition =

Description of Probabilistic Variable	PCC		SRC		PRCC		SRRC	
	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient	0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed	0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth	0	0.00	0	0.00	0	0.00	0	0.00
External gamma shielding factor	0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate	0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone	0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer	0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Contaminated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 1	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 2	0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Saturated Zone	0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food	0	0.00	0	0.00	0	0.00	0	0.00
Indoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction	0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterInd.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
External gamma shielding factor	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Aquatic food	0 0.00	0 0.00	0 0.00	0 0.00
Indoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterInd.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 3 3 3 3

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
External gamma shielding factor	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Aquatic food	0 0.00	0 0.00	0 0.00	0 0.00
Indoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Soil Ingestion Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		1		1		1		1	
Repetition =		1		1		1		1	
Description of Probabilistic Variable		Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots		15	0.03	15	0.01	13	-0.05	17	-0.02
Thickness of Unsaturated zone 1		12	-0.06	13	-0.02	11	-0.06	16	-0.02
Runoff coefficient		16	-0.02	17	-0.01	10	-0.06	15	-0.02
Wind Speed		19	0.00	19	0.00	8	-0.08	14	-0.03
Well pump intake depth		18	0.00	18	0.00	5	0.09	11	0.03
External gamma shielding factor		8	0.09	11	0.03	16	0.02	18	0.01
Inhalation rate		10	0.08	12	0.03	17	0.02	19	0.01
Soil ingestion		1	0.81	3	0.56	3	0.82	3	0.50
Thickness of Unsaturated zone 2		14	0.04	14	0.01	6	0.08	12	0.03
Thickness of contaminated zone		3	0.78	5	0.51	1	0.84	1	0.55
Depth of soil mixing layer		2	-0.80	4	-0.54	2	-0.83	2	-0.54
Mass loading for inhalation		5	0.12	7	0.05	4	0.10	10	0.04
Kd of Co-60 in Contaminated Zone		17	0.01	16	0.01	15	0.03	7	0.05
Kd of Co-60 in Unsaturated Zone 1		13	-0.05	9	-0.04	12	0.05	9	0.05
Kd of Co-60 in Unsaturated Zone 2		6	0.09	8	0.04	14	0.05	6	0.05
Kd of Co-60 in Saturated Zone		4	0.14	6	0.06	9	0.06	4	0.07
Aquatic food		7	-0.09	10	-0.04	7	-0.08	13	-0.03
Indoor time fraction		9	-0.08	1	-0.69	19	-0.01	8	-0.05
Outdoor time fraction		11	-0.08	2	-0.66	18	-0.01	5	-0.06
R-SQUARE			0.84		0.84		0.88		0.88

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Soil Ingestion Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		2		2		2		2	
Repetition =									
Description of Probabilistic Variable		Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots		9	0.14	12	0.05	15	-0.02	16	-0.01
Thickness of Unsaturated zone 1	1	7	0.17	11	0.07	4	0.32	5	0.11
Runoff coefficient		6	0.18	10	0.07	5	0.17	9	0.05
Wind Speed		13	-0.05	15	-0.02	10	0.05	12	0.02
Well pump intake depth		18	-0.03	18	-0.01	14	0.04	15	0.01
External gamma shielding factor		16	0.04	16	0.02	13	-0.04	14	-0.01
Inhalation rate		11	-0.08	13	-0.03	17	-0.02	17	-0.01
Soil ingestion		2	0.81	3	0.53	2	0.85	2	0.51
Thickness of Unsaturated zone 2	2	12	-0.05	14	-0.02	8	-0.08	11	-0.03
Thickness of contaminated zone		1	0.81	1	0.56	1	0.88	1	0.60
Depth of soil mixing layer		3	-0.80	2	-0.54	3	-0.84	3	-0.50
Mass loading for inhalation		4	0.21	9	0.09	18	0.00	19	0.00
Kd of Co-60 in Contaminated Zone		8	0.16	6	0.15	6	0.15	4	0.24
Kd of Co-60 in Unsaturated Zone 1	1	5	-0.20	7	-0.09	9	-0.07	8	-0.06
Kd of Co-60 in Unsaturated Zone 2	2	10	-0.10	8	-0.09	7	-0.11	6	-0.09
Kd of Co-60 in Saturated Zone		17	0.04	17	0.01	12	-0.04	10	-0.04
Aquatic food		19	0.00	19	0.00	11	-0.05	13	-0.02
Indoor time fraction		14	0.05	4	0.28	16	0.02	7	0.09
Outdoor time fraction		15	0.04	5	0.26	19	0.00	18	0.00
R-SQUARE		0.86		0.86		0.90		0.90	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Soil Ingestion Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		3		3		3		3	
Repetition =									
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig
Depth of roots	16	0.02	16	0.01	17	-0.04	17	-0.01	
Thickness of Unsaturated zone 1	14	0.02	14	0.01	15	-0.04	15	-0.01	
Runoff coefficient	15	-0.02	15	-0.01	14	0.05	14	0.01	
Wind Speed	9	0.09	9	0.05	19	0.00	19	0.00	
Well pump intake depth	8	0.14	8	0.07	9	0.09	12	0.03	
External gamma shielding factor	12	0.04	12	0.02	13	-0.05	13	-0.02	
Inhalation rate	13	0.04	13	0.02	16	-0.04	16	-0.01	
Soil ingestion	1	0.75	3	0.55	3	0.87	4	0.56	
Thickness of Unsaturated zone 2	10	0.07	10	0.04	7	0.11	11	0.03	
Thickness of contaminated zone	3	0.70	5	0.46	1	0.88	3	0.58	
Depth of soil mixing layer	2	-0.73	4	-0.50	2	-0.87	5	-0.55	
Mass loading for inhalation	7	0.17	7	0.08	5	0.14	9	0.04	
Kd of Co-60 in Contaminated Zone	19	0.00	19	0.00	18	0.01	18	0.01	
Kd of Co-60 in Unsaturated Zone 1	6	0.17	6	0.09	10	0.09	6	0.07	
Kd of Co-60 in Unsaturated Zone 2	18	0.00	18	0.00	11	0.07	7	0.06	
Kd of Co-60 in Saturated Zone	11	0.04	11	0.02	12	0.05	10	0.04	
Aquatic food	17	-0.01	17	0.00	4	0.14	8	0.04	
Indoor time fraction	4	-0.19	1	-1.49	6	-0.12	1	-0.67	
Outdoor time fraction	5	-0.18	2	-1.43	8	-0.11	2	-0.61	
R-SQUARE		0.79		0.79		0.91		0.91	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Water Ingestion Dose		PCC		SRC		PRCC		SRRC	
Coefficient =	Repetition =	1	1	1	1	1	1	1	1
Description of Probabilistic Variable		Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots		13	-0.04	15	-0.04	12	-0.06	14	-0.05
Thickness of Unsaturated zone 1		17	-0.01	19	-0.01	19	-0.03	19	-0.03
Runoff coefficient		9	-0.07	12	-0.06	5	-0.17	7	-0.13
Wind Speed		4	-0.10	5	-0.09	9	-0.10	11	-0.08
Well pump intake depth		2	0.14	3	0.13	18	-0.03	18	-0.03
External gamma shielding factor		7	-0.08	8	-0.08	8	-0.10	10	-0.08
Inhalation rate		11	-0.04	14	-0.04	7	0.11	9	0.09
Soil ingestion		10	-0.05	13	-0.05	17	-0.04	17	-0.03
Thickness of Unsaturated zone 2		5	-0.09	6	-0.09	6	-0.14	8	-0.11
Thickness of contaminated zone		3	-0.12	4	-0.12	11	0.07	13	0.05
Depth of soil mixing layer		1	0.17	2	0.16	16	-0.05	16	-0.04
Mass loading for inhalation		14	0.02	17	0.02	15	0.06	15	0.05
Kd of Co-60 in Contaminated Zone		12	-0.04	11	-0.06	4	0.29	1	1.31
Kd of Co-60 in Unsaturated Zone 1		18	-0.01	18	-0.01	1	-0.39	5	-0.85
Kd of Co-60 in Unsaturated Zone 2		8	-0.08	9	-0.08	2	-0.37	4	-0.99
Kd of Co-60 in Saturated Zone		15	-0.02	16	-0.02	3	-0.33	6	-0.84
Aquatic food		6	0.09	7	0.08	10	-0.07	12	-0.06
Indoor time fraction		16	-0.01	1	-0.29	13	-0.06	2	-1.05
Outdoor time fraction		19	0.00	10	-0.06	14	-0.06	3	-1.03
R-SQUARE		0.14		0.14		0.39		0.39	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Water Ingestion Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	10 0.08	10 0.07	4 0.16	9 0.14
Thickness of Unsaturated zone 1	1 -0.22	5 -0.21	15 -0.07	15 -0.06
Runoff coefficient	17 0.02	17 0.02	19 -0.02	19 -0.02
Wind Speed	14 -0.04	14 -0.04	17 -0.04	17 -0.03
Well pump intake depth	16 -0.03	16 -0.03	10 -0.09	12 -0.08
External gamma shielding factor	19 -0.01	19 -0.01	18 0.03	18 0.02
Inhalation rate	13 -0.05	13 -0.04	13 -0.08	14 -0.07
Soil ingestion	5 -0.15	7 -0.14	6 -0.15	10 -0.13
Thickness of Unsaturated zone 2	12 -0.05	12 -0.05	3 -0.17	7 -0.15
Thickness of contaminated zone	11 0.05	11 0.05	5 0.16	8 0.14
Depth of soil mixing layer	4 -0.17	6 -0.17	12 0.08	13 0.07
Mass loading for inhalation	15 0.03	15 0.03	8 -0.11	11 -0.10
Kd of Co-60 in Contaminated Zone	6 0.13	3 0.29	9 0.11	4 0.45
Kd of Co-60 in Unsaturated Zone 1	7 -0.12	8 -0.13	2 -0.17	5 -0.38
Kd of Co-60 in Unsaturated Zone 2	8 -0.11	4 -0.25	1 -0.23	3 -0.53
Kd of Co-60 in Saturated Zone	18 -0.01	18 -0.01	7 -0.13	6 -0.30
Aquatic food	9 -0.10	9 -0.09	16 0.06	16 0.05
Indoor time fraction	3 0.19	2 2.74	11 -0.09	1 -1.18
Outdoor time fraction	2 0.20	1 2.95	14 -0.08	2 -1.04
R-SQUARE	0.17	0.17	0.28	0.28

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Water Ingestion Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		3		3		3		3	
Repetition =									
Description of Probabilistic Variable		Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots		4	-0.14	4	-0.13	14	0.05	14	0.04
Thickness of Unsaturated zone 1		13	0.02	14	0.02	3	0.20	7	0.16
Runoff coefficient		16	0.01	18	0.01	6	-0.16	9	-0.12
Wind Speed		2	-0.16	2	-0.16	17	0.02	17	0.01
Well pump intake depth		12	0.03	13	0.03	10	0.09	11	0.07
External gamma shielding factor		3	-0.15	3	-0.15	18	0.02	18	0.01
Inhalation rate		11	0.05	12	0.05	12	0.08	12	0.07
Soil ingestion		8	-0.06	9	-0.06	15	-0.03	15	-0.03
Thickness of Unsaturated zone 2		15	0.01	17	0.01	4	-0.18	8	-0.15
Thickness of contaminated zone		1	0.20	1	0.19	16	0.03	16	0.02
Depth of soil mixing layer		6	0.07	7	0.07	8	-0.11	10	-0.09
Mass loading for inhalation		5	0.08	6	0.08	19	-0.01	19	-0.01
Kd of Co-60 in Contaminated Zone		14	-0.01	15	-0.02	7	0.14	5	0.50
Kd of Co-60 in Unsaturated Zone 1		9	-0.05	10	-0.06	2	-0.29	4	-0.60
Kd of Co-60 in Unsaturated Zone 2		18	0.00	19	0.00	1	-0.30	3	-0.62
Kd of Co-60 in Saturated Zone		10	-0.05	11	-0.05	5	-0.16	6	-0.31
Aquatic food		7	-0.06	8	-0.06	13	0.08	13	0.06
Indoor time fraction		17	0.01	5	0.08	9	-0.09	1	-1.37
Outdoor time fraction		19	0.00	16	-0.01	11	-0.09	2	-1.31
R-SQUARE		0.13		0.13		0.40		0.40	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Fish Ingestion Dose		PCC	SRC	PRCC	SRRC
Coefficient =		1	1	1	1
Repetition =					
Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	13 -0.04	15 -0.04	12 -0.06	14 -0.05	
Thickness of Unsaturated zone 1	17 -0.01	19 -0.01	19 -0.03	19 -0.03	
Runoff coefficient	9 -0.07	12 -0.06	5 -0.17	7 -0.13	
Wind Speed	4 -0.10	5 -0.09	9 -0.10	11 -0.08	
Well pump intake depth	2 0.14	3 0.13	18 -0.03	18 -0.03	
External gamma shielding factor	7 -0.08	8 -0.08	8 -0.10	10 -0.08	
Inhalation rate	11 -0.04	14 -0.04	7 0.11	9 0.09	
Soil ingestion	10 -0.05	13 -0.05	17 -0.04	17 -0.03	
Thickness of Unsaturated zone 2	5 -0.09	6 -0.09	6 -0.14	8 -0.11	
Thickness of contaminated zone	3 -0.12	4 -0.12	11 0.07	13 0.05	
Depth of soil mixing layer	1 0.17	2 0.16	16 -0.05	16 -0.04	
Mass loading for inhalation	14 0.02	17 0.02	15 0.06	15 0.05	
Kd of Co-60 in Contaminated Zone	12 -0.04	11 -0.06	4 0.29	1 1.31	
Kd of Co-60 in Unsaturated Zone 1	18 -0.01	18 -0.01	1 -0.39	5 -0.85	
Kd of Co-60 in Unsaturated Zone 2	8 -0.08	9 -0.08	2 -0.37	4 -0.99	
Kd of Co-60 in Saturated Zone	15 -0.02	16 -0.02	3 -0.33	6 -0.84	
Aquatic food	6 0.09	7 0.08	10 -0.07	12 -0.06	
Indoor time fraction	16 -0.01	1 -0.29	13 -0.06	2 -1.05	
Outdoor time fraction	19 0.00	10 -0.06	14 -0.06	3 -1.03	
R-SQUARE	0.14	0.14	0.39	0.39	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Fish Ingestion Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		2		2		2		2	
Repetition =									
Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig
Depth of roots	10	0.08	10	0.07	4	0.16	9	0.14	
Thickness of Unsaturated zone 1	1	-0.22	5	-0.21	15	-0.07	19	-0.06	
Runoff coefficient	17	0.02	17	0.02	19	-0.02	19	-0.02	
Wind Speed	14	-0.04	14	-0.04	17	-0.04	17	-0.03	
Well pump intake depth	16	-0.03	16	-0.03	10	-0.09	12	-0.08	
External gamma shielding factor	19	-0.01	19	-0.01	18	0.03	18	0.02	
Inhalation rate	13	-0.05	13	-0.04	13	-0.08	14	-0.07	
Soil ingestion	5	-0.15	7	-0.14	6	-0.15	10	-0.13	
Thickness of Unsaturated zone 2	12	-0.05	12	-0.05	3	-0.17	7	-0.15	
Thickness of contaminated zone	11	0.05	11	0.05	5	0.16	8	0.14	
Depth of soil mixing layer	4	-0.17	6	-0.17	12	0.08	13	0.07	
Mass loading for inhalation	15	0.03	15	0.03	8	-0.11	11	-0.10	
Kd of Co-60 in Contaminated Zone	6	0.13	3	0.29	9	0.11	4	0.45	
Kd of Co-60 in Unsaturated Zone 1	7	-0.12	8	-0.13	2	-0.17	5	-0.38	
Kd of Co-60 in Unsaturated Zone 2	8	-0.11	4	-0.25	1	-0.23	3	-0.53	
Kd of Co-60 in Saturated Zone	18	-0.01	18	-0.01	7	-0.13	6	-0.30	
Aquatic food	9	-0.10	9	-0.09	16	0.06	16	0.05	
Indoor time fraction	3	0.19	2	2.74	11	-0.09	1	-1.18	
Outdoor time fraction	2	0.20	1	2.95	14	-0.08	2	-1.04	
R-SQUARE		0.17		0.17		0.28		0.28	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Fish Ingestion Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		3		3		3		3	
Repetition =									
Description of Probabilistic Variable		Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots		4	-0.14	4	-0.13	14	0.05	14	0.04
Thickness of Unsaturated zone 1	1	13	0.02	14	0.02	3	0.20	7	0.16
Runoff coefficient		16	0.01	18	0.01	6	-0.16	9	-0.12
Wind Speed		2	-0.16	2	-0.16	17	0.02	17	0.01
Well pump intake depth		12	0.03	13	0.03	10	0.09	11	0.07
External gamma shielding factor		3	-0.15	3	-0.15	18	0.02	18	0.01
Inhalation rate		11	0.05	12	0.05	12	0.08	12	0.07
Soil ingestion		8	-0.06	9	-0.06	15	-0.03	15	-0.03
Thickness of Unsaturated zone 2	2	15	0.01	17	0.01	4	-0.18	8	-0.15
Thickness of contaminated zone		1	0.20	1	0.19	16	0.03	16	0.02
Depth of soil mixing layer		6	0.07	7	0.07	8	-0.11	10	-0.09
Mass loading for inhalation		5	0.08	6	0.08	19	-0.01	19	-0.01
Kd of Co-60 in Contaminated Zone		14	-0.01	15	-0.02	7	0.14	5	0.50
Kd of Co-60 in Unsaturated Zone 1	1	9	-0.05	10	-0.06	2	-0.29	4	-0.60
Kd of Co-60 in Unsaturated Zone 2	2	18	0.00	19	0.00	1	-0.30	3	-0.62
Kd of Co-60 in Saturated Zone		10	-0.05	11	-0.05	5	-0.16	6	-0.31
Aquatic food		7	-0.06	8	-0.06	13	0.08	13	0.06
Indoor time fraction		17	0.01	5	0.08	9	-0.09	1	-1.37
Outdoor time fraction		19	0.00	16	-0.01	11	-0.09	2	-1.31
R-SQUARE		0.13		0.13		0.40		0.40	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterDep.) Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		1		1		1		1	
Repetition =									
Description of Probabilistic Variable		Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1		0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient		0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed		0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth		0	0.00	0	0.00	0	0.00	0	0.00
External gamma shielding factor		0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate		0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone		0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer		0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Contaminated Zone		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 1		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 2		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Saturated Zone		0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food		0	0.00	0	0.00	0	0.00	0	0.00
Indoor time fraction		0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction		0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterDep.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
External gamma shielding factor	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Aquatic food	0 0.00	0 0.00	0 0.00	0 0.00
Indoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Radon (WaterDep.) Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		3		3		3		3	
Repetition =									
Description of Probabilistic Variable		Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1		0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient		0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed		0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth		0	0.00	0	0.00	0	0.00	0	0.00
External gamma shielding factor		0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate		0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone		0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer		0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Contaminated Zone		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 1		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 2		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Saturated Zone		0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food		0	0.00	0	0.00	0	0.00	0	0.00
Indoor time fraction		0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction		0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE			0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterDep.) Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		1		1		1		1	
Repetition =		1		1		1		1	
Description of Probabilistic Variable		Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots		13	-0.04	15	-0.04	12	-0.06	14	-0.05
Thickness of Unsaturated zone 1		17	-0.01	19	-0.01	19	-0.03	19	-0.03
Runoff coefficient		9	-0.07	12	-0.06	5	-0.17	7	-0.13
Wind Speed		4	-0.10	5	-0.09	9	-0.10	11	-0.08
Well pump intake depth		2	0.14	3	0.13	18	-0.03	18	-0.03
External gamma shielding factor		7	-0.08	8	-0.08	8	-0.10	10	-0.08
Inhalation rate		11	-0.04	14	-0.04	7	0.11	9	0.09
Soil ingestion		10	-0.05	13	-0.05	17	-0.04	17	-0.03
Thickness of Unsaturated zone 2		5	-0.09	6	-0.09	6	-0.14	8	-0.11
Thickness of contaminated zone		3	-0.12	4	-0.12	11	0.07	13	0.05
Depth of soil mixing layer		1	0.17	2	0.16	16	-0.05	16	-0.04
Mass loading for inhalation		14	0.02	17	0.02	15	0.06	15	0.05
Kd of Co-60 in Contaminated Zone		12	-0.04	11	-0.06	4	0.29	1	1.31
Kd of Co-60 in Unsaturated Zone 1		18	-0.01	18	-0.01	1	-0.39	5	-0.85
Kd of Co-60 in Unsaturated Zone 2		8	-0.08	9	-0.08	2	-0.37	4	-0.99
Kd of Co-60 in Saturated Zone		15	-0.02	16	-0.02	3	-0.33	6	-0.84
Aquatic food		6	0.09	7	0.08	10	-0.07	12	-0.06
Indoor time fraction		16	-0.01	1	-0.29	13	-0.06	2	-1.05
Outdoor time fraction		19	0.00	10	-0.06	14	-0.06	3	-1.03
R-SQUARE			0.14		0.14		0.39		0.39

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterDep.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	10 0.08	10 0.07	4 0.16	9 0.14
Thickness of Unsaturated zone 1	1 -0.22	5 -0.21	15 -0.07	15 -0.06
Runoff coefficient	17 0.02	17 0.02	19 -0.02	19 -0.02
Wind Speed	14 -0.04	14 -0.04	17 -0.04	17 -0.03
Well pump intake depth	16 -0.03	16 -0.03	10 -0.09	12 -0.08
External gamma shielding factor	19 -0.01	19 -0.01	18 0.03	18 0.02
Inhalation rate	13 -0.05	13 -0.04	13 -0.08	14 -0.07
Soil ingestion	5 -0.15	7 -0.14	6 -0.15	10 -0.13
Thickness of Unsaturated zone 2	12 -0.05	12 -0.05	3 -0.17	7 -0.15
Thickness of contaminated zone	11 0.05	11 0.05	5 0.16	8 0.14
Depth of soil mixing layer	4 -0.17	6 -0.17	12 0.08	13 0.07
Mass loading for inhalation	15 0.03	15 0.03	8 -0.11	11 -0.10
Kd of Co-60 in Contaminated Zone	6 0.13	3 0.29	9 0.11	4 0.45
Kd of Co-60 in Unsaturated Zone 1	7 -0.12	8 -0.13	2 -0.17	5 -0.38
Kd of Co-60 in Unsaturated Zone 2	8 -0.11	4 -0.25	1 -0.23	3 -0.53
Kd of Co-60 in Saturated Zone	18 -0.01	18 -0.01	7 -0.13	6 -0.30
Aquatic food	9 -0.10	9 -0.09	16 0.06	16 0.05
Indoor time fraction	3 0.19	2 2.74	11 -0.09	1 -1.18
Outdoor time fraction	2 0.20	1 2.95	14 -0.08	2 -1.04
R-SQUARE	0.17	0.17	0.28	0.28

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Plant (WaterDep.) Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		3		3		3		3	
Repetition =									
Description of Probabilistic Variable		Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots		4	-0.14	4	-0.13	14	0.05	14	0.04
Thickness of Unsaturated zone 1	1	13	0.02	14	0.02	3	0.20	7	0.16
Runoff coefficient		16	0.01	18	0.01	6	-0.16	9	-0.12
Wind Speed		2	-0.16	2	-0.16	17	0.02	17	0.01
Well pump intake depth		12	0.03	13	0.03	10	0.09	11	0.07
External gamma shielding factor		3	-0.15	3	-0.15	18	0.02	18	0.01
Inhalation rate		11	0.05	12	0.05	12	0.08	12	0.07
Soil ingestion		8	-0.06	9	-0.06	15	-0.03	15	-0.03
Thickness of Unsaturated zone 2	2	15	0.01	17	0.01	4	-0.18	8	-0.15
Thickness of contaminated zone		1	0.20	1	0.19	16	0.03	16	0.02
Depth of soil mixing layer		6	0.07	7	0.07	8	-0.11	10	-0.09
Mass loading for inhalation		5	0.08	6	0.08	19	-0.01	19	-0.01
Kd of Co-60 in Contaminated Zone		14	-0.01	15	-0.02	7	0.14	5	0.50
Kd of Co-60 in Unsaturated Zone 1	1	9	-0.05	10	-0.06	2	-0.29	4	-0.60
Kd of Co-60 in Unsaturated Zone 2	2	18	0.00	19	0.00	1	-0.30	3	-0.62
Kd of Co-60 in Saturated Zone		10	-0.05	11	-0.05	5	-0.16	6	-0.31
Aquatic food		7	-0.06	8	-0.06	13	0.08	13	0.06
Indoor time fraction		17	0.01	5	0.08	9	-0.09	1	-1.37
Outdoor time fraction		19	0.00	16	-0.01	11	-0.09	2	-1.31
R-SQUARE		0.13		0.13		0.40		0.40	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterDep.) Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		1		1		1		1	
Repetition =									
Description of Probabilistic Variable		Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1		0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient		0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed		0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth		0	0.00	0	0.00	0	0.00	0	0.00
External gamma shielding factor		0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate		0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone		0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer		0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Contaminated Zone		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 1		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 2		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Saturated Zone		0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food		0	0.00	0	0.00	0	0.00	0	0.00
Indoor time fraction		0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction		0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterDep.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
External gamma shielding factor	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Aquatic food	0 0.00	0 0.00	0 0.00	0 0.00
Indoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Meat (WaterDep.) Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		3		3		3		3	
Repetition =									
Description of Probabilistic Variable		Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1		0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient		0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed		0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth		0	0.00	0	0.00	0	0.00	0	0.00
External gamma shielding factor		0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate		0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone		0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer		0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Contaminated Zone		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 1		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 2		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Saturated Zone		0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food		0	0.00	0	0.00	0	0.00	0	0.00
Indoor time fraction		0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction		0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE		0.00		0.00		0.00		0.00	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterDep.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 1 1 1 1

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
External gamma shielding factor	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Aquatic food	0 0.00	0 0.00	0 0.00	0 0.00
Indoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterDep.) Dose
 Coefficient =
 Repetition =

PCC SRC PRCC SRRC
 2 2 2 2

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Depth of roots	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Runoff coefficient	0 0.00	0 0.00	0 0.00	0 0.00
Wind Speed	0 0.00	0 0.00	0 0.00	0 0.00
Well pump intake depth	0 0.00	0 0.00	0 0.00	0 0.00
External gamma shielding factor	0 0.00	0 0.00	0 0.00	0 0.00
Inhalation rate	0 0.00	0 0.00	0 0.00	0 0.00
Soil ingestion	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of Unsaturated zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Thickness of contaminated zone	0 0.00	0 0.00	0 0.00	0 0.00
Depth of soil mixing layer	0 0.00	0 0.00	0 0.00	0 0.00
Mass loading for inhalation	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Contaminated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 1	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Unsaturated Zone 2	0 0.00	0 0.00	0 0.00	0 0.00
Kd of Co-60 in Saturated Zone	0 0.00	0 0.00	0 0.00	0 0.00
Aquatic food	0 0.00	0 0.00	0 0.00	0 0.00
Indoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
Outdoor time fraction	0 0.00	0 0.00	0 0.00	0 0.00
R-SQUARE	0.00	0.00	0.00	0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Coefficients for peak Milk (WaterDep.) Dose		PCC		SRC		PRCC		SRRC	
Coefficient =		3		3		3		3	
Repetition =									
Description of Probabilistic Variable		Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Depth of roots		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 1		0	0.00	0	0.00	0	0.00	0	0.00
Runoff coefficient		0	0.00	0	0.00	0	0.00	0	0.00
Wind Speed		0	0.00	0	0.00	0	0.00	0	0.00
Well pump intake depth		0	0.00	0	0.00	0	0.00	0	0.00
External gamma shielding factor		0	0.00	0	0.00	0	0.00	0	0.00
Inhalation rate		0	0.00	0	0.00	0	0.00	0	0.00
Soil ingestion		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of Unsaturated zone 2		0	0.00	0	0.00	0	0.00	0	0.00
Thickness of contaminated zone		0	0.00	0	0.00	0	0.00	0	0.00
Depth of soil mixing layer		0	0.00	0	0.00	0	0.00	0	0.00
Mass loading for inhalation		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Contaminated Zone		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 1		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Unsaturated Zone 2		0	0.00	0	0.00	0	0.00	0	0.00
Kd of Co-60 in Saturated Zone		0	0.00	0	0.00	0	0.00	0	0.00
Aquatic food		0	0.00	0	0.00	0	0.00	0	0.00
Indoor time fraction		0	0.00	0	0.00	0	0.00	0	0.00
Outdoor time fraction		0	0.00	0	0.00	0	0.00	0	0.00
R-SQUARE			0.00		0.00		0.00		0.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.
 -R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.