FIGURES

5

J. Same

N. ...

_____ ______

، بي د ي

ل



Figure 1. (Figure 4-2 of the SOWP)Diagram of the Site Conceptual Model.

.

.

7

1

E 23.010	M 25,300 E 23,000 N 24,536 H5												1200	1 25 CCC 0201											<u>الع</u> ۲ <u>۳۳۳</u>				Figure		
N 25,000	-				14	1	7	180	10		•	. 4		6	07	6	12	2_	5				7	8	, 1240					D	
	j _n	14.	N. A.			X	23	24	17	18	30.	B	Y	22	,13,	-24:-	7.#	18	19	Ê	101	1	- 23	27 514						> by	
Ň	-1 a	7	1ª	160			34	32	2	-	11	20		30	1	1	21	34	27	39	29	0	31. - 39	32						Da Si	
10		42	43/1	F.	45	N/m	47	48	41	42	20	44	10	- 46	47	48	*	42	2		15	6	47	48							
f.	1	21			1 Card	11 B	17	a	• 4 •	2,	3	. 4	54	6	3	e		2	3	4	1.).5		7	9	- N 24.	x1 0					
1 2 000	-	X		12	10.10		10	ĸ	3	10		12	13	14	15	•	<u>)</u> .	. 10	-11	12	13		15	5							
	25	No.			DIA			24 3V3-444 32	25	24	27	28	29	30	31	- Den	25	26	27	28	·#9	the state	N 23.68	4 393							
20	(u)		11		E		-	Line.	- at	37	- *	36-	57.1		30	40	3	34			1		39	40							
	41	292	43	4	1	45	47.	1.48.7	4	42	43	4	45	45	47	4.8.0	1	42			45		47	48	-N 23.4	620					
	·	ю	1	E.		12 m	1.0	12	1.9.	10-4	1 11	12	13	14	1 15	18)	077 10				4	- R	15							
0000	F	_ <u>18</u>	- 12	- 20;	0	122	23	24	17	18	5	H	2	22	23	24	10	2	K		R	2	23	24							
40	25	28	27	.3		4	1	32-	73	26	H-				***	12	30	2	1			0	3	12							
	41 N	22,346		10		52 i	.8				43	44.	45	. 45	. 47	48	4		5	6	5	46	47	49							
	1	2	te.			M				- 2		n 4	- 3 -									1	7 1	B	11	1	3	4	5	8	
	14. 	10 m	n t	N.	13			16	9	2	. 11	13	U	14 N 72	360 473	15	200	O	11	2	13	14	0		3	10	14	12	13	M	
000.55	25	25	2t	20 0	in a	30	23	32	11	10	0.2	28	ZI VA	30			25	35	7		2	30	23	32	23	26	27	28	23	30	
; [33	34	35	36	37	36	39	40	33	34	35	30	37	38	2	40-	- in	34	35	36	37	39	35	40	33	34	35	36	37	38	
	41	42	43	44	45	46	47	48	#	42	43	44	45	46	=		41	42	43	14	45	- 45		- 10	41	42	43	44	45	45	

0

0

2. Areas Where Supplemental Standards Were Applied.

From Table J.4: Sites with elevated Th-230 cm below ground surface. Corrections made obbles to fines ratio.

From Table J.5: "Application of Supplimental dards".

REFERENCE DRAWINGS:

RVT-SV-OOD THRU OOR, SOL VERIFICATION OFID SYSTEM

LEGEND:	
	APPROXIMATE LIMIT OF CONTAMINATED MATERIAL EXCAVATION
	ROAD AND HIGHWAY
0	TANK
\square	BUILDONG
	SITE BOUNDARY





Figure 3. Geologic Cross-Section from Figure 4-3 of the SOWP.

Figure 4-3. Geologic Cross-Section

UNCONFINED SURFICIAL AQUIFER LEAKY SHALE AQUITARD SEMICONFINED SANDSTONE AQUIFER CONFINING SHALE CONFINED SANDSTONE CEPARIMENT OF ENERGY BRAND JUNCTON OF AL ORAMU JUNCTON, DULORADO finderec-ors GÉOLOGIC CROSS SECTION RAVERTON, WYOVING, SHIF DATE PREPARED AUGUST 14, 1997 FILENAME. UCQ141CO COZ





Figure 5. (Figure 4-5 of the SOWP) Groundwater Elevations in the Surficial Aquifer.



Figure 6. (Figure 4-10 of the SOWP) Sulfate Concentrations in the Surficial Aquifer.



Figure 7. (Figure 4-6 of the SOWP) Groundwater Elevations in the Semiconfined Aquifer.



. (

(

(

(

C

(,

C

(

(

(

(

Figure 8. (Figure 4-4 of the SOWP) Hydrographs of On-Site Wells.



Figure 9. (Figure 4-8 of the SOWP) Trilinear Diagram.

L

L



Figure 10. (Figure 4-15 of the SOWP) Sulfate Concentrations in the Semiconfined Aquifer.



Figure 11. (Figure 4-9 of the SOWP) Molybdenum Concentrations in the Surficial Aquifer.



Figure 12. (Figure 4-11 of the SOWP) Uranium Concentration in the Surficial Aquifer.





Ċ

L



Figure 14. Comparison of DOE and Maxim Fitted Semivariograms

CIO

)



, (

ς

C

Figure 15. Comparison of Gandt Predictions and Site Data for Monitor Well 722.

• ••



Figure 16. Comparison of Gandt Predictions and Site Data for Monitor Well 707.

ι.