



Department of Energy
Washington, DC 20585

SEP 16 1988

Mr. B. J. Youngblood
Deputy Director
Division of High-Level
Waste Management
Office of Nuclear Material Safety
and Safeguards
Nuclear Regulatory Commission
Washington, D.C. 20555

Reference:

1) Meeting Minutes, Summary of NRC/DOE Meeting on QA Open Items; dated July 12, 1988.

Dear Mr. Youngblood:

Enclosed for NRC staff review is the Office of Civilian Radioactive Waste Management (OCRWM) Quality Assurance Program Description (QAPD) Document, Revision 0. This document is to be used in conjunction with the Quality Assurance Requirements (QAR) Document, submitted to you on August 31, 1988, to constitute OCRWM's QA Plan.

This document has been approved at DOE-HQ by C. E. Kay, Acting Director, Office of Civilian Radioactive Waste Management, and L. Barrett, Director, Office of Quality Assurance. We have attempted to maintain as consistent an approach as practicable between this document and the NNWSI Quality Assurance Plan (NNWSI/88-9) as we had agreed at our earlier meeting (Reference 1).

We look forward to obtaining your acceptance of the OCRWM QAR and QAPD in order to provide a baseline for all OCRWM Program activities. You may wish to include this document in the discussions at the September 28 meeting between our respective staffs.


interd 10/6/88

8809210216

*405
wrm-1*

Should you have any questions, please contact Edward Regnier of my staff at (202) 586-4590, or Lake Barrett at (202) 586-5851.

Sincerely,

A handwritten signature in black ink, appearing to read "Ralph Stein for". The signature is written in a cursive, somewhat stylized font.

Ralph Stein
Acting Associate Director for Systems
Integration and Regulations
Office of Civilian Radioactive
Waste Management

Enclosures

cc:

R. Loux, State of Nevada
S. Zimmerman, State of Nevada
C. Johnson, State of Nevada
K. Turner, GAO

To: W. Belke
From:

COMMITTEE CORRESPONDENCE

committee: WG-DC&RM

address writer
care of: Northeast Utilities
P.O. Box 270
Hartford, CT 06141-0270

subject: Work Group on Document Control
and Records Management

date: September 13, 1988

copy to: F. W. Knight
S. D. Weinman

to: Members:

The following is the agenda for the Work Group of Document Control and Records Management. The meetings will be held at the Royal Orleans, New Orleans, LA, 1:00 p.m. to 5:00 p.m. on Tuesday, October 4, 1988; and 8:00 a.m. to 12 noon on Wednesday, October 5, 1988.

AGENDA

1. Approval of the Orlando, FL Meeting Minutes of April 19/20, 1988.
2. Chairman's Remarks
3. Old Business
 - a. Develop a response to the following Board on Nuclear Codes and Standards' comments:
 - (1) Closure of Letter Ballot #292, Proposed Revisions to NQA-1: QAD 88-03, Supplement 17S-1, Para. 4.4.2 and Footnote (Attachment No. 1).
 - (2) Closure of Letter Ballot #268A, Reconsideration of QAD 86-05: Proposed Revision to NQA-1, Supplement 17S-1, Para. 4.4.3 "Temporary Storage" (Attachment No. 2).
4. New Business
 - a. Discuss the information in Attachment No. 3 relative to electronic storage of records and the NRC's involvement in regulating records storage periods.
 - b. Discuss the Task proposal Notice regarding 6S-1 (Attachment No. 4.)
 - c. Membership (Attachment Nos. 5 & 6).

8809190082 880913
PDR WASTE
WM-1 PDC


John A. Winn

405
WM-1
NQA01/11



The American Society of
Mechanical Engineers

345 East 47th Street
New York, NY 10017

Keep ASME Codes and Standards Department Informed



The American Society of
Mechanical Engineers

Codes and Standards

Nuclear
212-705-7801

345 East 47th Street
New York, NY 10017

July 5, 1988

To: Board on Nuclear Codes and Standards

Subject: Closure of Letter Ballot #292
Proposed Revisions to NQA-1:
QAD 88-01, Supplement 3S-1, Para. 5;
QAD 88-02, Appendix 3A-1, Paras. 7 and 8;
QAD 88-03, Supplement 17S-1, Para. 4.4.2 and Footnote

Gentlemen:

The subject ballot has closed with the following results:

19 - Approved
3 - Disapproved with Reason
0 - Abstain with Reason
22

0 - Not Voting with Reason
1 - Not Returned
23

Item QAD 88-03 proceeds. Mr. Allen's comment is called to Mr. Perry's attention for consideration.

Items QAD 88-01 and 88-02 do not proceed. A copy of the negatives is attached.

Yours, truly,

June Ling
June Ling
Director, Nuclear
Codes and Standards
(212) 705-7024

JL/srb

cc: S. D. Weinman
A. Trillo

0661D F.W. Knight
T.E. Ouan
D.A. Haynes
A.L. MacKinney
~~J.S. [unclear]~~
J.M. Case
P.T. McManus

RECEIVED

MAY 31 1988

THE NATIONAL BOARD OF
BOILER & PRESSURE VESSEL
INSPECTORS

LETTER BALLOT # 292

DATE MAILED: May 24, 1988

TO THE MEMBERS OF: BOARD ON NUCLEAR CODES AND STANDARDS

BALLOT CLOSING DATE: June 24, 1988

PROPOSAL: Proposed Revisions to NQA1:
QAD 88-01, Supplement 3S-1, Para. 5;
QAD 88-02, Appendix 3A-1, Paras. 7 and 8;
QAD 88-03, Supplement 17S-1, Para. 4.4.2 and
Footnote

CONSENSUS COMMITTEE VOTING RESULTS: See attached.

* * * * *

- 1) VOTE: APPROVED ABSTAIN-WITH-REASON*
 DISAPPROVED-WITH-REASON* NOT VOTING-WITH-REASON*

*REASON (must be stated): _____

The phrase "where such incorporation is appropriate" in Supplement 35-1,
para. 5 makes the requirement unenforceable.

- 2) SUGGESTED ERRATA, EDITORIAL CHANGES AND/OR COMMENTS FOR REFERRAL TO THE
COMMITTEE CHAIRMAN AND STAFF SECRETARY. (Not part of basis for vote)

Delete the above phrase and add "and this shall be verified as was the
original document (see para. 7).

3) NAME: D. J. McDONALD
(Please Print)

4) SIGNATURE: *D. J. McDonald*

5) DATE SIGNED: 6/20/88

ASME

JUN 20 1988

LETTER BALLOT # 292

NUCLEAR SAFETY C & S

DATE MAILED: May 24, 1988

TO THE MEMBERS OF: BOARD ON NUCLEAR CODES AND STANDARDS

BALLOT CLOSING DATE: June 24, 1988

PROPOSAL: Proposed Revisions to NQA1:
QAD 88-01, Supplement 3S-1, Para. 5;
QAD 88-02, Appendix 3A-1, Paras. 7 and 8;
QAD 88-03, Supplement 17S-1, Para. 4.4.2 and
Footnote

CONSENSUS COMMITTEE
VOTING RESULTS: See attached.

* * * * *

1) VOTE: APPROVED ABSTAIN-WITH-REASON*

DISAPPROVED-WITH-REASON* NOT VOTING-WITH-REASON*

*REASON (must be stated):

These provisions are confusing. What is real problem. How can these changes be implemented. These provisions should be in procedures - not codes or standards. You need flexibility to implement.

2) SUGGESTED ERRATA, EDITORIAL CHANGES AND/OR COMMENTS FOR REFERRAL TO THE COMMITTEE CHAIRMAN AND STAFF SECRETARY. (NOT part of basis for vote)

See attached comments.

3) NAME: R. F. REEDY

(Please Print)

4) SIGNATURE: R. F. Reedy

5) DATE SIGNED: 6/10/88

QA088-01

1 of 1

5 CHANGE CONTROL

Changes to final designs, field changes, modifications to operating facilities, and nonconforming items dispositioned use-as-is or repair shall be justified and subject to design control measures commensurate with those applied to the original design. These measures shall include assurance that the design analyses for the structure, system, or component are still valid. Changes shall be approved by the same affected groups or organizations which reviewed and approved the original design documents; except where an organization which originally was responsible for approving a particular design document is no longer responsible, then the Owner or his designee shall designate a new responsible organization which could be the Owner's engineering organization. The designated organization shall have demonstrated competence in the specific design area of interest and have an adequate understanding of the requirements and intent of the original design.

Where a significant design change is necessary because of an incorrect design, the design process and verification procedure shall be reviewed and modified as necessary.

When a design change is approved other than by revision to the affected design documents, measures shall be established to incorporate the change into these documents, where such incorporation is appropriate.

Confusing - Says, "when design change is approved w/o changing documents, establish measures to change documents, if appropriate." Is this mandatory? What is purpose? What is problem? Conflict with 7?

6 DESIGN VERIFICATION

Design verification for some designs or specific design features may be achieved by suitable qualification testing of a prototype or initial production unit. Qualification testing may be used in combination with other verification methods. For example, it may be most effective to verify that an instrumentation cabinet is designed to withstand the maximum earthquake-caused vibratory motions by actually subjecting the cabinet and its associated components to shaker tests which correspond to these vibratory motions. The shaker tests will not, however, verify that the circuitry is designed correctly or that the component in the cabinet will perform its intended function. Other tests or verification means are required to confirm that remaining design functions are adequately performed by the instrumentation and that those components perform the intended functions for the varying conditions to which they are subjected.

QAD 88-02
1 of 1

FORMATS

Examples of formats that may be used for division of responsibilities and drawing control are shown in Figs. 3A-1.1, 3A-1.2, and 3A-1.3.

7 CHANGE CONTROL

Design documents should be maintained current to ensure their availability to support facility design, construction, and operation. However, design changes may be approved without revision to the affected document(s). When this occurs, procedures should be established to ensure that a determination of the final design or as-built condition can be made, consistent with the user's needs. Since not all affected documents require revision, procedures should identify those design documents which are subject to revision. Measures may include, but are not limited to, imposing a time limit for updating the affected document(s), limiting the number of design changes allowed to accumulate prior to revising the affected document, or providing for a process that continually updates the affected document(s).

*What does this mean?
How is it done?*

*Time limit?
Not a practical approach!
What is the problem?*

*Is this mandatory?
Wording is "should"*

LETTER BALLOT # 292

DATE MAILED: May 24, 1988

TO THE MEMBERS OF: BOARD ON NUCLEAR CODES AND STANDARDS

BALLOT CLOSING DATE: June 24, 1988.

PROPOSAL: Proposed Revisions to NQA1:
QAD 88-01, Supplement 3S-1, Para. 5;
QAD 88-02, Appendix 3A-1, Paras. 7 and 8;
QAD 88-03, Supplement 17S-1, Para. 4.4.2 and
Footnote

CONSENSUS COMMITTEE
VOTING RESULTS: See attached.

* * * * *

- 1) VOTE: APPROVED ABSTAIN-WITH-REASON*
- DISAPPROVED-WITH-REASON* NOT VOTING-WITH-REASON*

*REASON (must be stated): _____

Delete the words "but are not limited to"
in para 7.

2) SUGGESTED ERRATA, EDITORIAL CHANGES AND/OR COMMENTS FOR REFERRAL TO THE COMMITTEE CHAIRMAN AND STAFF SECRETARY. (Not part of basis for vote)

3) NAME: BRENT SHELTON
(Please Print)

4) SIGNATURE: BR Shelton

5) DATE SIGNED: 6-6-88

LETTER BALLOT # 292

ASME

JUN 02 1988

DATE MAILED: May 24, 1988

TO THE MEMBERS OF: BOARD ON NUCLEAR CODES AND STANDARDS

BALLOT CLOSING DATE: June 24, 1988

PROPOSAL: Proposed Revisions to NQA1:
QAD 88-01, Supplement 3S-1, Para. 5;
QAD 88-02, Appendix 3A-1, Paras. 7 and 8;
QAD 88-03, Supplement 17S-1, Para. 4.4.2 and Footnote

CONSENSUS COMMITTEE VOTING RESULTS: See attached.

- * * * * *
- 1) VOTE: APPROVED ABSTAIN-WITH-REASON*
- DISAPPROVED-WITH-REASON* NOT VOTING-WITH-REASON*

*REASON (must be stated): _____

2) SUGGESTED ERRATA, EDITORIAL CHANGES AND/OR COMMENTS FOR REFERRAL TO THE COMMITTEE CHAIRMAN AND STAFF SECRETARY. (Not part of basis for vote)

QAD 88-03 - The use of the words "or both" in the new insert is redundant and should be deleted. If meeting the requirements of one or the other is acceptable, meeting the requirements of both is acceptable.

3) NAME: JAMES P. ALLEN
(Please Print)

4) SIGNATURE: James P. Allen

5) DATE SIGNED: 5-31-88



The American Society of
Mechanical Engineers

Codes and Standards

Nuclear
212-705-7801

345 East 47th Street
New York, NY 10017

July 5, 1988

To: Board on Nuclear Codes and Standards

Subject: Closure of Letter Ballot #268A
Reconsideration of QAD 86-05: Proposed Revision to NQA-1,
Supplement 17 S-1, Para. 4.4.3 "Temporary Storage"

Gentlemen:

The subject ballot has closed with the following results:


16 - Approved
6 - Disapproved with Reason
1 - Abstain with Reason
23

0 - Not Voting with Reason
0 - Not Returned
23

The item proceeds on second consideration.

In light of the nature and extent of BNCS comments, Messrs. Perry and Weinman are requested to initiate consideration by the appropriate NQA committee at their next meeting.

Yours truly,


June Ling
Director, Nuclear
Codes and Standards
(212) 705-7024

JL/srb

cc: S. D. Weinman
A. Trillo

0661D cc: F. W. Knight
T. E. Penn
D. B. Haynes
A. L. Mackinney



LETTER BALLOT # 268A

ASME

JUL 6 1988

DATE MAILED: May 23, 1988

TO THE MEMBERS OF: BOARD ON NUCLEAR CODES AND STANDARDS **NUCLEAR SAFETY C & S**

BALLOT CLOSING DATE: June 23, 1988

PROPOSAL: Reconsideration of QAD 86-05: Proposed Revision to NQA-1, Supplement 17 S-1, Para. 4.4.3 "Temporary Storage"

CONSENSUS COMMITTEE VOTING RESULTS: See attached.

* * * * *

- 1) VOTE: APPROVED ABSTAIN-WITH-REASON*
 DISAPPROVED-WITH-REASON* NOT VOTING-WITH-REASON*

*REASON (must be stated): _____
MY PREVIOUS CONCERNS STILL
EXIST

2) SUGGESTED ERRATA, EDITORIAL CHANGES AND/OR COMMENTS FOR REFERRAL TO THE COMMITTEE CHAIRMAN AND STAFF SECRETARY. (Not part of basis for vote)

3) NAME: S. H. BUSH
(Please Print)

4) SIGNATURE: *S. H. Bush*

5) DATE SIGNED: 5/31/88

PLEASE FILL OUT AND RETURN TO ASME CODES AND STANDARDS IN THE ENVELOPE PROVIDED.

LETTER BALLOT # 268A

DATE MAILED: May 23, 1988

TO THE MEMBERS OF: BOARD ON NUCLEAR CODES AND STANDARDS

BALLOT CLOSING DATE: June 23, 1988

PROPOSAL: Reconsideration of QAD 86-05: Proposed Revision to NQA-1, Supplement 17 S-1, Para. 4.4.3 "Temporary Storage"

CONSENSUS COMMITTEE VOTING RESULTS: See attached.

* * * * *

1) VOTE: APPROVED ABSTAIN-WITH-REASON*

DISAPPROVED-WITH-REASON* NOT VOTING-WITH-REASON*

*REASON (must be stated): See my prior ballot position 268. I am persuaded by the SAC P.A. response particularly by reference to P 4.4.1 as used in 4.4.1 the person competent in the field of fire protection and fire extinguishing is reviewing construction details for adequacy of protection of contents. The proposed change is substituting "judgement" for a result obtained by test on a specific design. We could accomplish the

2) SUGGESTED ERRATA, EDITORIAL CHANGES AND/OR COMMENTS FOR REFERRAL TO THE COMMITTEE CHAIRMAN AND STAFF SECRETARY. (Not part of basis for vote)

end objective of "safeguarding records" during unusual events at locations such as sites by requiring ~~that~~ that the QIA program provide for ~~the~~ safeguarding while records are in temporary ~~storage~~ storage. In the next step a requirement that the transport vehicle moving such records ~~be~~ be equipped with fire proof ~~the~~ containers.

3) NAME: _____ (Please Print)

4) SIGNATURE: [Signature]

5) DATE SIGNED: 5/27/88

PLEASE FILL OUT AND RETURN TO ASME CODES AND STANDARDS IN THE ENVELOPE PROVIDED.

LETTER BALLOT # 268A

ASME

JUN 20 1988

NUCLEAR SAFETY DIVISION

MAY 27 1988

DATE MAILED: May 23, 1988

TO THE MEMBERS OF: BOARD ON NUCLEAR CODES AND STANDARDS

BALLOT CLOSING DATE: June 23, 1988

PROPOSAL: Reconsideration of QAD 86-05: Proposed Revision to NQA-1, Supplement 17 S-1, Para. 4.4.3 "Temporary Storage"

CONSENSUS COMMITTEE VOTING RESULTS: See attached.

* * * * *

1) VOTE: APPROVED ABSTAIN-WITH-REASON*
 DISAPPROVED-WITH-REASON* NOT VOTING-WITH-REASON*

*REASON (must be stated): This is both costly and unenforceable.

It only applies when invoked by an organization's procedure. If necessary, let the procedure specify these requirements. Working documents are not records. Records can always be replaced. This change is unnecessary and will be costly for utilities to follow. What is it equivalent? What about lost records? What problem

2) ~~SUGGESTED ERRATA, EDITORIAL CHANGES AND/OR COMMENTS FOR REFERRAL TO THE COMMITTEE CHAIRMAN AND STAFF SECRETARY. (Not part of basis for vote)~~

has ever occurred with working papers being in a fire and causing a problem? This appears to be one more item to add to a list of things that can cause more non-conformances for utilities. The intervenors will have more ammunition to shut down plants. Can anyone show a real need for this change?

3) NAME: ROGER F. REEDY
(Please Print)

4) SIGNATURE: R F Reedy

5) DATE SIGNED: 5/31/88

PLEASE FILL OUT AND RETURN TO ASME CODES AND STANDARDS IN THE ENVELOPE PROVIDED.

(3)

LETTER BALLOT # 268A

ASHE
JUN 10 1988
UNIVERSITY MICROFILMS

DATE MAILED: May 23, 1988

TO THE MEMBERS OF: BOARD ON NUCLEAR CODES AND STANDARDS

BALLOT CLOSING DATE: June 23, 1988

PROPOSAL: Reconsideration of QAD 86-05: Proposed Revision to NQA-1, Supplement 17 S-1, Para. 4.4.3 "Temporary Storage"

CONSENSUS COMMITTEE VOTING RESULTS: See attached.

* * * * *

- 1) VOTE: APPROVED ABSTAIN-WITH-REASON*
 DISAPPROVED-WITH-REASON* NOT VOTING-WITH-REASON*

*REASON (must be stated): Temporary storage should be defined.

Suggest deleting words in first () and replace with: (Temporary storage is for when a record is no longer a working document but prior to when it is sent to permanent storage.) The proposed words could require the filing of travelers and mod packages each night.

2) SUGGESTED ERRATA, EDITORIAL CHANGES AND/OR COMMENTS FOR REFERRAL TO THE COMMITTEE CHAIRMAN AND STAFF SECRETARY. (Not part of basis for vote)

3) NAME: BRENT SHELTON
(Please Print)

4) SIGNATURE: B R Shelton

5) DATE SIGNED: 6-5-88

PLEASE FILL OUT AND RETURN TO ASHE CODES AND STANDARDS IN THE ENVELOPE PROVIDED.

(2)

LETTER BALLOT # 268A

ASME
MAY 23 1988

DATE MAILED: May 23, 1988

TO THE MEMBERS OF: BOARD ON NUCLEAR CODES AND STANDARDS SAFETY C & S

BALLOT CLOSING DATE: June 23, 1988

PROPOSAL: Reconsideration of QAD 86-05: Proposed Revision to NQA-1, Supplement 17 S-1, Para. 4.4.3 "Temporary Storage"

CONSENSUS COMMITTEE VOTING RESULTS: See attached.

* * * * *

- 1) VOTE: APPROVED ABSTAIN-WITH-REASON*
 DISAPPROVED-WITH-REASON* NOT VOTING-WITH-REASON*

*REASON (must be stated): I support H. Debelo's previous comments

regarding certification "by a person competent in the technical field of fire protection." This would have to be proven in the criteria in 4.4.1 (a) that (i) could be reviewed by adequately trained personnel for approval but this differs from a certification process.

2) SUGGESTED ERRATA, EDITORIAL CHANGES AND/OR COMMENTS FOR REFERRAL TO THE COMMITTEE CHAIRMAN AND STAFF SECRETARY. (Not part of basis for vote)

3) NAME: John M. Wilton
(Please Print)

4) SIGNATURE: John M. Wilton

5) DATE SIGNED: 6/20/88

PLEASE FILL OUT AND RETURN TO ASME CODES AND STANDARDS IN THE ENVELOPE PROVIDED.

LETTER BALLOT # 268A

ASME

JUN 21 1988

DATE MAILED: May 23, 1988

TO THE MEMBERS OF: BOARD ON NUCLEAR CODES AND STANDARDS NUCLEAR SAFETY C & S

BALLOT CLOSING DATE: June 23, 1988

PROPOSAL: Reconsideration of QAD 86-05: Proposed Revision to NQA-1, Supplement 17 S-1, Para. 4.4.3 "Temporary Storage"

CONSENSUS COMMITTEE VOTING RESULTS: See attached.

* * * * *

- 1) VOTE: APPROVED ABSTAIN-WITH-REASON*
- DISAPPROVED-WITH-REASON* NOT VOTING-WITH-REASON*

*REASON (must be stated): THE DEFINITION OF 'WHEN' TEMP STORAGE IS REQUIRED IS NOT PRACTICAL. CONSIDER PROCESSING OR REVIEW INCLUDES CLERICAL ACTIVITIES, MAIL OR DELIVERY SERVICES AND ACTUAL USE. USE OF FIRE PROTECTIVE CONTAINERS IS NOT POSSIBLE OR NOT EFFECTIVE.

2) SUGGESTED ERRATA, EDITORIAL CHANGES AND/OR COMMENTS FOR REFERRAL TO THE COMMITTEE CHAIRMAN AND STAFF SECRETARY. (Not part of basis for vote)

3) NAME: T. J. VOGAN
(Please Print)

4) SIGNATURE: *T. J. Vogan*

5) DATE SIGNED: 6/15/88

PLEASE FILL OUT AND RETURN TO ASME CODES AND STANDARDS IN THE ENVELOPE PROVIDED.

MAY 31 1988

NUCLEAR SAFETY C & S

LETTER BALLOT # 268A

DATE MAILED: May 23, 1988

TO THE MEMBERS OF: BOARD ON NUCLEAR CODES AND STANDARDS

BALLOT CLOSING DATE: June 23, 1988

PROPOSAL: Reconsideration of QAD 86-05: Proposed Revision to NQA-1, Supplement 17 S-1, Para. 4.4.3 "Temporary Storage"

CONSENSUS COMMITTEE VOTING RESULTS: See attached.

* * * * *

- 1) VOTE: APPROVED ABSTAIN-WITH-REASON*
- DISAPPROVED-WITH-REASON* NOT VOTING-WITH-REASON*

*REASON (must be stated):

I agree w. Dabel in that there seems to be much greater danger of loss from causes other than fire.

2) SUGGESTED ERRATA, EDITORIAL CHANGES AND/OR COMMENTS FOR REFERRAL TO THE COMMITTEE CHAIRMAN AND STAFF SECRETARY. (Not part of basis for vote)

3) NAME: A. John BIRTLE

(Please Print)

4) SIGNATURE: A. John Birtle

5) DATE SIGNED: 5/26/88

PLEASE FILL OUT AND RETURN TO ASME CODES AND STANDARDS IN THE ENVELOPE PROVIDED.

COMMITTEE CORRESPONDENCE

committee: Work Group - Document Control & Records Management
 address writer Babcock & Wilcox Company
 care of: P.O. Box 10935
 Lynchburg, VA 24506-0935

subject: Magnetic Media/Retention Period for Records

date: June 7, 1988
 copy to: F.W. Knight
 S.D. Weinman

to: Members WG - DC&RM

Attached is some information which you may find interesting relative to electronic storage of records and the NRC's involvement in regulating records storage periods. The article on records automation was provided by Bill Belke. The second attachment is copied from the Federal Register of May 27, 1988.

Although the sections of the Federal Register rule cover considerably more than the areas that are covered by NQA-1, NQA-2, and the proposed NQA-3, I am enclosing the entire section rather than trying to excerpt from it. Several interesting things to note include the NRC's position on electronic media for record retention and the concern about record retention for "useability for future generations" in part 60.

Please be prepared to discuss any inconsistencies which you see between this NRC rule and 17S-1/17A-1 at the next meeting.

Sincerely,



Arland L. MacKinney
 Chairman, WG - DC&RM

/dlw
 Att.



The American Society of
 Mechanical Engineers

345 East 47th Street
 New York, NY 10017

Keep ASME Codes and Standards Department Informed

RECORDS AUTOMATION

by Bonnie Canning, Contributing Editor

FYI

M Bell
J Kelner II
A DUNCAN
J Volterra
Liddle
J. Downes
W Belke (LAST)

Regulatory Requirements for Records

Why do organizations maintain records? For two basic reasons: to document activities, and to comply with regulatory requirements.

Many industries in the United States are regulated by one or more federal government agencies—the pharmaceutical industry by the Food & Drug Administration; the investment business by the Securities & Exchange Commission; the power utilities by the Federal Energy Regulatory Commission; the communication area by the Federal Communications Commission, etc.—and most businesses by the Internal Revenue Service. All agencies require the organizations they regulate to keep certain records in a certain way for a certain period of time.

Whether we maintain our records in manual or automated systems, we as records managers and administrators must know these regulations and assure that our organizations are in compliance.

Where are these regulations found? The first source to turn to is the Code of Federal Regulations (CFR), which is available in most large public libraries. The CFR and its supplements spell out the guidelines, rules and regulations set forth by regulatory agencies to govern the operations of the industries they regulate. These fundamentals include creation, maintenance,

and storage of records.

For example, Title 10 of the Code sets forth regulations for constructing and operating nuclear power plants, including reporting requirements; 10 CFR 50, Appendix B—“Quality Assurance Criteria for Nuclear Power Plants and Fuel Reprocessing Plants” requires that “sufficient records shall be maintained to furnish evidence of activities affecting quality.” It goes on to list which types of records this includes, as a minimum. It then directs that an applicant for an operating license “shall establish requirements concerning record retention, such as duration, location, and assigned responsibility.”

This mandate is fleshed out by a standard developed under the aegis of the American National Standards Institute (ANSI): ANSI 45.2.9—“Requirements for the Collection, Storage, and Maintenance of Quality Assurance Records for Nuclear Power Plants.”

This standard, which is endorsed by the Nuclear Regulatory Commission in its Regulatory Guide 1.88, sets forth general and technical requirements for the generation, indexing, receipt control, storage, preservation and safekeeping, retrieval, and disposition of records “which furnish documentary evidence of the quality of items and of activities affecting quality.” Appendix

A of ANSI 45.2.9 lists the types of records included, together with recommended minimum retention periods.

The Federal Energy Regulatory Commission provides a schedule of records and periods of retention in 18 CFR 1, Part 125.3 for the public utilities it regulates.


Federal regulations such as 18 CFR may also specify the media in which records may be retained. Most allow records to be maintained in microform if the microforms are certified and stored in accordance with applicable ANSI standards. Electronic storage of records (on magnetic tape, disk, etc.) is more problematical for two reasons: the archival permanence and life expectancy of magnetic media are low; and data stored in this media can easily be altered.

In any case, the life expectancy of the medium used to store a record must at least be equal to the length of retention for that record. Media regeneration is generally not permitted by federal regulations.

Regulations often delineate minimal storage requirements for preserving records and protecting them from loss, destruction or deterioration. In order to comply, organizations may be required to store records in fireproof vaults, or to keep duplicate copies in remote locations.

Records managers and administrators who work for organizations subject to government regulation must be familiar with regulations governing their records. Unfortunately, these regulations are often vague and subject to interpretation. This circumstance can be used as an excuse to “keep everything forever just in case.”

Assistance and guidance in complying with these regulations should be sought from corporate counsel. Help can also be obtained from professional records associations such as the Association of Records Managers and Administrators (ARMA), Prairie Village, KS, and from such publications as *The Legality of Microfilm*, Cohasset Associates, Chicago, and *Legal Requirements For Business Records*, Information Requirements Clearinghouse, Denver. (RM)



Bonnie Canning is the assistant records manager for the Power Authority of the State of New York, in White Plains, NY. She has written extensively on records and information management.

uniform and specific retention periods for each recordkeeping requirement.

EFFECTIVE DATE: July 26, 1988.

FOR FURTHER INFORMATION CONTACT: Brenda J. Shelton, Acting Chief, Records and Reports Management Branch, Division of Information Support Services, Office of Administration and Resources Management, U.S. Nuclear Regulatory Commission, Washington, DC 20555, Telephone: 301-492-8132.

SUPPLEMENTARY INFORMATION:

Background

The Nuclear Regulatory Commission's (NRC) regulations require that applicants and licensees retain a variety of records for various periods of time. Licensees must also retain certain plans and procedures for routine operation and emergency situations and file reports of certain occurrences and events. The NRC reviewed its recordkeeping requirements to determine how long the required records should be retained. This rule reflects the results of that review and of the public comments received on the proposed rule. The NRC did not include 10 CFR Part 20 in its review. The record retention requirements contained in Part 20 were examined and modified as part of the proposed revision to Part 20 that was published for public comment in the Federal Register on December 20, 1985, (50 FR 51892) and republished on January 8, 1986 (51 FR 1082). Codification of these amendments and amendments in certain published proposed rules combined with this final rule will establish uniform retention periods for all NRC recordkeeping requirements. NRC also intends to conform record retention requirements in future rules to the four uniform periods contained in this rule.

Previously, NRC regulations sometimes specified that a record be retained for a specific period of time. These periods varied widely from 1 or 2 years, to the 40-year life of a reactor license, or to the completion of decommissioning for some licenses. In other instances, the regulation specified that a record be kept until the Commission authorized its disposition, and in others, that it be retained indefinitely. Some parts of NRC regulations specified the condition of a record acceptable to the NRC throughout its required retention period; others did not.

This rule amends regulations in 19 parts of Title 10 to require that certain records in these parts be retained for specific periods. The rule also provides for all parts to Title 10, Chapter I, the

NUCLEAR REGULATORY COMMISSION

10 CFR Parts, 4, 11, 25, 30, 31, 32, 34, 35, 40, 50, 60, 61, 70, 71, 73, 74, 75, 95, and 110

Retention Periods for Records

AGENCY: Nuclear Regulatory Commission.

ACTION: Final rule.

SUMMARY: The Nuclear Regulatory Commission (NRC) is amending its regulations to establish a definite retention period for each record that an NRC application or licensee for a materials or facility license is required to maintain. This action is necessary to comply with the Office of Management and Budget requirement that a specific retention period be identified for each record. The final rule also establishes a uniform standard acceptable to the NRC for the condition of a record throughout each specified retention period. This action is expected to reduce the overall recordkeeping burden for NRC applicants and licensees by use of

conditio
NRC th

This
retentic
10 CFR
one 6 m
70.58(h)
years, 5
compor
being c
retainin
four per
every re
seem to
record
recomur
Nuclear
Manag
based c
NIRMA
coincid
quality
50 and
retentic
those c
specific

The
specific
plant in
require
differ fr
require
precede
conflict
technic
Office c
(NRR) i
that wo
license
specific
and wo
specific
this cor

Durir
50.36,
staff fo
clearly
record
require
differ
Specifi
facilitie
§ 50.22
and req
in § 50.
Theref
§ 50.72
§ 50.36
license
therap
under
develo
separa
notific
require
system
are cor
Accorr

condition of a record acceptable to the NRC throughout its retention.

This rule also establishes four specific retention periods to be used throughout 10 CFR Chapter I. With the exception of one 6 month retention period at 10 CFR 70.58(h), uniform retention periods of 3 years, 5 years, 10 years, or the life of the component, activity, area, or facility are being codified to simplify the system for retaining NRC records. These particular four periods, although not ideal for every record retention requirement, seem to be the best choices for NRC record needs. Uniform periods were recommended to the NRC by the Nuclear Information and Record Management Association (NIRMA) based on the nuclear industry's input to NIRMA. Three of the uniform periods coincide with the retention periods for quality assurance (QA) records in Parts 50 and 71; the fourth coincides with the retention periods for records such as those covered by technical specifications.

The NRC recognizes that technical specifications for each nuclear power plant include record retention requirements that may, in some cases, differ from those set out in this rule. The requirements in this rule take precedence over and supersede any conflicting requirements presently in the technical specifications. Therefore, the Office of Nuclear Reactor Regulation (NRR) intends to issue a generic letter that would provide guidance to licensees for revising their technical specifications to conform with this rule and would include model technical specifications to follow for achieving this conformance.

During the course of reviewing 10 CFR 50.36, "Technical Specifications," the staff found that this section does not clearly reflect the difference in recordkeeping and reporting requirements for reactors licensed under different sections of the regulations. Specifically, commercial and industrial facilities are licensed under § 50.21(b) or § 50.22 and have detailed notification and reporting requirements delineated in § 50.72 and § 50.73, respectively. Therefore, specific cross references to § 50.72 and § 50.73 have been added to § 50.36 where appropriate. Facilities licensed under § 50.21(a) for medical therapy uses and facilities licensed under § 50.21(c) for research and development activities do not have separate sections dealing with notification and reporting. The reporting requirements on the automatic safety system and for these types of reactors are contained within § 50.36. Accordingly, language is being added to

§ 50.36(c)(1)(ii)(A) to make it conform with § 50.72(b)(2)(iii) and § 50.73(a)(2)(v).

An effort has been made to use consistent terminology with regard to paperwork throughout this multi-part rule. For example, the term "retain" conveys the idea of keeping secure or intact and the term "maintain" continuing to preserve and update, in this case, a record. Consistent terminology and specific recordkeeping requirements and retention periods should assist an NRC applicant or a licensee in complying with these requirements.

The changes resulting from this rule should result in an overall reduction in the recordkeeping burden imposed on the NRC applicant or licensee. The major reduction in burden results from establishing 128 specific retention periods, primarily three years or the life of a license, for records that up to now were retained indefinitely. This major reduction, plus four other reductions of retention periods by two years, offsets the increase in retention periods for 54 records; 42 cases by one year, 10 cases by two years, 1 case by two and one half years, and 1 case by three years. Based on staff's understanding of current industry practices, the increases in retention periods would either not impose any additional burden or could be readily accommodated within current equipment configurations and, therefore, would represent no appreciable increase in burden. A paragraph describing the form and condition of a record acceptable to the NRC for review is being codified in ten parts. This requirement is comparable to similar provisions currently included in other parts of the NRC regulations.

Specifying clearly in NRC regulations what records to retain, how long to retain them, and the condition of a record required for NRC inspection is mutually beneficial to the applicant or licensee and to the NRC. The Paperwork Reduction Act of 1980 (44 U.S.C. 3501 *et seq.*) added impetus to the NRC's interest in the regulatory burden imposed on an applicant or a licensee by the preparation and retention of records. Furthermore, OMB's regulations implementing the Paperwork Reduction Act require that record retention requirements imposed by Federal regulations contain specific retention periods. The NRC complies with the Act's requirement for Office of Management and Budget (OMB) review of the information collection requirements in each rulemaking. In addition, two documents on paperwork are being prepared for publication in the NUREG-series: One document will be

based on Regulatory Guide 10.1, which is a compilation of reporting requirements for persons subject to NRC regulations, and the other document will summarize the record retention periods for the recordkeeping requirements contained in NRC regulations. These companion documents should be useful to an NRC applicant or a licensee.

On October 28, 1987, the NRC published the proposed rule in the Federal Register (52 FR 41442). The comment period ended on December 28, 1987.

Summary of Public Comments

Comments were received from sixteen respondents comprised of eight power reactor licensees, three industry groups, two law firms, one university, one fuel fabrication plant operator, and one private citizen. Copies of the comment letters are available for public inspection and copying for a fee at the NRC Public Document Room at 1717 H Street, NW., Washington, DC. Fifteen of the sixteen commenters generally agreed with the proposed amendments and one commenter disagreed.

Individual who disagreed did not identify any specific records but stated that "reduction of many record retentions to three years would invite cheating, criminal activity, and the ignoring of rules set up to protect the public." The Commission does not agree with this comment. The Commission has an extensive compliance monitoring and inspection program. While examination of licensee record is an important part of the program, it is not the only means by which NRC determines whether licensees are operating safely. Moreover for those requirements covered by the three year minimum period, the Commission believes that records covering the previous three year period will be sufficient to assist the agency in judging compliance or noncompliance, to act on possible noncompliance, and to examine facts as necessary following any incident. In the situation alluded to by the commenter, large irradiators and large medical licensees possessing significant quantities of radioactive material are inspected annually, hence the three year minimum period is adequate.

The remaining fifteen commenters agreed with the proposed changes with the following general comments:

1. *Comment.* Three commenters recommended that the Commission specify in the "statement of Considerations" that a Technical Specification amendment made to conform to this rule is not required and that "pen and ink" changes are

acceptable. Two commenters suggested that fees should not be required for rule changes.

Response. The Commission agrees that a Technical Specification amendment to conform to the administrative requirements of this rule is not required and that "pen and ink" changes will suffice. However, should licensees desire to amend their Technical Specifications to conform to the administrative requirement of this rule, the licensees would not be required to submit fees under 10 CFR Part 170.

2. Comment. One commenter suggested that the general statement appearing in the Supplementary Information which states that requirements in this rule take precedence over and supersede any conflicting requirements in the Technical Specifications should be addressed in 10 CFR 50.38 and, as appropriate, referenced in other 10 CFR Parts.

Response. The Commission believes that the information provided in the "Supplementary Information" is adequate. 10 CFR 50.71(d)(2) currently addresses the precedence issue for 10 CFR Part 50 licensees and applicants. Reference to § 50.71(d)(2) in other 10 CFR Parts is not necessary.

3. Comment. Three commenters recommended that the maintenance of records in electronic media such as computerized records and optical disks be addressed.

Response. The Commission does not object to the use of electronic media for the storage of records as long as legible, accurate, and complete records can be produced in hardcopy throughout the duration of the required retention period. Records such as letters, drawings, specifications, etc. must include all pertinent features such as stamps, initials, and signatures. Adequate safeguards against tampering with and loss of records must also be maintained. The rule has been changed to address the use of electronic media.

4. Comment. One commenter recommended that the records to be retained under 10 CFR Part 20 be addressed in this rule.

Response. The Commission believes that the pending amendment to 10 CFR Part 20 is the most efficient and economical means for addressing the records contained in that part. The amendment to 10 CFR Part 20 will meet all of the record retention requirements established by this rule. This approach will ensure that the recordkeeping requirements are consistent with changes to the technical and administrative aspects to Part 20 that may result from the public comments

and additional staff review of the requirements included in that part.

5. Comment. One commenter recommended that the increased record retention periods remain as they are currently specified in 10 CFR Chapter I and another specifically questioned the increased retention period for 53 records.

Response. The Commission has modified many retention periods to streamline and standardize its record retention requirements and to reduce the burden imposed by those requirements. There are instances in which an individual record retention period has been increased. However, we believe that, in general, the rule will result in an ultimate benefit to the majority of the applicants and licensees as well as to the NRC.

6. Comment. One commenter stated that the proposed rule changes the current requirements of § 74.31 from a performance-oriented rule to one containing specific recordkeeping requirements. The commenter believes that the proposed changes complicate the licensee's ability to devise its own recordkeeping system, compatible with its own operations, in accordance with a performance oriented rule, and that the proposed changes are unnecessary and should be eliminated.

Response. The Commission has reevaluated the proposed changes in light of this comment and has determined that the specific enumeration of records is not necessary. The current performance-oriented rule adequately provides for retention of records to demonstrate compliance with the Commission's requirements. The proposed change to § 74.31 has been deleted from the final rule.

7. Comment. Two commenters stated that the records retention period for the Safety Analysis Report is not obvious and needs to be addressed.

Response. Section 50.71(e) requires licensees to periodically update their FSAR's. Implicit in this requirement is the retention of the updated FSAR by licensees for the duration of their licenses. The Commission believes that the retention period of an updated FSAR is inherent in its existing regulations. Nevertheless, 10 CFR 50.71(e)(6) has been added to the rule to specify that the updated Final Safety Analysis Report (FSAR) is to be retained by the licensees until the NRC terminates their licenses.

8. Comment. One Commenter stated that the rule does not make it clear that the retention periods specified are minimum requirements.

Response. The commission does not object to licensees/applicants retaining

records beyond the retention period required by NRC regulations. The intent of retention periods for recordkeeping requirements is to establish the minimum retention necessary for compliance with NRC regulations. Should licensees or applicants elect to retain records beyond the retention period required by the NRC, they have that option. Licensees should be aware, however, that NRC's recordkeeping requirements apply only to NRC requirements for the information. Other Federal, State, or local agencies may have requirements that may apply now or in the future.

9. Comment. One commenter stated that the recordkeeping requirement pursuant to § 50.54(p)(2) has not been addressed and suggested that the retention be changed to three years.

Response. The omission of the recordkeeping requirement contained at § 50.54(p)(2) was an oversight and has been included in the final rule with a three year retention period.

10. Comment. One commenter suggested that the minimum retention period be changed to "three years or until the next inspection, whichever is longer," stating that three years is an insufficient retention period because some records would be destroyed before the next inspection.

Response. While some inspection frequencies are longer than three years, the Commission believes that records covering the previous three year period are sufficient to permit the NRC to judge compliance or noncompliance, to act on possible noncompliance, and to examine necessary facts following an incident. Licensees possessing materials which could pose a significant risk to public health and safety, such as irradiators or large medical facilities, are inspected annually. The three year period, while not ideal for all situations, is a reasonable period which generally satisfies NRC's record needs and conforms to OMB guidelines by providing for the availability of records while not imposing any undue burden on the licensees.

11. Comment. One commenter stated that increases in retention periods from two to three years are unnecessary. The commenter believes that present inspection cycles make two years an adequate retention period and suggested that the current two year retention periods for records contained in §§ 70.22(k), 71.9(a), and 110.53(b) be retained.

Response. As explained in the proposed rule, the three year period was selected as one of four periods to provide a uniform system for retention

of
no
re.
sa
co
im
lic
an
inc
ye.
be:
rec

the
ke
the
ac
we
po
ye.
de:
is
on.
the

wi
rec
pre
be:
pa
for
an
inc
pu.

the
ret
em
an

wi
fol
of
inv
the
inc
pri
tin
pri
ma
inc
ex
ne
rel
ye

the
ke
of
re
su
an

wi
Ni
re
Co
th

of all NRC required records. While it is not ideal for all situations, it is a reasonable period which generally satisfies NRC's record needs and conforms to OMB guidelines while not imposing any undue burden on licensees. The Commission believes that any added burden on licensees by an increase, such as from two to three years, is slight and is balanced by the benefit of a uniform system for overall records retention.

12. *Comment.* One commenter stated that the requirements in § 71.135(a) to keep QA records for three years beyond the date the licensee last engages in the activity for which the QA procedures were developed and to keep superseded portions of written procedures for three years are unnecessary and should be deleted. The commenter believes that it is sufficient to retain the QA records only for the life of the package to which they apply.

Response. The Commission disagrees with this comment. Quality assurance records, such as design, fabrication, or predetermination tests, must be retained beyond the end of the service life of the package so that they will be available for examination by the Commission in any analysis following an accident, incident, or other problem involving public health and safety.

13. *Comment.* One commenter stated that the requirement in § 70.24(a)(3) to retain the superseded portion of emergency procedures is unnecessary and should be deleted.

Response. The Commission disagrees with the comment. It is essential that, following any incident in which the use of emergency procedures may be involved, NRC be able to examine all of the facts that existed at the time of the incident, including the emergency procedures that were in effect at that time. Because it is possible, if not probable, that emergency procedures may be revised following an emergency incident based on the licensee's experience in using the procedures, it is necessary that superseded portions be retained for the minimum period, three years.

14. *Comment.* One commenter stated that the requirement in § 70.42(d) to keep copies of licenses, certificates, and other documents used to verify that a recipient of licensed material is authorized to receive it is not necessary and should be deleted.

Response. The Commission disagrees with the comment and believes that NRC needs to be able to examine these records to ensure that licensees are complying with the requirement that they verify the authorization of the

persons receiving licensed radioactive material.

15. *Comment.* One commenter stated that the backfit rule, § 50.109, should apply because the recordkeeping rule adds new record retention requirements to various sections of 10 CFR Part 50.

Response. The Commission disagrees with the comment. Section 50.36 is the only section within Part 50 that has been revised to clarify recordkeeping requirements. However, all records specified in this section are currently required by other provisions contained in 10 CFR Chapter I. As stated on page 41443 of the "Federal Register Notice" for the proposed rule published October 28, 1987, the backfit rule, 10 CFR 50.109, does not apply to the records retention rule.

16. *Comment.* One commenter stated that the specific uniform record retention periods being proposed do not conform to the retention periods for the Nuclear Liability Insurance Records identified in ANI/MAELU Information Bulletin 80-1A which requires the records to be maintained for the life of the nuclear liability insurance policy plus ten years.

Response. The record retention requirements set forth in the 10 CFR Chapter I establish the minimum retention periods necessary for NRC to ensure compliance with the safety and health aspects of the nuclear environment and for the NRC to accomplish its mission to protect the public health and safety. Retention of records beyond the minimum period is at the option of the licensee. Licensees should be aware, however, that NRC's recordkeeping requirements apply only to NRC requirements for the information. Other Federal, State, or local agencies may have requirements that may apply now or in the future.

17. *Comment.* One commenter stated that the lack of clear definitions for terms such as "legible" and "authenticated" has the potential to create substantial confusion as to what records are acceptable.

Response. The following definitions of "legible" and "authenticated" apply to records retained under the NRC's regulatory authority. The term "legible" denotes that the records can be read and deciphered within a reasonable amount of time. "Authenticated" denotes that the data has been verified for completeness and accuracy by an authorized individual and that it is a true representation of the original data. This also addresses one commenter's concern about what constitutes a record capable of producing a clear copy.

18. *Comment.* One commenter stated that the requirement in 10 CFR Part 73,

Appendix B, Criteria I.C., that a physical test be performed within thirty days of a physical examination was deleted in August 1987 and should not be reintroduced.

Response. The requirement to conduct a medical examination within the preceding 30 days of the physical fitness qualification was revised after publication of the proposed rule. On January 7, 1988 (53 FR 403) Criteria I.C. was revised to state that subsequent to the medical examination, physical fitness shall be demonstrated. This revision is reflected in the final rule.

19. *Comment.* One commenter stated that the requirement in § 73.70(d) to list the "reason for entry," into a vital area was deleted and should not be reintroduced.

Response. The Commission agrees with the comment. The requirement has been deleted from the final rule.

20. *Comment.* One commenter noted that § 50.49(d) contains revised wording that apparently makes this section redundant with existing § 50.49(j).

Response. The Commission disagrees that the recordkeeping requirement contained in § 50.49(d) is redundant to that contained in § 50.49(j). Section 50.49(d) requires the retention of the list of electrical equipment important to safety and information specified in paragraphs (d)(1), (2), and (3) only. Section 50.49(j) requires the retention of records to support the qualification of equipment, but reiterates that there are qualification records contained in § 50.49(d) that must be retained for the same period.

21. *Comment.* One commenter recommended that the Commission update Regulatory Guide 10.1 to clarify and simplify recordkeeping requirements. The commenter also recommended that all recordkeeping requirements be consolidated into a single location within the regulations.

Response. Regulatory Guide 10.1 is a partial listing of regulatory reporting requirements. As indicated in the Supplementary Information, NRC will publish a separate compilation of NRC regulatory reporting and recordkeeping requirements in the NUREG series. The Commission believes the publication of these compilations will preclude the need to group all recordkeeping requirements in a single location within the regulations.

22. *Comment.* One commenter questioned why the retention period for safeguards contingency plans varies depending upon whether the special nuclear material is in transit or at a fixed location and cited § 73.26(e)(3) and

§ 73.40(b) as examples of this discrepancy.

Response. The record retention periods for §§ 73.26(e)(3) and 73.40(b) differ because the individual requirements are different. Section 73.26 covers licenses to transport special nuclear material (SNM) where possession of the material occurs at discrete times and terminates when the last shipment is completed through acknowledged receipt by the receiver. On the other hand, § 73.40(b) covers licenses to hold SNM at fixed sites where possession of material is more continuous and it is more difficult to confirm that possession has ended and the license can be terminated.

Environmental Impact: Categorical Exclusion

The NRC has determined that this regulation is the type of action described in categorical exclusions 10 CFR 51.22(c)(1) and (3). Therefore, neither an environmental impact statement nor an environmental assessment has been prepared for this final regulation.

Paperwork Reduction Act Statement

This final rule amends information collection requirements that are subject to the Paperwork Reduction Act of 1980 (5 U.S.C. 3501 et seq.). This final rule has been submitted to the Office of Management and Budget for review and approval. Requirements in nineteen parts included in this rule were assigned approval numbers by the Office of Management and Budget as follows:

- Part 4—3150-0053; Part 11—3150-0062;
- Part 25—3150-0048; Part 30—3150-0017;
- Part 31—3150-0018; Part 32—3150-0008;
- Part 34—3150-0007; Part 35—3150-0010;
- Part 40—3150-0028; Part 50—3150-0011;
- Part 60—3150-0127; Part 81—3150-0135;
- Part 70—3150-0009; Part 71—3150-0008;
- Part 73—3150-0002; Part 74—3150-0123;
- Part 75—3150-0055; Part 95—3150-0047;
- Part 110—3150-0038.

Regulatory Flexibility Certification

As required by the Regulatory Flexibility Act of 1980, § U.S.C. 605(b), and NRC Size Standards (56 FR 50241; December 9, 1985), the Commission hereby certifies that this rule does not have a significant economic impact upon a substantial number of small entities. The rule amends parts of the NRC regulations by specifying a period to retain each required record. The rule affects most facility and materials licensees by reducing the regulatory burden of retaining records for an unnecessarily long or indefinite period. Therefore, it is not expected to have a significant economic impact on any licensee. Comments on the expected

economic impact of this rule on small entities were solicited; however, none were received.

Backfit Analysis

The Commission has determined that the backfit rule, 10 CFR 50.109, does not apply to the rule. The rule is purely administrative in nature, and therefore does not result in the "modification of or addition to systems, structures, components, or design of a facility . . . or the procedures or organization required to design, construct, or operate a facility . . .". See 10 CFR 50.109(a)(1).

List of Subjects in 10 CFR Parts 4, 11, 25, 30, 31, 32, 34, 35, 40, 50, 60, 61, 70, 71, 73, 74, 75, 95, and 110

Reporting and recordkeeping requirements.

For the reasons set out in the preamble and under the authority of the Atomic Energy Act of 1954, as amended the Energy Reorganization Act of 1974, as amended, and 5 U.S.C. 553, the NRC is adopting the following amendments to 10 CFR Parts 4, 11, 25, 30, 31, 32, 34, 35, 40, 50, 60, 61, 70, 71, 73, 74, 75, 95, and 110.

PART 4—NONDISCRIMINATION IN FEDERALLY ASSISTED COMMISSION PROGRAMS

1. The authority citation for Part 4 continues to read as follows:

Authority: Sec. 161, 68 Stat. 948, as amended (42 U.S.C. 2201); Sec. 201, 83 Stat. 1242, as amended (42 U.S.C. 5841).

2. A new § 4.6 is added to read as follows:

§ 4.6 Maintenance of records.

Each record required by this part must be legible throughout the retention period specified by each Commission regulation. The record may be the original or a reproduced copy or a microform provided that the copy or microform is authenticated by authorized personnel and that the microform is capable of producing a clear copy throughout the required retention period. The record may also be stored in electronic media with the capability for producing legible, accurate, and complete records during the required retention period. Records such as letters, drawings, specifications, must include all pertinent information such as stamps, initials, and signatures. The licensee shall maintain adequate safeguards against tampering with and loss of records.

3. Section 4.32 is revised to read as follows:

§ 4.32 Compliance reports.

(a) Each recipient shall keep records and submit to the responsible NRC official, timely, complete, and accurate compliance reports at the times and in the form and containing the information that the responsible NRC official may determine to be necessary to enable the official to ascertain whether the recipient has complied or is complying with this subpart.

(b) In the case of any program under which a primary recipient extends Federal financial assistance to any other recipient, the other recipient shall also submit necessary compliance reports to the primary recipient to enable the primary recipient to carry out its obligations under this subpart.

(c) The primary recipient shall retain each record of information needed to complete a compliance report pursuant to paragraph (a) of this section for three years or as long as the primary recipient retains the status of primary recipient as defined in § 4.4, whichever is shorter.

4. In § 4.125, the introductory text of paragraph (d) is revised to read as follows:

§ 4.125 Preemployment inquiries.

(d) Information obtained in accordance with this section as to the medical condition or history of the applicant must be collected on separate forms. The recipient shall retain each form as a record for three years from the date the applicant's employment ends, or, if not hired, from the date of application. Each form must be accorded confidentiality as a medical record, except that:

5. In § 4.127, the introductory text of paragraph (d) is revised to read as follows:

§ 4.127 Existing facilities.

(d) *Transition plan.* In the event that structural changes to facilities are necessary to meet the requirement of paragraph (a) of this section, a recipient shall develop a transition plan setting forth the steps necessary to complete the changes. The plan is to be developed with the assistance of interested persons, including handicapped persons, or organizations representing handicapped persons, and the plan is to meet with the approval of the NRC. The recipient shall retain a copy of the transition plan as a record until any structural change to a facility is complete. A copy of the transition plan

is to
ins;
PA
PR
ELI
CO
MA
6.
con
A
ame
1242
§ 11
7
ch
the
8
cen
rea
§ 11
E
be l
per
regi
orig
mic
mic
au
mic
cle
rete
stoi
cap
acc
the
suc
mu
suc
etc
ade
wit
9
to
§ 11
tra
Co
sec
wil
a c
ma
pre
73.
cor
na
acc
inc
thi
Th
th
ma
col
ma

to be made available for public inspection. At a minimum, the plan is to:

PART 11—CRITERIA AND PROCEDURES FOR DETERMINING ELIGIBILITY FOR ACCESS TO OR CONTROL OVER SPECIAL NUCLEAR MATERIAL

8. The authority citation for Part 11 continues to read as follows:

Authority: Sec. 161, 68 Stat. 948, as amended (42 U.S.C. 2201); Sec. 201, 88 Stat. 1242, as amended (42 U.S.C. 5841).

11.9 [Amended]

Section 11.9 is amended by changing "two years" to "three years" in the last sentence.

A new § 11.10 is added under the heading "General Provisions" to read as follows:

11.10 Maintenance of records.

Each record required by this part must be legible throughout the retention period specified by each Commission regulation. The record may be the original or a reproduced copy or a microform provided that the copy or microform is authenticated by authorized personnel and that the microform is capable of producing a clear copy throughout the required retention period. The record may also be stored in electronic media with the capability for producing legible, accurate, and complete records during the required retention period. Records such as letters, drawings, specifications, must include all pertinent information such as stamps, initials, and signatures etc. The licensee shall maintain adequate safeguards against tampering with and loss of records.

9. In § 11.13, paragraph (b) is revised to read as follows:

11.13 Special requirements for transportation.

(b) Each licensee who, 365 days after Commission approval of the amended security plan submitted in accordance with § 11.11(a), transports or delivers to a carrier for transport special nuclear material subject to the physical protection requirement of §§ 73.20, 73.25, 73.26, or 73.27 of this chapter shall confirm and record prior to shipment the name and special nuclear material access authorization number of all individuals identified in paragraph (a) of this section assigned to the shipment. The licensee shall retain this record for three years after the last shipment is made. However, the licensee need not confirm and record the special nuclear material access authorization number in

the case of any individual for whom an application has been submitted and is pending before the NRC in accordance with paragraph (a) of this section.

PART 25—ACCESS AUTHORIZATION FOR LICENSEE PERSONNEL

10. The authority citation for Part 25 continues to read as follows:

Authority: Sec. 161, 68 Stat. 948, as amended (42 U.S.C. 2201); Sec. 201, 88 Stat. 1242, as amended (42 U.S.C. 5841).

25.11 [Amended]

11. Section 25.11 is amended by changing "two years" to "three years" in the last sentence.

12. In § 25.13, the existing text is designated paragraph (a) and a new paragraph (b) is added and the section heading revised to read as follows:

25.13 Maintenance of records.

(b) Each record required by this part must be legible throughout the retention period specified by each Commission regulation. The record may be the original or a reproduced copy or a microform provided that the copy or microform is authenticated by authorized personnel and that the microform is capable of producing a clear copy throughout the required retention period. The record may also be stored in electronic media with the capability for producing legible, accurate, and complete records during the required retention period. Records such as letters, drawings, specifications, must include all pertinent information such as stamps, initials, and signatures. The licensee shall maintain adequate safeguards against tampering with and loss of records.

25.23 [Amended]

13. In § 25.23, the introductory text is amended by changing "one year" to "three years" in the fifth sentence.

25.35 [Amended]

14. In § 25.35, the last sentence of the existing text is amended by changing "two years" to "three years."

PART 30—RULES OF GENERAL APPLICABILITY TO DOMESTIC LICENSING OF BYPRODUCT MATERIAL

15. The authority citation for Part 30 continues to read as follows:

Authority: Sec. 161, 68 Stat. 948, as amended (42 U.S.C. 2201); Sec. 201, 88 Stat. 1242, as amended (42 U.S.C. 5841).

16. In § 30.34, paragraph (g) is revised to read as follows:

30.34 Terms and conditions of licenses.

(g) Each licensee preparing technetium-99m radiopharmaceuticals from molybdenum-99/technetium-99m generators shall test the generator eluates for molybdenum-99 breakthrough in accordance with § 35.14(b)(4) (i) through (iv) of this chapter. The licensee shall record the results of each test and retain each record for three years after the record is made.

17. In § 30.51, paragraph (c) is removed, paragraph (d) is redesignated (c), and paragraphs (a), (b), and (c)(1) are revised to read as follows:

30.51 Records.

(a) Each person who receives byproduct material pursuant to a license issued pursuant to the regulations in this part and Parts 31 through 35 of this chapter shall keep records showing the receipt, transfer, and disposal of the byproduct material as follows:

(1) The licensee shall retain each record of receipt of byproduct material as long as the material is possessed and for three years following transfer or disposal of the material.

(2) The licensee who transferred the material shall retain each record of transfer for three years after each transfer unless a specific requirement in another part of the regulations in this chapter dictates otherwise.

(3) The licensee who disposed of the material shall retain each record of disposal of byproduct material until the Commission terminates each license that authorizes disposal of the material.

(b) The licensee shall retain each record that is required by the regulations in this part and Parts 31 through 35 of this chapter or by license condition for the period specified by the appropriate regulation or license condition. If a retention period is not otherwise specified by regulation or license condition, the record must be retained until the Commission terminates each license that authorizes the activity that is subject to the recordkeeping requirement.

(c)(1) Records which must be maintained pursuant to this part and Parts 31 through 35 of this chapter may be the original or a reproduced copy or microform if such reproduced copy or microform is duly authenticated by authorized personnel and the microform is capable of producing a clear and legible copy after storage for the period specified by Commission regulations. The record may also be stored in electronic media with the capability for

producing legible, accurate, and complete records during the required retention period. Records such as letters, drawings, specifications, must include all pertinent information such as stamps, initials, and signatures. The licensee shall maintain adequate safeguards against tampering with and loss of records.

PART 31—GENERAL DOMESTIC LICENSES FOR BYPRODUCT MATERIAL

18. The authority citation for Part 31 continues to read as follows:

Authority: Sec. 161, 68 Stat. 948, as amended (42 U.S.C. 2201); Sec. 201, 68 Stat. 1242, as amended (42 U.S.C. 5841).

19. In § 31.5, paragraph (c)(4) is revised to read as follows:

§ 31.5 Certain measuring, gauging, or controlling devices.²

(c) . . .

(4) Shall maintain records showing compliance with the requirements of paragraphs (c)(2) and (c)(3) of this section. The records must show the results of tests. The records also must show the dates of performance of, and the names of persons performing, testing, installing, servicing, and removing from the installation radioactive material and its shielding or containment. The licensee shall retain these records as follows:

(i) Each record of a test for leakage or radioactive material required by paragraph (c)(2) of this section must be retained for three years after the next required leak test is performed or until the sealed source is transferred or disposed of.

(ii) Each record of a test of the on-off mechanism and indicator required by paragraph (c)(2) of this section must be retained for three years after the next required test of the on-off mechanism and indicator is performed or until the sealed source is transferred or disposed of.

(iii) Each record that is required by paragraph (c)(3) of this section must be retained for three years from the date of the recorded event or until the device is transferred or disposed of.

20. A new § 31.12 is added to read as follows:

§ 31.12 Maintenance of records.

Each record required by this part must be legible throughout the retention period specified by each Commission regulation. The record may be the original or a reproduced copy or a microform provided that the copy or microform is authenticated by authorized personnel and that the microform is capable of producing a clear copy throughout the required retention period. The record may also be stored in electronic media with the capability for producing legible, accurate, and complete records during the required retention period. Records such as letters, drawings, specifications, must include all pertinent information such as stamps, initials, and signatures. The licensee shall maintain adequate safeguards against tampering with and loss of records.

PART 32—SPECIFIC DOMESTIC LICENSES TO MANUFACTURE OR TRANSFER CERTAIN ITEMS CONTAINING BYPRODUCT MATERIAL

21. The authority citation for Part 32 continues to read as follows:

Authority: Sec. 161, 68 Stat. 948, as amended (42 U.S.C. 2201); Sec. 201, 68 Stat. 1242, as amended (42 U.S.C. 5841).

22. A new § 32.3 is added to read as follows:

§ 32.3 Maintenance of records.

Each record required by this part must be legible throughout the retention period specified by each Commission regulation. The record may be the original or a reproduced copy of a microform provided that the copy or microform is authenticated by authorized personnel and that the microform is capable of producing a clear copy throughout the required retention period. The record may also be stored in electronic media with the capability for producing legible, accurate, and complete records during the required retention period. Records such as letters, drawings, specifications, must include all pertinent information such as stamps, initials, and signatures. The licensee shall maintain adequate safeguards against tampering with and loss of records.

PART 34—LICENSES FOR RADIOGRAPHY AND RADIATION SAFETY REQUIREMENTS FOR RADIOGRAPHIC OPERATIONS

23. The authority citation for Part 34 continues to read as follows:

Authority: Sec. 161, 68 Stat. 948, as amended (42 U.S.C. 2201); Sec. 201, 68 Stat. 1242, as amended (42 U.S.C. 5841).

24. A new § 34.4 is added to read as follows:

§ 34.4 Maintenance of records.

Each record required by this part must be legible throughout the retention period specified by each Commission regulation. The record may be the original or a reproduced copy of a microform provided that the copy or microform is authenticated by authorized personnel and that the microform is capable of producing a clear copy throughout the required retention period. The record may also be stored in electronic media with the capability for producing legible, accurate, and complete records during the required retention period. Records such as letters, drawings, specifications, must include all pertinent information such as stamps, initials, and signatures. The licensee shall maintain adequate safeguards against tampering with and loss of records.

§ 34.24 [Amended]

25. Section 34.24 is amended by changing "two years" to "three years" in the next to last sentence.

26. In § 34.25, paragraph (c) is revised to read as follows:

§ 34.25 Leak testing, repair, tagging, opening, modification, and replacement of sealed sources.

(c) The leak test must be capable of detecting the presence of 0.005 microcurie of removable contamination on the sealed source. An acceptable leak test for sealed sources in the possession of a radiography licensee would be to test at the nearest accessible point to the sealed-source storage position, or other appropriate measuring point, by a procedure to be approved pursuant to § 34.11(f). Each record of leak test results must be kept in units of microcuries [or disintegrations per minute (dpm)] and retained for inspection by the Commission for three years after it is made.

§ 34.26 [Amended]

27. Section 34.26 is amended by changing "two years" to "three years" in the last sentence.

28. In § 34.27, the introductory paragraph is revised to read as follows:

§ 34.27 Utilization logs.

Each licensee shall maintain current logs, which shall be kept available for three years from the date of the recorded event, for inspection by the Commission, at the address specified in

² Persons possessing byproduct material in devices under the general license in § 31.5 before January 15, 1975, may continue to possess, use, or transfer that material in accordance with the requirements of § 31.5 in effect on January 14, 1975.

the license, showing for each sealed source the following information:

29. In § 34.28, paragraph (b) is revised to read as follows:

§ 34.28 Inspection and maintenance of radiographic exposure devices, storage containers, and source changers.

(b) The licensee shall conduct a program for inspection and maintenance of radiographic exposure devices, storage containers, and source changers at intervals not to exceed three months or prior to the first use thereafter to ensure proper functioning of components important to safety. The licensee shall retain records of these inspections and maintenance for three years.

30. In § 34.29, paragraph (c) is revised to read as follows:

§ 34.29 Permanent radiographic installations.

(c) The alarm system must be tested at intervals not to exceed three months or prior to the first use thereafter of the source in the installation. The licensee shall retain records of these tests for three years.

31. In § 34.32, the introductory paragraph is revised to read as follows:

§ 34.32 Operating and emergency procedures.

The licensee shall retain a copy of current operating and emergency procedures as a record until the Commission terminates the license that authorizes the activity for which the procedures were developed and, if superseded, retain the superseded material for three years after each change. These procedures must include instructions in at least the following:

32. In § 34.33, paragraphs (b) and (e) are revised to read as follows:

§ 34.33 Personnel monitoring.

(b) Pocket dosimeters must be read and exposures recorded daily. The licensee shall retain each record of these exposures for three years after the record is made.

(e) Reports received from the film badge or TLD processor must be retained for inspection until the Commission terminates each license that authorizes the activity that is subject to the recordkeeping requirement.

PART 35—MEDICAL USE OF BYPRODUCT MATERIAL

33. The authority citation for Part 35 continues to read as follows:

Authority: Sec. 261, 68 Stat. 948, as amended (42 U.S.C. 2201); sec. 201, 68 Stat. 1242, as amended (42 U.S.C. 5841).

34. A new § 35.5 is added to read as follows:

§ 35.5 Maintenance of records.

Each record required by this part must be legible throughout the retention period specified by each Commission regulation. The record may be the original or a reproduced copy or a microform provided that the copy or microform is authenticated by authorized personnel and that the microform is capable of producing a clear copy throughout the required retention period. The record may also be stored in electronic media with the capability for producing legible, accurate, and complete records during the required retention period. Records such as letters, drawings, specifications, must include all pertinent information such as stamps, initials, and signatures. The licensee shall maintain adequate safeguards against tampering with and loss of records.

§ 35.27 [Amended]

35. Section 35.27 paragraph (c) is amended by changing "two years" to "three years."

§ 35.29 [Amended]

36. Section 35.29, paragraph (b) is amended by changing "two years" to "three years."

§ 35.50 [Amended]

37. Section 35.50, paragraph (e) introductory text is amended by changing "two years" to "three years."

§ 35.51 [Amended]

38. Section 35.51, paragraph (d) introductory text is amended by changing "two years" to "three years."

§ 35.53 [Amended]

39. Section 35.53, paragraph (c) introductory text is amended by changing "two years" to "three years."

§ 35.59 [Amended]

40. Section 35.59, paragraph (i) is amended by changing "two years" to "three years."

§ 35.70 [Amended]

41. Section 35.70, paragraph (h) is amended by changing "two years" to "three years."

§ 35.80 [Amended]

42. Section 35.80, paragraph (f) is amended by changing "two years" to "three years."

§ 35.92 [Amended]

43. Section 35.92, paragraph (b) is amended by changing "two years" to "three years."

§ 35.204 [Amended]

44. Section 35.204, paragraph (c) is amended by changing "two years" to "three years."

§ 35.310 [Amended]

45. Section 35.310, paragraph (b) is amended by changing "two years" to "three years."

§ 35.315 [Amended]

46. Section 35.315, paragraph (a)(4) is amended by changing "two years" to "three years."

§ 35.404 [Amended]

47. Section 35.404, paragraph (b) is amended by changing "two years" to "three years."

§ 35.406 [Amended]

48. Section 35.406, paragraph (d) is amended by changing "two years" to "three years."

§ 35.410 [Amended]

49. Section 35.410, paragraph (b) is amended by changing "two years" to "three years."

§ 35.415 [Amended]

50. Section 35.415, paragraph (a)(4) is amended by changing "two years" to "three years."

§ 35.610 [Amended]

51. Section 35.610, paragraph (c) is amended by changing "two years" to "three years."

§ 35.615 [Amended]

52. Section 35.615, paragraph (d)(4) is amended by changing "two years" to "three years."

§ 35.634 [Amended]

53. Section 35.634, paragraph (c) is amended by changing "two years" to "three years."

54. Section 35.634, paragraph (f) is amended by changing "two years" to "three years."

§ 35.636 [Amended]

55. Section 35.636, paragraph (c) is amended by changing "two years" to "three years."

PART 40—DOMESTIC LICENSING OF SOURCE MATERIAL

56. The authority citation for Part 40 continues to read as follows:

Authority: Sec. 161, 68 Stat. 948, as amended (42 U.S.C. 2201); Sec. 201, 88 Stat. 1242, as amended (42 U.S.C. 5841).

57. In § 40.26, paragraph (c)(2) is revised to read as follows:

§ 40.26 General license for possession and storage of byproduct material as defined in this part.

(c) * * *

(2) The documentation of daily inspections of tailings or waste retention systems and the immediate notification of the appropriate NRC regional office as indicated in Appendix D to 10 CFR Part 20 of this chapter, or the Director, Office of Nuclear Material Safety and Safeguards, U.S. Nuclear Regulatory Commission, Washington, DC 20555, of any failure in a tailings or waste retention system that results in a release of tailings or waste into unrestricted areas, or of any unusual conditions (conditions not contemplated in the design of the retention system) that if not corrected could lead to failure of the system and result in a release of tailings or waste into unrestricted areas; and any additional requirements the Commission may by order deem necessary. The licensee shall retain this documentation of each daily inspection as a record for three years after each inspection is documented.

58. In § 40.35, paragraph (e)(3) is revised to read as follows:

§ 40.35 Conditions of specific licenses issued pursuant to § 40.34.

(e) * * *

(3) Keep records showing the name, address, and a point of contact for each general license to whom he or she transfers depleted uranium in industrial products or devices for use pursuant to the general license provided in § 40.25 or equivalent regulations of an Agreement State. The records must be retained for three years from the date of transfer and must show the date of each transfer, the quantity of depleted uranium in each product or device transferred, and compliance with the report requirements of this section.

59. In § 40.61, paragraph (c) is removed, paragraph (d) is redesignated (c), and paragraphs (a), (b), and (c)(1) are revised to read as follows:

Records, Reports, and Inspections

§ 40.61 Records.

(a) Each person who receives source or byproduct material pursuant to a license issued pursuant to the regulations in this part shall keep records showing the receipt, transfer, and disposal of this source or byproduct material as follows:

(1) The licensee shall retain each record of receipt of source or byproduct material as long as the material is possessed and for three years following transfer or disposition of the source or byproduct material.

(2) The licensee who transferred the material shall retain each record of transfer or source or byproduct material until the Commission terminates each license that authorizes the activity that is subject to the recordkeeping requirement.

(3) The licensee shall retain each record of disposal of source or byproduct material until the Commission terminates each license that authorizes the activity that is subject to the recordkeeping requirement.

(4) If source or byproduct material is combined or mixed with other licensed material and subsequently treated in a manner that makes direct correlation of a receipt record with a transfer, export, or disposition record impossible, the licensee may use evaluative techniques (such as first-in-first-out), to make the records that are required by this Part account for 100 percent of the material received.

(b) The licensee shall retain each record that is required by the regulations in this part or by license condition for the period specified by the appropriate regulation or license condition. If a retention period is not otherwise specified by regulation or license condition, each record must be maintained until the Commission terminates the license that authorizes the activity that is subject to the recordkeeping requirement.

(c)(1) Records which must be maintained pursuant to this part may be the original or reproduced copy or microform if the reproduced copy or microform is duly authenticated by authorized personnel and the microform is capable of producing a clear and legible copy after storage for the period specified by Commission regulations. The record may also be stored in electronic media with the capability for producing legible, accurate, and complete records during the required retention period. Records such as letters, drawings, specifications, must include all pertinent information such as stamps,

initials, and signatures. The licensee shall maintain adequate safeguards against tampering with and loss of records.

60. In Appendix A to Part 40, I, Technical Criteria, the second paragraph of Criterion 8 and Criterion 8A are revised to read as follows:

Appendix A [Amended]

I. Technical Criteria

Criterion 8 * * *

Checks must be made and logged hourly of all parameters (e.g., differential pressures and scrubber water flow rates) that determine the efficiency of yellowcake stack emission control equipment operation. The licensee shall retain each log as a record for three years after the last entry in the log is made. It must be determined whether or not conditions are within a range prescribed to ensure that the equipment is operating consistently near peak efficiency; corrective action must be taken when performance is outside of prescribed ranges. Effluent control devices must be operative at all times during drying and packaging operations and whenever air is exhausting from the yellowcake stack. Drying and packaging operations must terminate when controls are inoperative. When checks indicate the equipment is not operating within the range prescribed for peak efficiency, actions must be taken to restore parameters to the prescribed range. When this cannot be done without shutdown and repairs, drying and packaging operations must cease as soon as practicable. Operations may not be restarted after cessation due to off-normal performance until needed corrective actions have been identified and implemented. All these cessations, corrective actions, and restarts must be reported to the appropriate NRC regional office as indicated in Criterion 8A, in writing, within ten days of the subsequent restart.

Criterion 8A—Daily inspections of tailings or waste retention systems must be conducted by a qualified engineer or scientist and documented. The licensee shall retain the documentation for each daily inspection as a record for three years after the documentation is made. The appropriate NRC regional office as indicated in Appendix D to 10 CFR Part 20 of this chapter, or the Director, Office of Nuclear Material Safety and Safeguards, U.S. Nuclear Regulatory Commission, Washington, DC, 20555, must be immediately notified of any failure in a tailings or waste retention system that results in a release of tailings or waste into unrestricted areas, or of any unusual conditions (conditions not contemplated in the design of the retention system) that is not corrected could indicate the potential or lead to failure of the system and result in a

release of tailings or waste into unrestricted areas.

PART 50—DOMESTIC LICENSING OF PRODUCTION AND UTILIZATION FACILITIES

61. The authority citation for Part 50 continues to read as follows:

Authority: Sec. 161, 68 Stat. 948, as amended (42 U.S.C. 2201); Sec. 207, 88 Stat. 1242, as amended (42 U.S.C. 5841).

62. In § 50.36, the introductory text of paragraph (c) and paragraphs (c) (1), and (c)(2), and (c)(7) are revised to read as follows:

§ 50.36 Technical specifications.

(c) Technical specifications will include items in the following categories:

(1) *Safety limits, limiting safety system settings, and limiting control settings.* (i)(A) Safety limits for nuclear reactors are limits upon important process variables that are found to be necessary to reasonably protect the integrity of certain of the physical barriers that guard against the uncontrolled release of radioactivity. If any safety limit is exceeded, the reactor must be shut down. The licensee shall notify the Commission, review the matter, and record the results of the review, including the cause of the condition and the basis for corrective action taken to preclude recurrence. Operation must not be resumed until authorized by the Commission. The licensee shall retain the record of the results of each review until the Commission terminates the license for the reactor, except for nuclear power reactors licensed under § 50.21(b) or § 50.22 of this part. For these reactors, the licensee shall notify the Commission as required by § 50.72 and submit a Licensee Event Report to the Commission as required by § 50.73. Licensees in these cases shall retain the records of the review for a period of three years following issuance of a Licensee Event Report.

(B) *Safety limits for fuel reprocessing plants* are those bounds within which the process variables must be maintained for adequate control of the operation and that must not be exceeded in order to protect the integrity of the physical system that is designed to guard against the uncontrolled release or radioactivity. If any safety limit for a fuel reprocessing plant is exceeded, corrective action must be taken as stated in the technical specification or the affected part of the process, or the entire process if required,

must be shut down, unless this action would further reduce the margin of safety. The licensee shall notify the Commission, review the matter, and record the results of the review, including the cause of the condition and the basis for corrective action taken to preclude recurrence. If a portion of the process or the entire process has been shutdown, operation must not be resumed until authorized by the Commission. The licensee shall retain the record of the results of each review until the Commission terminates the license for the plant.

(ii)(A) *Limiting safety system settings* for nuclear reactors are settings for automatic protective devices related to those variables having significant safety functions. Where a limiting safety system setting is specified for a variable on which a safety limit has been placed, the setting must be so chosen that automatic protective action will correct the abnormal situation before a safety limit is exceeded. If, during operation, it is determined that the automatic safety system does not function as required, the licensee shall take appropriate action, which may include shutting down the reactor. The licensee shall notify the Commission, review the matter, and record the results of the review, including the cause of the condition and the basis for corrective action taken to preclude recurrence. The licensee shall retain the record of the results of each review until the Commission terminates the license for the reactor except for nuclear power reactors licensed under § 50.21(b) or § 50.22 of this part. For these reactors, the licensee shall notify the Commission as required by § 50.72 and submit a Licensee Event Report to the Commission as required by § 50.73. Licensees in these cases shall retain the records of the review for a period of three years following issuance of a Licensee Event Report.

(B) *Limiting control settings* for fuel reprocessing plants are settings for automatic alarm or protective devices related to those variables having significant safety functions. Where a limiting control setting is specified for a variable on which a safety limit has been placed, the setting must be so chosen that protective action, either automatic or manual, will correct the abnormal situation before a safety limit is exceeded. If, during operation, the automatic alarm or protective devices do not function as required, the licensee shall take appropriate action to maintain the variables within the limiting control-setting values and to repair promptly the automatic devices or to shut down the affected part of the

process and, if required, to shut down the entire process for repair of automatic devices. The licensee shall notify the Commission, review the matter, and record the results of the review, including the cause of the condition and the basis for corrective action taken to preclude recurrence. The licensee shall retain the record of the results of each review until the Commission terminates the license for the plant.

(2) *Limiting conditions for operation.* Limiting conditions for operation are the lowest functional capability or performance levels of equipment required for safe operation of the facility. When a limiting condition for operation of a nuclear reactor is not met, the licensee shall shut down the reactor or follow any remedial action permitted by the technical specifications until the condition can be met. When a limiting condition for operation of any process step in the system of a fuel reprocessing plant is not met, the licensee shall shut down that part of the operation or follow any remedial action permitted by the technical specifications until the condition can be met. In the case of a nuclear reactor not licensed under § 50.21(b) or § 50.22 of this part or fuel reprocessing plant, the licensee shall notify the Commission, review the matter, and record the results of the review, including the cause of the condition and the basis for corrective action taken to preclude recurrence. The licensee shall retain the record of the results of each review until the Commission terminates the license for the nuclear reactor or the fuel reprocessing plant. In the case of nuclear power reactors licensed under § 50.21(b) or § 50.22, the licensee shall notify the Commission if required by § 50.72 and shall submit a Licensee Event Report to the Commission as required by § 50.73. In this case, licensees shall retain records associated with preparation of a Licensee Event Report for a period of three years following issuance of the report. For events which do not require a Licensee Event Report, the licensee shall retain each record as required by the technical specifications.

(7) *Written Reports.* Licensees for nuclear power reactors licensed under § 50.21(b) and § 50.22 of this part shall submit written reports to the Commission in accordance with § 50.73 of this part for events described in paragraphs (c)(1) and (c)(2) of this section. For all licensees, the

Commission may require Special Reports as appropriate.

63. In § 50.36a, paragraph (a)(1) is revised to read as follows:

§ 50.36a Technical specifications on effluents from nuclear power reactors.

(a) * * *

(1) That operating procedures developed pursuant to § 50.34a(c) for the control of effluents be established and followed and that equipment installed in the radioactive waste system, pursuant to § 50.34(a), be maintained and used. The licensee shall retain the operating procedures in effect as a record until the Commission terminates the reactor license and shall retain each superseded revision of the procedures for three years from the date it was superseded.

64. In § 50.48, paragraph (a) is revised to read as follows:

§ 50.48 Fire protection.

(a) Each operating nuclear power plant must have a fire protection plan that satisfies Criterion 3 of Appendix A of this part. This fire protection plan must describe the overall fire protection program for the facility, identify the various positions within the licensee's organization that are responsible for the program, state the authorities that are delegated to each of these positions to implement those responsibilities, and outline the plans for fire protection, fire detection and suppression capability, and limitation of fire damage. The plan must also describe specific features necessary to implement the program described above, such as administrative controls and personnel requirements for fire prevention and manual fire suppression activities, automatic and manually operated fire detection and suppression systems, and the means to limit fire damage to structures, systems, or components important to safety so that the capability to safely shut down the plant is ensured.* The licensee shall

* Basic fire protection guidance for nuclear power plants is contained in two NRC documents:

• Branch Technical Position Auxiliary Power Conversion System Branch BTP APCSB 9.5-1, "Guidelines for Fire Protection for Nuclear Power Plants," for new plants docketed after July 1, 1976, dated May 1976.

• Appendix A to BTP APCSB 9.5-1, "Guidelines for Fire Protection for Nuclear Power Plants" docketed prior to July 1, 1976, for plants that were existing or under various stages of design or construction before July 1, 1976, dated August 23, 1976.

Also see Note 4

retain the fire protection plan and each change to the plan as a record until the Commission terminates the reactor license and shall retain each superseded revision of the procedures for three years from the date it was superseded.

65. In § 50.49, the introductory text of paragraph (d) is revised to read as follows:

§ 50.49 Environmental qualification of electric equipment important to safety for nuclear power plants.

(d) The applicant or licensee shall prepare a list of electric equipment important to safety covered by this section. In addition, the applicant or licensee shall include the information in paragraphs (d)(1), (2), and (3) of this section for this electric equipment important to safety in a qualification file. The applicant or licensee shall keep the list and information in the file current and retain the file in auditable form for the entire period during which the covered item is installed in the nuclear power plant or is stored for future use to permit verification that each item of electric equipment is important to safety meets the requirements of paragraph (j) of this section.

66. In § 50.54, the introductory text of paragraph (p)(2) and paragraph (q) are revised to read as follows:

§ 50.54 Conditions of licensees.

(p) * * *

(2) The licensee may make changes to the plans referenced in paragraph (p)(1) without prior Commission approval if the changes do not decrease the safeguards effectiveness of the plan. The licensee shall maintain records of changes to the plans made without prior Commission approval for a period of three years from the date of the change, and shall submit, as specified in § 50.4, a report containing a description of each change within two months after the change is made. Prior to the safeguards contingency plan being put into effect, the licensee shall have:

(q) A licensee authorized to possess and operate a nuclear power reactor shall follow and maintain in effect emergency plans which meet the standards in § 50.47(b) and the requirements in Appendix E of this part. A licensee authorized to possess and/or operate a research reactor or a fuel facility shall follow and maintain in effect emergency plans which meet the

requirements in Appendix E to this part. The licensee shall retain the emergency plan and each change that decreases the effectiveness of the plan as a record until the Commission terminates the license for the nuclear power reactor. The nuclear power reactor licensee may make changes to these plans without Commission approval only if the changes do not decrease the effectiveness of the plans and the plans, as changed, continue to meet the standards of § 50.47(b) and the requirements of Appendix E to this part. The research reactor and/or the fuel facility licensee may make changes to these plans without Commission approval only if these changes do not decrease the effectiveness of the plans and the plans, as changed, continue to meet the requirements of Appendix E to this part. This nuclear power reactor, research reactor, or fuel facility licensee shall retain a record of each change to the emergency plan made without prior Commission approval for a period of three years from the date of the change. Proposed changes that decrease the effectiveness of the approved emergency plans may not be implemented without application to and approval by the Commission. The licensee shall submit, as specified in § 50.4, a report of each proposed change for approval. If a change is made without approval, the licensee shall submit, as specified in § 50.4, a report of each change within 30 days after the change is made.

67. In § 50.71, paragraph (c) and (d)(1) are revised, and a new (e)(6) is added to read as follows:

§ 50.71 Maintenance of records, making of reports.

(c) Records that are required by the regulations in this part, by license condition, or by technical specifications, must be retained for the period specified by the appropriate regulation, license condition, or technical specification. If a retention period is not otherwise specified, these records must be retained until the Commission terminates the facility license.

(d)(1) Records which must be maintained pursuant to this part may be the original or a reproduced copy or microform if such reproduced copy or microform is duly authenticated by authorized personnel and the microform is capable of producing a clear and legible copy after storage for the period specified by Commission regulations. The record may also be stored in electronic media with the capability of producing legible, accurate, and

complete records during the required retention period. Records such as letters, drawings, specifications, must include all pertinent information such as stamps, initials, and signatures. The licensee shall maintain adequate safeguards against tampering with and loss of records.

(e)

(6) The updated FSAR shall be retained by the licensee until the Commission terminates their license.

68. In Appendix R to Part 50, Section III, Specific Requirements, paragraph I.3.d. is revised to read as follows:

Appendix R—Fire Protection Program For Nuclear Power Facilities Operating Prior to January 1, 1979

III. . . .
I. . . .
3. . . .

(d) At 3-year intervals, a randomly selected unannounced drill must be critiqued by qualified individuals independent of the licensee's staff. A copy of the written report from these individuals must be available for NRC review and shall be retained as a record as specified in § III.I.4 of this appendix.

PART 60—DISPOSAL OF HIGH-LEVEL RADIOACTIVE WASTES IN GEOLOGIC REPOSITORIES

69. The authority citation for Part 60 continues to read as follows:

Authority: Sec. 161, 68 Stat. 948, as amended (42 U.S.C. 2201); Sec. 201, 88 Stat. 1242, as amended (42 U.S.C. 5841).

70. Section 60.4 is revised to read as follows:

§ 60.4 Communications and records.

(a) Except where otherwise specified, all communications and reports concerning the regulations in this part and applications filed under them should be addressed to the Director of Nuclear Material Safety and Safeguards, U.S. Nuclear Regulatory Commission, Washington, DC 20555. Communications reports, and applications may be delivered in person at the Commission's offices at 1717 H Street NW., Washington DC, or 11555 Rockville Pike, Rockville, Maryland.

(b) Each record required by this part must be legible throughout the retention period specified by each Commission regulation. The record may be the original or a reproduced copy or a microform provided that the copy or microform is authenticated by authorized personnel and that the microform is capable of producing a clear copy throughout the required retention period. The record may also be

stored in electronic media with the capability for producing legible, accurate, and complete records during the required retention period. Records such as letters, drawings, specifications, must include all pertinent information such as stamps, initials, and signatures. The licensee shall maintain adequate safeguards against tampering with and loss of records.

71. In § 60.71, the section heading and paragraph (b) are revised to read as follows:

§ 60.71 Records and reports.

(b) Records of the receipt, handling, and disposition of radioactive waste at a geologic repository operations area shall contain sufficient information to provide a complete history of the movement of the waste from the shipper through all phases of storage and disposal. DOE shall retain these records in a manner that ensures their useability for future generations in accordance with § 60.51(a)(2).

72. In § 60.72, paragraph (a) is revised to read as follows:

§ 60.72 Construction records.

(a) DOE shall maintain records of construction of the geologic repository operations area in a manner that ensures their useability for future generations in accordance with § 60.51(a)(2).

PART 61—LICENSING REQUIREMENTS FOR LAND DISPOSAL OF RADIOACTIVE WASTE

73. The authority citation for Part 61 continues to read as follows:

Authority: Sec. 161, 68 Stat. 948, as amended (42 U.S.C. 2201); Sec. 201, 88 Stat. 1242, as amended (42 U.S.C. 5841).

74. In § 61.80 of Subpart G paragraphs (c), (e) and (f) are revised to read as follows:

Subpart G—Records, Reports, Tests, and Inspections

§ 61.80 Maintenance of records, reports, and transfers.

(c) Records which must be maintained pursuant to this part may be the original or a reproduced copy or a microform if this reproduced copy or microform is capable of producing copy that is clear and legible at the end of the required retention period. The record may also be stored in electronic media with the capability for producing legible, accurate, and complete records during the required retention period. Records

such as letters, drawings, specifications, must include all pertinent information such as stamps, initials, and signatures. The licensee shall maintain adequate safeguards against tampering with and loss of records.

(e) Notwithstanding paragraphs (a) through (d) of this section, the licensee shall record the location and the quantity of radioactive wastes contained in the disposal site and transfer these records upon license termination to the chief executive of the nearest municipality, the chief executive of the county in which the facility is located, the county zoning board or land development and planning agency, the State governor and other State, local, and Federal governmental agencies as designated by the Commission at the time of license termination.

(f) Following receipt and acceptance of a shipment of radioactive waste, the licensee shall record the date of disposal of the waste, the location in the disposal site, the condition of the waste packages as received, any discrepancies between materials listed on the manifest and those received, and any evidence of leaking or damaged packages or radiation or contamination levels in excess of limits specified in Department of Transportation and Commission regulations. The licensee shall briefly describe any repackaging operations of any of the waste packages included in the shipment, plus any other information required by the Commission as a license condition. The licensee shall retain these records until the Commission transfers or terminates the license that authorizes the activities described in this section.

PART 70—DOMESTIC LICENSING OF SPECIAL NUCLEAR MATERIAL

75. The authority citation for Part 70 continues to read as follows:

Authority: Sec. 161, 68 Stat. 948, as amended (42 U.S.C. 2201); Sec. 201, 88 Stat. 1242, as amended (42 U.S.C. 5841).

76. In § 70.22, paragraph (g), (h), (i), (j), and (k) are revised to read as follows:

§ 70.22 Contents of applications.

(g)(1) Each application for a license that would authorize the transport or delivery to a carrier for transport of special nuclear material in an amount specified in § 73.1(b)(2) of this chapter must include (i) a description of the plan for physical protection of special nuclear material in transit in accordance with §§ 73.20, 73.25, 73.26, 73.27, and

73.67(a), (e), and (g) for 10 kg or more of special nuclear material of low strategic significance, and § 73.70(g) of this chapter including, as appropriate, a plan for the selection, qualification, and training of armed escorts, or the specification and design of a specially designed truck or trailer, and (ii) a licensee safeguards contingency plan or response procedures, as appropriate, for dealing with threats, thefts, and radiological sabotage relating to the special nuclear material in transit.

(2) Each application for such a license involving formula quantities of strategic special nuclear material must include the first four categories of information contained in the applicant's safeguards contingency plan. (The first four categories of information, as set forth in Appendix C to Part 73 of this chapter, are Background, Generic Planning Base, Licensee Planning Base, and Responsibility Matrix. The fifth category of information, Procedures, does not have to be submitted for approval.)

(3) The licensee shall retain this description of the plan for physical protection of special nuclear material in transit and the safeguards contingency plan or safeguards response procedures and each change to the plan or procedures as a record for a period of three years following the date on which the licensee last possessed the appropriate type and quantity of special nuclear material requiring this record under each license.

(h)(1) Each application for a license to possess or use at any site or contiguous sites subject to control by the licensee uranium-235 (contained in uranium enriched to 20 percent or more in the uranium-235 isotope), uranium-233, or plutonium alone or in any combination in a quantity of 5,000 grams or more computed by the formula, grams = (grams contained U-235) + 2.5 (grams U-233 + grams plutonium), other than a license for possession or use of this material in the operation of a nuclear reactor licensed pursuant to Part 50 of this chapter, must include a physical security plan, consisting of two parts. Part I must address vital equipment, vital areas, and isolation zones, and must demonstrate how the applicant plans to meet the requirements of §§ 73.20, 73.40, 73.45, 73.48, 73.50, 73.60, 73.70, and 73.71 of this chapter in the conduct of the activity to be licensed, including the identification and description of jobs as required by § 11.11(a) of this chapter. Part II must demonstrate compliance with such requirements.

(2) The licensee shall retain a copy of this physical security plan and each

change to the plan as a record for a period of three years following the date on which the licensee last possessed the appropriate type and quantity of special nuclear material requiring this record under each license.

(i) Each application for a license to possess and use special nuclear material for processing and fuel fabrication, scrap recovery, or conversion of uranium hexafluoride must contain, in addition to the other information required by this section, plans for coping with emergencies.³ The licensee shall retain a copy of these plans for coping with emergencies as records until the Commission terminates each license obtained by this application or any application for renewal of a license, and each change to the plan for three years after the date of change.

(j)(1) Each application for a license to possess or use at any site or contiguous sites subject to control by the licensee uranium-235 (contained in uranium enriched to 20 percent or more in the uranium-235 isotope), uranium-233, or plutonium alone or in any combination in a quantity of 5,000 grams or more computed by the formula, grams = (grams contained U-235) + 2.5 (grams U-233 + grams plutonium) other than a license for possession or use of this material in the operation of a nuclear reactor licensed pursuant to Part 50 of this chapter, must include a licensee safeguards contingency plan for dealing with threats, thefts, and radiological sabotage, as defined in Part 73 of this chapter, relating to nuclear facilities licensed under Part 50 of this chapter or to the possession of special nuclear material licensed under this part.

(2) Each application for such a license must include the first four categories of information contained in the applicant's safeguards contingency plan. (The first four categories of information, as set forth in Appendix C to Part 73 of this chapter, are Background, Generic Planning Base, Licensee Planning Base, and Responsibility Matrix.) The fifth category of information, Procedures, does not have to be submitted for approval.

(3) The licensee shall retain a copy of this safeguards contingency plan as a record until the Commission terminates each license obtained by this application or any application for renewal of a license and retain each change to the plan as a record for three years after the date of the change.

(k) Each application for a license to possess or use at any site or contiguous

sites subject to control by the licensee special nuclear material of moderate strategic significance or 10 kg or more of special nuclear material of low strategic significance as defined under § 73.2 (x) and (y) of this chapter, other than a license for possession or use of this material in the operation of a nuclear power reactor licensed pursuant to Part 50 of this chapter, must include a physical security plan that demonstrates how the applicant plans to meet the requirements of § 73.67(d), (e), (f), and (g), as appropriate, of this chapter. The licensee shall retain a copy of this physical security plan as a record for the period during which the licensee possesses the appropriate type and quantity of special nuclear material requiring this record under each license and each change to the plan for three years after the change.

77. In § 70.24, paragraph (a)(3) is revised to read as follows:

§ 70.24 Criticality accident requirements.

(a) * * *

(3) The licensee shall maintain emergency procedures for each area in which this licensed special nuclear material is handled, used, or stored to ensure that all personnel withdraw to an area of safety upon the sounding of the alarm. These procedures must include the conduct of drills to familiarize personnel with the evacuation plan, and designation of responsible individuals for determining the cause of the alarm, and placement of radiation survey instruments in accessible locations for use in such an emergency. The licensee shall retain a copy of current procedures for each area as a record for as long as licensed special nuclear material is handled, used, or stored in the area. The licensee shall retain any superseded portion of the procedures for three years after the portion is superseded.

78. In § 70.32, the introductory text of paragraph (c)(2) and paragraphs (d), (e), and (g) are revised to read as follows:

§ 70.32 Conditions of licenses.

(c) * * *

(2) The licensee shall maintain records of changes to the material control and accounting program made without prior Commission approval, for three years after they are superseded, and shall furnish to the Director, Office of Nuclear Material Safety and Safeguards, U.S. Nuclear Regulatory Commission, Washington, DC 20555, with a copy to the appropriate NRC Regional Office shown in Appendix A to

³ Emergency plans shall contain the elements that are listed in Section IV, "Content of Emergency Plans," of Appendix E to Part 50 of this chapter.

Part 73 of this chapter, a report containing a description of each change within:

(d) The licensee shall make no change which would decrease the effectiveness of the plan for physical protection of special nuclear material in transit prepared pursuant to § 70.22(g) or § 73.30(c) of this chapter without the prior approval of the Commission. A licensee desiring to make such changes shall submit an application for a change in the technical specifications incorporated in his or her license, if any, or for an amendment to the license pursuant to § 50.90 or § 70.34 of this chapter, as appropriate. The licensee may make changes to the plan for physical protection of special nuclear material without prior Commission approval if these changes do not decrease the effectiveness of the plan. The licensee shall retain a copy of the plan as a record for the period during which the licensee possesses a formula quantity of special nuclear material requiring this record under each license and each change to the plan for three years from the effective date of the change. A report containing a description of each change must be furnished the Director of Nuclear Material Safety and Safeguards, U.S. Nuclear Regulatory Commission, Washington, DC 20555, with a copy to the appropriate NRC Regional Office shown in Appendix A to Part 73 of this chapter within two months after the change.

(e) The licensee shall make no change which would decrease the effectiveness of a security plan prepared pursuant to §§ 70.22(h), 70.22(k), or 73.20(c) without the prior approval of the Commission. A licensee desiring to make such a change shall submit an application for an amendment to its license pursuant to § 70.34. The licensee shall maintain records of changes to the plan made without prior Commission approval, for three years from the effective date of the change, and shall furnish to the Director, Office of Nuclear Material Safety and Safeguards, U.S. Nuclear Regulatory Commission, Washington, DC 20555, with a copy to the appropriate NRC Regional Office shown in Appendix A to Part 73 of this chapter, a report containing a description of each change within two months after the change is made.

(g) The licensee shall prepare and maintain safeguards contingency plan procedures in accordance with Appendix C to Part 73 of this chapter for effecting the actions and decisions contained in the Responsibility Matrix

of its safeguard contingency plan. The licensee shall retain a copy of the safeguards contingency plan procedures as a record for the period during which the licensee possesses the appropriate type and quantity of special nuclear material requiring this record under each license for which the procedures were developed and each change to the plan for three years from the effective date of the change. The licensee shall make no change that would decrease the safeguards effectiveness of the first four categories of information (Background, Generic Planning Base, Licensee Planning Base, and Responsibility Matrix) contained in any licensee safeguards contingency plan prepared pursuant to §§ 70.22(g), 70.22(j), 73.30(g), or 73.40 of this chapter without the prior approval of the Commission. A licensee desiring to make such a change shall submit an application for an amendment to its license pursuant to § 70.34. The licensee may make changes to the licensee safeguards contingency plan without prior Commission approval if the changes do not decrease the safeguards effectiveness of the plan. The licensee shall maintain each change to the plan made without prior approval as a record during the period for which possession of a formula quantity of special nuclear material is authorized under a license and retain the superseded material for three years from the effective date of the change and shall furnish a report containing a description of each change within 60 days after the change is made to the Regional Administrator of the appropriate NRC Regional Office specified in Appendix A to Part 73 of this chapter, with a copy to the Director of Nuclear Material Safety and Safeguards.

79. In § 70.42, paragraphs (d)(1), (2), (3), (4), and (5) are revised to read as follows:

§ 70.42 Transfer of special nuclear material.

(d) . . .

(1) The transferor may have in his or her possession, and read, a current copy of the transferee's specific license or registration certificate. The transferor shall retain a copy of each license or certificate for three years from the date that it was obtained.

(2) The transferor may have in its possession a written certification by the transferee that the transferee is authorized by license or registration certificate to receive the type, form, and quantity of special nuclear material to be transferred, specifying the license or

registration certificate number, issuing agency, and expiration date. The transferor shall retain the written certification as a record for three years from the date of receipt of the certification.

(3) For emergency shipments the transferor may accept oral certification by the transferee that he or she is authorized by license or registration certificate to receive the type, form, and quantity of special nuclear material to be transferred, specifying the license or registration certificate number, issuing agency, and expiration date, provided that the oral certification is confirmed in writing within ten days. The transferor shall retain the written confirmation of the oral certification for three years from the date of receipt of the confirmation.

(4) The transferor may obtain other sources of information compiled by a reporting service from official records of the Commission or the licensing agency of an Agreement State as to the identity of licensees and the scope and expiration dates of licenses and registrations. The transferor shall retain the compilation of information as a record for three years from the date that it was obtained; or

(5) When none of the methods of verification described in paragraphs (d) (1) to (4) of this section are readily available or when a transferor desires to verify that information received by one of these methods is correct or up-to-date, the transferor may obtain and record confirmation from the Commission or the licensing agency of an Agreement State that the transferee is licensed to receive the special nuclear material. The transferor shall retain the record of confirmation for three years from the date the record is made.

80. In § 70.51, the paragraphs (b)(2), (3), (5), and (f), (c), the introductory text of (e)(1), (f)(2)(v), and (i)(1) are revised to read as follows:

§ 70.51 Material balance, inventory, and records requirements.

(b) . . .

(2) Each record that is required by the regulations in this part or by license condition must be maintained and retained for the period specified by the appropriate regulation or license condition. If a retention period is not otherwise specified by regulation or license condition, the licensee shall retain the record until the Commission terminates each license that authorizes the activity that is subject to the recordkeeping requirement.

Each record of receipt, acquisition, physical inventory of special nuclear material that must be maintained pursuant to paragraph (b)(1) of this section must be retained as long as the licensee retains possession of the material and for three years following transfer of such material.

(5) Each record of transfer of special nuclear material to other persons must be retained by the licensee who transferred the material until the Commission terminates the license authorizing the licensee's possession of the material. Each record required by paragraph (e)(1)(v) of this section must be retained for three years after it is made.

(6) Each record of disposal of special nuclear material must be retained until the Commission terminates each license that authorizes the activity that is subject to the recordkeeping requirement.

(c) Each licensee who is authorized to possess at any one time special nuclear material in a quantity exceeding one effective kilogram of special nuclear material shall establish, maintain, and follow written material control and accounting procedures that are sufficient to enable the licensee to account for the special nuclear material in the licensee's possession under license. The licensee shall retain these procedures until the Commission terminates the license that authorizes possession of the material and retain any superseded portion of the procedures for three years after the portion is superseded.

(e) . . .

(1) Maintain procedures that include items listed in paragraphs (e)(1)(i), (ii), (iii), (iv), (v), (vi), and (vii) of this section and retain each record required in these paragraphs for three years after the record is made.

(f) . . .

(2) . . .

(v) Documentation in compliance with the requirements of paragraphs (f)(2)(i), (ii), (iii), and (iv) of this section. Each record documenting compliance with these requirements must be retained for three years after it is made.

(i)(1) Records which must be maintained pursuant to this part may be the original or a reproduced copy or microform if such reproduced copy or microform is duly authenticated by authorized personnel and the microform is capable of producing a clear and legible copy after storage for the period

specified by Commission regulations. The record may also be stored in electronic media with the capability for producing legible, accurate, and complete records during the required retention period. Records such as letters, drawings, specifications, must include all pertinent information such as stamps, initials, and signatures. The licensee shall maintain adequate safeguards against tampering with and loss of records.

81. In § 70.57, the introductory text of paragraph (b) and paragraphs (b)(2), (3), (4), (6), (7), the introductory text of (8), (11), and (12) are revised to read as follows:

§ 70.57 Measurement control program for special nuclear materials control and accounting.

(b) In accordance with § 70.58(f), each licensee who is authorized to possess at any one time and location strategic special nuclear material, or special nuclear material of moderate strategic significance, in a quantity exceeding one effective kilogram and to use such special nuclear material for activities other than those involved in the operation of a nuclear reactor licensed pursuant to Part 50 of this chapter, those involved in a waste disposal operation, or as sealed sources, shall establish and maintain a measurement control program for special nuclear materials control and accounting measurements. Each program function must be identified and assigned in the licensee organization in accordance with § 70.58(b)(2), and functional organizational relationships must be set forth in writing in accordance with § 70.58(b)(3). The program must be described in a manual which contains the procedures, instructions, and forms prepared to meet the requirements of this paragraph, including procedures for the preparation, review, approval, and prompt dissemination of any program modifications or changes. The licensee shall retain the current program as a record until the Commission terminates the license authorizing possession of the nuclear materials. The licensee's program shall include the following:

(2) Provisions must be made for management reviews to determine the adequacy of the program and to assess the applicability of current procedures and for planned audits to verify conformance with all aspects of the program. These reviews and audits must be performed at intervals not to exceed 12 months. Audits and reviews must be performed by trained individuals

independent of direct responsibility for the receipt, custody, utilization, measurement, measurement quality, and shipment of special nuclear material. The results of reviews and audits must be recorded and reported to licensee management. The licensee shall retain each record of a review or an audit for three years after the record is made.

(3) The licensee shall ensure that any person who contracts to perform materials control and accounting measurement services conforms with applicable requirements of paragraphs (b)(4) through (8) and (10) through (12) of this section. Conformance must include reporting by the contractor of sufficient error data to allow the licensee to calculate bias corrections and measurement limits of error. All statistical studies must be reported or references in the measurement report submitted to the licensee, who shall have access to the contractor's supporting control data. The licensee shall perform reviews to determine the adequacy of the contractor's program and audits to verify conformance with all aspects of the program. Reviews and audits must be performed at intervals not to exceed 12 months. The results of reviews and audits must be documented and reported to licensee management. The licensee shall retain the record of the results of the licensee review and audit of the contractor's program for three years after the record is made.

(4) In order to ensure that potential sources of sampling error are identified and that samples are representative, process and engineering tests must be performed using well characterized materials to establish or to verify the applicability of existing procedures for sampling special nuclear materials and for maintaining sample integrity during transport and storage. The licensee shall record the results of the above process and engineering tests and shall maintain those results as a record for as long as that sampling systems is in use and for three years following the last such use. The program must ensure that such procedures are maintained and followed, and that sampling is included in the procedures for estimating biases, limits for systematic errors, and random error variances.

(6) To ensure the adequacy of each measurement system with respect to process flows, sampling and measurement points, and nominal material compositions, engineering analyses and evaluations must be made of the design, installation, preoperational tests, calibration, and the operation of each system. These

analyses and evaluations must be repeated whenever a significant change is made in any component of a system. The licensee shall record the results of these analyses and evaluations and retain these records for three years after the life of the process or equipment.

(7) Procedures and performance criteria must be established for the training, qualifying, and periodic requalifying of all personnel who perform sampling and measurements for materials control and accounting purposes. The licensee shall retain as a record the results of personnel qualification or requalification for three years after the record is made.

(8) The program must generate current data on the performance of measuring processes, including, as appropriate, values for bias corrections and their uncertainties, random error variances, limits for systematic errors, and other parameters needed to establish the uncertainty of measurements pertaining to materials control and accounting. The program data must reflect the current process and measurement condition existing at the time the control measurements are made. The licensee shall record this data and retain this record for three years after the record is made. Measurements which are not controlled by the program may not be used for materials control or for accounting purposes. The program must include:

(11)(i) The licensee shall establish and maintain a statistical control system, including control charts and formal statistical procedures, designed to monitor the quality of each type of program measurement. The licensee shall retain a copy of the current statistical control system as a record until the Commission terminates each license that authorizes possession of the material that the system affects and shall retain copies of such system documents for previous inventory periods as a record for three years after they are replaced.

(ii) Control chart limits must be established to be equivalent to levels of significance of 0.05 and 0.001. Whenever control data exceed the 0.05 control limits, the licensee shall investigate the condition and take corrective action in a timely manner. The licensee shall record the results of these investigations and actions and retain each record for three years after the record is made. Whenever the control data exceed the 0.001 control limits, the measurement system that generated the data must not be used for material control and accounting purposes until the deficiency

has been corrected and the system has been brought into control at the 0.05 control level.

(12) The licensee shall provide a records system in which all data, information, reports, and documents generated by the measurement control program must be retained for three years. Records must include a summary of the error data utilized in the limit of error calculations performed for each material balance period. The records system must be organized for efficient retrieval of program information. Each reported result must be readily relatable to the original measurement data and to all relevant measurement control information, including pertinent calibration data. Records must be available for NRC inspection.

82. In § 70.58, paragraphs (b)(3), (e), (f), (h), and (j) and the introductory text of paragraphs (i) and (k) are revised to read as follows:

§ 70.58 Fundamental nuclear material controls.

(b) * * *

(3) Material control and accounting functional and organizational relationships must be set forth in writing in job descriptions, organizational directives, instructions, procedure manuals, etc. This documentation must include position qualification requirements and definitions of authorities, responsibilities, and duties. Delegations of material control and accounting responsibilities and authority must be in writing. The licensee shall retain this documentation as a record until the Commission terminates each license that authorizes the activity that is subject to retention of the documentation, and if any portion of the documentation is superseded, retain the superseded material for three years after each change.

(e) A system must be established, maintained, and followed for the measurement of all special nuclear material received, produced, or transferred between MBAs, transferred from MBAs to ICAs, on inventory, or shipped, discarded, or otherwise removed from inventory and for the determination of the limit of error associated with each such measured quantity except for plutonium-beryllium sources; samples that have been determined by other means to contain less than 10 grams U-235, U-238, or plutonium each; and reactor-irradiated fuels involved in research, development, and evaluation programs in facilities

other than irradiated-fuel reprocessing plants. The system must be described in writing and provide for sufficient measurements to substantiate the quantities of element and isotope measured and the associated limits or error. The licensee shall record the required measurements and associated limits of error and shall retain any record associated with this system for three years after the record is made.

(f) A program must be established, maintained, and followed pursuant to § 70.57(b) for the continuing determination and control of the systematic and random errors of measurement processes at a level commensurate with the requirements of § 70.51(e)(5). The licensee shall retain each completed record required by the program for three years after the record is made.

(h) A system of storage and internal handling controls must be established, maintained, and followed to provide current knowledge of the identity, quantity, and location of all special nuclear material contained within a plant in discrete items and containers. The licensee shall include procedures as specified in § 70.51(e)(1) and retain any record associated with the procedures for six months after the record is made.

(i) Procedures for special nuclear material scrap control must be established, maintained, and followed to limit the accumulation and the uncertainty of measurement of these materials on inventory. The licensee shall retain a copy of the current procedures as a record until the Commission terminates each license that authorizes the activity that is subject to the retention of procedures and, if any portion of the procedures is superseded, retain the superseded portion for three years after each change. Such procedures must include:

(j) Physical inventory procedures must be established, maintained, and followed so that special nuclear material balance and their measurement uncertainties can be determined on the basis of measurements in compliance with the material balance and inventory requirements and criteria specified in § 70.51. The licensee shall retain a copy of the current procedures as a record until the Commission terminates each license that authorizes the activity that is subject to the retention of procedures and, if any portion of the procedures is superseded, retain the superseded portion for three years after each change.

(k) A system of records and reports must be established, maintained, and followed that will provide information sufficient to locate special nuclear material and to close a measured material balance around each material balance area and the total plant, as specified in § 70.51. As required by § 70.51, the licensee shall retain the records associated with this system for three years after the records are made. This system must include:

PART 71—PACKAGING AND TRANSPORTATION OF RADIOACTIVE MATERIAL

83. The authority citation for Part 71 continues to read as follows:

Authority: Sec. 161, 68 Stat. 948, as amended (42 U.S.C. 2201); Sec. 201, 68 Stat. 1242, as amended (42 U.S.C. 5841).

84. In § 71.1, the existing paragraph is designated (a), the section heading is revised, and a new paragraph (b) is added to read as follows:

§ 71.1 Communications and records.

(b) Each record required by this part must be legible throughout the retention period specified by each Commission regulation. The record may be the original or a reproduced copy or a microform provided that the copy or microform is authenticated by authorized personnel and that the microform is capable of producing a clear copy throughout the required retention period. The record may also be stored in electronic media with the capability for producing legible, accurate, and complete records during the required retention period. Records such as letters, drawings, specifications, must include all pertinent information such as stamps, initials, and signatures. The licensee shall maintain adequate safeguards against tampering with and loss of records.

85. Section 71.91 is revised to read as follows:

§ 71.91 Records.

(a) Each licensee shall maintain for a period of three years after shipment a record of each shipment of licensed material not exempt under § 71.10, showing, where applicable:

- (1) Identification of the packaging by model number;
- (2) Verification that there are no significant defects in the packaging, as shipped;
- (3) Volume and identification of coolant;

(4) Type and quantity of licensed material in each package, and the total quantity of each shipment;

(5) For each item of irradiated fissile material:

(i) Identification by model number and/or serial number;

(ii) Irradiation and decay history to the extent appropriate to demonstrate that its nuclear and thermal characteristics comply with license conditions; and

(iii) Any abnormal or unusual condition relevant to radiation safety.

(6) Date of the shipment;

(7) For Fissile Class III and for Type B packages, any special controls exercised;

(8) Name and address of the transferee;

(9) Address to which the shipment was made; and

(10) Results of the determinations required by § 71.87 and by the conditions of the package approval.

(b) The licensee shall make available to the Commission for inspection, upon reasonable notice, all records required by this part. Records are valid only if stamped, initialed, or signed and dated by authorized personnel or otherwise authenticated.

(c) Each licensee shall maintain sufficient written records to furnish evidence of the quality of packaging. The records to be maintained include results of the determinations required by § 71.85; design, fabrication, and assembly records; results of reviews, inspections, tests, and audits; results monitoring work performance and materials analyses; and results of maintenance, modification, and repair activities. Inspection, test, and audit records must identify the inspector or data recorder, the type of observation, the results, the acceptability and the action taken in connection with any deficiencies noted. The records must be retained for three years after the life of the packaging to which they apply.

86. In § 71.97, paragraphs (c)(4), (e), and (f)(2) are revised to read as follows:

§ 71.97 Advance notification of shipment of nuclear waste.

(c)

(4) The licensee shall retain a copy of the notification as a record for three years.

(e) *Revision notice.* A licensee who finds that schedule information previously furnished to a governor or governor's designee in accordance with this section will not be met, shall telephone a responsible individual in the office of the governor of the State or of

the governor's designee and inform that individual of the extent of the delay beyond the schedule originally reported. The licensee shall maintain a record of the name of the individual contacted for three years.

(f)

(2) The licensee shall state in the notice that it is a cancellation and shall identify the advance notification which is being cancelled. The licensee shall retain a copy of the notice as a record for three years.

87. In § 71.101, paragraph (b) is revised to read as follows:

Subpart H—Quality Assurance

§ 71.101 Quality assurance requirements.

(b) Each licensee shall establish, maintain, and execute a quality assurance program satisfying each of the applicable criteria of §§ 77.101 through 77.137 of this subpart and satisfying any specific provisions that are applicable to the licensee's activities, including procurement of packaging. The licensee shall apply each of the applicable criteria in a graded approach, i.e., to an extent that is consistent with its importance to safety.

88. In § 71.105, paragraph (a) is revised to read as follows:

§ 71.105 Quality assurance program.

(a) The licensee shall establish, at the earliest practicable time, consistent with the schedule for accomplishing the activities, a quality assurance program that complies with the requirements of §§ 71.101 through 71.137 of this subpart. The licensee shall document the quality assurance program by written procedures or instructions and shall carry out the program in accordance with those procedures throughout the period during which packaging is used. The licensee shall identify the material and components to be covered by the quality assurance program, the major organizations participating in the program, and the designated functions of these organizations.

89. Section 71.135 is revised to read as follows:

§ 71.135 Quality assurance records.

The licensee shall maintain sufficient written records to describe the activities affecting quality. The records must include the instructions, procedures, and drawings required by § 71.111 to prescribe quality assurance activities and must include closely related specifications such as required

qualifications of personnel, procedures, and equipment. The records must include the instructions or procedures which establish a records retention program that is consistent with applicable regulations and designates factors such as duration, location, and assigned responsibility. The licensee shall retain these records for three years beyond the date when the licensee last engages in the activity for which the quality assurance program was developed. If any portion of the written procedures or instructions is superseded, the licensee shall retain the superseded material for three years after it is superseded.

PART 73—PHYSICAL PROTECTION OF PLANTS AND MATERIALS

90. The authority citation for Part 73 continues to read as follows:

Authority: Sec. 161, 68 Stat. 948, as amended (42 U.S.C. 2201); Sec. 201, 88 Stat. 1242, as amended (42 U.S.C. 5841).

91. In § 73.24, paragraph (b)(1) is revised to read as follows:

§ 73.24 Prohibitions.

(b) . . .

(1) The licensee shall confirm and log the arrival at the final destination of each individual shipment and retain the log for three years from the date of the last entry in the log. The licensee shall also schedule shipments to ensure that the total quantity for two or more shipments in transit at the same time does not equal or exceed the formula quantity, or

92. In § 73.26, paragraphs (c)(1)(ii) and (2), the introductory text of paragraph (d)(3), and paragraphs (d)(4) and (e)(1) are revised to read as follows:

§ 73.26 Transportation physical protection systems, subsystems, components, and procedures.

(c) . . .

(1) . . .

(ii) The shipment must be protected at all times within the geographical limits of the United States as provided in this section and §§ 73.25 and 73.27. The licensee shall retain each record required by these sections for three years after the close of period for which the licensee possesses the special nuclear material under each license authorizing the licensee to ship this material, and superseded material for three years after each change.

(2) A licensee who exports a formula quantity of strategic special nuclear material shall comply with the

requirements of this section and §§ 73.25 and 73.27, as applicable, up to the first point where the shipment is taken off the transport outside the United States. The licensee shall retain each record required by these sections for three years after the close of period for which the licensee possesses the special nuclear material under each license authorizing the licensee to export this material, and superseded material for three years after each change.

(d) . . .

(3) The licensee or the licensee's agent shall establish, maintain, and follow a written management system to provide for the development, revision, implementation, and enforcement of transportation physical protection procedures. The licensee or the agent shall retain as a record the current management system for three years after the close of period for which the licensee possesses the special nuclear material under the license for which the system was developed and, if any portion of the system is superseded, retain the superseded material for three years after each change. The system shall include:

(4) Neither the licensee nor the licensee's agent shall permit an individual to act as an escort or other security organization member unless the individual has been trained, equipped, and qualified to perform each assigned security job duty in accordance with Appendix B, of this part, "General Criteria for Security Personnel." Upon the request of an authorized representative of the Commission, the licensee or the agent shall demonstrate the ability of the physical security personnel to carry out their assigned duties and responsibilities. Armed escorts shall requalify in accordance with Appendix B to this part at least every 12 months. Each requalification must be documented. The licensee or the agent shall retain documentation of the initial qualification for the term of employment and of each requalification as a record for three years from the date of the requalification.

(e) *Contingency and Response Plans and Procedures.* (1) The licensee or the licensee's agent shall establish, maintain, and follow a written safeguards contingency plan for dealing with threats, thefts, and radiological sabotage related to strategic special nuclear material in transit subject to the provisions of this section. This safeguards contingency plan must be in accordance with the criteria in Appendix C of this part, "Licensee

Safeguards Contingency Plan." The licensee or the agent shall retain the contingency plan as a record for three years after the close of period for which the licensee possesses the special nuclear material under each license for which the plan is used and superseded material for three years after each change.

93. In § 73.37, paragraphs (b)(2), (b)(5), and the introductory text of paragraph (b)(3) are revised to read as follows:

§ 73.37 Requirements for physical protection of irradiated reactor fuel in transit.

(b) . . .

(2) Include and retain a copy of current procedures for coping with circumstances that threaten deliberate damage to a spent fuel shipment and with other safeguards emergencies as a record for three years after the close of period for which the licensee possesses the special nuclear material under each license for which the procedures were developed and, if any portion of the procedures is superseded, retain the superseded material for three years after each change.

(3) Include instructions for each escort and retain a copy of the current instructions as a record for three years after the close of period for which the licensee possesses the special nuclear material under each license that authorizes the activity that requires the instruction and retain any superseded material for three years after each change. The instructions must direct that, upon detection of the abnormal presence of unauthorized persons, vehicles, or vessels in the vicinity of a spent fuel shipment or upon detection of a deliberately induced situation that has the potential for damaging a spent fuel shipment, the escort will:

(5) Provide for maintenance of a written log by the escorts and communications center personnel for each spent fuel shipment, which will include information describing the shipment and significant events that occur during the shipment, and will be available for review by authorized NRC personnel for a period of at least three years following completion of the shipment.

94. In § 73.40, paragraphs (b), (c)(2), and (d) are revised to read as follows:

§ 73.40 Physical protection: General requirements at fixed sites.

(b) Each licensee subject to the requirements of §§ 73.20, 73.45, 73.48, 73.55, or § 73.60 shall prepare a safeguards contingency plan in accordance with the criteria set forth in Appendix C to this part. The licensee shall retain the current plan as a record until the Commission terminates the license for which the plan was developed and, if any portion of the plan is superseded, retain the superseded material for three years after each change. The safeguards contingency plan must include plans for dealing with threats, thefts, and radiological sabotage relating to nuclear facilities licensed under Part 50 or to the possession of special nuclear material licensed under Part 70 of this chapter. Each licensee subject to the requirements of this paragraph shall submit to the Commission for approval the first four categories of information contained in the safeguards contingency plan. (The first four categories of information, as set forth in Appendix C to this part, are Background, Generic Planning Base, Licensee Planning Base, and Responsibility Matrix. The fifth category of information, Procedures, does not have to be submitted for approval.)¹ The plan becomes effective and must be approved by the licensee 30 days after approval by the Commission.

(2) Detailed procedures developed according to Appendix C to this part available at the licensee's site. The licensee shall retain a copy of the current procedures as a record until the Commission terminates the license for which the procedures were developed and, if any portion of the procedures is superseded, retain the superseded material for three years after each change; and

(d) The licensee shall provide for the implementation, revision, and maintenance of this safeguards contingency plan. To this end, the licensee shall provide for a review at least every twelve months of the safeguards contingency plan by individuals independent of both security program management and personnel who have direct responsibility for implementation of the security program. The review must include a review and audit of safeguards contingency procedures and practices, an audit of the

security system testing and maintenance program, and a test of the safeguards system along with commitments established for response by local law enforcement authorities. The results of the review and audit, along with recommendations for improvements must be documented, reported to the licensee's corporate and plant management, and kept available at the plant for inspection for a period of three years from the date of the review or audit.

95. In § 73.48, paragraphs (b)(3)(i), (b)(4), (d)(3), (d)(10), (d)(13), (h)(1), and (h)(2) are revised to read as follows:

§ 73.48 Fixed site physical protection systems, subsystems, components, and procedures.

- (b) * * *
- (3) * * *

(i) Written security procedures that document the structure of the security organization and detail the duties of guards, watchmen, and other individuals responsible for security. The licensee shall retain a copy of the current procedures as a record until the Commission terminates the license for which they were developed and, if any portion of the procedures is superseded, retain the superseded material for three years after each change;

(4) The licensee may not permit an individual to act as a guard, watchman, armed response person, or other member of the security organization unless the individual has been trained, equipped, and qualified to perform each assigned security job duty in accordance with Appendix B to this part "General Criteria for Security Personnel." Upon the request of an authorized representative of the Commission, the licensee shall demonstrate the ability of the physical security personnel, whether licensee or contractor employees, to carry out their assigned duties and responsibilities. Each guard, watchman, armed response person, or other member of the security organization, whether a licensee or contractor employee, shall requalify in accordance with Appendix B to this part at least every 12 months. This requalification must be documented. The licensee shall retain the documentation of each requalification as a record for three years after the requalification.

- (d) * * *

(3) The licensee shall establish and follow written procedures that will permit access control personnel to identify those vehicles that are

authorized and those materials that are not authorized entry to protected, material access, and vital areas. The licensee shall retain a copy of the current procedures as a record until the Commission terminates each license for which the procedures were developed and, if any portion of the procedures is superseded, retain the superseded material for three years after each change.

(10) Before existing from a material access area, containers of contaminated wastes must be drum scanned and tamper sealed by at least two individuals, working and recording their findings as a team, who do not have access to material processing and storage areas. The licensee shall retain the records of these findings for three years after the record is made.

(13) Individuals not permitted by the licensee to enter protected areas without escort must be escorted by a watchman or other individual designated by the licensee while in a protected area and must be badged to indicate that an escort is required. In addition, the individual shall be required to register his or her name, date, time, purpose of visit and employment affiliation, citizenship, and name of the individual to be visited in a log. The licensee shall retain each log as a record for three years after the last entry is made in the log.

- (h) * * *

(1) The licensee shall have a safeguard contingency plan for dealing with threats, thefts, and radiological sabotage related to the strategic special nuclear material and nuclear facilities subject to the provisions of this section. Safeguards contingency plans must be in accordance with the criteria in Appendix C to this part, "Licensee Safeguards Contingency Plans." Contingency plans must include, but need not be limited to, the response requirements in paragraphs (h)(2) through (h)(5) of this section. The licensee shall retain a copy of the current safeguards contingency plan as a record until the Commission terminates the license and, if any portion of the plan is superseded, retain the superseded material for three years after each change.

(2) The licensee shall establish and document response arrangements that have been made with local law enforcement authorities. The licensee shall retain documentation of the current arrangements as a record until

¹ Licensees subject to § 73.55 may modify their physical security plans to incorporate contingency information specified in Appendix C to this part. A physical security plan that contains all the information required in both § 73.55 and Appendix C to Part 73 satisfies the requirement for a contingency plan.

the Commission terminates each license requiring the arrangements and, if any arrangement is superseded, retain the superseded material for three years after each change.

96. In § 73.50, paragraphs (a)(3) and (4), (c)(5), and (g)(1) and (2) are revised to read as follows:

§ 73.50 Requirements for physical protection of licensed activities.

(a) * * *

(3) The licensee shall establish, maintain, and follow written security procedures that document the structure of the security organization and detail the duties of guards, watchmen, and other individuals responsible for security. The licensee shall retain a copy of the current procedures as a record until the Commission terminates each license for which the procedures were developed and, if any portion of the procedures is superseded, retain the superseded material for three years after each change.

(4) The licensee may not permit an individual to act as a guard, watchman, armed response person, or other member of the security organization unless the individual has been trained, equipped, and qualified to perform each assigned security job duty in accordance with Appendix B, "General Criteria for Security Personnel," to this part. Upon the request of an authorized representative of the Commission, the licensee shall demonstrate the ability of the physical security personnel to carry out their assigned duties and responsibilities. Each guard, watchman, armed response person, and other member of the security organization shall requalify in accordance with Appendix B to this part at least every 12 months. This requalification must be documented. The licensee shall retain the documentation of each requalification as a record for three years after the requalification.

(c) * * *

(5) Individuals not employed by the licensee must be escorted by a watchman, or other individual designated by the licensee, while in a protected area and must be badged to indicate that an escort is required. In addition, the licensee shall require that each individual not employed by the licensee register his or her name, date, time, purpose of visit, employment affiliation, citizenship, name and badge number of the escort, and name of the individual to be visited. The licensee shall retain the register of information

for three years after the last entry is made in the register. Except for a driver of a delivery or service vehicle, an individual not employed by the licensee who requires frequent and extended access to a protected area or a vital area need not be escorted if the individual is provided with a picture badge, which the individual must receive upon entrance into the protected area and return each time he or she leaves the protected area, that indicates—

- (i) Nonemployee-no escort required,
- (ii) Areas to which access is authorized, and
- (iii) The period for which access has been authorized.

(g) *Response requirement.* (1) The licensee shall have a safeguards contingency plan for dealing with threats, thefts, and radiological sabotage related to the special nuclear material and nuclear facilities subject to the provisions of this section. Safeguards contingency plans must be in accordance with the criteria in Appendix C to this part, "Licensee Safeguards Contingency Plans." The licensee shall retain a copy of the plan and each change to the plan as a record until the Commission terminates each license for which the plan was developed and retain the superseded materials for three years after each change.

(2) The licensee shall establish and document liaison with law enforcement authorities. The licensee shall retain the documentation of the current liaison as a record until the Commission terminates each license for which the liaison was developed and, if any portion of the liaison documentation is superseded, retain the superseded material for three years after each change.

97. In § 73.55, paragraphs (b)(1) and (3) (i) and (ii) and (4), (d)(6), and (h)(2) are revised to read as follows:

§ 73.55 Requirements for physical protection of licensed activities in nuclear power reactors against radiological sabotage.

(b) *Physical Security Organization.* (1) The licensee shall establish a security organization, including guards, to protect his facility against radiological sabotage. If a contract guard force is utilized for site security, the licensee's written agreement with the contractor that must be retained by the licensee as a record for the duration of the contract will clearly show that:

- (i) The licensee is responsible to the Commission for maintaining safeguards

in accordance with Commission regulations and the licensee's security plan.

(ii) The NRC may inspect, copy, and take away copies of all reports and documents required to be kept by Commission regulations, orders, or applicable license conditions whether the reports and documents are kept by the licensee or the contractor,

(iii) The requirement in paragraph (b)(4) of this section that the licensee demonstrate the ability of physical security personnel to perform their assigned duties and responsibilities, includes demonstration of the ability of the contractor's physical security personnel to perform their assigned duties and responsibilities in carrying out the provisions of the Security Plan and these regulations, and

(iv) The contractor will not assign any personnel to the site who have not first been made aware of these responsibilities.

(3) * * *

(i) Written security procedures that document the structure of the security organization and detail the duties of guards, watchmen, and other individuals responsible for security. The licensee shall maintain a copy of the current procedures as a record until the Commission terminates each license for which the procedures were developed and, if any portion of the procedure is superseded, retain the superseded material for three years after each change.

(ii) Provision for written approval of these procedures and any revisions to the procedures by the individual with overall responsibility for the security functions. The licensee shall retain each written approval as a record for three years from the date of the approval.

(4)(i) The licensee may not permit an individual to act as a guard, watchman, armed response person, or other member of the security organization unless the individual has been trained, equipped, and qualified to perform each assigned security job duty in accordance with Appendix B, "General Criteria for Security Personnel," to this part. Upon the request of an authorized representative of the Commission, the licensee shall demonstrate the ability of the physical security personnel to carry out their assigned duties and responsibilities. Each guard, watchman, armed response person, and other member of the security organization shall requalify in accordance with Appendix B to this part at least every 12 months. This requalification must be documented. The licensee shall retain

must be retained for three years after each change.

(5)

(i) Comply with the requirements specified in paragraphs (c) and (g) (2) and (3) of this section and retain each record required by these paragraphs for three years after the close of period for which the licensee possesses the special nuclear material under each license that authorizes the licensee to import this material. Copies of superseded material must be retained for three years after each change.

99. Section 73.70 is revised to read as follows:

§ 73.70 Records.

Each record required by this part must be legible throughout the retention period specified by each Commission regulation. The record may be the original or a reproduced copy or a microform provided that the copy or microform is authenticated by authorized personnel and that the microform is capable of producing a clear copy throughout the required retention period. The record may also be stored in electronic media with the capability for producing legible, accurate, and complete records during the required retention period. Records such as letters, drawings, specifications, must include all pertinent information such as stamps, initials, and signatures. The licensee shall maintain adequate safeguards against tampering with and loss of records. Each licensee subject to the provisions of §§ 73.20, 73.25, 73.26, 73.27, 73.45, 73.48, 73.55, or 73.60 shall keep the following records:

(a) Names and addresses of all individuals who have been designated as authorized individuals. The licensee shall retain this record of currently designated authorized individuals for the period during which the licensee possesses the appropriate type and quantity of special nuclear material requiring this record under each license that authorizes the activity that is subject to the recordkeeping requirement and, for three years thereafter. Copies of superseded material must be retained for three years after each change.

(b) Names, addresses, and badge numbers of all individuals authorized to have access to vital equipment or special nuclear material, and the vital areas and material access areas to which authorization is granted. The licensee shall retain the record of individuals currently authorized this access for the period during which the licensee possesses the appropriate type and quantity of special nuclear material

requiring this record under each license that authorizes the activity that is subject to the recordkeeping requirement and, for three years thereafter. Copies of superseded material must be retained for three years after each change.

(c) A register of visitors, vendors, and other individuals not employed by the licensee pursuant to §§ 73.48(d)(1), 73.55(d)(6), or § 73.60. The licensee shall retain this register as a record for three years after the last entry is made in the register.

(d) A log indicating name, badge number, time of entry, and time of exit of all individuals granted access to a vital area except those individuals entering or exiting the reactor control room. The licensee shall retain this log as a record for three years after the last entry is made in the log.

(e) Documentation of all routine security tours and inspections, and of all tests, inspections, and maintenance performed on physical barriers, intrusion alarms, communications equipment, and other security related equipment used pursuant to the requirements of this part. The licensee shall retain the documentation for these events for three years from the date of documenting each event.

(f) A record at each onsite alarm annunciation location of each alarm, false alarm, alarm check, and tamper indication that identifies the type of alarm, location, alarm circuit, date, and time. In addition, details of response by facility guards and watchmen to each alarm, intrusion, or other security incident shall be recorded. The licensee shall retain each record for three years after the record is made.

(g) Shipments of special nuclear material subject to the requirements of this part, including names of carriers, major roads to be used, flight numbers in the case of air shipments, dates and expected times of departure and arrival of shipments, verification of communication equipment on board the transfer vehicle, names of individuals who are to communicate with the transport vehicle, container seal descriptions and identification, and any other information to confirm the means utilized to comply with §§ 73.25, 73.26, and 73.27. This information must be recorded prior to shipment. Information obtained during the course of the shipment such as reports of all communications, change of shipping plan, including monitor changes, trace investigations, and others must also be recorded. The licensee shall retain each record about a shipment required by this paragraph (g) for three years after the record is made.

(h) Procedures for controlling access to protected areas and for controlling access to keys for locks used to protect special nuclear material. The licensee shall retain a copy of the current procedures as a record until the Commission terminates each license for which the procedures were developed and, if any portion of the procedure is superseded, retain the superseded material for three years after each change.

100. In Appendix B to Part 73, Section I.C, E, and F and II.A, B, C, and E, and the introductory text of Section IV are revised to read as follows:

Appendix B—General Criteria for Security Personnel

Criteria

I.

C. Medical examinations and physical fitness qualifications—Guards, armed response personnel, armed escorts and other armed security force members shall be given a medical examination including a determination and written certification by a licensed physician that there are no medical contraindications as disclosed by the medical examination to participation by the individual in physical fitness tests. Subsequent to this medical examination, guards, armed response personnel, armed escorts and other armed security force members shall demonstrate physical fitness for assigned security job duties by performing a practical physical exercise program within a specific time period. The exercise program performance objectives shall be described in the license training and qualifications plan and shall consider job-related functions such as strenuous activity, physical exertion, levels of stress, and exposure to the elements as they pertain to each individual's assigned security job duties for both normal and emergency operations. The physical fitness qualification of each guard, armed response person, armed escort, and other security force member shall be documented and attested to by a licensee security supervisor. The licensee shall retain this documentation as a record for three years from the date of each qualification.

E. Physical requalification—At least every 12 months, central alarm station operators shall be required to meet the physical requirements of B.1.b of this section, and guards, armed response personnel, and armed escorts shall be required to meet the physical requirements of paragraphs B.1.b (1) and (2), and C of this section. The licensee shall document each individual's physical requalification and shall retain this documentation of requalification as a record for three years from the date of each requalification.

F. Documentation—The results of suitability, physical, and mental qualifications data and test results must be documented by the licensee or the licensee's

the documentation of each requalification as a record for three years after the requalification. Each licensee shall submit a training and qualifications plan outlining the processes by which guards, watchmen, armed response persons, and other members of the security organization will be selected, trained, equipped, tested, and qualified to ensure that these individuals meet the requirements of this paragraph. The licensee shall maintain a current copy of the training and qualifications plan as a record until the Commission terminates each license for which the plan was developed and, if any portion of the plan is superseded, retain the material that is superseded for three years after each change. The training and qualifications plan must include a schedule to show how all security personnel will be qualified two years after the submitted plan is approved. The training and qualifications plan must be followed by the licensee 60 days after the submitted plan is approved by the NRC.

(d) * * * (6) Individuals not authorized by the licensee to enter protected areas without escort shall be escorted by a watchman or other individual designated by the licensee while in a protected area and shall be badged to indicate that an escort is required. In addition, the licensee shall require that each individual register his or her name, date, time, purpose of visit, employment affiliation, citizenship, and name of the individual to be visited. The licensee shall retain the register of information for three years after the last entry in the register.

(h) * * * (2) The licensee shall establish and document liaison with local law enforcement authorities. The licensee shall retain documentation of the current liaison as a record until the Commission terminates each license for which the liaison was developed and, if any portion of the liaison documentation is superseded, retain the superseded material for three years after each change.

98. In § 73.67, the paragraphs (c)(1); (d)(11); (e)(3)(iv), (e)(5), and (3)(6)(i), and the introductory text to (e)(4); (f)(4); and (g)(3)(i), (g)(4), and (g)(5)(i) are revised to read as follows:

§ 73.67 Licensee fixed site and in-transit requirements for the physical protection of special nuclear material of moderate and low strategic significance.

(c) * * * (1) Submit a security plan or an amended security plan describing how the licensee will comply with all the requirements of paragraphs (d), (e), (f), and (g) of this section, as appropriate, including schedules of implementation. The licensee shall retain a copy of the effective security plan as a record for three years after the close of period for which the licensee possesses the special nuclear material under each license for which the original plan was submitted. Copies of superseded material must be retained for three years after each change.

(d) * * * (11) Establish and maintain written response procedures for dealing with threats of thefts or thefts of these materials. The licensee shall retain a copy of the response procedures as a record for the period during which the licensee possesses the appropriate type and quantity of special nuclear material requiring this record under each license for which the original procedures were developed and, for three years thereafter. Copies of superseded material must be retained for three years after each change.

(e) * * * (3) * * * (iv) Establish and maintain written response procedures for dealing with threats of thefts or thefts of this material. The licensee shall retain a copy of the current response procedures as a record for three years after the close of period for which the licensee possesses the special nuclear material under each license for which the original procedures were developed and copies of superseded material must be retained for three years after each change.

(4) Each licensee who arranges the physical protection of strategic special nuclear material in quantities of moderate strategic significance while in transit or who takes delivery of this material free on board (f.o.b.) the point at which it is delivered to a carrier for transport shall comply with the requirements of paragraphs (e)(1), (2), and (3) of this section. The licensee shall retain each record required by paragraphs (e)(1), (2), (3), and (4)(i) and (ii) of this section for three years after close of period licensee possesses special nuclear material under each license that authorizes these licensee activities. Copies of superseded material must be retained for three years after each change. In addition, the licensee shall—

(5) Each licensee who exports special nuclear material of moderate strategic significance shall comply with the requirements specified in paragraphs (c) and (e)(1), (3), and (4) of this section. The licensee shall retain each record required by these sections for three years after the close of period for which the licensee possesses the special nuclear material under each license that authorizes the licensee to export this material. Copies of superseded material must be retained for three years after each change.

(6) * * * (i) Comply with the requirements specified in paragraphs (c) and (e)(2), (3), and (4) of this section. The licensee shall retain each record required by these sections for three years after the close of period for which the licensee possesses the special nuclear material under each license that authorizes the licensee to import this material. Copies of superseded material must be retained for three years after each change.

(f) * * * (4) Establish and maintain response procedures for dealing with threats of thefts or thefts of this material. The licensee shall retain a copy of the current response procedures as a record for three years after the close of period for which the licensee possesses the special nuclear material under each license for which the procedures were established. Copies of superseded material must be retained for three years after each change.

(g) * * * (3) * * * (i) Establish and maintain response procedures for dealing with threats or thefts of this material. The licensee shall retain a copy of the current response procedures as a record for three years after the close of period for which the licensee possesses the special nuclear material under each license for which the procedures were established. Copies of superseded material must be retained for three years after each change.

(4) Each licensee who exports special nuclear material of low strategic significance shall comply with the appropriate requirements specified in paragraphs (c) and (g) (1) and (3) of this section. The licensee shall retain each record required by these sections for three years after the close of period for which the licensee possesses the special nuclear material under each license that authorizes the licensee to export this material. Copies of superseded material

mes: each (5) (i) spe: and reco: three: whic: nucl: auth: mate: mus: each: 98 follo § 73. Ea be le peric regul origi micr micr auth micr clear refer store capa accu the r such must such The l safe loss the p 73.27 keep (a) indiv as a shall desig the p poss quan requ that subj requ there mate year (b) num have spec area whic licen indiv acce licen and

agent. The licensee or the agent shall retain this documentation as a record for three years from the date of obtaining and recording these results.

II. Training and qualifications.

A. Training requirements—Each individual who requires training to perform assigned security-related job tasks or job duties as identified in the licensee physical security or contingency plans shall, prior to assignment, be trained to perform these tasks and duties in accordance with the licensee or the licensee's agent's documented training and qualifications plan. The licensee or the agent shall maintain documentation of the current plan and retain this documentation of the plan as a record for three years after the close of period for which the licensee possesses the special nuclear material under each license for which the plan was developed and, if any portion of the plan is superseded, retain the material that is superseded for three years after each change.

B. Qualification requirements—Each person who performs security-related job tasks or job duties required to implement the licensee physical security or contingency plan shall, prior to being assigned to these tasks or duties, be qualified in accordance with the licensee's NRC-approved training and qualifications plan. The qualifications of each individual must be documented and attested by a licensee security supervisor. The licensee shall retain this documentation of each individual's qualifications as a record for three years after the employee ends employment in the security-related capacity and for three years after the close of period for which the licensee possesses the special nuclear material under each license, and superseded material for three years after each change.

C. Contract personnel—Contract personnel shall be trained, equipped, and qualified as appropriate to their assigned security-related job tasks or job duties, in accordance with sections II, III, IV, and V of this appendix. The qualifications of each individual must be documented and attested by a licensee security supervisor. The licensee shall retain this documentation of each individual's qualifications as a record for three years after the employee ends employment in the security-related capacity and for three years after the close of period for which the licensee possesses the special nuclear material under each license, and superseded material for three years after each change.

E. Requalification—Security personnel shall be requalified at least every 12 months to perform assigned security-related job tasks and duties for both normal and contingency operations. Requalification shall be in accordance with the NRC-approved licensee training and qualifications plan. The results of requalification must be documented and attested by a licensee security supervisor. The licensee shall retain this documentation of each individual's requalification as a record for three years from the date of each requalification.

IV. Weapons qualification and requalification program.

Qualification firing for the handgun and the rifle must be for daylight firing, and each individual shall perform night firing for familiarization with assigned weapon(s). The results of weapons qualification and requalification must be documented by the licensee or the licensee's agent. Each individual shall be requalified at least every 12 months. The licensee shall retain this documentation of each qualification and requalification as a record for three years from the date of the qualification or requalification, as appropriate.

PART 74—MATERIAL CONTROL AND ACCOUNTING OF SPECIAL NUCLEAR MATERIAL

101. The authority citation for Part 74 continues to read as follows:

Authority: Sec. 161, 68 Stat. 948, as amended (42 U.S.C. 2201); Sec. 201, 68 Stat. 1242, as amended (42 U.S.C. 5841).

102. In § 74.31, the existing text of paragraph (d) is redesignated as (d)(1) and paragraph (d)(2) is added to read as follows:

§ 74.31 Nuclear material control and accounting for special nuclear material of low strategic significance.

(d) . . .

(2) Records which must be maintained pursuant to this part may be the original or a reproduced copy or a microform if such reproduced copy or microform is duly authenticated by authorized personnel and the microform is capable of producing a clear and legible copy after storage for the period specified by Commission regulations. The record may also be stored in electronic media with the capability for producing legible, accurate, and complete records during the required retention period. Records such as letters, drawings, specifications, must include all pertinent information such as stamps, initials, and signatures.

The licensee shall maintain adequate safeguards against tampering with and loss of records.

PART 75—SAFEGUARDS ON NUCLEAR MATERIAL—IMPLEMENTATION OF US/IAEA AGREEMENT

103. The authority citation for Part 75 is revised to read as follows:

Authority: Secs. 53, 63, 103, 104, 122, 161, 68 Stat. 930, 932, 936, 937, 939, 948, as amended (42 U.S.C. 2073, 2093, 2133, 2134, 2152, 2201); sec. 201, 68 Stat. 1242, as amended (42 U.S.C. 5841).

For the purposes of sec. 223, 68 Stat. 958, as amended (42 U.S.C. 2273); the provisions of this part are issued under sec. 161o, 68 Stat. 950, as amended (42 U.S.C. 2201(o)).

104. The heading for § 75.6 is revised and a new paragraph (e) is added to read as follows:

§ 75.6 Maintenance of records and delivery of information, reports, and other communications.

(e) Each record required by this part must be legible throughout the retention period specified by each Commission regulation. The record may be the original or a reproduced copy or a microform provided that the copy or microform is authenticated by authorized personnel and that the microform is capable of producing a clear copy throughout the required retention period. The record may also be stored in electronic media with the capability for producing legible, accurate, and complete records during the required retention period. Records such as letters, drawings, specifications, must include all pertinent information such as stamps, initials, and signatures. The licensee shall maintain adequate safeguards against tampering with and loss of records.

105. In § 75.12, paragraphs (b)(1) and (4) are revised to read as follows:

§ 75.12 Communication of information to IAEA.

(b)(1) A licensee may request that information of particular sensitivity, which it customarily holds in confidence, not be transmitted physically to the IAEA. A licensee who makes such a request should, at the time the information is submitted, identify the pertinent document or part thereof and make a full statement of the reasons supporting the request. The licensee shall retain a copy of the request and all documents related to the request as a record until the Commission terminates the license for each installation involved with the request or until the Commission notifies the licensee that the licensee is no longer under the agreement. Superseded material must be retained for three years after each change is made.

(4) If a request is granted, the Commission will determine a location where the information will remain readily available for examination by the IAEA and will so inform the licensee. The licensee shall retain this information as a record until the Commission terminates the license for the installation involved with the request or until the Commission notifies the licensee that the licensee is no longer under the agreement. Superseded

material must be retained for three years after each change is made.

106. In § 75.21, paragraph (a) is revised to read as follows:

§ 75.21 General requirements.

(a) Each licensee who has been given notice by the Commission in writing that its installation has been identified under the Agreement shall establish, maintain, and follow written material accounting and control procedures. The licensee shall retain as a record current material accounting and control procedures until the Commission terminates the license for the installation involved with the request or until the Commission notifies the licensee that the licensee is no longer under the agreement. Superseded material must be retained for three years after each change is made.

PART 95—SECURITY FACILITY APPROVAL AND SAFEGUARDING OF NATIONAL SECURITY INFORMATION AND RESTRICTED DATA

107. The authority citation for Part 95 continues to read as follows:

Authority: Sec. 161, 68 Stat. 948, as amended (42 U.S.C. 2201); Sec. 201, 68 Stat. 1242, as amended (42 U.S.C. 5841).

108. Section 95.11 is revised to read as follows:

§ 95.11 Specific exemptions.

The Commission may, upon application of any interested party, grant an exemption from the requirements of Part 95. Exemptions will be granted only if they are authorized by law and will not constitute an undue risk to the common defense and security. The licensee shall retain the documentation related to the request, notification, and processing of an exemption for three years beyond the period covered by the exemption.

109. Section 95.13 is revised to read as follows:

§ 95.13 Maintenance of records.

(a) Each licensee or organization granted security facility approval under this part shall maintain records prescribed within the part. These records are subject to review and inspection by NRC representatives during security surveys.

(b) Each record required by this part must be legible throughout the retention period specified by each Commission regulation. The record may be the original or a reproduced copy or a microform provided that the copy or microform is authenticated by authorized personnel and that the

microform is capable of producing a clear copy throughout the required retention period. The record may also be stored in electronic media with the capability for producing legible, accurate, and complete records during the required retention period. Records such as letters, drawings, specifications, must include all pertinent information such as stamps, initials, and signatures. The licensee shall maintain adequate safeguards against tampering with and loss of records.

110. In § 95.25, paragraphs (a)(3), and (b) are revised to read as follows:

§ 95.25 Protection of national security information and restricted data in storage.

(a) . . .

(3) When protective personnel are used, physical checks of security containers must be made as soon as possible after the close of each normal workday and at least once every eight hours thereafter during non-working hours. The licensee shall record the results of these checks and retain each record for three years after it is made.

(b) Unattended security container found opened: In the event that an unattended security container housing classified matter is found unlocked, the custodian or an alternate shall be notified immediately. The container must be secured by protective personnel and the contents inventoried as soon as possible but not later than the next workday. A report reflecting all actions taken must be submitted to the responsible Regional Office (see Appendix A, 10 CFR Part 73 for addresses) with an information copy to the NRC Division of Security. The licensee shall retain records pertaining to these matters for three years after completion of final corrective action.

§ 95.33 [Amended]

111. Section 95.33 is amended by changing "one year" to "three years" in the last sentence.

112. In § 95.37, paragraph (i) is revised to read as follows:

§ 95.37 Classification and preparation of documents.

(i) Document which custodian believes is improperly classified or lacking appropriate classification markings. If a person receives a document which, in his or her opinion, is not properly classified, or does not have appropriate classification markings, he or she shall immediately notify the sender and suggest to the originator the classification which he believes to be

appropriate. Whenever requested, this challenge of classification marking must be handled in a manner which will ensure the anonymity of the challenger. Pending final determination of proper classification, the document must be safeguarded in accordance with the procedures required for the highest classification in question. Where unauthorized disclosure may have occurred, a report in accordance with § 95.57 of this part is required. These reports must be retained for three years after final corrective action has been taken.

§ 95.41 [Amended]

113. Section 95.41 is amended by changing "two years" to "three years" in the last sentence.

114. Section 95.47 is revised to read as follows:

§ 95.47 Destruction of matter containing national security information and/or restricted data.

Documents containing National Security Information and/or Restricted Data may be destroyed by burning, pulping, or another method that ensures complete destruction of the information which they contain. The method of destruction must preclude recognition or reconstruction of the classified information. Any doubts on methods should be referred to the NRC Division of Security. If the document contains Secret National Security Information and/or Restricted Data a record of the subject or title, document number, if any, originator, its date or origination, its series designation and copy number, and the date of destruction must be signed by the person destroying the document and must be maintained in the office of the custodian at the time of destruction. These destruction records must be retained for three years after destruction.

PART 110—EXPORT AND IMPORT OF NUCLEAR EQUIPMENT AND MATERIALS

115. The authority citation for Part 110 continues to read as follows:

Authority: Sec. 161, 68 Stat. 948, as amended (42 U.S.C. 2201); Sec. 201, 68 Stat. 1242, as amended (42 U.S.C. 5841).

116. In § 110.53, paragraph (b) is revised to read as follows:

§ 110.53 United States address, records, and inspections.

(b)(1) Each licensee shall maintain records concerning his exports or imports. The licensee shall retain these

records for five years after each export or import except that byproduct material records must be retained for three years after each export or import.

(2) Records which must be maintained pursuant to this part may be the original or a reproduced copy or microform if such reproduced copy or microform is duly authenticated by authorized personnel and the microform is capable of producing a clear and legible copy after storage for the period specified by Commission regulations. The record may also be stored in electronic media with the capability for producing legible, accurate, and complete records during the required retention period. Records such as letters, drawings, specifications, must include all pertinent information such as stamps, initials, and signatures. The licensee shall maintain adequate safeguards against tampering with and loss of records.

.
Dated at Rockville, Maryland, this 13th day of May 1988.

For the Nuclear Regulatory Commission.

Victor Stebo, Jr.,

Executive Director for Operations.

[FR Doc. 88-11663 Filed 5-26-88; 8:45 am]

SELLING CODE 7500-01-M

Committee on Nuclear Quality Assurance

TASK PROPOSAL NOTICE

1. Strategic Plan Item Numbers: 8 Subtask: _____
2. Task Description and Objective: Confusion Between Documents & Records.
(SEE ATTACHMENT)

3. Affected Document:

	<u>Revision</u>	<u>New</u>	<u>Other</u>
<input checked="" type="checkbox"/> NQA-1 <input type="checkbox"/> NQA-2			
Basic Requirement _____			
Generic Supplement <u>6S-1, 17S-1</u>	X		
Generic Appendix _____			
Generic Part _____			
Limited Application Supplement _____			
Limited Application Appendix _____			
Limited Part _____			

4. Justification (use a separate sheet if necessary):
(SEE ATTACHMENT)

5. Milestone Dates: Planned Subtask Initiation: March 1987
Target First Draft: October 1987
Target Main Committee Approval: October 1988

6. Proposed Responsible NQA Committee Unit: WG-DC&RM

7. Prepared By:

8. Submitted By:

Name: A. L. MacKinney
 Phone: (803) 385-2656
 NQA Committee Unit: WG-DC&RM
 Date: 10/22/86

Name: _____
 Phone: _____
 NQA Committee Unit: _____
 Date: _____

 (To be completed by Chairman SCSC or Secretary)

9. To Executive Committee: Date: 4/20/88 Action: Failed
10. To Main Committee: Date: 4/21/88 Action: Passed

ATTACHMENT

Task Description and Objective:

Clarification of 6S-1: There is feedback from users that the confusion between "Documents" and "Records" has not been resolved even after the efforts in publishing interpretations. This lack of clarity in 6S-1 can lead to a user controlling documents as if they were records and incurring significant, and unnecessary, costs. The purpose of this task is to revise 6S-1, along the lines of the published interpretation, to mitigate this problem in accordance with the objectives of SPIN No. 8.

Review the EPPI/NCIG Study on records.

Justification:

The problems of confusing the requirements of 6S-1 and 17S-1 and of lack of clear understanding of the different controls applied to "records" and "documents" has been recognized by the SC/WG DC&RM for quite some time. Some utility records managers have told us that they simply do not bother to differentiate, thus incurring unnecessary effort and cost.

On May 24, 1984 a Subcommittee "White Paper" was distributed to the Main Committee for comment and the comments received by the Subcommittee were incorporated into the "White Paper". To provide a vehicle for disseminating this information, inquiry no. QA 85-004 was generated by a Subcommittee member and the Subcommittee response was issued by the ASME Secretary on February 27, 1986. The response was published in Mechanical Engineering in May, 1986 (copy attached) and the 1a-1986 addenda.

There is still, however, feedback from industry that indicates that the problem is not resolved. The Working Group on Document Control and Records Management believes that, in order to meet the requirements of SPIN No. 8, supplement 6S-1 of NQA-1 should be improved.

NORTHEAST UTILITIES



THE CONNECTICUT LIGHT AND POWER COMPANY
WESTERN MASSACHUSETTS ELECTRIC COMPANY
HOLYOKE WATER POWER COMPANY
NORTHEAST UTILITIES SERVICE COMPANY
NORTHEAST NUCLEAR ENERGY COMPANY

ATTACHMENT No. 5
General Offices • Selden Street, Berlin, Connecticut

P.O. BOX 270
HARTFORD, CONNECTICUT 06141-0270
(203) 665-5000

July 18, 1988

Mr. Steve Weinman, Secretary
Committee on Nuclear Quality Assurance
The American Society of Mechanical Engineers
345 East 47th Street
New York, NY 10017


Dear Steve:

Effective immediately, I am resigning from the ANSI/ASME Nuclear Quality Assurance Committee. I presently hold the following positions:

- o Member/Secretary: Working Group on Document Control and Records Management
- o Member: Subcommittee on Programmatic Activities

I have fully enjoyed my years with the NQA Organization. It is with deep sadness that I must end my tenure at this time.

Sincerely,



John A. Winn

cc: Ford Knight
Arland MacKinney

August 10, 1988

alm 8/15

Arland L. MacKinney
Chairman, WG-DC&RM
Babcock & Wilcox Company
P.O. Box 10935
Lynchburg, VA 24506-0935

Dear Arland:

Because of organization changes within GE Nuclear Energy and a personal reassignment, I am resigning from the Work Group-Document Control and Records Management effective immediately.

During my tenure on the Work Group, I have gained increased knowledge and appreciation for standards. In particular, I recognize the growing importance of standards for the area of electronic storage of records and regret that I will not be able to participate with you in the development of changes to the standards to cover the new technologies.

Please tell the group how much I have enjoyed working with them. My personal thanks to you, Arland, for all your efforts.

Continued success to the entire Work Group.

Sincerely,



S.S. Epstein
Automation Systems
M/C 714 - (408) 925 6419

-ijm

cc: S. Weinman
RE Skavdahl
FJ McCarthy
JM Case