



Department of Energy

Yucca Mountain Project Office

P. O. Box 88608

Las Vegas, NV 89193-8608

AUG 13 1990

To: K. Hooks
NBS 1.2.9.3

QA

Carl P. Gertz, Project Manager, YMP, NV

**ACCEPTANCE OF RESPONSE TO STANDARD DEFICIENCY REPORT (SDR) 333, REVISION 0,
RESULTING FROM YUCCA MOUNTAIN PROJECT OFFICE (PROJECT OFFICE) QUALITY
ASSURANCE AUDIT 89-02**

The Project Office QA staff has evaluated and accepted your response to SDR 333, Revision 0, regarding unsatisfactory completion of corrective action. Please be advised that the new corrective action completion date of August 10, 1990, is acceptable to the Project Office. The SDR will be closed after verification of satisfactory completion of the specified corrective actions.

Verification of completion of your corrective action will be performed after the effective date that was provided. Any extension to this due date must be requested in writing with appropriate justification prior to the due date. Please send a duplicate copy of extension requests to Nita J. Brogan, Science Applications International Corporation, Las Vegas, Nevada.

If you have any questions, please contact either Catherine E. Hampton at 794-7973 or Neil D. Cox at 794-7236 of the Yucca Mountain Project QA staff.

Catherine Hampton
Donald G. Horton, Director
Quality Assurance
Yucca Mountain Project Office

QA:CEH-4479

cc:

D. E. Shelor, HQ (RW-30) FORS
N. J. Brogan, SAIC, Las Vegas, NV, 517/T-08
N. D. Cox, SAIC, Las Vegas, NV, 517/T-06
S. W. Zimmerman, NWPO, Carson City, NV
K. R. Hooks, NRC, Washington, DC