

December 2, 2003

Mr. Michael Phillips  
President  
Environics USA  
737 Walker Road, Suite 1  
Great Falls, VA 22066

SUBJECT: COMPLETION OF AMENDMENT OF REGISTRATION NR-1160-D-101-E

Dear Mr. Phillips:

Based on the information in your letter dated September 23, 2003, and subsequent correspondence with enclosures thereto, we continue to conclude that the Model ChemPro 100 is acceptable for licensing purposes in accordance with the conditions of the enclosed registration certificate (NR-1160-D-101-E).

Please be advised that you must distribute the product in accordance with the statements and representations contained in your application, with enclosures thereto, and the information set out in your registration certificate. As a general rule, you must request and obtain an amendment to the certificate before you make changes or modifications to the information submitted to obtain the certificate. Please read over the enclosed registration certificate in its entirety and notify us immediately of any errors or omissions.

You are obligated to notify us promptly in writing should you decide to no longer manufacture or offer service support for the product.

Please be aware that, as a holder of an NRC registration, you may be subject to the NRC's licensing and inspection fees in accordance with 10 CFR Part 170, and annual fees in accordance with 10 CFR Part 171. If you have any questions concerning the fee requirements, please contact Ms. Rosalyn C. Jones, License Fee and Accounts Receivable Branch at (301) 415-7300.

If you have any questions, please contact me at (301) 415-7640.

Sincerely,

**/RA/**

Xiaosong Yin, Health Physicist  
Materials Safety and Inspection Branch  
Division of Industrial and  
Medical Nuclear Safety  
Office of Nuclear Material Safety  
and Safeguards

Enclosure: As stated  
cc w/encl: R. Jones, LFARB

December 3, 2003

Mr. Michael Phillips  
President  
Environics USA  
737 Walker Road, Suite 1  
Great Falls, VA 22066

SUBJECT: COMPLETION OF AMENDMENT OF REGISTRATION NR-1160-D-101-E

Dear Mr. Phillips:

Based on the information in your letter dated September 23, 2003, and subsequent correspondence with enclosures thereto, we continue to conclude that the Model ChemPro 100 is acceptable for licensing purposes in accordance with the conditions of the enclosed registration certificate (NR-1160-D-101-E).

Please be advised that you must distribute the product in accordance with the statements and representations contained in your application, with enclosures thereto, and the information set out in your registration certificate. As a general rule, you must request and obtain an amendment to the certificate before you make changes or modifications to the information submitted to obtain the certificate. Please read over the enclosed registration certificate in its entirety and notify us immediately of any errors or omissions.

You are obligated to notify us promptly in writing should you decide to no longer manufacture or offer service support for the product.

Please be aware that, as a holder of an NRC registration, you may be subject to the NRC's licensing and inspection fees in accordance with 10 CFR Part 170, and annual fees in accordance with 10 CFR Part 171. If you have any questions concerning the fee requirements, please contact Ms. Rosalyn C. Jones, License Fee and Accounts Receivable Branch at (301) 415-7300.

If you have any questions, please contact me at (301) 415-7640.

Sincerely,

**/RA/**

Xiaosong Yin, Health Physicist  
Materials Safety and Inspection Branch  
Division of Industrial and  
Medical Nuclear Safety  
Office of Nuclear Material Safety  
and Safeguards

Enclosure: As stated  
cc w/encl: R. Jones, LFARB

Distribution:

NMSS13 SSD-04-02 ML #:ML033370820

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	MSIB	E	MSIB	MSIB		
NAME	XYin		UBhachu	JPJankovich		
DATE	11/14/03		11/14/03	11/14/03		

OFFICIAL RECORD COPY